

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
10 July 2003 (10.07.2003)

PCT

(10) International Publication Number
WO 03/055979 A2

- (51) International Patent Classification⁷: C12N David [US/US]; 8501 Meadowlark Lane, Bethesda, MD 20817 (US).
- (21) International Application Number: PCT/US02/36496
- (22) International Filing Date: 14 November 2002 (14.11.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/331,469 16 November 2001 (16.11.2001) US
60/340,817 19 December 2001 (19.12.2001) US
- (71) Applicant (for all designated States except US): HUMAN GENOME SCIENCES, INC. [US/US]; 9410 Key West Avenue, Rockville, MD 20850 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): RUBEN, Steven, M. [US/US]; 19420 Pyrite Lane, Brookeville, MD 20833 (US). BARASH, Steven, C. [US/US]; 111 Watkins Pond Blvd., #301, Rockville, MD 20850 (US). CHOI, Gil, H. [US/US]; 11429 Potomac Oaks Drive, Rockville, MD 20850 (US). VAUGHAN, Tristan, J. [GB/GB]; 25 Coppice Avenue, Great Shelford, Cambridge CB2 5AQ (GB). HILBERT,
- (74) Agent: HOOVER, Kenley, K.; Human Genome Sciences, Inc., 9410 Key West Avenue, Rockville, MD 20850 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 03/055979 A2

(54) Title: ANTIBODIES THAT IMMUNOSPECIFICALLY BIND TO BlyS

(57) Abstract: The present invention relates to antibodies and related molecules that immunospecifically bind to BlyS. The present invention also relates to methods and compositions for detecting or diagnosing a disease or disorder associated with aberrant BlyS expression or inappropriate function of BlyS comprising antibodies or fragments or variants thereof or related molecules that immunospecifically bind to BlyS. The present invention further relates to methods and compositions for preventing, treating or ameliorating a disease or disorder associated with aberrant BlyS expression or inappropriate BlyS function comprising administering to an animal an effective amount of one or more antibodies or fragments or variants thereof or related molecules that immunospecifically bind to BlyS.

ANTIBODIES THAT IMMUNOSPECIFICALLY BIND TO BLyS

INTRODUCTION

[0001] The present invention relates to antibodies and related molecules that immunospecifically bind to BLyS. The present invention also relates to methods and compositions for detecting, diagnosing, or prognosing a disease or disorder associated with aberrant BLyS or BLyS receptor expression or inappropriate function of BLyS or BLyS receptor, comprising antibodies or fragments or variants thereof, or related molecules, that immunospecifically bind to BLyS. The present invention further relates to methods and compositions for preventing, treating or ameliorating a disease or disorder associated with aberrant BLyS or BLyS receptor expression or inappropriate BLyS function or BLyS receptor function, comprising administering to an animal, preferably a human, an effective amount of one or more antibodies or fragments or variants thereof, or related molecules, that immunospecifically bind to BLyS.

BACKGROUND OF THE INVENTION

[0002] B lymphocyte stimulator (BLyS) is a member of the tumor necrosis factor ("TNF") superfamily that induces both *in vivo* and *in vitro* B cell proliferation and differentiation (Moore *et al.*, Science 285: 260-263 (1999)). BLyS is distinguishable from other B cell growth and differentiation factors such as IL-2, IL-4, IL-5, IL-6, IL-7, IL-13, IL-15, CD40L, or CD27L (CD70) by its monocyte-specific gene and protein expression pattern and its specific receptor distribution and biological activity on B lymphocytes. BLyS expression is not detected on natural killer ("NK") cells, T cells or B cells, but is restricted to cells of myeloid origin. BLyS expression on resting monocytes is upregulated by interferon-gamma (IFN-gamma). The gene encoding BLyS has been mapped to chromosome 13q34.

[0003] BLyS is expressed as a 285 amino acid type II membrane-bound polypeptide and a soluble 152 amino acid polypeptide (Moore *et al.*, 1999 *supra*). The membrane-bound form of BLyS has a predicted transmembrane spanning domain between amino acid residues 47 and 73. The NH₂-terminus of the soluble form of BLyS begins at Ala¹³⁴

of the membrane-bound form of BLyS. Soluble recombinant BLyS has been shown to induce *in vitro* proliferation of murine splenic B cells and to bind to a cell-surface receptor on these cells (Moore *et al.*, 1999 *supra*). Soluble BLyS administration to mice has been shown to result in an increase in the proportion of CD45R^{dull}, Ly6D^{bright} (also known as ThB) B cells and an increase in serum IgM and IgA levels (Moore *et al.*, 1999 *supra*). Thus, BLyS displays a B cell tropism in both its receptor distribution and biological activity.

[0004] Levels of BLyS protein have been found to be elevated in patients with autoimmune disease, including systemic lupus erythematosus (SLE), rheumatoid arthritis, and Sjögren's syndrome (Zhang *et al.*, *The Journal of Immunology*, (2001) 166:6-10; Cheema *et al.*, *Arthritis and Rheumatism* (2001) 44:1313-1319; and Groom *et al.*, *Journal of Clinical Investigation* (2002) 109:59-68). Furthermore, administration of a soluble form of a BLyS receptor, TACI, has been shown to alleviate the autoimmune phenotype of NZBWF1 and MRL-*lpr/lpr* mice (Gross *et al.*, *Nature*, (2000) 404:995-999). Thus, antibodies and related molecules that immunospecifically bind to BLyS may find medical utility in, for example, the treatment of B cell disorders associated with autoimmunity. In other embodiments, antibodies and related molecules that immunospecifically bind to BLyS may find medical utility in for example, neoplasia or immunodeficiency syndromes.

SUMMARY OF THE INVENTION

[0005] The present invention encompasses antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to a polypeptide or polypeptide fragment of BLyS. In particular, the invention encompasses antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to a polypeptide or polypeptide fragment of human BLyS (SEQ ID NOS:3228 and/or 3229) or BLyS expressed on human monocytes; murine BLyS (SEQ ID NOS:3230 and/or 3231) or BLyS expressed on murine monocytes; rat BLyS (either the soluble forms as given in SEQ ID NOS:3232, 3233, 3234 and/or 3235 or in a membrane associated form, *e.g.*, on the surface of rat monocytes); or monkey BLyS (*e.g.*, the monkey BLyS polypeptides of SEQ ID NOS:3236 and/or 3237, the soluble form of monkey BLyS, or BLyS expressed on

monkey monocytes), preferably human BLyS. The present invention also encompasses methods and compositions for detecting, diagnosing, or prognosing diseases or disorders associated with aberrant BLyS or BLyS receptor expression or inappropriate function of BLyS or BLyS receptor in an animal, preferably a mammal, and most preferably a human, comprising, or alternatively consisting of, use of antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to BLyS. Diseases and disorders which can be detected, diagnosed, or prognosed with the antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) of the invention include, but are not limited to, immune disorders (*e.g.*, lupus, rheumatoid arthritis, multiple sclerosis, myasthenia gravis, Hashimoto's disease, and immunodeficiency syndrome), inflammatory disorders (*e.g.*, asthma, allergic disorders, and rheumatoid arthritis), infectious diseases (*e.g.*, AIDS), and proliferative disorders (*e.g.*, leukemia, carcinoma, and lymphoma). The present invention further encompasses methods and compositions for preventing, treating or ameliorating diseases or disorders associated with aberrant BLyS or BLyS receptor expression or inappropriate function of BLyS or BLyS receptor in an animal, preferably a mammal, and most preferably a human, comprising, or alternatively consisting of, administering to said animal an effective amount of one or more antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to BLyS. Diseases and disorders which can be prevented, treated or ameliorated by administering an effective amount of an antibody of the invention include, but are not limited to, immune disorders (*e.g.*, lupus, rheumatoid arthritis, multiple sclerosis, myasthenia gravis, Hashimoto's disease, and immunodeficiency syndrome), inflammatory disorders (*e.g.*, asthma, allergic disorders, and rheumatoid arthritis), infectious diseases (*e.g.*, AIDS), and proliferative disorders (*e.g.*, leukemia, carcinoma, and lymphoma).

[0006] Using phage display technology, the present inventors have identified single chain antibody molecules ("scFvs") that immunospecifically bind to BLyS, including scFvs that immunospecifically bind to soluble BLyS, scFvs that immunospecifically bind the membrane-bound form of BLyS, and scFvs that immunospecifically bind to both the soluble form and the membrane-bound form of BLyS. Antibodies of the present invention are defined as able to bind the membrane bound and/or soluble forms of BLyS according

to the assays described in Examples 1 through 19. Molecules comprising, or alternatively consisting of, fragments or variants of these scFvs (e.g., including VH domains, VH CDRs, VL domains, or VL CDRs having an amino acid sequence of any one of those referred to in Table 1), that immunospecifically bind the soluble form of BLYS, the membrane-bound form of BLYS, and/or both the soluble form and membrane-bound form of BLYS, are also encompassed by the invention, as are nucleic acid molecules that encode these scFvs, and/or molecules.

[0007] In particular, the invention relates to scFvs comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of SEQ ID NOS: 1 - 2128, preferably SEQ ID NOS: 834 - 872, 1570 - 1595, and 1886 - 1908, and most preferably SEQ ID NOS: 1 - 46, 321 - 329, 1563 - 1569, and 1881 - 1885, as referred to in Table 1 below. In specific embodiments, the present invention relates to scFvs that immunospecifically bind the soluble form of BLYS, said scFvs comprising, or alternatively consisting of, an amino acid sequence of SEQ ID NOS: 1563 - 1880, preferably SEQ ID NOS: 1570 - 1595, and most preferably SEQ ID NOS: 1563 - 1569, as referred to in Table 1, below. In other embodiments, the present invention also relates to scFvs that immunospecifically bind the membrane-bound form of BLYS, said scFvs comprising, or alternatively consisting of, an amino acid sequence of SEQ ID NOS: 1881 - 2128, preferably SEQ ID NOS: 1886 - 1908, and most preferably SEQ ID NOS: 1881 - 1885, as referred to in Table 1 below. The present invention further relates to scFvs that immunospecifically bind both the membrane-bound form and soluble form of BLYS, said scFvs comprising, or alternatively consisting of, an amino acid sequence of SEQ ID NOS: 1 - 1562, preferably SEQ ID NOS: 834 - 872, and most preferably SEQ ID NOS: 1 - 46, and 321 - 329, as referred to in Table 1 below. Molecules comprising, or alternatively consisting of, fragments or variants of these scFvs (e.g., including VH domains, VH CDRs, VL domains, or VL CDRs having an amino acid sequence of any one of those referred to in Table 1), that immunospecifically bind the soluble form of BLYS, the membrane-bound form of BLYS, and/or both the soluble form and membrane-bound form of BLYS, are also encompassed by the invention, as are nucleic acid molecules that encode these scFvs, and/or molecules.

[0008] The present invention provides antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that

immunospecifically bind to a polypeptide or polypeptide fragment of BLyS, said antibodies comprising, or alternatively consisting of, a polypeptide having the amino acid sequence of any one of the variable heavy ("VH") domains referred to in Table 1, below, or any one of the variable light ("VL") domains referred to in Table 1. In a preferred embodiment, antibodies of the present invention comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a VH domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908, as referred to in Table 1 below. In another preferred embodiment, antibodies (including molecules comprising or alternatively consisting of, antibody fragments or variants thereof) of the present invention comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a VL domain contained SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908, as referred to in Table 1 below. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies (e.g., including VH domains, VH CDRs, VL domains, or VL CDRs having an amino acid sequence of any one of those referred to in Table 1), that immunospecifically bind the soluble form of BLyS, the membrane-bound form of BLyS, and/or both the soluble form and membrane-bound form of BLyS, are also encompassed by the invention, as are nucleic acid molecules that encode these antibodies, and/or molecules.

[0009] The present invention also provides antibodies (including molecules comprising or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to a polypeptide or a polypeptide fragment of BLyS, said antibodies comprising, or alternatively consisting of, a polypeptide having the amino acid sequence of any one of the VH domains referred to in Table 1, below, and any one of the VL domains referred to in Table 1. In a preferred embodiment, the antibodies of the invention comprise or alternatively consist of, a polypeptide having the amino acid sequence of a VH and VL domain contained in the same scFv referred to in Table 1. In another preferred embodiment, antibodies of the present invention, comprise, or alternatively consist of, a VH domain from an scFv of SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908, as disclosed in Table 1, and a VL domain from an scFv SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908, as disclosed in Table 1. In another preferred embodiment, antibodies of the present invention comprise, or alternatively consist of, the VH and VL domain from a single scFv of SEQ

ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908, as disclosed in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies (e.g., including VH domains, VH CDRs, VL domains, or VL CDRs having an amino acid sequence of any one of those referred to in Table 1), that immunospecifically bind the soluble form of BLyS, the membrane-bound form of BLyS, and/or both the soluble form and membrane-bound form of BLyS, are also encompassed by the invention, as are nucleic acid molecules that encode these antibodies, and/or molecules.

[0010] The present invention also provides antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to a polypeptide or a polypeptide fragment of BLyS, said antibodies comprising, or alternatively consisting of, a polypeptide having the amino acid sequence of any one, two, three or more of the VH complementarity determining regions ("CDRs") (*i.e.*, VH CDR1, VH CDR2, or VH CDR3) referred to in Table 1 and/or any one, two, three or more of the VL CDRs (*i.e.*, VL CDR1, VL CDR2, or VL CDR3) referred to in Table 1. In one embodiment, antibodies of the present invention comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one of the VH CDR1s referred to in Table 1 and/or any one of the VL CDR1s referred to in Table 1. In another embodiment, antibodies of the present invention comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one of the VH CDR2s referred to in Table 1 and/or any one of the VL CDR2s referred to in Table 1. In a preferred embodiment, antibodies of the present invention comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one of the VH CDR3s referred to in Table 1 and/or any one of the VL CDR3s referred to in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies (e.g., including VH domains, VH CDRs, VL domains, or VL CDRs having an amino acid sequence of any one of those referred to in Table 1), that immunospecifically bind the soluble form of BLyS, the membrane-bound form of BLyS, and/or both the soluble form and membrane-bound form of BLyS, are also encompassed by the invention, as are nucleic acid molecules that encode these antibodies, and/or molecules.

[0011] In another embodiment, antibodies of the present invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) immunospecifically bind to a polypeptide or polypeptide fragment of BLyS, and

comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one of the VH CDR1s referred to in Table 1, any one of the VH CDR2s referred to in Table 1, and/or any one of the VH CDR3s referred to in Table 1. In another embodiment, antibodies of the present invention comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one of the VL CDR1s referred to in Table 1, any one of the VL CDR2s referred to in Table 1, and/or any one of the VL CDR3s referred to in Table 1. In a preferred embodiment, antibodies of the present invention comprise, or alternatively consist of, at least one, two, three, four, five, six, or more CDRs that correspond to the same scFv referred to in Table 1, more preferably where CDR1, CDR2, and CDR3 of the VL domain correspond to the same scFv or where CDR1, CDR2, and CDR3 of the VH domain correspond to the same scFv, and most preferably where all six CDRs correspond to the same scFv referred to in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies (e.g., including VH domains, VH CDRs, VL domains, or VL CDRs having an amino acid sequence of any one of those referred to in Table 1), that immunospecifically bind the soluble form of BLyS, the membrane-bound form of BLyS, and/or both the soluble form and membrane-bound form of BLyS, are also encompassed by the invention, as are nucleic acid molecules that encode these antibodies, and/or molecules.

[0012] The present invention also provides antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that: immunospecifically bind to the soluble form of BLyS (e.g., a polypeptide consisting of amino acids 134 - 285 of SEQ ID NO:3228); that immunospecifically bind to the membrane-bound form of BLyS (e.g., a polypeptide consisting of amino acids 1 - 285 of SEQ ID NO:3228 or a BLyS polypeptide expressed on the surface of monocytes) and/or that immunospecifically bind to both the soluble form and membrane-bound form of BLyS. In a preferred embodiment, antibodies of the present invention immunospecifically bind to the soluble form of BLyS and comprise, or alternatively consist of, a VH domain, VH CDR1, VH CDR2, VH CDR3, VL domain, VL CDR1, VL CDR2, and/or VL CDR3 corresponding to one or more scFvs, that immunospecifically bind to the soluble form of BLyS. In another preferred embodiment, antibodies of the present invention immunospecifically bind to the membrane-bound form of BLyS and comprise, or alternatively consist of, a VH domain, VH CDR1, VH CDR2, VH CDR3, VL domain, VL

CDR1, VL CDR2, and/or VL CDR3 corresponding to one or more scFvs, that immunospecifically bind to the membrane-bound form of BLyS. In yet another preferred embodiment, antibodies of the present invention immunospecifically bind to the soluble form and membrane-bound form of BLyS and comprise, or alternatively consist of, a VH domain, VH CDR1, VH CDR2, VH CDR3, VL domain, VL CDR1, VL CDR2, and/or VL CDR3 corresponding to one or more scFvs, that immunospecifically binds to the soluble form and membrane-bound form of BLyS. In another preferred embodiment, antibodies of the present invention comprise, or alternatively consist of, a VH domain and a VL domain corresponding to the same scFv disclosed in Table 1, which antibodies immunospecifically bind to the soluble form of BLyS, the membrane-bound form of BLyS, or both the soluble form and membrane-bound form of BLyS. Nucleic acid molecules encoding these antibodies are also encompassed by the invention. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies (e.g., including VH domains, VH CDRs, VL domains, or VL CDRs having an amino acid sequence of any one of those referred to in Table 1), that immunospecifically bind the soluble form of BLyS, the membrane-bound form of BLyS, and/or both the soluble form and membrane-bound form of BLyS, are also encompassed by the invention, as are nucleic acid molecules that encode these antibodies, and/or molecules.

[0013] The present invention also provides antibodies (including molecules comprising or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to both BLyS and APRIL (preferably to the soluble forms of each of these molecules), said antibodies comprising, or alternatively consisting of, a polypeptide having the amino acid sequence of any one of the VH domains referred to in Table 1, below, and any one of the VL domains referred to in Table 1. In a preferred embodiment, the antibodies of the invention comprise or alternatively consist of, a polypeptide having the amino acid sequence of a VH and VL domain contained in the same scFv referred to in Table 1. In another preferred embodiment, antibodies of the present invention that immunospecifically bind to both BLyS and APRIL, comprise, or alternatively consist of, a VH domain from an scFv of SEQ ID NOS:3240-3247 as disclosed in Table 1, and a VL domain from an scFv SEQ ID NOS:3240-3247, as disclosed in Table 1. In another preferred embodiment, antibodies of the present invention that immunospecifically bind to both BLyS and APRIL comprise, or alternatively consist

of, the VH and VL domain from a single scFv of SEQ ID NOS: SEQ ID NOS:3240-3247, as disclosed in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies (e.g., including VH domains, VH CDRs, VL domains, or VL CDRs having an amino acid sequence of any one of those referred to in Table 1), that immunospecifically bind both BLyS and APRIL, are also encompassed by the invention, as are nucleic acid molecules that encode these antibodies, and/or molecules.

[0014] The present invention also provides antibodies (including molecules comprising or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to a heterotrimeric protein comprising at least one BLyS polypeptide (preferably amino acids 134-285 of SEQ ID NO:3228), said antibodies comprising, or alternatively consisting of, a polypeptide having the amino acid sequence of any one of the VH domains referred to in Table 1, below, and any one of the VL domains referred to in Table 1. In a preferred embodiment, the antibodies of the invention that immunospecifically bind heterotrimeric protein comprising at least one BLyS polypeptide, comprise or alternatively consist of, a polypeptide having the amino acid sequence of a VH and VL domain contained in the same scFv referred to in Table 1. In another preferred embodiment, antibodies of the present invention that immunospecifically bind heterotrimeric protein comprising at least one BLyS polypeptide, comprise, or alternatively consist of, a VH domain from an scFv of SEQ ID NOS:3240-3247 as disclosed in Table 1, and a VL domain from an scFv SEQ ID NOS:3240-3247, as disclosed in Table 1. In another preferred embodiment, antibodies of the present invention that immunospecifically bind heterotrimeric protein comprising at least one BLyS polypeptide, comprise, or alternatively consist of, the VH and VL domain from a single scFv of SEQ ID NOS:3240-3247, as disclosed in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies (e.g., including VH domains, VH CDRs, VL domains, or VL CDRs having an amino acid sequence of any one of those referred to in Table 1), that immunospecifically bind a heterotrimeric protein comprising at least one BLyS polypeptide, are also encompassed by the invention, as are nucleic acid molecules that encode these antibodies, and/or molecules.

[0015] A VH domain of an amino acid sequence disclosed herein may be combined with a VL domain of an amino acid sequence disclosed herein, or other VL domains, to provide a VH/VL pairing representing an antigen-binding site of an antibody. Similarly, a

VL domain of an amino acid sequence disclosed herein may be combined with a VH domain of an amino acid sequence disclosed herein, or other VH domains. Further, one or more CDRs disclosed herein may be taken from a VH or VL domain and incorporated into a suitable framework as discussed *infra*.

[0016] The present invention provides antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof (including derivatives)) comprising, or alternatively consisting of, of VH domains, VL domains and/or CDRs described herein, which antibodies, immunospecifically bind to BLyS (e.g., soluble BLyS and membrane-bound BLyS) and can be routinely assayed for immunospecific binding to BLyS using methods known in the art, such as, for example, the immunoassays disclosed *infra*. Antibodies and antibody fragments or variants (including derivatives) of the invention may include, for example, one or more amino acid sequence alterations (addition, deletion, substitution and/or insertion of an amino acid residue). These alterations may be made in one or more framework regions and/or one or more CDR's. The antibodies of the invention (including antibody fragments, and variants and derivative thereof) can be routinely made by methods known in the art. Molecules comprising, or alternatively consisting of, fragments or variants of any of the VH domains, VH CDRs, VL domains, and VL CDRs whose sequences are specifically disclosed herein may be employed in accordance with the present invention. Nucleic acid molecules encoding these antibodies and molecules (including fragments, variants, and derivatives) are also encompassed by the invention.

[0017] The present invention also provides panels of antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants) wherein the panel members correspond to one, two, three, four, five, ten, fifteen, twenty, or more different antibodies of the invention (e.g., whole antibodies, Fabs, F(ab')₂ fragments, Fd fragments, disulfide-linked Fvs (sdFvs), antiidiotypic (anti-Id) antibodies, and scFvs). The present invention further provides mixtures of antibodies, wherein the mixture corresponds to one, two, three, four, five, ten, fifteen, twenty, or more different antibodies of the invention (e.g., whole antibodies, Fabs, F(ab')₂ fragments, Fd fragments, disulfide-linked Fvs (sdFvs), antiidiotypic (anti-Id) antibodies, and scFvs)). The present invention also provides for compositions comprising, or alternatively consisting of, one, two, three, four, five, ten, fifteen, twenty, or more antibodies of the present invention (including

molecules comprising, or alternatively consisting of, antibody fragments or variants thereof). A composition of the invention may comprise, or alternatively consist of, one, two, three, four, five, ten, fifteen, twenty, or more amino acid sequences of one or more antibodies or fragments or variants thereof. Alternatively, a composition of the invention may comprise, or alternatively consist of, nucleic acid molecules encoding one or more antibodies of the invention.

[0018] The present invention also provides for fusion proteins comprising an antibody (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) of the invention, and a heterologous polypeptide (*i.e.*, a polypeptide unrelated to an antibody or antibody domain). Nucleic acid molecules encoding these fusion proteins are also encompassed by the invention. A composition of the present invention may comprise, or alternatively consist of, one, two, three, four, five, ten, fifteen, twenty or more fusion proteins of the invention. Alternatively, a composition of the invention may comprise, or alternatively consist of, nucleic acid molecules encoding one, two, three, four, five, ten, fifteen, twenty or more fusion proteins of the invention.

[0019] The present invention also provides for a nucleic acid molecule, generally isolated, encoding an antibody (including molecules such as scFvs, which comprise, or alternatively consist of, an antibody fragment or variant thereof) of the invention. The present invention also provides a host cell transformed with a nucleic acid molecule of the invention and progeny thereof. The present invention also provides a method for the production of an antibody (including a molecule comprising, or alternatively consisting of, an antibody fragment or variant thereof) of the invention. The present invention further provides a method of expressing an antibody (including a molecule comprising, or alternatively consisting of, an antibody fragment or variant thereof) of the invention from a nucleic acid molecule. These and other aspects of the invention are described in further detail below.

[0020] The present invention also encompasses methods and compositions for detecting, diagnosing and/or prognosing diseases or disorders associated with aberrant BLyS or BLyS receptor expression or inappropriate BLyS or BLyS receptor function in an animal, preferably a mammal, and most preferably a human, comprising using antibodies (including molecules which comprise, or alternatively consist of, antibody fragments or variants thereof) that immunospecifically bind to BLyS. Diseases and disorders which can

be detected, diagnosed or prognosed with the antibodies of the invention include, but are not limited to, immune disorders (*e.g.*, lupus, rheumatoid arthritis, multiple sclerosis, myasthenia gravis, Hashimoto's disease, and immunodeficiency syndrome), inflammatory disorders (*e.g.*, asthma, allergic disorders, and rheumatoid arthritis), infectious diseases (*e.g.*, AIDS), and proliferative disorders (*e.g.*, leukemia, carcinoma, and lymphoma).

[0021] In specific embodiments, the present invention encompasses methods and compositions for detecting, diagnosing and/or prognosing diseases or disorders associated with hypergammaglobulinemia (*e.g.*, AIDS, autoimmune diseases, and some immunodeficiencies). In other specific embodiments, the present invention encompasses methods and compositions for detecting, diagnosing and/or prognosing diseases or disorders associated with hypogammaglobulinemia (*e.g.*, an immunodeficiency).

[0022] The present invention further encompasses methods and compositions for preventing, treating or ameliorating diseases or disorders associated with aberrant BLyS or BLyS receptor expression or inappropriate BLyS or BLyS receptor function in an animal, preferably a mammal, and most preferably a human, comprising administering to said animal an effective amount of one or more antibodies (including molecules which comprise, or alternatively consist of, antibody fragments or variants thereof) that immunospecifically bind to BLyS. Diseases and disorders which can be prevented, treated or inhibited by administering an effective amount of one or more antibodies or molecules of the invention include, but are not limited to, immune disorders (*e.g.*, lupus, rheumatoid arthritis, multiple sclerosis, myasthenia gravis, Hashimoto's disease, and immunodeficiency syndrome), inflammatory disorders (*e.g.*, asthma, allergic disorders, and rheumatoid arthritis), infectious diseases (*e.g.*, AIDS), and proliferative disorders (*e.g.*, leukemia, carcinoma, and lymphoma).

[0023] In specific embodiments, the present invention encompasses methods and compositions (*e.g.*, antagonistic anti-BLyS antibodies) for preventing, treating or ameliorating diseases or disorders associated with hypergammaglobulinemia (*e.g.*, AIDS, autoimmune diseases, and some immunodeficiency syndromes). In other specific embodiments, the present invention encompasses methods and compositions (*e.g.*, agonistic anti-BLyS antibodies) for preventing, treating or ameliorating diseases or disorders associated with hypogammaglobulinemia (*e.g.*, an immunodeficiency syndrome).

[0024] Autoimmune disorders, diseases, or conditions that may be detected, diagnosed, prognosed, or monitored using the antibodies of the invention include, but are not limited to, autoimmune hemolytic anemia, autoimmune neonatal thrombocytopenia, idiopathic thrombocytopenia purpura, autoimmune neutropenia, autoimmunocytopenia, hemolytic anemia, antiphospholipid syndrome, dermatitis, gluten-sensitive enteropathy, allergic encephalomyelitis, myocarditis, relapsing polychondritis, rheumatic heart disease, glomerulonephritis (e.g., IgA nephropathy), Multiple Sclerosis, Neuritis, Uveitis Ophthalmia, Polyendocrinopathies, Purpura (e.g., Henloch-Schoenlein purpura), Reiter's Disease, Stiff-Man Syndrome, Autoimmune Pulmonary Inflammation, myocarditis, IgA glomerulonephritis, dense deposit disease, rheumatic heart disease, Guillain-Barre Syndrome, insulin dependent diabetes mellitus, and autoimmune inflammatory eye, autoimmune thyroiditis, hypothyroidism (i.e., Hashimoto's thyroiditis, systemic lupus erythematosus, discoid lupus, Goodpasture's syndrome, Pemphigus, Receptor autoimmunities such as, for example, (a) Graves' Disease, (b) Myasthenia Gravis, and (c) insulin resistance, autoimmune hemolytic anemia, autoimmune thrombocytopenic purpura, rheumatoid arthritis, scleroderma with anti-collagen antibodies, mixed connective tissue disease, polymyositis/dermatomyositis, pernicious anemia, idiopathic Addison's disease, infertility, glomerulonephritis such as primary glomerulonephritis and IgA nephropathy, bullous pemphigoid, Sjögren's syndrome, diabetes mellitus, and adrenergic drug resistance (including adrenergic drug resistance with asthma or cystic fibrosis), chronic active hepatitis, primary biliary cirrhosis, other endocrine gland failure, vitiligo, vasculitis, post-MI, cardiomyopathy syndrome, urticaria, atopic dermatitis, asthma, inflammatory myopathies, and other inflammatory, granulomatous, degenerative, and atrophic disorders).

[0025] Immunodeficiencies that may be detected, diagnosed, prognosed, or monitored using the antibodies of the invention include, but are not limited to, severe combined immunodeficiency (SCID)-X linked, SCID-autosomal, adenosine deaminase deficiency (ADA deficiency), X-linked agammaglobulinemia (XLA), Bruton's disease, congenital agammaglobulinemia, X-linked infantile agammaglobulinemia, acquired agammaglobulinemia, adult onset agammaglobulinemia, late-onset agammaglobulinemia, dysgammaglobulinemia, hypogammaglobulinemia, transient hypogammaglobulinemia of infancy, unspecified hypogammaglobulinemia, agammaglobulinemia, common variable

immunodeficiency (CVID) (acquired), Wiskott-Aldrich Syndrome (WAS), X-linked immunodeficiency with hyper IgM, non X-linked immunodeficiency with hyper IgM, selective IgA deficiency, IgG subclass deficiency (with or without IgA deficiency), antibody deficiency with normal or elevated Igs, immunodeficiency with thymoma, Ig heavy chain deletions, kappa chain deficiency, B cell lymphoproliferative disorder (BLPD), selective IgM immunodeficiency, recessive agammaglobulinemia (Swiss type), reticular dysgenesis, neonatal neutropenia, severe congenital leukopenia, thymic aplasia-aplasia or dysplasia with immunodeficiency, ataxia-telangiectasia, short limbed dwarfism, X-linked lymphoproliferative syndrome (XLP), Nezelof syndrome-combined immunodeficiency with Igs, purine nucleoside phosphorylase deficiency (PNP), MHC Class II deficiency (Bare Lymphocyte Syndrome) and severe combined immunodeficiency.

DEFINITIONS

[0026] The term “antibody,” as used herein, refers to immunoglobulin molecules and immunologically active portions of immunoglobulin molecules, *i.e.*, molecules that contain an antigen binding site that immunospecifically binds an antigen. As such, the term antibody encompasses not only whole antibody molecules, but also antibody fragments as well as variants (including derivatives) of antibodies and antibody fragments. Examples of molecules which are described by the term “antibody” in this application include, but are not limited to: single chain Fvs (scFvs), Fab fragments, Fab’ fragments, F(ab’)₂, disulfide linked Fvs (sdFvs), Fvs, and fragments comprising or alternatively consisting of, either a VL or a VH domain. The term “single chain Fv” or “scFv” as used herein refers to a polypeptide comprising a VL domain of antibody linked to a VH domain of an antibody. Antibodies that immunospecifically bind to BLyS may have cross-reactivity with other antigens. Preferably, antibodies that immunospecifically bind to BLyS do not cross-react with other antigens. Antibodies that immunospecifically bind to BLyS can be identified, for example, by immunoassays or other techniques known to those of skill in the art, *e.g.*, the immunoassays described in the Examples below.

[0027] Antibodies of the invention include, but are not limited to, monoclonal, multispecific, human or chimeric antibodies, single chain antibodies, Fab fragments, F(ab’) fragments, antiidiotypic (anti-Id) antibodies (including, *e.g.*, anti-Id antibodies to

antibodies of the invention), and epitope-binding fragments of any of the above. The immunoglobulin molecules of the invention can be of any type (*e.g.*, IgG, IgE, IgM, IgD, IgA and IgY), class (*e.g.*, IgG₁, IgG₂, IgG₃, IgG₄, IgA₁ and IgA₂) or subclass of immunoglobulin molecule.

[0028] Antibodies of the invention may also include multimeric forms of antibodies. For example, antibodies of the invention may take the form of antibody dimers, trimers, or higher-order multimers of monomeric immunoglobulin molecules. Dimers of whole immunoglobulin molecules or of F(ab')₂ fragments are tetravalent, whereas dimers of Fab fragments or scFv molecules are bivalent. Individual monomers within an antibody multimer may be identical or different, *i.e.*, they may be heteromeric or homomeric antibody multimers. For example, individual antibodies within a multimer may have the same or different binding specificities. Multimerization of antibodies may be accomplished through natural aggregation of antibodies or through chemical or recombinant linking techniques known in the art. For example, some percentage of purified antibody preparations (*e.g.*, purified IgG1 molecules) spontaneously form protein aggregates containing antibody homodimers, and other higher-order antibody multimers. Alternatively, antibody homodimers may be formed through chemical linkage techniques known in the art. For example, heterobifunctional crosslinking agents including, but not limited to, SMCC [succinimidyl 4-(maleimidomethyl)cyclohexane-1-carboxylate] and SATA [*N*-succinimidyl *S*-acethylthio-acetate] (available, for example, from Pierce Biotechnology, Inc. (Rockford, IL)) can be used to form antibody multimers. An exemplary protocol for the formation of antibody homodimers is given in Ghetie *et al.*, *Proceedings of the National Academy of Sciences USA* (1997) 94:7509-7514, which is hereby incorporated by reference in its entirety. Antibody homodimers can be converted to Fab'2 homodimers through digestion with pepsin. Another way to form antibody homodimers is through the use of the autophilic T15 peptide described in Zhao and Kohler, *The Journal of Immunology* (2002) 25:396-404, which is hereby incorporated by reference in its entirety.

[0029] Alternatively, antibodies can be made to multimerize through recombinant DNA techniques. IgM and IgA naturally form antibody multimers through the interaction with the J chain polypeptide. Non-IgA or non-IgM molecules, such as IgG molecules, can be engineered to contain the J chain interaction domain of IgA or IgM, thereby conferring

the ability to form higher order multimers on the non-IgA or non-IgM molecules. (see, for example, Chintalacharuvu et al., (2001) *Clinical Immunology* 101:21-31. and Frigerio et al., (2000) *Plant Physiology* 123:1483-94., both of which are hereby incorporated by reference in their entireties.) ScFv dimers can also be formed through recombinant techniques known in the art; an example of the construction of scFv dimers is given in Goel et al., (2000) *Cancer Research* 60:6964-6971 which is hereby incorporated by reference in its entirety. Antibody multimers may be purified using any suitable method known in the art, including, but not limited to, size exclusion chromatography.

[0030] Unless otherwise defined in the specification, specific binding or immunospecific binding by an anti-BLyS antibody means that the anti-BLyS antibody binds BLyS but does not significantly bind to (i.e., cross react with) proteins other than BLyS, such as other proteins in the same family of proteins, e.g., other TNF family ligands). An antibody that binds BLyS protein and does not cross-react with other proteins is not necessarily an antibody that does not bind said other proteins in all conditions; rather, the BLyS -specific antibody of the invention preferentially binds BLyS compared to its ability to bind said other proteins such that it will be suitable for use in at least one type of assay or treatment, i.e., give low background levels or result in no unreasonable adverse effects in treatment. It is well known that the portion of a protein bound by an antibody is known as the epitope. An epitope may either be linear (i.e., comprised of sequential amino acids residues in a protein sequences) or conformational (i.e., comprised of one or more amino acid residues that are not contiguous in the primary structure of the protein but that are brought together by the secondary, tertiary or quaternary structure of a protein). Given that BLyS -specific antibodies bind to epitopes of BLyS, an antibody that specifically binds BLyS may or may not bind fragments of BLyS and/or variants of BLyS (e.g., proteins that are at least 90% identical to BLyS) depending on the presence or absence of the epitope bound by a given BLyS-specific antibody in the BLyS fragment or variant. Likewise, BLyS-specific antibodies of the invention may bind species orthologues of BLyS (including fragments thereof) depending on the presence or absence of the epitope recognized by the antibody in the orthologue. Additionally, BLyS-specific antibodies of the invention may bind modified forms of BLyS, for example, BLyS fusion proteins. In such a case when antibodies of the invention bind BLyS fusion proteins, the antibody must make binding contact with the BLyS moiety

of the fusion protein in order for the binding to be specific. Antibodies that specifically bind to BLYS can be identified, for example, by immunoassays or other techniques known to those of skill in the art, *e.g.*, the immunoassays described in the Examples below.

[0031] Furthermore, in the present application certain antibodies may be specific for either the membrane bound form of BLYS, or the soluble form of BLYS (*i.e.*, 134-285 of SEQ ID NO:2, preferably trimers of proteins consisting of amino acids 134-285 of SEQ ID NO:2), or both. Antibodies of the present invention are defined as able to bind the membrane bound and/or soluble forms of BLYS according to the assays described in Examples 1 through 19.

[0032] Preferably, an antibody of the invention comprises, or alternatively consists of, a VH domain, VH CDR, VL domain, or VL CDR having an amino acid sequence of any one of those referred to in Table 1, or a fragment or variant thereof.

[0033] An antibody of the invention "which binds the soluble form of BLYS" is one which binds the 152 amino acid soluble form of the BLYS protein (amino acids 134- 285 of SEQ ID NO:3228). In specific embodiments of the invention, an antibody of the invention "which binds the soluble form of BLYS" does not also bind the membrane-bound or membrane-associated form of BLYS. Assays which measure binding to the soluble form of BLYS include, but are not limited to, receptor binding inhibition assay or capture of soluble BLYS from solution as described in Examples 8 and 9.

[0034] An antibody of the invention "which binds the membrane-bound form of BLYS" is one which binds the membrane-associated (uncleaved) BLYS protein. In specific embodiments of the invention, an antibody of the invention "which binds the membrane-bound form of BLYS" does not also bind the soluble form of BLYS. Binding to HIS-tagged BLYS (as described herein) in an ELISA is an indicator that an antibody binds the membrane-bound form of BLYS, but should not be relied upon as proof of specificity for the membrane-bound form of BLYS. Assays that may be relied upon as proof of an antibody's specificity for membrane-bound BLYS, include, but are not limited to, binding to plasma membranes expressing BLYS as described in Example 2. An antibody of the invention "which binds the both the soluble form and the membrane-bound form of BLYS" is one which binds both the membrane-bound form and the soluble form of BLYS.

[0035] The term "variant" as used herein refers to a polypeptide that possesses a similar or identical function as a BLYS polypeptide, a fragment of BLYS, an anti-BLYS

antibody or antibody fragment thereof, but does not necessarily comprise a similar or identical amino acid sequence of a BLyS polypeptide, a fragment of BLyS, an anti-BLyS antibody or antibody fragment thereof, or possess a similar or identical structure of a BLyS polypeptide, a fragment of BLyS, an anti-BLyS antibody or antibody fragment thereof. A variant having a similar amino acid refers to a polypeptide that satisfies at least one of the following: (a) a polypeptide comprising, or alternatively consisting of, an amino acid sequence that is at least 30%, at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95% or at least 99% identical to the amino acid sequence of a BLyS polypeptide, a fragment of BLyS, an anti-BLyS antibody or antibody fragment thereof (including a VH domain, VHCDR, VL domain, or VLCDR having an amino acid sequence of any one of those referred to in Table 1) described herein; (b) a polypeptide encoded by a nucleotide sequence, the complementary sequence of which hybridizes under stringent conditions to a nucleotide sequence encoding a BLyS polypeptide (e.g., SEQ ID NO:3228), a fragment of BLyS, an anti-BLyS antibody or antibody fragment thereof (including a VH domain, VHCDR, VL domain, or VLCDR having an amino acid sequence of any one of those referred to in Table 1), described herein, of at least 5 amino acid residues, at least 10 amino acid residues, at least 15 amino acid residues, at least 20 amino acid residues, at least 25 amino acid residues, at least 30 amino acid residues, at least 40 amino acid residues, at least 50 amino acid residues, at least 60 amino acid residues, at least 70 amino acid residues, at least 80 amino acid residues, at least 90 amino acid residues, at least 100 amino acid residues, at least 125 amino acid residues, or at least 150 amino acid residues; and (c) a polypeptide encoded by a nucleotide sequence that is at least 30%, at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95% or at least 99%, identical to the nucleotide sequence encoding a BLyS polypeptide, a fragment of BLyS, an anti-BLyS antibody or antibody fragment thereof (including a VH domain, VHCDR, VL domain, or VLCDR having an amino acid sequence of any one of those referred to in Table 1), described herein. A polypeptide with similar structure to a BLyS polypeptide, a fragment of BLyS, an anti-BLyS antibody or antibody fragment thereof, described herein refers to a polypeptide that has a similar secondary, tertiary or quaternary structure of a BLyS polypeptide, a fragment of BLyS, an

anti-BLyS antibody, or antibody fragment thereof, described herein. The structure of a polypeptide can be determined by methods known to those skilled in the art, including but not limited to, X-ray crystallography, nuclear magnetic resonance, and crystallographic electron microscopy.

[0036] To determine the percent identity of two amino acid sequences or of two nucleic acid sequences, the sequences are aligned for optimal comparison purposes (*e.g.*, gaps can be introduced in the sequence of a first amino acid or nucleic acid sequence for optimal alignment with a second amino acid or nucleic acid sequence). The amino acid residues or nucleotides at corresponding amino acid positions or nucleotide positions are then compared. When a position in the first sequence is occupied by the same amino acid residue or nucleotide at the corresponding position in the second sequence, then the molecules are identical at that position. The percent identity between the two sequences is a function of the number of identical positions shared by the sequences (*i.e.*, % identity = number of identical overlapping positions/total number of positions x 100%). In one embodiment, the two sequences are the same length.

[0037] The determination of percent identity between two sequences can be accomplished using a mathematical algorithm known to those of skill in the art. An example of a mathematical algorithm for comparing two sequences is the algorithm of Karlin and Altschul *Proc. Natl. Acad. Sci. USA* 87:2264-2268(1990), modified as in Karlin and Altschul *Proc. Natl. Acad. Sci. USA* 90:5873-5877(1993). The BLASTn and BLASTx programs of Altschul, et al. *J. Mol. Biol.* 215:403-410(1990) have incorporated such an algorithm. BLAST nucleotide searches can be performed with the BLASTn program, score = 100, wordlength = 12 to obtain nucleotide sequences homologous to a nucleic acid molecules of the invention. BLAST protein searches can be performed with the BLASTx program, score = 50, wordlength = 3 to obtain amino acid sequences homologous to a protein molecules of the invention. To obtain gapped alignments for comparison purposes, Gapped BLAST can be utilized as described in Altschul et al. *Nucleic Acids Res.* 25:3389-3402(1997). Alternatively, PSI-BLAST can be used to perform an iterated search which detects distant relationships between molecules (*Id.*). When utilizing BLAST, Gapped BLAST, and PSI-BLAST programs, the default parameters of the respective programs (*e.g.*, BLASTx and BLASTn) can be used. (See <http://www.ncbi.nlm.nih.gov>.)

[0038] Another example of a mathematical algorithm utilized for the comparison of sequences is the algorithm of Myers and Miller, CABIOS (1989). The ALIGN program (version 2.0) which is part of the GCG sequence alignment software package has incorporated such an algorithm. Other algorithms for sequence analysis known in the art include ADVANCE and ADAM as described in Torellis and Robotti *Comput. Appl. Biosci.*, 10 :3-5(1994); and FASTA described in Pearson and Lipman *Proc. Natl. Acad. Sci.* 85:2444-8(1988). Within FASTA, ktup is a control option that sets the sensitivity and speed of the search.

[0039] The term "derivative" as used herein, refers to a variant polypeptide of the invention that comprises, or alternatively consists of, an amino acid sequence of a BLYS polypeptide, a fragment of BLYS, or an antibody of the invention that immunospecifically binds to BLYS, which has been altered by the introduction of amino acid residue substitutions, deletions or additions. The term "derivative" as used herein also refers to a BLYS polypeptide, a fragment of BLYS, an antibody that immunospecifically binds to BLYS which has been modified, *e.g.*, by the covalent attachment of any type of molecule to the polypeptide. For example, but not by way of limitation, a BLYS polypeptide, a fragment of BLYS, or an anti-BLYS antibody, may be modified, *e.g.*, by glycosylation, acetylation, pegylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to a cellular ligand or other protein, etc. A derivative of a BLYS polypeptide, a fragment of BLYS, or an anti-BLYS antibody, may be modified by chemical modifications using techniques known to those of skill in the art, including, but not limited to, specific chemical cleavage, acetylation, formylation, metabolic synthesis of tunicamycin, etc. Further, a derivative of a BLYS polypeptide, a fragment of BLYS, or an anti-BLYS antibody, may contain one or more non-classical amino acids. A polypeptide derivative possesses a similar or identical function as a BLYS polypeptide, a fragment of BLYS, or an anti-BLYS antibody, described herein.

[0040] The term "epitopes" as used herein refers to portions of BLYS having antigenic or immunogenic activity in an animal, preferably a mammal. An epitope having immunogenic activity is a portion of BLYS that elicits an antibody response in an animal. An epitope having antigenic activity is a portion of BLYS to which an antibody immunospecifically binds as determined by any method known in the art, for example, by

the immunoassays described herein. Antigenic epitopes need not necessarily be immunogenic.

[0041] The term "fragment" as used herein refers to a polypeptide comprising an amino acid sequence of at least 5 amino acid residues, at least 10 amino acid residues, at least 15 amino acid residues, at least 20 amino acid residues, at least 25 amino acid residues, at least 30 amino acid residues, at least 35 amino acid residues, at least 40 amino acid residues, at least 45 amino acid residues, at least 50 amino acid residues, at least 60 amino acid residues, at least 70 amino acid residues, at least 80 amino acid residues, at least 90 amino acid residues, at least 100 amino acid residues, at least 125 amino acid residues, at least 150 amino acid residues, at least 175 amino acid residues, at least 200 amino acid residues, or at least 250 amino acid residues, of the amino acid sequence of BLYS, or an anti-BLYS antibody (including molecules such as scFv's, that comprise, or alternatively consist of, antibody fragments or variants thereof) that immunospecifically binds to BLYS.

[0042] The term "fusion protein" as used herein refers to a polypeptide that comprises, or alternatively consists of, an amino acid sequence of an anti-BLYS antibody of the invention and an amino acid sequence of a heterologous polypeptide (*i.e.*, a polypeptide unrelated to an antibody or antibody domain).

[0043] The term "host cell" as used herein refers to the particular subject cell transfected with a nucleic acid molecule and the progeny or potential progeny of such a cell. Progeny may not be identical to the parent cell transfected with the nucleic acid molecule due to mutations or environmental influences that may occur in succeeding generations or integration of the nucleic acid molecule into the host cell genome.

[0044] By "isolated antibody" is intended an antibody removed from its native environment. Thus, an antibody produced and/or contained within a recombinant host cell is considered isolated for purposes of the present invention.

DESCRIPTION OF THE FIGURES

[0045] Figure 1. ELISA results for three scFvs, I006E07, I008D05 and I016F04, that immunospecifically bind to U937 membranes, but not to bind to or cross-react with TNF-alpha or BSA.

[0046] Figure 2. The results for three scFvs, I016H07, I001C09 and I018D07, in a receptor inhibition assay.

[0047] Figure 3. ELISA results for two scFvs (I022D01 and I031F02) demonstrating their ability to bind to human BLYS and to cross-react with mouse BLYS, but not to bind to or cross-react with other antigens of the TNF ligand family.

[0048] Figure 4. ELISA results for three scFvs (I031F09, I050A12, and I051C04) binding to U937 plasma membranes when either BLYS or TNF-alpha is used as a competitor.

[0049] Figure 5. Kinetic analysis of scFv antibody I003C02. A dilution series of I003C02 from 3nM to 825nM is shown. Association and dissociation curves were generated using a BIAcore 2000 and BIAevaluation 3.0 software.

[0050] Figure 6. Typical titration curves for two scFv antibodies (I007F11 and I050A07) are shown in Figure 6. Unlabelled BLYS competed for binding to its receptor with an IC_{50} value of 0.8 nM. The IC_{50} values for I007F11 and I050A07 are 7.9 nM and 17.1 nM, respectively. The assay was performed in triplicate and standard error bars are shown.

[0051] Figure 7. ELISA results for three scFvs clones (I074B12, I075F12 and I075A02) that immunospecifically bind to immobilized BLYS, but not to U937 plasma membranes, TNF-alpha or BSA. As a control, a phage antibody that recognizes TNF α , is also shown in Figure 7.

[0052] Figure 8. The results for two scFvs (I025B09 and I026C04) in a receptor inhibition assay.

[0053] Figure 9. ELISA results for two scFvs clones (I067F05 and I078D02) demonstrating their ability to bind to immobilized human BLYS and to cross-react with immobilized mouse BLYS, but not to bind to or cross-react with other antigens of the TNF ligand family.

[0054] As a control, a phage antibody that recognizes TNF α , is also shown in Figure 7.

[0055] Figure 10. Kinetic analysis of scFV antibody I002A01. A dilution series of I002A01 from 3nM to 1650nM is shown. Association and dissociation curves were generated using a BIAcore 2000 and BIAevaluation 3.0 software.

[0056] Figure 11. Typical titration curves for two scFvs, I0068C06 and I074B12, are shown in Figure 11. Unlabelled BLYS competed for binding to its receptor with an inhibitory constant 50 (IC_{50}) value of 0.66 nM. The IC_{50} values for I0068C06 and I074B12 are 61 nM and 13 nM, respectively. The assay was performed in triplicate and standard error bars are shown.

[0057] Figure 12. ELISA results for three clones (I079C01, I081C10 and I082A02) demonstrating their ability to bind histidine-tagged BLYS, U937 plasma membranes, but not to bind immobilized biotinylated BLYS.

[0058] Figure 13. ELISA results for three scFvs (I079B04, I079F08, and I080B01) binding to U937 plasma membranes when either histidine-tagged BLYS or biotinylated BLYS is used as a competitor.

[0059] Figure 14. An example of the dissociation section of a typical sensorgram for 8 scFvs is shown in Figure 14. An anti-TNF α antibody that does not recognize BLYS was included as a control. Of the 8 scFvs exemplified, I079F06 was identified for further study due to the relatively high numbers of RU's bound to the surface.

[0060] Figure 15. A typical example of the binding curves generated for the scFv antibody I082C03 is shown in Figure 15. The off-rate for this clone was calculated as $2 \times 10^{-3} \text{ s}^{-1}$. The affinity of I082C03 was calculated as 20 nM, assuming 100% activity of the scFv.

[0061] Figure 16. ELISA results for three scFvs (I079B04, I079F08, and I080B01) binding to P388 plasma membranes when either histidine-tagged BLYS or biotinylated BLYS is used as a competitor.

DETAILED DESCRIPTION OF THE INVENTION

[0062] The present invention encompasses antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to BLYS or a fragment or variant of BLYS. In particular, the invention provides antibodies such as, for example, single chain Fvs (scFvs) having an

amino acid sequence of any one of SEQ ID NOS:1 - 2128, as referred to in Table 1. In particular, the present invention encompasses antibodies that immunospecifically bind to a polypeptide, a polypeptide fragment or variant, or an epitope of human BLYS (SEQ ID NOS:3228 and/or 3229) or BLYS expressed on human monocytes; murine BLYS (SEQ ID NOS:3230 and/or 3231) or BLYS expressed on murine monocytes; rat BLYS (either the soluble forms as given in SEQ ID NOS:3232, 3233, 3234 and/or 3235 or in a membrane associated form, *e.g.*, on the surface of rat monocytes); or monkey BLYS (*e.g.*, the monkey BLYS polypeptides of SEQ ID NOS:3236 and/or 3237, the soluble form of monkey BLYS, or BLYS expressed on monkey monocytes) (as determined by immunoassays known in the art for assaying specific antibody-antigen binding).

[0063] The polypeptide sequence shown in SEQ ID NO:3228 was obtained by sequencing and translating the cDNA of the HNEDU15 clone which was deposited on October 22, 1996 at the American Type Culture Collection, 10801 University Boulevard, Manassas, Virginia 20110-2209, and assigned ATCC Accession No. 97768. The deposited clone is contained in the pBluescript SK(-) plasmid (Stratagene, La Jolla, CA). The ATCC deposits were made pursuant to the terms of the Budapest Treaty on the international recognition of the deposit of microorganisms for the purposes of patent procedure.

[0064] The polypeptide sequence shown in SEQ ID NO:3229 was obtained by sequencing and translating the cDNA of the HDPMC52 clone, which was deposited on December 10, 1998 at the American Type Culture Collection, and assigned ATCC Accession No. 203518. The deposited clone is contained in the pBluescript SK(-) plasmid (Stratagene, La Jolla, CA). The ATCC deposits were made pursuant to the terms of the Budapest Treaty on the international recognition of the deposit of microorganisms for the purposes of patent procedure.

[0065] The BLYS polypeptides bound by the antibodies of the invention may be in monomers or multimers (*i.e.*, dimers, trimers, tetramers and higher multimers). Accordingly, the present invention relates to antibodies that bind monomers and multimers of the BLYS polypeptides of the invention, their preparation, and compositions (preferably, pharmaceutical compositions) containing them. In specific embodiments, the antibodies of the invention bind BLYS monomers, dimers, trimers or tetramers. In additional embodiments, the antibodies of the invention bind at least dimers, at least

trimers, or at least tetramers of BLYS.

[0066] Multimeric BLYS bound by the antibodies of the invention may be homomers or heteromers. A BLYS homomer, refers to a multimer containing only BLYS polypeptides (including BLYS fragments, variants, and fusion proteins, as described herein). These homomers may contain BLYS polypeptides having identical or different amino acid sequences. In specific embodiments, the antibodies of the invention bind a BLYS homodimer (e.g., containing two BLYS polypeptides having identical or different amino acid sequences) or a BLYS homotrimer (e.g., containing three BLYS polypeptides having identical or different amino acid sequences). In a preferred embodiment, the antibodies of the invention bind homotrimers of BLYS. In additional embodiments, the antibodies of the invention bind a homomeric BLYS multimer which is at least a homodimer, at least a homotrimer, or at least a homotetramer.

[0067] Heteromeric BLYS refers to a multimer containing heterologous polypeptides (i.e., polypeptides of a different protein) in addition to the BLYS polypeptides of the invention. In a specific embodiment, the antibodies of the invention bind a BLYS heterodimer, a heterotrimer, or a heterotetramer. In additional embodiments, the antibodies of the invention bind a heteromeric BLYS multimer which is at least a heterodimer, at least a heterotrimer, or at least a heterotetramer. In highly preferred embodiments, the antibodies of the invention bind a heterotrimer comprising both BLYS polypeptides and APRIL polypeptides (SEQ ID NO:3239; GenBank Accession No. AF046888; PCT International Publication Number WO97/33902; J. Exp. Med. 188(6):1185-1190) or fragments or variants thereof. In other highly preferred embodiments, the antibodies of the invention bind a heterotrimer comprising one BLYS polypeptide (including fragments or variants) and two APRIL polypeptides (including fragments or variants). In still other highly preferred embodiments, the antibodies of the invention bind a heterotrimer comprising two BLYS polypeptides (including fragments or variants) and one APRIL polypeptide (including fragments or variants). In a further nonexclusive embodiment, the heteromers bound by the antibodies of the invention contain CD40 ligand polypeptide sequence(s), or biologically active fragment(s) or variant(s) thereof.

[0068] In particularly preferred embodiments, the antibodies of the invention bind homomeric, especially homotrimeric, BLYS polypeptides, wherein the individual protein

components of the multimers consist of the mature form of BLYS (e.g., amino acids residues 134-285 of SEQ ID NO:3228, or amino acids residues 134-266 of SEQ ID NO:3229) or fragments or variants thereof. In other specific embodiments, antibodies of the invention bind heteromeric, especially heterotrimeric, BLYS polypeptides such as a heterotrimer containing two BLYS polypeptides and one APRIL polypeptide or a heterotrimer containing one BLYS polypeptide and two APRIL polypeptides, and wherein the individual protein components of the BLYS heteromer consist of the mature extracellular soluble portion of either BLYS (e.g., amino acids residues 134-285 of SEQ ID NO:3228, or amino acids residues 134-266 of SEQ ID NO:3229) or fragments or variants thereof, or the mature extracellular soluble portion APRIL (e.g., amino acid residues 105-250 of SEQ ID NO:3239) or fragments or variants thereof.

[0069] In specific embodiments, the antibodies of the invention bind conformational epitopes of a BLYS monomeric protein. In specific embodiments, the antibodies of the invention bind conformational epitopes of a BLYS multimeric, especially trimeric, protein. In other embodiments, antibodies of the invention bind conformational epitopes that arise from the juxtaposition of BLYS with a heterologous polypeptide, such as might be present when BLYS forms heterotrimers (e.g., with APRIL polypeptides (e.g., SEQ ID NO:3239)), or in fusion proteins between BLYS and a heterologous polypeptide.

[0070] In a specific embodiment, antibodies of the invention that specifically bind heterotrimers containing at least one BLYS polypeptide and at least one APRIL polypeptide, comprise all or a portion of SEQ ID NOS: 1881 or 1884 (e.g., one or more CDR regions, a VH domain or a VL domain). In a specific embodiment, the heterotrimers containing at least one BLYS polypeptide and at least one APRIL polypeptide comprise two BLYS polypeptides and one APRIL polypeptide. In a specific embodiment, the heterotrimers containing at least one BLYS polypeptide and at least one APRIL polypeptide comprise one BLYS polypeptide and two APRIL polypeptides.

[0071] In a specific embodiment, antibodies of the invention that specifically bind heterotrimers containing at least one BLYS polypeptide and at least one APRIL polypeptide, comprise all or a portion of any one of SEQ ID NOS: 3240-3247 (e.g., one or more CDR regions, a VH domain or a VL domain). The sequences of SEQ ID NOS: 3240-3247 are presented after Table 1 just prior to the claims. In a specific embodiment, the heterotrimers containing at least one BLYS polypeptide and at least one APRIL

polypeptide comprise two BLYS polypeptides and one APRIL polypeptide. In a specific embodiment, the heterotrimers containing at least one BLYS polypeptide and at least one APRIL polypeptide comprise one BLYS polypeptide and two APRIL polypeptides.

[0072] BLYS multimers bound by the antibodies of the invention may be the result of hydrophobic, hydrophilic, ionic and/or covalent associations and/or may be indirectly linked, by for example, liposome formation. Thus, in one embodiment, BLYS multimers, such as, for example, homodimers or homotrimers, are formed when polypeptides of the invention contact one another in solution. In another embodiment, BLYS heteromultimers, such as, for example, BLYS heterotrimers or BLYS heterotetramers, are formed when polypeptides of the invention contact antibodies to the polypeptides of the invention (including antibodies to the heterologous polypeptide sequence in a fusion protein of the invention) in solution. In other embodiments, BLYS multimers are formed by covalent associations with and/or between the BLYS polypeptides of the invention. Such covalent associations may involve one or more amino acid residues contained in the polypeptide sequence (e.g., that recited in SEQ ID NO:3228 or SEQ ID NO:3229). In one instance, the covalent associations are cross-linking between cysteine residues located within the polypeptide sequences which interact in the native (i.e., naturally occurring) polypeptide. In another instance, the covalent associations are the consequence of chemical or recombinant manipulation. Alternatively, such covalent associations may involve one or more amino acid residues contained in the heterologous polypeptide sequence in a BLYS fusion protein. In one example, covalent associations are between the heterologous sequence contained in a fusion protein (see, e.g., US Patent Number 5,478,925). In a specific example, the covalent associations are between the heterologous sequence contained in a BLYS-Fc fusion protein. In another specific example, covalent associations of fusion proteins of the invention are between heterologous polypeptide sequence from another TNF family ligand/receptor member that is capable of forming covalently associated multimers, such as for example, osteoprotegerin (see, e.g., International Publication No. WO 98/49305, the contents of which are herein incorporated by reference in its entirety). In another specific example, covalent associations of fusion proteins of the invention are between heterologous polypeptide sequence from CD40L, or a soluble fragment thereof. In another embodiment, two or BLYS polypeptides are joined through synthetic linkers (e.g., peptide, carbohydrate or soluble polymer linkers).

Examples include those peptide linkers described in U.S. Pat. No. 5,073,627 (hereby incorporated by reference). Proteins comprising multiple BLYS polypeptides separated by peptide linkers may be produced using conventional recombinant DNA technology.

[0073] In one embodiment, antibodies of the invention immunospecifically bind a BLYS polypeptide having the amino acid sequence of SEQ ID NO:3228 or as encoded by the cDNA clone contained in ATCC No. 97768, or a polypeptide comprising a portion (i.e., a fragment) of the above polypeptides. In another embodiment, the invention provides an antibody that binds an isolated BLYS polypeptide having the amino acid sequence of SEQ ID NO:3229 or the amino acid sequence encoded by the cDNA clone contained in ATCC No. 203518, or an antibody that binds polypeptide comprising a portion (i.e., fragment) of the above polypeptides.

[0074] Antibodies of the invention that bind BLYS polypeptides may bind them in as isolated polypeptides, in their naturally occurring state and/or their native conformation. By "isolated polypeptide" is intended a polypeptide removed from its native environment. Thus, a polypeptide produced by and/or contained within a recombinant host cell is considered isolated for purposes of the present invention. Also intended as an "isolated polypeptide" are polypeptides that have been purified, partially or substantially, from a recombinant host cell. Thus, antibodies of the present invention may bind recombinantly produced BLYS polypeptides.

[0075] Antibodies of the present invention may also bind BLYS expressed on the surface of a cell, wherein said BLYS polypeptide is encoded by a polynucleotide encoding amino acids 1 to 285 of SEQ ID NO:2 operably associated with a regulatory sequence that controls expression of said polynucleotide. In certain embodiments, said BLYS polypeptide expressed on the surface of a cell is a recombinant BLYS polypeptide. In other embodiments, said BLYS polypeptide expressed on the surface of the cell is a naturally occurring BLYS polypeptide. As a non-limiting example, an antibody of the invention may bind a BLYS expressed on the surface of the cell wherein Lys-132 and/or Arg-133 of the BLYS sequence shown in SEQ ID NO:3228 is mutated to another amino acid residue, or deleted altogether, thereby preventing or diminishing release of the soluble form of BLYS from cells expressing BLYS.

[0076] Antibodies of the present invention may also bind BLYS secreted by a cell, wherein said BLYS polypeptide is encoded by a polynucleotide encoding amino acids 1 to

285 of SEQ ID NO:2 operably associated with a regulatory sequence that controls expression of said polynucleotide. In certain embodiments, said BLyS polypeptide secreted by a cell is a recombinant BLyS polypeptide. In other embodiments, said BLyS polypeptide secreted by a cell is a naturally occurring BLyS polypeptide.

[0077] Antibodies of the present invention immunospecifically bind to polypeptides comprising or alternatively, consisting of, the amino acid sequence of SEQ ID NO:3228, encoded by the cDNA contained in the plasmid having ATCC accession number 97768, or encoded by nucleic acids which hybridize (e.g., under stringent hybridization conditions) to the nucleotide sequence contained in the deposited clone. Antibodies of the present invention also bind to fragments of the amino acid sequence of SEQ ID NO:3228, encoded by the cDNA contained in the plasmid having ATCC accession number 97768, or encoded by nucleic acids which hybridize (e.g., under stringent hybridization conditions) to the nucleotide sequence contained in the deposited clone.

[0078] Additionally, antibodies of the present invention bind polypeptides comprising or alternatively, consisting of, the amino acid sequence of SEQ ID NO:3229, encoded by the cDNA contained in the plasmid having ATCC accession number 203518, or encoded by nucleic acids which hybridize (e.g., under stringent hybridization conditions) to the nucleotide sequence contained in the deposited clone. Antibodies of the present invention also bind to fragments of the amino acid sequence of SEQ ID NO:3229, encoded by the cDNA contained in the plasmid having ATCC accession number 203518, or encoded by nucleic acids which hybridize (e.g., under stringent hybridization conditions) to the nucleotide sequence contained in the deposited clone.

[0079] In addition, antibodies of the invention bind polypeptides or polypeptide fragments comprising or alternatively, consisting of, an amino acid sequence contained in SEQ ID NOS: 3230 through 3237.

[0080] In specific embodiments, the antibodies of the present invention immunospecifically bind polypeptide fragments including polypeptides comprising or alternatively, consisting of, an amino acid sequence contained in SEQ ID NO:3228, encoded by the cDNA contained in the deposited clone, or encoded by nucleic acids which hybridize (e.g., under stringent hybridization conditions) to the nucleotide sequence contained in the deposited clone. Protein fragments may be "free-standing," or comprised within a larger polypeptide of which the fragment forms a part or region, most preferably

as a single continuous region. Representative examples of polypeptide fragments that may be bound by the antibodies of the present invention, include, for example, fragments that comprise or alternatively, consist of from about amino acid residues: 1 to 50, 51 to 100, 101 to 150, 151 to 200, 201 to 250, and/or 251 to 285 of SEQ ID NO:3228. Moreover, polypeptide fragments can be at least 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 175 or 200 amino acids in length.

[0081] In specific embodiments, antibodies of the present invention bind polypeptide fragments comprising, or alternatively consisting of, amino acid residues: 1-46, 31-44, 47-72, 73-285, 73-83, 94-102, 148-152, 166-181, 185-209, 210-221, 226-237, 244-249, 253-265, and/or 277-285 of SEQ ID NO:3228. In a specific embodiment, antibodies of the invention bind an epitope comprising amino acids 165-171 of SEQ ID NO:3228. In another embodiment, the CDRs of antibodies of the invention make contacts with one or more amino acids in the the sequence of amino acids 165-171 of SEQ ID NO:3228. In another embodiment, antibodies of the invention whose CDRs make contact with one or more amino acids in the the sequence of amino acids 165-171 of SEQ ID NO:3228 disrupt BLYS- BLYS receptor interactions.

[0082] It will be recognized by one of ordinary skill in the art that mutations targeted to regions of a BLYS polypeptide of SEQ ID NO:3228 which encompass the nineteen amino acid residue insertion which is not found in the BLYS polypeptide sequence of SEQ ID NO:3229 (i.e., amino acid residues Val-142 through Lys-160 of the sequence of SEQ ID NO:3229) may affect the observed biological activities of the BLYS polypeptide. More specifically, a partial, non-limiting and non-exclusive list of such residues of the BLYS polypeptide sequence which may be targeted for mutation includes the following amino acid residues of the BLYS polypeptide sequence as shown in SEQ ID NO:3228: V-142; T-143; Q-144; D-145; C-146; L-147; Q-148; L-149; I-150; A-151; D-152; S-153; E-154; T-155; P-156; T-157; I-158; Q-159; and K-160. Thus, in specific embodiments, antibodies of the present invention that bind BLYS polypeptides which have one or more mutations in the region from V-142 through K-160 of SEQ ID NO:3228 are contemplated.

[0083] Polypeptide fragments may be "free-standing," or comprised within a larger polypeptide of which the fragment forms a part or region, most preferably as a single continuous region. Representative examples of polypeptide fragments that may be bound by antibodies of the present invention, include, for example, fragments that comprise or

alternatively, consist of from about amino acid residues: 1 to 15, 16-30, 31-46, 47-55, 56-72, 73-104, 105-163, 163-188, 186-210 and 210-284 of the amino acid sequence disclosed in SEQ ID NO:3228. Additional representative examples of polypeptide fragments that may be bound by antibodies of the present invention, include, for example, fragments that comprise or alternatively, consist of from about amino acid residues: 1 to 143, 1-150, 47-143, 47-150, 73-143, 73-150, 100-150, 140-145, 142-148, 140-150, 140-200, 140-225, and 140-266 of the amino acid sequence disclosed in SEQ ID NO:3229. Moreover, polypeptide fragments that may be bound by antibodies of the present invention, can be at least 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 175 or 200 amino acids in length. In this context, "about" means the particularly recited ranges and ranges larger or smaller by several, a few, 5, 4, 3, 2 or 1 amino acid residues at either or both the amino- and carboxy-termini.

[0084] Additional preferred embodiments encompass antibodies that bind polypeptide fragments comprising, or alternatively consisting of, the predicted intracellular domain of BLYS (e.g., amino acid residues 1-46 of SEQ ID NO:3228), the predicted transmembrane domain of BLYS (e.g., amino acid residues 47-72 of SEQ ID NO:3228), the predicted extracellular domain of BLYS (e.g., amino acid residues 73-285 of SEQ ID NO:3228), the mature soluble extracellular domain of BLYS (e.g., amino acids residues 134-285 of SEQ ID NO:3228), the predicted TNF conserved domain of BLYS (e.g., amino acids 191 to 284 of SEQ ID NO:3228), and a polypeptide comprising, or alternatively, consisting of the predicted intracellular domain fused to the predicted extracellular domain of BLYS (amino acid residues 1-46 fused to amino acid residues 73-285 of SEQ ID NO:3228).

[0085] Further additional preferred embodiments encompass polypeptide fragments comprising, or alternatively consisting of, the predicted intracellular domain of BLYS (amino acid residues 1-46 of SEQ ID NO:3229), the predicted transmembrane domain of BLYS (amino acid residues 47-72 of SEQ ID NO:3229), the predicted extracellular domain of BLYS (amino acid residues 73-266 of SEQ ID NO:3229), the predicted TNF conserved domain of BLYS (amino acids 172 to 265 of SEQ ID NO:3229), and a polypeptide comprising, or alternatively, consisting of the predicted intracellular domain fused to the predicted extracellular domain of BLYS (amino acid residues 1-46 fused to amino acid residues 73-266 of SEQ ID NO:3229).

[0086] Certain additional embodiments of the invention encompass antibodies that

bind polypeptide fragments comprising, or alternatively consisting of, the predicted beta-pleated sheet regions of the BLyS polypeptides of SEQ ID NO:3228 and SEQ ID NO:3229. These polypeptide fragments comprising the beta-pleated sheets of BLyS comprise, or alternatively consist of, amino acid residues Gln-144 to Ala-151, Phe-172 to Lys-173, Ala-177 to Glu-179, Asn-183 to Ile-185, Gly-191 to Lys-204, His-210 to Val-219, Leu-226 to Pro-237, Asn-242 to Ala-251, Gly-256 to Ile-263 and/or Val-276 to Leu-284 of SEQ ID NO:3228. In another, nonexclusive embodiment, these polypeptide fragments comprising the beta-pleated sheets of BLyS comprise, or alternatively consist of, amino acid residues Phe-153 to Lys-154, Ala-158 to Glu-160, Asn-164 to Ile-166, Gly-172 to Lys-185, His-191 to Val-200, Leu-207 to Pro-218, Asn-223 to Ala-232, Gly-237 to Ile-244 and/or Val-257 to Leu-265 of SEQ ID NO:3229.

[0087] A partial, non-limiting, and exemplary list of polypeptides that may be bound by the antibodies of the invention includes polypeptides that comprise, or alternatively consist of, combinations of amino acid sequences of the invention includes, for example, [Met-1 to Lys-113] fused to [Leu-114 to Thr-141] fused to [Val-142 to Lys-160] fused to [Gly-161 to Gln-198] fused to [Val-199 to Ala-248] fused to [Gly-249 to Leu-285] of SEQ ID NO:3228; or [Met-1 to Lys-113] fused to [Val-142 to Lys-160] fused to [Gly-161 to Gln-198] fused to [Val-199 to Ala-248] fused to [Gly-249 to Leu-285] of SEQ ID NO:3228; or [Met-1 to Lys-113] fused to [Leu-114 to Thr-141] fused to [Val-142 to Lys-160] fused to [Gly-161 to Gln-198] fused to [Gly-249 to Leu-285] of SEQ ID NO:3228. Other combinations of amino acids sequences that may be bound by the antibodies of the invention may include the polypeptide fragments in an order other than that recited above (e.g., [Leu-114 to Thr-141] fused to [Val-199 to Ala-248] fused to [Gly-249 to Leu-285] fused to [Val-142 to Lys-160] of (SEQ ID NO:3228). Other combinations of amino acids sequences that may be bound by the antibodies of the invention may also include heterologous polypeptide fragments as described herein and/or other polypeptides or polypeptide fragments of the present invention (e.g., [Met-1 to Lys-113] fused to [Leu-114 to Thr-141] fused to [Val-142 to Lys-160] fused to [Gly-161 to Gln-198] fused to [Gly-249 to Leu-285] of SEQ ID NO:3228 fused to a FLAG tag ; or [Met-1 to Lys-113] of SEQ ID NO:3228 fused to [Leu-114 to Thr-141] of SEQ ID NO:3228 fused to [Glu-135 to Asn-165] of SEQ ID NO:39 fused to [Val-142 to Lys-160] of SEQ ID NO:3228 fused to [Gly-161 to Gln-198] of SEQ ID NO:3228 fused to [Val-199 to Ala-248] of SEQ ID

NO:3228 fused to [Gly-249 to Leu-285] of SEQ ID NO:3228).

[0088] A partial, non-limiting, and exemplary list of polypeptides that may be bound by the antibodies of the invention includes polypeptides that comprise, or alternatively consist of, combinations of amino acid sequences includes, for example, [Met-1 to Lys-113] fused to [Leu-114 to Thr-141] fused to [Gly-142 to Gln-179] fused to [Val-180 to Ala-229] fused to [Gly-230 to Leu-266] of SEQ ID NO:3229; [Met-1 to Lys-113] fused to [Gly-142 to Gln-179] fused to [Val-180 to Ala-229] fused to [Gly-230 to Leu-266] of SEQ ID NO:3229; or [Met-1 to Lys-113] fused to [Leu-114 to Thr-141] fused to [Gly-142 to Gln-179] fused to [Gly-230 to Leu-266] of SEQ ID NO:3229. Other of amino acids sequences that may be bound by the antibodies of the invention combinations may include the polypeptide fragments in an order other than that recited above (e.g., [Leu-114 to Thr-141] fused to [Val-180 to Ala-229] fused to [Gly-230 to Leu-266] fused to [Gly-142 to Gln-179] of SEQ ID NO:3229). Other combinations of amino acid sequences that may be bound by the antibodies of the invention may also include heterologous polypeptide fragments as described herein and/or other polypeptides or polypeptide fragments of the present invention (e.g., [Met-1 to Lys-113] fused to [Leu-114 to Thr-141] fused to [Gly-142 to Gln-179] fused to [Gly-230 to Leu-266] of SEQ ID NO:3229 fused to a FLAG tag (SEQ ID NO:3238) or, [Met-1 to Lys-113] of SEQ ID NO:3229 fused to [Leu-114 to Thr-141] of SEQ ID NO:3229 fused to [Glu-135 to Asn-165] of SEQ ID NO:39 fused to [Gly-142 to Gln-179] of SEQ ID NO:3229 fused to [Val-180 to Ala-229] of SEQ ID NO:3229 fused to [Gly-230 to Leu-266] of SEQ ID NO:3229.

[0089] Additional embodiments of the invention encompass antibodies that bind BLYS polypeptide fragments comprising, or alternatively consisting of, functional regions of polypeptides of the invention, such as the Garnier-Robson alpha-regions, beta-regions, turn-regions, and coil-regions, Chou-Fasman alpha-regions, beta-regions, and coil-regions, Kyte-Doolittle hydrophilic regions and hydrophobic regions, Eisenberg alpha- and beta-amphipathic regions, Karplus-Schulz flexible regions, Emini surface-forming regions and Jameson-Wolf regions of high antigenic index set out in Tables 9 and 10 and as described herein. In a preferred embodiment, the polypeptide fragments bound by the antibodies of the invention are antigenic (i.e., containing four or more contiguous amino acids having an antigenic index of greater than or equal to 1.5, as identified using the default parameters of the Jameson-Wolf program) of a complete (i.e., full-length) BLYS

polypeptide (e.g., SEQ ID NOS:3228 and 3229).

[0090] The data representing the structural or functional attributes of the BLYS polypeptide of SEQ ID NO:3228 (Table 9) or the BLYS polypeptide of SEQ ID NO:3229 (Table 10), as described above, was generated using the various modules and algorithms of the DNA*STAR set on default parameters. Column I represents the results of a Garnier-Robson analysis of alpha helical regions; Column II represents the results of a Chou-Fasman analysis of alpha helical regions; Column III represents the results of a Garnier Robson analysis of beta sheet regions; Column IV represents the results of a Chou-Fasman analysis of beta sheet regions; Column V represents the results of a Garnier Robson analysis of turn regions; Column VI represents the results of a Chou-Fasman analysis of turn regions; Column VII represents the results of a Garnier Robson analysis of coil regions; Column VIII represents a Kyte-Doolittle hydrophilicity plot; Column IX represents a Hopp-Woods hydrophobicity plot; Column X represents the results of an Eisenberg analysis of alpha amphipathic regions; Column XI represents the results of an Eisenberg analysis of beta amphipathic regions; Column XII represents the results of a Karplus-Schultz analysis of flexible regions; Column XIII represents the Jameson-Wolf antigenic index score; and Column XIV represents the Emini surface probability plot.

[0091] In a preferred embodiment, the data presented in columns VIII, IX, XIII, and XIV of Tables 9 and 10 can be used to determine regions of the BLYS polypeptide of SEQ ID NO:3228 (Table 9) or the BLYS polypeptide of SEQ ID NO:3229 (Table 10) which exhibit a high degree of potential for antigenicity. Regions of high antigenicity are determined from the data presented in columns VIII, IX, XIII, and/or XIV by choosing values which represent regions of the polypeptide which are likely to be exposed on the surface of the polypeptide in an environment in which antigen recognition may occur in the process of initiation of an immune response.

[0092] The above-mentioned preferred regions set out in Tables 9 and 10 include, but are not limited to, regions of the aforementioned types identified by analysis of the amino acid sequence set out in SEQ ID NO:2. As set out in Tables 9 and 10, such preferred regions include Garnier-Robson alpha-regions, beta-regions, turn-regions, and coil-regions, Chou-Fasman alpha-regions, beta-regions, and turn-regions, Kyte-Doolittle hydrophilic regions, Eisenberg alpha- and beta-amphipathic regions, Karplus-Schulz flexible regions, Jameson-Wolf regions of high antigenic index and Emini surface-forming

regions. Preferably, antibodies of the present invention bind BLyS polypeptides or BLyS polypeptide fragments and variants comprising regions of BLyS that combine several structural features, such as several (e.g., 1, 2, 3, or 4) of the same or different region features set out above and in Tables 9 and 10.

Table 9

Res	Position	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Met	1	A	0.73	-0.71	.	.	.	0.95	1.39
Asp	2	A	T	.	1.12	-0.66	*	.	.	1.15	1.56
Asp	3	A	T	.	1.62	-1.09	*	.	.	1.15	2.12
Ser	4	A	T	.	2.01	-1.51	.	.	.	1.15	4.19
Thr	5	A	T	.	2.40	-2.13	.	.	F	1.30	4.35
Glu	6	A	A	2.70	-1.73	*	*	F	0.90	4.51
Arg	7	A	A	2.81	-1.34	*	*	F	0.90	4.51
Glu	8	A	A	2.00	-1.73	*	*	F	0.90	6.12
Gln	9	A	A	1.99	-1.53	*	*	F	0.90	2.91
Ser	10	A	.	.	B	.	.	.	2.00	-1.04	*	*	F	0.90	2.15
Arg	11	A	.	.	B	.	.	.	1.33	-0.66	*	*	F	0.90	1.66
Leu	12	A	.	.	B	.	.	.	0.41	-0.09	*	*	F	0.45	0.51
Thr	13	A	.	.	B	.	.	.	0.46	0.20	*	*	F	-0.15	0.32
Ser	14	A	A	0.50	-0.19	*	*	.	0.30	0.32
Cys	15	A	A	0.91	-0.19	*	*	.	0.30	0.78
Leu	16	A	A	0.80	-0.87	*	*	F	0.90	1.06
Lys	17	A	A	1.61	-1.36	.	*	F	0.90	1.37
Lys	18	A	A	1.32	-1.74	.	*	F	0.90	4.44
Arg	19	A	A	1.67	-1.70	.	*	F	0.90	5.33
Glu	20	A	A	1.52	-2.39	.	*	F	0.90	5.33
Glu	21	A	A	2.38	-1.70	.	*	F	-0.90	2.20
Met	22	A	A	2.33	-1.70	.	*	F	0.90	2.24
Lys	23	A	A	1.62	-1.70	*	*	F	0.90	2.24
Leu	24	A	A	0.66	-1.13	*	*	F	0.75	0.69
Lys	25	A	A	0.36	-0.49	.	*	F	0.45	0.52
Glu	26	A	A	.	B	.	.	.	-0.53	-0.71	*	*	.	0.60	0.35
Cys	27	A	A	.	B	.	.	.	-0.74	-0.03	*	*	.	0.30	0.30
Val	28	A	A	.	B	.	.	.	-1.00	-0.03	*	*	.	0.30	0.12
Ser	29	A	A	.	B	.	.	.	-0.08	0.40	*	*	.	-0.30	0.11
Ile	30	A	.	.	B	.	.	.	-0.08	0.40	*	*	.	-0.30	0.40
Leu	31	A	.	.	B	.	.	.	-0.08	-0.17	*	.	.	0.45	1.08
Pro	32	.	.	.	B	.	.	C	0.29	-0.81	*	.	F	1.10	1.39
Arg	33	T	.	.	0.93	-0.81	.	*	F	1.50	2.66
Lys	34	T	.	.	0.93	-1.07	.	.	F	1.84	4.98
Glu	35	C	0.97	-1.37	*	*	F	1.98	4.32
Ser	36	T	C	1.89	-1.16	*	*	F	2.52	1.64
Pro	37	T	C	1.80	-1.16	*	*	F	2.86	1.60
Ser	38	T	T	.	1.39	-0.77	*	.	F	3.40	1.24
Val	39	A	T	.	1.39	-0.39	.	*	F	2.36	1.24
Arg	40	A	1.39	-0.77	*	*	F	2.46	1.60
Ser	41	A	1.34	-1.20	*	*	F	2.46	2.00
Ser	42	T	T	.	1.60	-1.16	.	*	F	3.06	2.67
Lys	43	T	T	.	1.09	-1.80	.	*	F	3.06	2.72
Asp	44	T	T	.	1.13	-1.11	*	*	F	3.40	1.67
Gly	45	A	T	.	0.43	-0.81	*	*	F	2.66	1.03
Lys	46	A	A	0.14	-0.70	.	.	F	1.77	0.52
Leu	47	A	A	0.13	-0.20	*	.	.	0.98	0.31
Leu	48	A	A	-0.72	0.29	*	.	.	0.04	0.46
Ala	49	A	A	-1.53	0.54	.	*	.	-0.60	0.19
Ala	50	A	A	-2.00	1.23	.	.	.	-0.60	0.19

Table 9 (continued)

Res Position		I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Thr	51	A	A	-2.63	1.23	.	.	.	-0.60	0.19
Leu	52	A	A	-2.63	1.04	.	.	.	-0.60	0.19
Leu	53	A	A	-2.63	1.23	.	.	.	-0.60	0.15
Leu	54	A	A	-2.34	1.41	.	.	.	-0.60	0.09
Ala	55	A	A	-2.42	1.31	.	.	.	-0.60	0.14
Leu	56	A	A	-2.78	1.20	.	.	.	-0.60	0.09
Leu	57	A	T	.	-2.78	1.09	.	.	.	-0.20	0.06
Ser	58	A	T	.	-2.28	1.09	.	.	.	-0.20	0.05
Cys	59	A	T	.	-2.32	1.07	.	.	.	-0.20	0.09
Cys	60	A	T	.	-2.59	1.03	.	.	.	-0.20	0.08
Leu	61	.	.	B	B	.	.	.	-2.08	0.99	.	.	.	-0.60	0.04
Thr	62	.	.	B	B	.	.	.	-1.97	0.99	.	.	.	-0.60	0.11
Val	63	.	.	B	B	.	.	.	-1.91	1.20	.	.	.	-0.60	0.17
Val	64	.	.	B	B	.	.	.	-1.24	1.39	.	.	.	-0.60	0.33
Ser	65	.	.	B	B	.	.	.	-1.43	1.10	.	.	.	-0.60	0.40
Phe	66	A	.	.	B	.	.	.	-1.21	1.26	.	.	.	-0.60	0.40
Tyr	67	A	.	.	B	.	.	.	-1.49	1.11	.	.	.	-0.60	0.54
Gln	68	A	.	.	B	.	.	.	-1.44	0.97	.	.	.	-0.60	0.41
Val	69	A	.	.	B	.	.	.	-0.59	1.27	.	.	.	-0.60	0.39
Ala	70	A	.	.	B	.	.	.	-0.63	0.89	.	.	.	-0.60	0.43
Ala	71	A	.	.	B	.	.	.	0.07	0.56	.	*	.	-0.60	0.25
Leu	72	A	T	.	-0.50	0.16	.	*	.	0.10	0.55
Gln	73	A	T	.	-1.09	0.20	.	.	F	0.25	0.45
Gly	74	A	T	.	-0.53	0.20	.	.	F	0.25	0.45
Asp	75	A	T	.	-0.76	0.09	.	*	F	0.25	0.73
Leu	76	A	A	-0.06	0.09	.	*	F	-0.15	0.35
Ala	77	A	A	0.17	-0.31	.	*	.	0.30	0.69
Ser	78	A	A	0.17	-0.24	.	*	.	0.30	0.42
Leu	79	A	A	-0.30	-0.24	.	*	.	0.30	0.88
Arg	80	A	A	-0.30	-0.24	.	*	.	0.30	0.72
Ala	81	A	A	0.17	-0.34	.	*	.	0.30	0.93
Glu	82	A	A	0.72	-0.30	.	*	.	0.45	1.11
Leu	83	A	A	0.99	-0.49	.	*	.	0.30	0.77
Gln	84	A	A	1.21	0.01	.	*	.	-0.15	1.04
Gly	85	A	A	1.10	0.01	*	*	.	-0.30	0.61
His	86	A	A	1.73	0.01	*	*	.	-0.15	1.27
His	87	A	A	0.92	-0.67	.	*	.	0.75	1.47
Ala	88	A	A	1.52	-0.39	.	*	.	0.45	1.22
Glu	89	A	A	0.93	-0.39	.	.	.	0.45	1.39
Lys	90	A	A	0.93	-0.39	*	.	F	0.60	1.03
Leu	91	A	T	.	0.38	-0.46	*	.	.	0.85	1.01
Pro	92	A	T	.	0.07	-0.46	.	.	.	0.70	0.59
Ala	93	A	T	.	0.07	-0.03	.	.	.	0.70	0.29
Gly	94	A	T	.	-0.14	0.47	.	.	.	-0.20	0.36
Ala	95	A	-0.14	0.21	.	*	.	-0.10	0.36
Gly	96	A	0.08	-0.21	.	.	F	0.65	0.71
Ala	97	A	-0.06	-0.21	.	.	F	0.65	0.72
Pro	98	A	-0.28	-0.21	.	*	F	0.65	0.71
Lys	99	A	A	0.07	-0.03	.	.	F	0.45	0.59
Ala	100	A	A	0.66	-0.46	.	.	F	0.60	1.01

Table 9 (continued)

Res Position		I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Gly	101	A	A	0.41	-0.96	.	.	F	0.90	1.13
Leu	102	A	A	0.79	-0.89	.	.	F	0.75	0.57
Glu	103	A	A	0.41	-0.46	*	.	F	0.45	0.88
Glu	104	A	A	-0.49	-0.46	*	.	F	0.45	0.89
Ala	105	A	A	-0.21	-0.24	.	.	.	0.30	0.81
Pro	106	A	A	-0.46	-0.44	.	.	.	0.30	0.67
Ala	107	A	A	0.01	0.06	.	.	.	-0.30	0.39
Val	108	A	A	-0.80	0.49	.	*	.	-0.60	0.38
Thr	109	A	A	-0.76	0.67	.	*	.	-0.60	0.20
Ala	110	A	A	-1.06	0.24	*	*	.	-0.30	0.40
Gly	111	A	A	-1.54	0.43	*	*	.	-0.60	0.38
Leu	112	A	A	-0.96	0.57	*	*	.	-0.60	0.23
Lys	113	.	A	B	-0.31	0.09	*	*	.	-0.30	0.39
Ile	114	.	A	B	-0.21	0.01	*	.	.	-0.30	0.61
Phe	115	.	A	B	-0.21	0.01	*	.	.	0.15	1.15
Glu	116	.	A	C	-0.08	-0.17	*	.	F	1.25	0.58
Pro	117	.	A	C	0.39	0.26	*	*	F	1.10	1.28
Pro	118	C	0.34	-0.00	.	.	F	2.20	1.47
Ala	119	T	C	0.89	-0.79	.	*	F	3.00	1.47
Pro	120	T	C	1.59	-0.36	.	*	F	2.25	0.94
Gly	121	T	T	.	1.29	-0.39	.	*	F	2.15	0.98
Glu	122	T	T	.	1.20	-0.43	.	.	F	2.00	1.30
Gly	123	C	1.41	-0.54	.	.	F	1.60	1.12
Asn	124	T	C	2.00	-0.57	.	.	F	1.50	1.97
Ser	125	T	C	1.91	-0.60	.	*	F	1.50	1.82
Ser	126	T	C	2.37	-0.21	.	*	F	1.54	2.47
Gln	127	T	C	2.37	-0.64	.	*	F	2.18	3.01
Asn	128	C	2.76	-0.64	.	.	F	2.32	3.61
Ser	129	T	C	2.87	-1.03	.	.	F	2.86	5.39
Arg	130	T	T	.	2.58	-1.41	*	.	F	3.40	6.09
Asn	131	T	T	.	2.02	-1.31	*	.	F	3.06	3.83
Lys	132	T	T	.	2.02	-1.07	*	.	F	2.72	2.12
Arg	133	T	.	.	1.68	-1.06	*	.	F	2.18	1.88
Ala	134	C	1.77	-0.63	*	.	F	1.64	1.15
Val	135	C	1.66	-0.60	*	.	F	1.49	0.89
Gln	136	C	1.66	-0.60	*	.	F	1.83	0.79
Gly	137	T	C	1.30	-0.60	*	.	F	2.52	1.35
Pro	138	T	C	0.33	-0.61	*	.	F	2.86	2.63
Glu	139	T	T	.	0.61	-0.61	*	.	F	3.40	1.13
Glu	140	A	T	.	1.47	-0.53	*	.	F	2.66	1.64
Thr	141	A	1.47	-0.56	.	.	F	2.12	1.84
Val	142	A	1.14	-0.99	.	.	F	1.78	1.77
Thr	143	A	T	.	0.54	-0.41	.	.	F	1.19	0.55
Gln	144	A	T	.	0.54	0.27	*	.	F	0.25	0.31
Asp	145	A	T	.	-0.27	0.19	*	.	F	0.25	0.73
Cys	146	A	T	.	-0.84	0.23	*	.	.	0.10	0.42
Leu	147	A	A	-0.58	0.43	*	.	.	-0.60	0.17
Gln	148	A	A	-0.27	0.53	*	.	.	-0.60	0.10
Leu	149	A	A	-0.57	0.53	*	*	.	-0.30	0.32
Ile	150	A	A	-0.57	0.34	*	.	.	0.30	0.52

Table 9 (continued)

Res Position	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Ala 151	.	A	C	-0.21	-0.34	.	*	.	1.40	0.52
Asp 152	T	T	.	0.39	-0.26	.	*	F	2.45	0.91
Ser 153	T	C	0.08	-0.51	.	.	F	3.00	2.00
Glu 154	T	C	-0.00	-0.71	.	.	F	2.70	2.86
Thr 155	T	C	0.89	-0.53	*	.	F	2.40	1.20
Pro 156	.	.	.	B	.	.	C	1.52	-0.13	*	.	F	1.56	1.55
Thr 157	.	.	.	B	T	.	.	1.18	-0.51	*	.	F	1.92	1.79
Ile 158	A	.	.	B	.	.	.	1.18	-0.09	.	.	F	1.08	1.23
Gln 159	T	T	.	0.93	-0.19	.	.	F	2.04	1.07
Lys 160	T	T	.	0.93	0.14	*	.	F	1.60	1.16
Gly 161	T	T	.	0.44	0.14	*	.	F	1.44	2.38
Ser 162	T	T	.	-0.10	0.24	*	.	F	1.28	1.19
Tyr 163	.	.	.	B	T	.	.	0.58	0.49	*	.	.	0.12	0.44
Thr 164	.	.	B	B	.	.	.	0.29	0.91	*	.	.	-0.44	0.69
Phe 165	.	.	B	B	.	.	.	-0.57	1.40	*	.	.	-0.60	0.54
Val 166	.	.	B	B	.	.	.	-1.03	1.70	.	.	.	-0.60	0.29
Pro 167	.	.	B	B	.	.	.	-1.03	1.63	.	.	.	-0.60	0.16
Trp 168	A	.	.	B	.	.	.	-1.49	1.53	.	*	.	-0.60	0.25
Leu 169	A	.	.	B	.	.	.	-1.13	1.53	*	.	.	-0.60	0.29
Leu 170	A	.	.	B	.	.	.	-0.32	0.89	*	.	.	-0.30	0.38
Ter 171	A	0.19	0.46	*	.	.	0.20	0.71
Phe 172	T	.	.	0.10	-0.03	*	.	.	1.80	0.85
Lys 173	T	T	.	-0.20	-0.33	*	.	F	2.60	1.38
Arg 174	T	C	-0.20	-0.51	.	.	F	3.00	1.04
Gly 175	T	C	0.61	-0.21	.	.	F	2.25	0.99
Ser 176	A	T	.	0.91	-1.00	*	.	F	2.05	0.86
Ala 177	A	A	1.66	-1.00	*	.	F	1.35	0.76
Leu 178	A	A	1.61	-1.00	.	.	F	1.20	1.54
Glu 179	A	A	1.50	-1.43	.	.	F	0.90	1.98
Glu 180	A	A	1.89	-1.41	*	.	F	0.90	3.16
Lys 181	A	A	1.30	-1.91	*	.	F	0.90	7.66
Glu 182	A	A	1.08	-1.91	.	.	F	0.90	3.10
Asn 183	A	A	1.03	-1.23	*	*	F	0.90	1.48
Lys 184	A	A	1.08	-0.59	*	.	F	0.75	0.55
Ile 185	A	A	1.08	-0.59	*	*	.	0.60	0.63
Leu 186	A	A	0.72	-0.59	*	*	.	0.60	-0.68
Val 187	A	A	0.38	-0.50	.	*	.	0.30	0.49
Lys 188	A	A	0.13	-0.07	*	*	F	0.45	0.69
Glu 189	A	T	.	-0.61	0.00	*	*	F	0.40	1.32
Thr 190	T	T	.	-0.42	0.10	.	*	F	0.80	1.54
Gly 191	T	T	.	-0.50	0.24	*	.	F	0.65	0.67
Tyr 192	T	T	.	0.11	0.93	*	*	.	0.20	0.27
Phe 193	.	.	B	B	.	.	.	-0.28	1.69	.	.	.	-0.60	0.29
Phe 194	.	.	B	B	.	.	.	-0.28	1.63	.	*	.	-0.60	0.29
Ile 195	.	.	B	B	.	.	.	-0.82	1.60	.	.	.	-0.60	0.32
Tyr 196	.	.	B	B	.	.	.	-1.29	1.49	.	.	.	-0.60	0.28
Gly 197	.	.	.	B	T	.	.	-1.29	1.39	.	.	.	-0.20	0.26
Gln 198	.	.	.	B	T	.	.	-0.90	1.36	.	.	.	-0.20	0.59
Val 199	.	.	.	B	.	.	C	-0.20	1.16	.	.	.	-0.40	0.54
Leu 200	.	.	.	B	.	.	C	0.73	0.40	.	.	.	-0.10	0.92

Table 9 (continued)

Res	Position	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Tyr	201	T	T	.	0.67	-0.03	.	.	.	1.25	1.06
Thr	202	T	T	.	0.77	0.06	.	.	F	0.80	2.06
Asp	203	T	T	.	0.18	0.17	.	.	F	0.80	3.91
Lys	204	A	T	.	0.43	-0.01	.	.	F	1.00	2.52
Thr	205	A	A	0.90	-0.16	.	.	F	0.60	1.73
Tyr	206	A	A	1.11	-0.21	.	.	.	0.45	1.03
Ala	207	A	A	0.61	0.29	.	.	.	-0.30	0.70
Met	208	A	A	-0.28	0.97	.	.	.	-0.60	0.40
Gly	209	A	A	.	B	.	.	.	-0.32	1.17	*	.	.	-0.60	0.18
His	210	A	A	.	B	.	.	.	0.10	0.81	*	.	.	-0.60	0.31
Leu	211	A	A	.	B	.	.	.	0.39	0.31	.	.	.	-0.30	0.61
Ile	212	A	A	.	B	.	.	.	1.02	-0.30	.	.	.	0.45	1.22
Gln	213	A	A	.	B	.	.	.	0.77	-0.73	.	*	.	0.75	1.80
Arg	214	A	A	.	B	.	.	.	1.08	-0.59	.	*	F	0.90	1.62
Lys	215	A	A	.	B	.	.	.	0.26	-0.77	*	*	F	0.90	3.14
Lys	216	A	A	.	B	.	.	.	0.37	-0.81	.	*	F	0.90	1.35
Val	217	.	A	B	B	.	.	.	0.91	-0.43	*	*	.	0.30	0.60
His	218	.	A	B	B	.	.	.	0.91	-0.00	*	*	.	0.30	0.29
Val	219	.	A	B	B	.	.	.	0.80	-0.00	*	*	.	0.30	0.25
Phe	220	.	.	B	B	.	.	.	-0.06	-0.00	*	.	.	0.30	0.57
Gly	221	A	.	.	B	.	.	.	-0.40	0.04	.	*	.	-0.30	0.35
Asp	222	A	-0.36	-0.07	*	.	.	0.50	0.63
Glu	223	A	-1.18	-0.03	*	.	.	0.50	0.60
Leu	224	A	.	.	B	.	.	.	-0.63	-0.17	.	.	.	0.30	0.45
Ser	225	A	.	.	B	.	.	.	-0.74	-0.11	.	.	.	0.30	0.39
Leu	226	A	.	.	B	.	.	.	-1.10	0.57	.	*	.	-0.60	0.18
Val	227	A	.	.	B	.	.	.	-0.99	1.36	.	*	.	-0.60	0.19
Thr	228	A	.	.	B	.	.	.	-1.66	0.67	*	*	.	-0.60	0.28
Leu	229	A	.	.	B	.	.	.	-1.73	0.86	*	.	.	-0.60	0.18
Phe	230	A	.	.	B	.	.	.	-1.43	0.86	*	.	.	-0.60	0.17
Arg	231	A	.	.	B	.	.	.	-0.62	0.61	*	.	.	-0.60	0.21
Cys	232	.	.	.	B	T	.	.	-0.37	0.53	*	.	.	-0.20	0.41
Ile	233	.	.	.	B	T	.	.	-0.27	0.46	*	.	.	-0.20	0.46
Gln	234	.	.	.	B	T	.	.	0.54	0.10	*	.	.	0.10	0.37
Asn	235	.	.	.	B	.	.	C	0.93	0.10	*	.	.	0.05	1.19
Met	236	.	.	.	B	.	.	C	0.01	-0.01	*	.	F	0.20	2.44
Pro	237	.	.	.	B	.	.	C	0.47	0.01	*	.	F	0.44	1.16
Glu	238	T	.	.	1.36	0.04	*	.	F	1.08	1.12
Thr	239	C	1.36	0.04	*	.	F	1.12	1.82
Leu	240	C	1.06	-0.17	*	.	F	1.96	1.89
Pro	241	T	.	.	0.99	-0.21	.	.	F	2.40	1.46
Asn	242	T	.	.	0.96	0.36	.	.	F	1.41	0.54
Asn	243	T	T	.	0.66	0.63	.	.	F	1.22	1.03
Ser	244	T	T	.	0.38	0.33	.	.	F	1.13	0.89
Cys	245	T	T	.	0.84	0.40	.	.	.	0.74	0.56
Tyr	246	T	T	.	0.17	0.43	.	.	.	0.20	0.35
Ser	247	A	-0.42	0.71	.	.	.	-0.40	0.18
Ala	248	A	A	-0.38	0.83	.	.	.	-0.60	0.34
Gly	249	A	A	-0.89	0.26	.	.	.	-0.30	0.43
Ile	250	A	A	-0.22	0.19	*	.	.	-0.30	0.27

Table 9 (continued)

Res Position	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Ala 251	A	A	0.02	-0.20	*	.	.	0.30	0.46
Lys 252	A	A	-0.02	-0.70	.	.	.	0.60	0.80
Leu 253	A	A	0.57	-0.70	.	.	F	0.90	1.13
Glu 254	A	A	0.91	-1.39	.	.	F	0.90	1.87
Glu 255	A	A	0.99	-1.89	.	.	F	0.90	1.62
Gly 256	A	A	1.58	-1.20	.	*	F	0.90	1.62
Asp 257	A	A	0.72	-1.49	.	*	F	0.90	1.62
Glu 258	A	A	0.94	-0.80	*	*	F	0.75	0.77
Leu 259	A	A	0.06	-0.30	*	*	.	0.30	0.79
Gln 260	A	A	-0.16	-0.04	*	.	.	0.30	0.33
Leu 261	A	A	0.30	0.39	*	.	.	-0.30	0.30
Ala 262	A	A	0.30	0.39	*	.	.	-0.30	0.70
Ile 263	A	A	0.30	-0.30	.	*	.	0.30	0.70
Pro 264	A	T	.	0.52	-0.30	.	*	F	1.00	1.37
Arg 265	A	T	.	0.52	-0.49	.	*	F	1.00	1.37
Glu 266	A	T	.	0.44	-0.59	*	*	F	1.30	3.38
Asn 267	A	T	.	0.73	-0.59	*	*	F	1.30	1.53
Ala 268	A	0.81	-0.63	*	*	.	0.95	1.05
Gln 269	A	1.02	0.06	*	*	.	-0.10	0.50
Ile 270	A	0.57	0.06	.	*	.	0.15	0.52
Ser 271	C	0.57	0.09	.	*	.	0.60	0.51
Leu 272	C	-0.29	-0.41	.	*	F	1.60	0.49
Asp 273	T	T	.	-0.01	-0.17	.	*	F	2.25	0.52
Gly 274	T	T	.	-0.71	-0.37	.	*	F	2.50	0.56
Asp 275	T	T	.	-0.52	0.03	.	*	F	1.65	0.59
Val 276	A	T	.	-0.57	0.13	.	*	F	1.00	0.30
Thr 277	A	.	.	B	.	.	.	-0.34	0.56	.	*	.	-0.10	0.30
Phe 278	A	.	.	B	.	.	.	-1.16	0.63	.	*	.	-0.35	0.18
Phe 279	A	.	.	B	.	.	.	-0.77	1.31	.	*	.	-0.60	0.20
Gly 280	A	A	-1.58	0.67	.	*	.	-0.60	0.28
Ala 281	A	A	-1.53	0.87	.	*	.	-0.60	0.27
Leu 282	A	A	-1.61	0.77	*	.	.	-0.60	0.26
Lys 283	A	A	-1.30	0.41	*	.	.	-0.60	0.33
Leu 284	A	A	-0.99	0.41	.	.	.	-0.60	0.42
Leu 285	A	A	-1.03	0.34	*	.	.	-0.30	0.65

Table 10

Res Position		I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Met	1	A	0.73	-0.71	.	.	.	0.95	1.39
Asp	2	A	T	.	1.12	-0.66	*	.	.	1.15	1.56
Asp	3	A	T	.	1.62	-1.09	*	.	.	1.15	2.12
Ser	4	A	T	.	2.01	-1.51	.	.	.	1.15	4.19
Thr	5	A	T	.	2.40	-2.13	.	.	F	1.30	4.35
Glu	6	A	A	2.70	-1.73	*	*	F	0.90	4.51
Arg	7	A	A	2.81	-1.34	*	*	F	0.90	4.51
Glu	8	A	A	2.00	-1.73	*	*	F	0.90	6.12
Gln	9	A	A	1.99	-1.53	*	*	F	0.90	2.91
Ser	10	A	.	.	B	.	.	.	2.00	-1.04	*	*	F	0.90	2.15
Arg	11	A	.	.	B	.	.	.	1.33	-0.66	*	*	F	0.90	1.66
Leu	12	A	.	.	B	.	.	.	0.41	-0.09	*	*	F	0.45	0.51
Thr	13	A	.	.	B	.	.	.	0.46	0.20	*	*	F	-0.15	0.32
Ser	14	A	A	0.50	-0.19	*	*	.	0.30	0.32
Cys	15	A	A	0.91	-0.19	*	*	.	0.30	0.78
Leu	16	A	A	0.80	-0.87	*	*	F	0.90	1.06
Lys	17	A	A	1.61	-1.36	.	*	F	0.90	1.37
Lys	18	A	A	1.32	-1.74	.	*	F	0.90	4.44
Arg	19	A	A	1.67	-1.70	.	*	F	0.90	5.33
Glu	20	A	A	1.52	-2.39	.	*	F	0.90	5.33
Glu	21	A	A	2.38	-1.70	.	*	F	0.90	2.20
Met	22	A	A	2.33	-1.70	.	*	F	0.90	2.24
Lys	23	A	A	1.62	-1.70	*	*	F	0.90	2.24
Leu	24	A	A	0.66	-1.13	*	*	F	0.75	0.69
Lys	25	A	A	0.36	-0.49	.	*	F	0.45	0.52
Glu	26	A	A	.	B	.	.	.	-0.53	-0.71	*	*	.	0.60	0.35
Cys	27	A	A	.	B	.	.	.	-0.74	-0.03	*	*	.	0.30	0.30
Val	28	A	A	.	B	.	.	.	-1.00	-0.03	*	*	.	0.30	0.12
Ser	29	A	A	.	B	.	.	.	-0.08	0.40	*	*	.	-0.30	0.11
Ile	30	A	.	.	B	.	.	.	-0.08	0.40	*	*	.	-0.30	0.40
Leu	31	A	.	.	B	.	.	.	-0.08	-0.17	*	.	.	0.45	1.08
Pro	32	.	.	.	B	.	.	C	0.29	-0.81	*	.	F	1.10	1.39
Arg	33	T	.	.	0.93	-0.81	.	*	F	1.50	2.66
Lys	34	T	.	.	0.93	-1.07	.	.	F	1.84	4.98
Glu	35	C	0.97	-1.37	*	*	F	1.98	4.32
Ser	36	T	C	1.89	-1.16	*	*	F	2.52	1.64
Pro	37	T	C	1.80	-1.16	*	*	F	2.86	1.60
Ser	38	T	T	.	1.39	-0.77	*	.	F	3.40	1.24
Val	39	A	T	.	1.39	-0.39	.	*	F	2.36	1.24
Arg	40	A	1.39	-0.77	*	*	F	2.46	1.60
Ser	41	A	1.34	-1.20	*	*	F	2.46	2.00
Ser	42	T	T	.	1.60	-1.16	.	*	F	3.06	2.67
Lys	43	T	T	.	1.09	-1.80	*	*	F	3.06	2.72
Asp	44	T	T	.	1.13	-1.11	*	*	F	3.40	1.67
Gly	45	A	T	.	0.43	-0.81	*	*	F	2.66	1.03
Lys	46	A	A	0.14	-0.70	.	.	F	1.77	0.52
Leu	47	A	A	0.13	-0.20	*	.	.	0.98	0.31
Leu	48	A	A	-0.72	0.29	*	.	.	0.04	0.46
Ala	49	A	A	-1.53	0.54	.	*	.	-0.60	0.19
Ala	50	A	A	-2.00	1.23	.	.	.	-0.60	0.19

Table 10 (continued)

Res	Position	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Thr	51	A	A	-2.63	1.23	.	.	.	-0.60	0.19
Leu	52	A	A	-2.63	1.04	.	.	.	-0.60	0.19
Leu	53	A	A	-2.63	1.23	.	.	.	-0.60	0.15
Leu	54	A	A	-2.34	1.41	.	.	.	-0.60	0.09
Ala	55	A	A	-2.42	1.31	.	.	.	-0.60	0.14
Leu	56	A	A	-2.78	1.20	.	.	.	-0.60	0.09
Leu	57	A	T	.	-2.78	1.09	.	.	.	-0.20	0.06
Ser	58	A	T	.	-2.28	1.09	.	.	.	-0.20	0.05
Cys	59	A	T	.	-2.32	1.07	.	.	.	-0.20	0.09
Cys	60	A	T	.	-2.59	1.03	.	.	.	-0.20	0.08
Leu	61	.	.	B	B	.	.	.	-2.08	0.99	.	.	.	-0.60	0.04
Thr	62	.	.	B	B	.	.	.	-1.97	0.99	.	.	.	-0.60	0.11
Val	63	.	.	B	B	.	.	.	-1.91	1.20	.	.	.	-0.60	0.17
Val	64	.	.	B	B	.	.	.	-1.24	1.39	.	.	.	-0.60	0.33
Ser	65	.	.	B	B	.	.	.	-1.43	1.10	.	.	.	-0.60	0.40
Phe	66	A	.	.	B	.	.	.	-1.21	1.26	.	.	.	-0.60	0.40
Tyr	67	A	.	.	B	.	.	.	-1.49	1.11	.	.	.	-0.60	0.54
Gln	68	A	.	.	B	.	.	.	-1.44	0.97	.	.	.	-0.60	0.41
Val	69	A	.	.	B	.	.	.	-0.59	1.27	.	.	.	-0.60	0.39
Ala	70	A	.	.	B	.	.	.	-0.63	0.89	.	.	.	-0.60	0.43
Ala	71	A	.	.	B	.	.	.	0.07	0.56	.	*	.	-0.60	0.25
Leu	72	A	T	.	-0.50	0.16	.	.	.	0.10	0.55
Gln	73	A	T	.	-1.09	0.20	.	.	F	0.25	0.45
Gly	74	A	T	.	-0.53	0.20	.	.	F	0.25	0.45
Asp	75	A	T	.	-0.76	0.09	.	*	F	0.25	0.73
Leu	76	A	A	-0.06	0.09	.	*	F	-0.15	0.35
Ala	77	A	A	0.17	-0.31	.	*	.	0.30	0.69
Ser	78	A	A	0.17	-0.24	.	*	.	0.30	0.42
Leu	79	A	A	-0.30	-0.24	.	*	.	0.30	0.88
Arg	80	A	A	-0.30	-0.24	.	*	.	0.30	0.72
Ala	81	A	A	0.17	-0.34	.	*	.	0.30	0.93
Glu	82	A	A	0.72	-0.30	.	*	.	0.45	1.11
Leu	83	A	A	0.99	-0.49	.	*	.	0.30	0.77
Gln	84	A	A	1.21	0.01	.	*	.	-0.15	1.04
Gly	85	A	A	1.10	0.01	*	*	.	-0.30	0.61
His	86	A	A	1.73	0.01	*	*	.	-0.15	1.27
His	87	A	A	0.92	-0.67	.	*	.	0.75	1.47
Ala	88	A	A	1.52	-0.39	.	*	.	0.45	1.22
Glu	89	A	A	0.93	-0.39	.	.	.	0.45	1.39
Lys	90	A	A	0.93	-0.39	*	.	F	0.60	1.03
Leu	91	A	T	.	0.38	-0.46	*	.	.	0.85	1.01
Pro	92	A	T	.	0.07	-0.46	.	.	.	0.70	0.59
Ala	93	A	T	.	0.07	-0.03	.	.	.	0.70	0.29
Gly	94	A	T	.	-0.14	0.47	.	.	.	-0.20	0.36
Ala	95	A	-0.14	0.21	.	*	.	-0.10	0.36
Gly	96	A	0.08	-0.21	.	.	F	0.65	0.71
Ala	97	A	-0.06	-0.21	.	.	F	0.65	0.72
Pro	98	A	-0.28	-0.21	.	*	F	0.65	0.71
Lys	99	A	A	0.07	-0.03	.	.	F	0.45	0.59
Ala	100	A	A	0.66	-0.46	.	.	F	0.60	1.01

Table 10 (continued)

Res Position		I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Gly	101	A	A	0.41	-0.96	.	.	F	0.90	1.13
Leu	102	A	A	0.79	-0.89	.	.	F	0.75	0.57
Glu	103	A	A	0.41	-0.46	*	.	F	0.45	0.88
Glu	104	A	A	-0.49	-0.46	*	.	F	0.45	0.89
Ala	105	A	A	-0.21	-0.24	.	.	.	0.30	0.81
Pro	106	A	A	-0.46	-0.44	.	.	.	0.30	0.67
Ala	107	A	A	0.01	0.06	.	.	.	-0.30	0.39
Val	108	A	A	-0.80	0.49	*	*	.	-0.60	0.38
Thr	109	A	A	-0.76	0.67	.	*	.	-0.60	0.20
Ala	110	A	A	-1.06	0.24	*	*	.	-0.30	0.40
Gly	111	A	A	-1.54	0.43	*	*	.	-0.60	0.38
Leu	112	A	A	-0.96	0.57	*	*	.	-0.60	0.23
Lys	113	.	A	B	-0.31	0.09	*	*	.	-0.30	0.39
Ile	114	.	A	B	-0.21	0.01	*	.	.	-0.30	0.61
Phe	115	.	A	B	-0.21	0.01	*	.	.	0.15	1.15
Glu	116	.	A	C	-0.08	-0.17	*	.	F	1.25	0.58
Pro	117	.	A	C	0.39	0.26	*	*	F	1.10	1.28
Pro	118	C	0.34	0.00	*	.	F	2.20	1.47
Ala	119	T	C	0.89	-0.79	.	*	F	3.00	1.47
Pro	120	T	C	1.59	-0.36	.	*	F	2.25	0.94
Gly	121	T	T	.	1.29	-0.39	.	*	F	2.15	0.98
Glu	122	T	T	.	1.20	-0.43	.	.	F	2.00	1.30
Gly	123	C	1.41	-0.54	.	.	F	1.60	1.12
Asn	124	T	C	2.00	-0.57	.	.	F	1.50	1.97
Ser	125	T	C	1.91	-0.60	.	*	F	1.50	1.82
Ser	126	T	C	2.37	-0.21	.	*	F	1.54	2.47
Gln	127	T	C	2.37	-0.64	.	*	F	2.18	3.01
Asn	128	C	2.76	-0.64	.	.	F	2.32	3.61
Ser	129	T	C	2.87	-1.03	.	.	F	2.86	5.39
Arg	130	T	T	.	2.58	-1.41	*	.	F	3.40	6.09
Asn	131	T	T	.	2.02	-1.31	*	.	F	3.06	3.83
Lys	132	T	T	.	2.02	-1.07	*	.	F	2.72	2.12
Arg	133	T	.	.	1.68	-1.06	*	.	F	2.18	1.88
Ala	134	C	1.77	-0.63	*	.	F	1.64	1.15
Val	135	C	1.66	-0.60	*	.	F	1.15	0.89
Gln	136	C	1.66	-0.60	*	.	F	1.49	0.79
Gly	137	T	C	1.30	-0.60	*	.	F	2.18	1.35
Pro	138	T	C	0.84	-0.61	*	.	F	2.52	2.63
Glu	139	T	C	1.13	-0.83	*	.	F	2.86	1.50
Glu	140	T	T	.	1.74	-0.84	.	.	F	3.40	2.03
Thr	141	T	.	.	1.43	-0.51	.	.	F	2.86	2.06
Gly	142	T	T	.	1.08	-0.46	.	.	F	2.42	1.72
Ser	143	T	T	.	0.43	0.33	.	.	F	1.33	0.86
Tyr	144	T	T	.	0.22	0.97	.	.	.	0.54	0.44
Thr	145	T	T	.	-0.07	0.91	.	.	.	0.20	0.69
Phe	146	.	.	B	B	.	.	.	-0.57	1.40	.	.	.	-0.60	0.54
Val	147	.	.	B	B	.	.	.	-1.03	1.70	.	.	.	-0.60	0.29
Pro	148	.	.	B	B	.	.	.	-1.03	1.63	.	.	.	-0.60	0.16
Trp	149	A	.	.	B	.	.	.	-1.49	1.53	.	*	.	-0.60	0.25
Leu	150	A	.	.	B	.	.	.	-1.13	1.53	*	.	.	-0.60	0.29

Table 10 (continued)

Res Position	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Leu 151	A	.	.	B	.	.	.	-0.32	0.89	*	.	.	-0.30	0.38
Ser 152	A	0.19	0.46	*	.	.	0.20	0.71
Phe 153	T	.	.	0.10	-0.03	*	.	.	1.80	0.85
Lys 154	T	T	.	-0.20	-0.33	*	.	F	2.60	1.38
Arg 155	T	C	-0.20	-0.51	.	.	F	3.00	1.04
Gly 156	T	C	0.61	-0.21	.	.	F	2.25	0.99
Ser 157	A	T	.	0.91	-1.00	*	.	F	2.05	0.86
Ala 158	A	A	1.66	-1.00	*	.	F	1.35	0.76
Leu 159	A	A	1.61	-1.00	.	.	F	1.20	1.54
Glu 160	A	A	1.50	-1.43	.	.	F	0.90	1.98
Glu 161	A	A	1.89	-1.41	*	.	F	0.90	3.16
Lys 162	A	A	1.30	-1.91	*	.	F	0.90	7.66
Glu 163	A	A	1.08	-1.91	.	.	F	0.90	3.10
Asn 164	A	A	1.03	-1.23	*	*	F	0.90	1.48
Lys 165	A	A	1.08	-0.59	*	.	F	0.75	0.55
Ile 166	A	A	1.08	-0.59	*	*	.	0.60	0.63
Leu 167	A	A	0.72	-0.59	*	*	.	0.76	0.68
Val 168	A	A	0.38	-0.50	.	.	.	0.92	0.49
Lys 169	A	A	0.13	-0.07	*	*	F	0.93	0.69
Glu 170	A	T	.	-0.61	0.00	*	*	F	1.64	1.32
Thr 171	T	T	.	-0.42	0.10	.	*	F	1.60	1.54
Gly 172	T	T	.	-0.50	0.24	*	.	F	1.29	0.67
Tyr 173	T	T	.	0.11	0.93	*	*	.	0.68	0.27
Phe 174	.	.	B	B	.	.	.	-0.28	1.69	.	.	.	-0.28	0.29
Phe 175	.	.	B	B	.	.	.	-0.28	1.63	.	*	.	-0.44	0.29
Ile 176	.	.	B	B	.	.	.	-0.82	1.60	.	.	.	-0.60	0.32
Tyr 177	.	.	B	B	.	.	.	-1.29	1.49	.	.	.	-0.60	0.28
Gly 178	.	.	.	B	T	.	.	-1.29	1.39	.	.	.	-0.20	0.26
Gln 179	.	.	.	B	T	.	.	-0.90	1.36	.	.	.	-0.20	0.59
Val 180	.	.	.	B	.	.	C	-0.20	1.16	.	.	.	-0.40	0.54
Leu 181	.	.	.	B	.	.	C	0.73	0.40	.	.	.	-0.10	0.92
Tyr 182	T	T	.	0.67	-0.03	.	.	.	1.25	1.06
Thr 183	T	T	.	0.77	0.06	.	.	F	0.80	2.06
Asp 184	T	T	.	0.18	0.17	.	.	F	0.80	3.91
Lys 185	A	T	.	0.43	-0.01	.	.	F	1.00	2.52
Thr 186	A	A	0.90	-0.16	.	.	F	0.60	1.73
Tyr 187	A	A	1.11	-0.21	.	.	.	0.45	1.03
Ala 188	A	A	0.61	0.29	.	.	.	-0.30	0.70
Met 189	A	A	-0.28	0.97	.	.	.	-0.60	0.40
Gly 190	A	A	.	B	.	.	.	-0.32	1.17	*	.	.	-0.60	0.18
His 191	A	A	.	B	.	.	.	0.10	0.81	*	.	.	-0.60	0.31
Leu 192	A	A	.	B	.	.	.	0.39	0.31	.	.	.	-0.30	0.61
Ile 193	A	A	.	B	.	.	.	1.02	-0.30	.	.	.	0.45	1.22
Gln 194	A	A	.	B	.	.	.	0.77	-0.73	.	*	.	0.75	1.80
Arg 195	A	A	.	B	.	.	.	1.08	-0.59	*	*	F	0.90	1.62
Lys 196	A	A	.	B	.	.	.	0.26	-0.77	*	*	F	0.90	3.14
Lys 197	A	A	.	B	.	.	.	0.37	-0.81	.	*	.	0.90	1.35
Val 198	.	A	B	B	.	.	.	0.91	-0.43	*	*	.	0.30	0.60
His 199	.	A	B	B	.	.	.	0.91	0.00	*	*	.	0.30	0.29
Val 200	.	A	B	B	.	.	.	0.80	0.00	*	*	.	0.30	0.25

Table 10 (continued)

Res Position		I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Phe	201	.	.	B	B	.	.	.	-0.06	0.00	*	.	.	0.30	0.57
Gly	202	A	.	.	B	.	.	.	-0.40	0.04	.	*	.	-0.30	0.35
Asp	203	A	-0.36	-0.07	*	.	.	0.50	0.63
Glu	204	A	-1.18	-0.03	*	.	.	0.50	0.60
Leu	205	A	.	.	B	.	.	.	-0.63	-0.17	.	.	.	0.30	0.45
Ser	206	A	.	.	B	.	.	.	-0.74	-0.11	.	.	.	0.30	0.39
Leu	207	A	.	.	B	.	.	.	-1.10	0.57	.	*	.	-0.60	0.18
Val	208	A	.	.	B	.	.	.	-0.99	1.36	.	*	.	-0.60	0.19
Thr	209	A	.	.	B	.	.	.	-1.66	0.67	*	*	.	-0.60	0.28
Leu	210	A	.	.	B	.	.	.	-1.73	0.86	*	.	.	-0.60	0.18
Phe	211	A	.	.	B	.	.	.	-1.43	0.86	*	.	.	-0.60	0.17
Arg	212	A	.	.	B	.	.	.	-0.62	0.61	*	.	.	-0.60	0.21
Cys	213	.	.	.	B	T	.	.	-0.37	0.53	*	.	.	-0.20	0.41
Ile	214	.	.	.	B	T	.	.	-0.27	0.46	*	.	.	-0.20	0.46
Gln	215	.	.	.	B	T	.	.	0.54	0.10	*	.	.	0.10	0.37
Asn	216	.	.	.	B	.	.	C	0.93	0.10	*	.	.	0.05	1.19
Met	217	.	.	.	B	.	.	C	0.01	0.01	*	.	F	0.20	2.44
Pro	218	.	.	.	B	.	.	C	0.47	0.01	*	.	F	0.44	1.16
Glu	219	T	.	.	1.36	0.04	*	.	F	1.08	1.12
Thr	220	C	1.36	0.04	*	.	F	1.12	1.82
Leu	221	C	1.06	-0.17	*	.	F	1.96	1.89
Pro	222	T	.	.	0.99	-0.21	.	.	F	2.40	1.46
Asn	223	T	.	.	0.96	0.36	.	.	F	1.41	0.54
Asn	224	T	T	.	0.66	0.63	.	.	F	1.22	1.03
Ser	225	T	T	.	0.38	0.33	.	.	F	1.13	0.89
Cys	226	T	T	.	0.84	0.40	.	.	.	0.74	0.56
Tyr	227	T	T	.	0.17	0.43	.	.	.	0.20	0.35
Ser	228	A	-0.42	0.71	.	.	.	-0.40	0.18
Ala	229	A	A	-0.38	0.83	.	.	.	-0.60	0.34
Gly	230	A	A	-0.89	0.26	.	.	.	-0.30	0.43
Ile	231	A	A	-0.22	0.19	*	.	.	-0.30	0.27
Ala	232	A	A	0.02	-0.20	*	.	.	0.30	0.46
Lys	233	A	A	-0.02	-0.70	.	.	.	0.60	0.80
Leu	234	A	A	0.57	-0.70	.	.	F	0.90	1.13
Glu	235	A	A	0.91	-1.39	.	.	F	0.90	1.87
Glu	236	A	A	0.99	-1.89	.	.	F	0.90	1.62
Gly	237	A	A	1.58	-1.20	.	*	F	0.90	1.62
Asp	238	A	A	0.72	-1.49	.	*	F	0.90	1.62
Glu	239	A	A	0.94	-0.80	*	*	F	0.75	0.77
Leu	240	A	A	0.06	-0.30	*	.	.	0.30	0.79
Gln	241	A	A	-0.16	-0.04	*	.	.	0.30	0.33
Leu	242	A	A	0.30	0.39	*	.	.	-0.30	0.30
Ala	243	A	A	0.30	0.39	*	.	.	-0.30	0.70
Ile	244	A	A	0.30	-0.30	.	*	.	0.30	0.70
Pro	245	A	T	.	0.52	-0.30	.	*	F	1.00	1.37
Arg	246	A	T	.	0.52	-0.49	.	*	F	1.00	1.37
Glu	247	A	T	.	0.44	-0.59	*	*	F	1.30	3.38
Asn	248	A	T	.	0.73	-0.59	*	*	F	1.30	1.53
Ala	249	A	0.81	-0.63	*	*	.	0.95	1.05
Gln	250	A	1.02	0.06	*	*	.	-0.10	0.50

Table 10 (continued)

Res Position		I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV
Ile	251	A	0.57	0.06	*	*	.	0.15	0.52
Ser	252	C	0.57	0.09	.	*	.	0.60	0.51
Leu	253	C	-0.29	-0.41	.	*	F	1.60	0.49
Asp	254	T	T	.	-0.01	-0.17	.	*	F	2.25	0.52
Gly	255	T	T	.	-0.71	-0.37	.	*	F	2.50	0.56
Asp	256	T	T	.	-0.52	0.03	.	*	F	1.65	0.59
Val	257	A	T	.	-0.57	0.13	.	*	F	1.00	0.30
Thr	258	A	.	.	B	.	.	.	-0.34	0.56	.	*	.	-0.10	0.30
Phe	259	A	.	.	B	.	.	.	-1.16	0.63	.	*	.	-0.35	0.18
Phe	260	A	.	.	B	.	.	.	-0.77	1.31	.	*	.	-0.60	0.20
Gly	261	A	A	-1.58	0.67	.	*	.	-0.60	0.28
Ala	262	A	A	-1.53	0.87	.	*	.	-0.60	0.27
Leu	263	A	A	-1.61	0.77	*	.	.	-0.60	0.26
Lys	264	A	A	-1.30	0.41	*	.	.	-0.60	0.33
Leu	265	A	A	-0.99	0.41	.	.	.	-0.60	0.42
Leu	266	A	A	-1.03	0.34	*	.	.	-0.30	0.65

[0093] In another embodiment, the invention provides antibodies that bind a polypeptide comprising, or alternatively consisting of, an epitope-bearing portion of a polypeptide of the invention. The epitope of this polypeptide portion may be an immunogenic or antigenic epitope of a polypeptide of the invention. An "immunogenic epitope" is defined as a part of a protein that elicits an antibody response when the whole protein is the immunogen. On the other hand, a region of a protein molecule to which an antibody can bind is defined as an "antigenic epitope." The number of immunogenic epitopes of a protein generally is less than the number of antigenic epitopes. See, for instance, Geysen *et al.*, *Proc. Natl. Acad. Sci. USA* 81:3998- 4002 (1983).

[0094] As to the selection of polypeptides bearing an antigenic epitope (i.e., that contain a region of a protein molecule to which an antibody can bind), it is well known in that art that relatively short synthetic peptides that mimic part of a protein sequence are routinely capable of eliciting an antiserum that reacts with the partially mimicked protein. See, for instance, Sutcliffe, J. G., Shinnick, T. M., Green, N. and Learner, R. A. (1983) "Antibodies that react with predetermined sites on proteins", *Science*, 219:660-666. Peptides capable of eliciting protein-reactive sera are frequently represented in the primary sequence of a protein, can be characterized by a set of simple chemical rules, and are confined neither to immunodominant regions of intact proteins (i.e., immunogenic epitopes) nor to the amino or carboxyl terminals. Antigenic epitope-bearing peptides and polypeptides of the invention are therefore useful to raise antibodies, including monoclonal antibodies, that bind specifically to a polypeptide of the invention. See, for instance, Wilson *et al.*, *Cell* 37:767-778 (1984) at 777.

[0095] In specific embodiments, antibodies of the present invention bind antigenic epitope-bearing peptides and polypeptides of BLYS and preferably contain a sequence of at least 4, at least 5, at least 6, at least 7, more preferably at least 8, at least 9, at least 10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 20, at least 25, at least 30, at least 40, at least 50, and, most preferably, between about 15 to about 30 amino acids contained within the amino acid sequence of a BLYS polypeptide. Preferred polypeptides comprising immunogenic or antigenic epitopes are at least 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, or 100 amino acid residues in length. Additional non-exclusive preferred antigenic epitopes include the antigenic epitopes disclosed herein, as well as portions thereof.

[0096] Non-limiting examples of antigenic polypeptides or peptides that can be used to generate BLYS-specific antibodies and which may be bound by the antibodies of the invention include: a polypeptide comprising, or alternatively consisting of, amino acid residues from about Phe-115 to about Leu-147 in SEQ ID NO:3228; a polypeptide comprising, or alternatively consisting of, amino acid residues from about Ile-150 to about Tyr-163 in SEQ ID NO:3228; a polypeptide comprising, or alternatively consisting of, amino acid residues from about Ser-171 to about Phe-194 in SEQ ID NO:3228; a polypeptide comprising, or alternatively consisting of, amino acid residues from about Glu-223 to about Tyr-246 in SEQ ID NO:3228; and a polypeptide comprising, or alternatively consisting of, amino acid residues from about Ser-271 to about Phe-278 in Figures 1A and 1B (SEQ ID NO:3228). In this context, "about" means the particularly recited ranges and ranges larger or smaller by several, a few, 5, 4, 3, 2 or 1 amino acid residues at either or both the amino- and carboxy-termini. These polypeptide fragments have been determined to bear antigenic epitopes of the BLYS polypeptide by the analysis of the Jameson-Wolf antigenic index, as disclosed Table 9, above.

[0097] Non-limiting examples of antigenic polypeptides or peptides that can be used to generate BLYS-specific antibodies and which may be bound by the antibodies of the invention include: a polypeptide comprising, or alternatively consisting of, amino acid residues from about Pro-32 to about Leu-47 in SEQ ID NO:3229; a polypeptide comprising, or alternatively consisting of, amino acid residues from about Glu-116 to about Ser-143 in SEQ ID NO:3229; a polypeptide comprising, or alternatively consisting of, amino acid residues from about Phe-153 to about Tyr-173 in SEQ ID NO:3229; a polypeptide comprising, or alternatively consisting of, amino acid residues from about Pro-218 to about Tyr-227 in SEQ ID NO:3229; a polypeptide comprising, or alternatively consisting of, amino acid residues from about Ala-232 to about Gln-241 in SEQ ID NO:3229; a polypeptide comprising, or alternatively consisting of, amino acid residues from about Ile-244 to about Ala-249 in SEQ ID NO:3229; and a polypeptide comprising, or alternatively consisting of, amino acid residues from about Ser-252 to about Val-257 in SEQ ID NO:3229. In this context, "about" means the particularly recited ranges and ranges larger or smaller by several, a few, 5, 4, 3, 2 or 1 amino acid residues at either or both the amino- and carboxy-termini. These polypeptide fragments have been determined to bear antigenic epitopes of the BLYS polypeptide by the analysis of the Jameson-Wolf

antigenic index, as disclosed in Table 10 generated by the Protean component of the DNA*STAR computer program (as set forth above).

[0098] BLYS epitope-bearing peptides and polypeptides may be produced by any conventional means. *See, e.g.*, Houghten, R. A. (1985) General method for the rapid solid-phase synthesis of large numbers of peptides: specificity of antigen-antibody interaction at the level of individual amino acids. *Proc. Natl. Acad. Sci. USA* 82:5131-5135; this "Simultaneous Multiple Peptide Synthesis (SMPS)" process is further described in U. S. Patent No. 4,631,211 to Houghten et al. (1986).

[0099] The present invention encompasses antibodies that bind polypeptides comprising, or alternatively consisting of, an epitope of the polypeptide having an amino acid sequence of SEQ ID NO:3228, or an epitope of the polypeptide sequence encoded by a polynucleotide sequence contained in ATCC deposit No. 97768, or encoded by a polynucleotide that hybridizes to cDNA sequence contained in ATCC deposit No. 97768 (e.g., under hybridization conditions described herein).

[0100] The present invention also encompasses antibodies that bind polypeptides comprising, or alternatively consisting of, an epitope of the polypeptide having an amino acid sequence of SEQ ID NO:3229, or an epitope of the polypeptide sequence encoded by a polynucleotide sequence contained in ATCC deposit No. 203518, or encoded by a polynucleotide that hybridizes to the cDNA sequence contained in ATCC deposit No. 203518 (e.g., under hybridization conditions described herein).

[0101] The term "epitopes," as used herein, refers to portions of a polypeptide having antigenic or immunogenic activity in an animal, preferably a mammal, and most preferably in a human. In a preferred embodiment, the present invention encompasses antibodies that bind a polypeptide comprising an epitope. An "immunogenic epitope," as used herein, is defined as a portion of a protein that elicits an antibody response in an animal, as determined by any method known in the art, for example, by the methods for generating antibodies described *infra*. (See, for example, Geysen et al., *Proc. Natl. Acad. Sci. USA* 81:3998- 4002 (1983)). The term "antigenic epitope," as used herein, is defined as a portion of a protein to which an antibody can immunospecifically bind its antigen as determined by any method well known in the art, for example, by the immunoassays described herein. Immunospecific binding excludes non-specific binding but does not

necessarily exclude cross- reactivity with other antigens. Antigenic epitopes need not necessarily be immunogenic.

[0102] BLYS polypeptide fragments which function as epitopes may be produced by any conventional means. (See, e.g., Houghten, Proc. Natl. Acad. Sci. USA 82:5131-5135 (1985), further described in U.S. Patent No. 4,631,211).

[0103] In the present invention, antibodies of the present invention bind antigenic epitopes preferably containing a sequence of at least 4, at least 5, at least 6, at least 7, more preferably at least 8, at least 9, at least 10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 20, at least 25, at least 30, at least 40, at least 50, and, most preferably, between about 15 to about 30 amino acids. Preferred polypeptides comprising immunogenic or antigenic epitopes that may be bound by antibodies of the present invention are at least 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, or 100 amino acid residues in length. Additional non-exclusive preferred antigenic epitopes include the antigenic epitopes disclosed herein, as well as portions thereof. Antigenic epitopes are useful, for example, to raise antibodies, including monoclonal antibodies, that specifically bind the epitope. Preferred antigenic epitopes include the antigenic epitopes disclosed herein, as well as any combination of two, three, four, five or more of these antigenic epitopes. Antigenic epitopes can be used as the target molecules in immunoassays. (See, for instance, Wilson et al., Cell 37:767-778 (1984); Sutcliffe et al., Science 219:660-666 (1983)).

[0104] Similarly, immunogenic epitopes can be used, for example, to induce antibodies according to methods well known in the art. (See, for instance, Sutcliffe et al., *supra*; Wilson et al., *supra*; Chow et al., Proc. Natl. Acad. Sci. USA 82:910-914; and Bittle et al., J. Gen. Virol. 66:2347-2354 (1985). Preferred immunogenic epitopes include the immunogenic epitopes disclosed herein, as well as any combination of two, three, four, five or more of these immunogenic epitopes. The polypeptides comprising one or more immunogenic epitopes of BLYS may be presented for eliciting an antibody response together with a carrier protein, such as an albumin, to an animal system (such as rabbit or mouse), or, if the polypeptide is of sufficient length (at least about 25 amino acids), the polypeptide may be presented without a carrier. However, immunogenic epitopes comprising as few as 8 to 10 amino acids have been shown to be sufficient to raise

antibodies capable of binding to, at the very least, linear epitopes in a denatured polypeptide (e.g., in Western blotting).

[0105] Epitope-bearing BLYS polypeptides may be used to induce antibodies according to methods well known in the art including, but not limited to, *in vivo* immunization, *in vitro* immunization, and phage display methods. See, e.g., Sutcliffe et al., *supra*; Wilson et al., *supra*, and Bittle et al., J. Gen. Virol., 66:2347-2354 (1985). If *in vivo* immunization is used, animals may be immunized with free peptide; however, anti-peptide antibody titer may be boosted by coupling the peptide to a macromolecular carrier, such as keyhole limpet hemocyanin (KLH) or tetanus toxoid. For instance, peptides containing cysteine residues may be coupled to a carrier using a linker such as maleimidobenzoyl-N-hydroxysuccinimide ester (MBS), while other peptides may be coupled to carriers using a more general linking agent such as glutaraldehyde. Animals such as rabbits, rats and mice are immunized with either free or carrier-coupled peptides, for instance, by intraperitoneal and/or intradermal injection of emulsions containing about 100 micrograms of peptide or carrier protein and Freund's adjuvant or any other adjuvant known for stimulating an immune response. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of anti-peptide antibody which can be detected, for example, by ELISA assay using free peptide adsorbed to a solid surface. The titer of anti-peptide antibodies in serum from an immunized animal may be increased by selection of anti-peptide antibodies, for instance, by adsorption to the peptide on a solid support and elution of the selected antibodies according to methods well known in the art.

[0106] As one of skill in the art will appreciate, and as discussed above, the antibodies of the present invention may bind polypeptides comprising an immunogenic or antigenic epitope fused to other polypeptide sequences. For example, the BLYS polypeptides may be fused with the constant domain of immunoglobulins (IgA, IgE, IgG, IgM), or portions thereof (CH1, CH2, CH3, or any combination thereof and portions thereof), or albumin (including but not limited to recombinant human albumin or fragments or variants thereof (see, e.g., U.S. Patent No. 5,876,969, issued March 2, 1999, EP Patent 0 413 622, and U.S. Patent No. 5,766,883, issued June 16, 1998, herein incorporated by reference in their entirety)), resulting in chimeric polypeptides. Such fusion proteins may facilitate purification and may increase half-life *in vivo*. This has been shown for chimeric proteins

consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins. See, e.g., EP 394,827; Traunecker et al., *Nature*, 331:84-86 (1988). Enhanced delivery of an antigen across the epithelial barrier to the immune system has been demonstrated for antigens (e.g., insulin) conjugated to an FcRn binding partner such as IgG or Fc fragments (see, e.g., PCT Publications WO 96/22024 and WO 99/04813). IgG Fusion proteins that have a disulfide-linked dimeric structure due to the IgG portion disulfide bonds have also been found to be more efficient in binding and neutralizing other molecules than monomeric polypeptides or fragments thereof alone. See, e.g., Fountoulakis et al., *J. Biochem.*, 270:3958-3964 (1995). Nucleic acids encoding the above epitopes can also be recombined with a gene of interest as an epitope tag (e.g., the hemagglutinin ("HA") tag or flag tag) to aid in detection and purification of the expressed polypeptide. For example, a system described by Janknecht et al. allows for the ready purification of non-denatured fusion proteins expressed in human cell lines (Janknecht et al., 1991, *Proc. Natl. Acad. Sci. USA* 88:8972- 897). In this system, the gene of interest is subcloned into a vaccinia recombination plasmid such that the open reading frame of the gene is translationally fused to an amino-terminal tag consisting of six histidine residues. The tag serves as a matrix-binding domain for the fusion protein. Extracts from cells infected with the recombinant vaccinia virus are loaded onto Ni^{2+} nitriloacetic acid-agarose column and histidine-tagged proteins can be selectively eluted with imidazole-containing buffers.

[0107] In another embodiment, the antibodies of the present invention bind BLyS polypeptides and/or the epitope-bearing fragments thereof that are fused with a heterologous antigen (e.g., polypeptide, carbohydrate, phospholipid, or nucleic acid). In specific embodiments, the heterologous antigen is an immunogen.

[0108] In a more specific embodiment, the heterologous antigen is the gp120 protein of HIV, or a fragment thereof.

[0109] In another embodiment, antibodies of the present invention bind BLyS polypeptides and/or the epitope-bearing fragments thereof that are fused with polypeptide sequences of another TNF ligand family member (or biologically active fragments or variants thereof). In a specific embodiment, the antibodies of the present invention bind BLyS polypeptides of the present invention are fused with a CD40L polypeptide sequence. In a preferred embodiment, the CD40L polypeptide sequence is soluble.

[0110] In another embodiment, antibodies of the present invention bind mutant BLyS polypeptides that have been generated by random mutagenesis of a polynucleotide encoding the BLyS polypeptide, by error-prone PCR, random nucleotide insertion or other methods prior to recombination. In another embodiment, antibodies of the present invention bind one or more components, motifs, sections, parts, domains, fragments, etc., of BLyS recombined with one or more components, motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules. In preferred embodiments, the heterologous molecules are, for example, TNF-alpha, lymphotoxin-alpha (LT-alpha, also known as TNF-beta), LT-beta (found in complex heterotrimer LT-alpha2-beta), OPGL, FasL, CD27L, CD30L, CD40L, 4-1BBL, DcR3, OX40L, TNF-gamma (International Publication No. WO 96/14328), AIM-I (International Publication No. WO 97/33899), AIM-II (International Publication No. WO 97/34911), APRIL (J. Exp. Med. 188(6):1185-1190), endokine-alpha (International Publication No. WO 98/07880), OPG, OX40, and nerve growth factor (NGF), and soluble forms of Fas, CD30, CD27, CD40 and 4-IBB, TR2 (International Publication No. WO 96/34095), DR3 (International Publication No. WO 97/33904), DR4 (International Publication No. WO 98/32856), TR5 (International Publication No. WO 98/30693), TR6 (International Publication No. WO 98/30694), TR7 (International Publication No. WO 98/41629), TRANK, TR9 (International Publication No. WO 98/56892), TR10 (International Publication No. WO 98/54202), 312C2 (International Publication No. WO 98/06842), TR12, CAD, and v-FLIP. In further embodiments, the heterologous molecules are any member of the TNF family.

[0111] In another preferred embodiment, antibodies of the present invention bind BLyS polypeptides of the invention (including biologically active fragments or variants thereof), that are fused with soluble APRIL polypeptides (e.g., amino acid residues 105 through 250 of SEQ ID NO:3239), or biologically active fragments or variants thereof.

[0112] To improve or alter the characteristics of BLyS polypeptides, protein engineering may be employed. Recombinant DNA technology known to those skilled in the art can be used to create novel mutant proteins or "muteins including single or multiple amino acid substitutions, deletions, additions or fusion proteins. Such modified polypeptides can show, e.g., enhanced activity or increased stability. In addition, they may be purified in higher yields and show better solubility than the corresponding natural polypeptide, at least under certain purification and storage conditions. For instance, for

many proteins, including the extracellular domain or the mature form(s) of a secreted protein, it is known in the art that one or more amino acids may be deleted from the N-terminus or C-terminus without substantial loss of biological function. For instance, Ron et al., J. Biol. Chem., 268:2984-2988 (1993) reported modified KGF proteins that had heparin binding activity even if 3, 8, or 27 amino-terminal amino acid residues were missing. Accordingly, antibodies of the present invention may bind BLYS polypeptide mutants or variants generated by protein engineering.

[0113] In the present case, since the protein of the invention is a member of the TNF polypeptide family, deletions of N-terminal amino acids up to the Gly (G) residue at position 191 in SEQ ID NO:3228 may retain some biological activity such as, for example, the ability to stimulate lymphocyte (e.g., B cell) proliferation, differentiation, and/or activation, and cytotoxicity to appropriate target cells. Polypeptides having further N-terminal deletions including the Gly (G) residue would not be expected to retain biological activities because it is known that this residue in TNF-related polypeptides is in the beginning of the conserved domain required for biological activities. However, even if deletion of one or more amino acids from the N-terminus of a protein results in modification or loss of one or more biological functions of the protein, other functional activities may still be retained. Thus, the ability of the shortened protein to induce and/or bind to antibodies which recognize the complete or extracellular domain of the protein generally will be retained when less than the majority of the residues of the complete or extracellular domain of the protein are removed from the N-terminus. Whether a particular polypeptide lacking N-terminal residues of a complete protein retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art.

[0114] Accordingly, the present invention further provides antibodies that bind polypeptides having one or more residues deleted from the amino terminus of the amino acid sequence of the BLYS of SEQ ID NO:3228, up to the glycine residue at position 191 (Gly-191 residue from the amino terminus). In particular, the present invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, the amino acid sequence of residues n^1 -285 of SEQ ID NO:3228, where n^1 is an integer in the range of the amino acid position of amino acid residues 2-190 of the amino acid sequence in SEQ ID NO:3228. More in particular, the invention provides antibodies that bind polypeptides

comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues 2-285, 3-285, 4-285, 5-285, 6-285, 7-285, 8-285, 9-285, 10-285, 11-285, 12-285, 13-285, 14-285, 15-285, 16-285, 17-285, 18-285, 19-285, 20-285, 21-285, 22-285, 23-285, 24-285, 25-285, 26-285, 27-285, 28-285, 29-285, 30-285, 31-285, 32-285, 33-285, 34-285, 35-285, 36-285, 37-285, 38-285, 39-285, 40-285, 41-285, 42-285, 43-285, 44-285, 45-285, 46-285, 47-285, 48-285, 49-285, 50-285, 51-285, 52-285, 53-285, 54-285, 55-285, 56-285, 57-285, 58-285, 59-285, 60-285, 61-285, 62-285, 63-285, 64-285, 65-285, 66-285, 67-285, 68-285, 69-285, 70-285, 71-285, 72-285, 73-285, 74-285, 75-285, 76-285, 77-285, 78-285, 79-285, 80-285, 81-285, 82-285, 83-285, 84-285, 85-285, 86-285, 87-285, 88-285, 89-285, 90-285, 91-285, 92-285, 93-285, 94-285, 95-285, 96-285, 97-285, 98-285, 99-285, 100-285, 101-285, 102-285, 103-285, 104-285, 105-285, 106-285, 107-285, 108-285, 109-285, 110-285, 111-285, 112-285, 113-285, 114-285, 115-285, 116-285, 117-285, 118-285, 119-285, 120-285, 121-285, 122-285, 123-285, 124-285, 125-285, 126-285, 127-285, 128-285, 129-285, 130-285, 131-285, 132-285, 133-285, 134-285, 135-285, 136-285, 137-285, 138-285, 139-285, 140-285, 141-285, 142-285, 143-285, 144-285, 145-285, 146-285, 147-285, 148-285, 149-285, 150-285, 151-285, 152-285, 153-285, 154-285, 155-285, 156-285, 157-285, 158-285, 159-285, 160-285, 161-285, 162-285, 163-285, 164-285, 165-285, 166-285, 167-285, 168-285, 169-285, 170-285, 171-285, 172-285, 173-285, 174-285, 175-285, 176-285, 177-285, 178-285, 179-285, 180-285, 181-285, 182-285, 183-285, 184-285, 185-285, 186-285, 187-285, 188-285, 189-285, and 190-285 of SEQ ID NO:3228. The present invention is also directed to antibodies that bind BLYS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLYS polypeptides described above.

[0115] Furthermore, since the predicted extracellular domain of the BLYS polypeptides of the invention may itself elicit biological activity, deletions of N- and C-terminal amino acid residues from the predicted extracellular region of the polypeptide (spanning positions Gln-73 to Leu-285 of SEQ ID NO:3228) may retain some biological activity such as, for example, ligand binding, stimulation of lymphocyte (e.g., B cell) proliferation, differentiation, and/or activation, and modulation of cell replication or modulation of target cell activities. However, even if deletion of one or more amino acids

from the N-terminus of the predicted extracellular domain of a BLYS polypeptide results in modification or loss of one or more biological functions of the polypeptide, other functional activities may still be retained. Thus, the ability of the shortened polypeptides to induce and/or bind to antibodies which recognize the complete or mature or extracellular domains of the polypeptides generally will be retained when less than the majority of the residues of the complete or mature or extracellular domains of the polypeptides are removed from the N-terminus. Whether a particular polypeptide lacking N-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art.

[0116] Accordingly, the present invention further provides antibodies that bind polypeptides having one or more residues deleted from the amino terminus of the amino acid sequence of BLYS shown in SEQ ID NO:3228, up to the glycine residue at position number 280. In particular, the present invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, the amino acid sequence of residues n^2 -285 of SEQ ID NO:3228, where n^2 is an integer in the range of the amino acid position of amino acid residues 73-280 in SEQ ID NO:3228, and 73 is the position of the first residue from the N-terminus of the predicted extracellular domain of the BLYS polypeptide (disclosed in SEQ ID NO:3228). More in particular, in certain embodiments, the invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues of Q-73 to L-285; G-74 to L-285; D-75 to L-285; L-76 to L-285; A-77 to L-285; S-78 to L-285; L-79 to L-285; R-80 to L-285; A-81 to L-285; E-82 to L-285; L-83 to L-285; Q-84 to L-285; G-85 to L-285; H-86 to L-285; H-87 to L-285; A-88 to L-285; E-89 to L-285; K-90 to L-285; L-91 to L-285; P-92 to L-285; A-93 to L-285; G-94 to L-285; A-95 to L-285; G-96 to L-285; A-97 to L-285; P-98 to L-285; K-99 to L-285; A-100 to L-285; G-101 to L-285; L-102 to L-285; E-103 to L-285; E-104 to L-285; A-105 to L-285; P-106 to L-285; A-107 to L-285; V-108 to L-285; T-109 to L-285; A-110 to L-285; G-111 to L-285; L-112 to L-285; K-113 to L-285; I-114 to L-285; F-115 to L-285; E-116 to L-285; P-117 to L-285; P-118 to L-285; A-119 to L-285; P-120 to L-285; G-121 to L-285; E-122 to L-285; G-123 to L-285; N-124 to L-285; S-125 to L-285; S-126 to L-285; Q-127 to L-285; N-128 to L-285; S-129 to L-285; R-130 to L-285; N-131 to L-285; K-132 to L-285; R-133 to L-285; A-134 to L-285; V-135 to L-285; Q-136 to L-285; G-137 to

L-285; P-138 to L-285; E-139 to L-285; E-140 to L-285; T-141 to L-285; V-142 to L-285; T-143 to L-285; Q-144 to L-285; D-145 to L-285; C-146 to L-285; L-147 to L-285; Q-148 to L-285; L-149 to L-285; I-150 to L-285; A-151 to L-285; D-152 to L-285; S-153 to L-285; E-154 to L-285; T-155 to L-285; P-156 to L-285; T-157 to L-285; I-158 to L-285; Q-159 to L-285; K-160 to L-285; G-161 to L-285; S-162 to L-285; Y-163 to L-285; T-164 to L-285; F-165 to L-285; V-166 to L-285; P-167 to L-285; W-168 to L-285; L-169 to L-285; L-170 to L-285; S-171 to L-285; F-172 to L-285; K-173 to L-285; R-174 to L-285; G-175 to L-285; S-176 to L-285; A-177 to L-285; L-178 to L-285; E-179 to L-285; E-180 to L-285; K-181 to L-285; E-182 to L-285; N-183 to L-285; K-184 to L-285; I-185 to L-285; L-186 to L-285; V-187 to L-285; K-188 to L-285; E-189 to L-285; T-190 to L-285; G-191 to L-285; Y-192 to L-285; F-193 to L-285; F-194 to L-285; I-195 to L-285; Y-196 to L-285; G-197 to L-285; Q-198 to L-285; V-199 to L-285; L-200 to L-285; Y-201 to L-285; T-202 to L-285; D-203 to L-285; K-204 to L-285; T-205 to L-285; Y-206 to L-285; A-207 to L-285; M-208 to L-285; G-209 to L-285; H-210 to L-285; L-211 to L-285; I-212 to L-285; Q-213 to L-285; R-214 to L-285; K-215 to L-285; K-216 to L-285; V-217 to L-285; H-218 to L-285; V-219 to L-285; F-220 to L-285; G-221 to L-285; D-222 to L-285; E-223 to L-285; L-224 to L-285; S-225 to L-285; L-226 to L-285; V-227 to L-285; T-228 to L-285; L-229 to L-285; F-230 to L-285; R-231 to L-285; C-232 to L-285; I-233 to L-285; Q-234 to L-285; N-235 to L-285; M-236 to L-285; P-237 to L-285; E-238 to L-285; T-239 to L-285; L-240 to L-285; P-241 to L-285; N-242 to L-285; N-243 to L-285; S-244 to L-285; C-245 to L-285; Y-246 to L-285; S-247 to L-285; A-248 to L-285; G-249 to L-285; I-250 to L-285; A-251 to L-285; K-252 to L-285; L-253 to L-285; E-254 to L-285; E-255 to L-285; G-256 to L-285; D-257 to L-285; E-258 to L-285; L-259 to L-285; Q-260 to L-285; L-261 to L-285; A-262 to L-285; I-263 to L-285; P-264 to L-285; R-265 to L-285; E-266 to L-285; N-267 to L-285; A-268 to L-285; Q-269 to L-285; I-270 to L-285; S-271 to L-285; L-272 to L-285; D-273 to L-285; G-274 to L-285; D-275 to L-285; V-276 to L-285; T-277 to L-285; F-278 to L-285; F-279 to L-285; and G-280 to L-285 of SEQ ID NO:3228. The present invention is also directed to antibodies that bind BLYS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLYS polypeptides described above.

[0117] Highly preferred embodiments of the invention are directed to antibodies that bind polypeptides comprising, or alternatively consisting of, a polypeptide having an amino acid sequence least 80%, 85%, 90% identical and more preferably at least 95%, 96%, 97%, 98%, 99% or 100% identical to BLYS polypeptide having the amino acid sequence at positions 134-285 of SEQ ID NO:3228.

[0118] Preferred embodiments of the invention are directed to antibodies that bind polypeptides comprising, or alternatively consisting of, a polypeptide having an amino acid sequence at least 90% identical to a BLYS polypeptide having the amino acid sequence at positions 134-285 of SEQ ID NO:3228. More preferred embodiments of the invention are directed to antibodies that bind polypeptides comprising, or alternatively consisting of, a polypeptide having an amino acid sequence at least 95% identical to a BLYS polypeptide having the amino acid sequence at positions 134-285 of SEQ ID NO:3228. More preferred embodiments of the invention are directed to antibodies that bind polypeptides comprising, or alternatively consisting of, a polypeptide having an amino acid sequence at least 96% identical to a BLYS polypeptide having the amino acid sequence at positions 134-285 of SEQ ID NO:3228.

[0119] Additionally, more preferred embodiments of the invention are directed to antibodies that bind polypeptides comprising, or alternatively consisting of, a polypeptide having an amino acid sequence at least 97% to a BLYS polypeptide having the amino acid sequence at positions 134-285 of SEQ ID NO:3228. Additionally, more preferred embodiments of the invention are directed to antibodies that bind polypeptides comprising, or alternatively consisting of, a polypeptide having an amino acid sequence at least 98% to a BLYS polypeptide having the amino acid sequence at positions 134-285 of SEQ ID NO:3228. Additionally, more preferred embodiments of the invention are directed to antibodies that bind polypeptides comprising, or alternatively consisting of, a polypeptide having an amino acid sequence at least 99% identical to BLYS polypeptide having the amino acid sequence at positions 134-285 of SEQ ID NO:3228.

[0120] In specific embodiments, antibodies of the present invention bind polypeptides comprising, or alternatively consisting of, one of the following N-terminally deleted polypeptide fragments of BLYS: amino acid residues Ala-71 through Leu-285, amino acid residues Ala-81 through Leu-285, amino acid residues Leu-112 through Leu-285, amino

acid residues Ala-134 through Leu-285, amino acid residues Leu-147 through Leu-285, and amino acid residues Gly-161 through Leu-285 of SEQ ID NO:3228.

[0121] Similarly, many examples of biologically functional C-terminal deletion polypeptides are known. For instance, Interferon gamma shows up to ten times higher activities by deleting 8-10 amino acid residues from the carboxy terminus of the protein (Döbeli et al., *J. Biotechnology* 7:199-216 (1988)). Since the present protein is a member of the TNF polypeptide family, deletions of C-terminal amino acids up to the leucine residue at position 284 are expected to retain most if not all biological activity such as, for example, ligand binding, the ability to stimulate lymphocyte (e.g., B cell) proliferation, differentiation, and/or activation, and modulation of cell replication. Polypeptides having deletions of up to about 10 additional C-terminal residues (i.e., up to the glycine residue at position 274) also may retain some activity such as receptor binding, although such polypeptides would lack a portion of the conserved TNF domain which extends to about Leu-284 of SEQ ID NO:3228. However, even if deletion of one or more amino acids from the C-terminus of a protein results in modification or loss of one or more biological functions of the protein, other functional activities may still be retained. Thus, the ability of the shortened protein to induce and/or bind to antibodies which recognize the complete or mature protein generally will be retained when less than the majority of the residues of the complete or mature protein are removed from the C-terminus. Whether a particular polypeptide lacking C-terminal residues of a complete protein retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art.

[0122] Accordingly, the present invention further provides antibodies that bind polypeptides having one or more residues deleted from the carboxy terminus of the amino acid sequence of the BLYS polypeptide of SEQ ID NO:3228, up to the glycine residue at position 274 (Gly-274). In particular, the present invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, the amino acid sequence of residues 1-m¹ of the amino acid sequence in SEQ ID NO:3228, where m¹ is any integer in the range of the amino acid position of amino acid residues 274-284 in SEQ ID NO:3228. More in particular, the invention provides antibodies that bind BLYS polypeptides comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues 1-274, 1-275, 1-276, 1-277, 1-278, 1-279, 1-280, 1-281, 1-282,

1-283 and 1-284 of SEQ ID NO:3228. The present invention is also directed to antibodies that bind BLyS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLyS polypeptides described above.

[0123] Also provided are antibodies that bind BLyS polypeptides comprising, or alternatively consisting of, BLyS polypeptides with one or more amino acids deleted from both the amino and the carboxyl termini, which may be described generally as having residues n^1 - m^1 of SEQ ID NO:3228, where n^1 and m^1 are integers as defined above. Also included are antibodies that bind a polypeptide comprising, or alternatively consisting of, a portion of the complete BLyS amino acid sequence encoded by the deposited cDNA clone contained in ATCC Accession No. 97768 where this portion excludes from 1 to 190 amino acids from the amino terminus or from 1 to 11 amino acids from the C-terminus of the complete amino acid sequence (or any combination of these N-terminal and C-terminal deletions) encoded by the cDNA clone in the deposited plasmid.

[0124] Similarly, deletions of C-terminal amino acid residues of the predicted extracellular domain of BLyS up to the leucine residue at position 79 of SEQ ID NO:3228 may retain some biological activity, such as, for example, ligand binding, stimulation of lymphocyte (e.g., B cell) proliferation, differentiation, and/or activation, and modulation of cell replication or modulation of target cell activities. Polypeptides having further C-terminal deletions including Leu-79 of SEQ ID NO:3228 would not be expected to retain biological activities.

[0125] However, even if deletion of one or more amino acids from the C-terminus of a polypeptide results in modification or loss of one or more biological functions of the polypeptide, other functional activities may still be retained. Thus, the ability of the shortened polypeptide to induce and/or bind to antibodies which recognize the complete, mature or extracellular forms of the polypeptide generally will be retained when less than the majority of the residues of the complete, mature or extracellular forms of the polypeptide are removed from the C-terminus. Whether a particular polypeptide lacking C-terminal residues of the predicted extracellular domain retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art.

[0126] Accordingly, the present invention further provides antibodies that bind polypeptides having one or more residues deleted from the carboxy terminus of the amino acid sequence of the predicted extracellular domain of BLYS polypeptide shown in SEQ ID NO:3228, up to the leucine residue at position 79 of SEQ ID NO:3228. In particular, the present invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, the amino acid sequence of residues 73-m² of the amino acid sequence in SEQ ID NO:3228, where m² is any integer in the range of the amino acid position of amino acid residues 79 to 285 in the amino acid sequence in SEQ ID NO:3228, and residue 78 is the position of the first residue at the C- terminus of the predicted extracellular domain of the BLYS polypeptide (disclosed in SEQ ID NO:3228). More in particular, in certain embodiments, the invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues Q-73 to Leu-285; Q-73 to L-284; Q-73 to K-283; Q-73 to L-282; Q-73 to A-281; Q-73 to G-280; Q-73 to F-279; Q-73 to F-278; Q-73 to T-277; Q-73 to V-276; Q-73 to D-275; Q-73 to G-274; Q-73 to D-273; Q-73 to L-272; Q-73 to S-271; Q-73 to I-270; Q-73 to Q-269; Q-73 to A-268; Q-73 to N-267; Q-73 to E-266; Q-73 to R-265; Q-73 to P-264; Q-73 to I-263; Q-73 to A-262; Q-73 to L-261; Q-73 to Q-260; Q-73 to L-259; Q-73 to E-258; Q-73 to D-257; Q-73 to G-256; Q-73 to E-255; Q-73 to E-254; Q-73 to L-253; Q-73 to K-252; Q-73 to A-251; Q-73 to I-250; Q-73 to G-249; Q-73 to A-248; Q-73 to S-247; Q-73 to Y-246; Q-73 to C-245; Q-73 to S-244; Q-73 to N-243; Q-73 to N-242; Q-73 to P-241; Q-73 to L-240; Q-73 to T-239; Q-73 to E-238; Q-73 to P-237; Q-73 to M-236; Q-73 to N-235; Q-73 to Q-234; Q-73 to I-233; Q-73 to C-232; Q-73 to R-231; Q-73 to F-230; Q-73 to L-229; Q-73 to T-228; Q-73 to V-227; Q-73 to L-226; Q-73 to S-225; Q-73 to L-224; Q-73 to E-223; Q-73 to D-222; Q-73 to G-221; Q-73 to F-220; Q-73 to V-219; Q-73 to H-218; Q-73 to V-217; Q-73 to K-216; Q-73 to K-215; Q-73 to R-214; Q-73 to Q-213; Q-73 to I-212; Q-73 to L-211; Q-73 to H-210; Q-73 to G-209; Q-73 to M-208; Q-73 to A-207; Q-73 to Y-206; Q-73 to T-205; Q-73 to K-204; Q-73 to D-203; Q-73 to T-202; Q-73 to Y-201; Q-73 to L-200; Q-73 to V-199; Q-73 to Q-198; Q-73 to G-197; Q-73 to Y-196; Q-73 to I-195; Q-73 to F-194; Q-73 to F-193; Q-73 to Y-192; Q-73 to G-191; Q-73 to T-190; Q-73 to E-189; Q-73 to K-188; Q-73 to V-187; Q-73 to L-186; Q-73 to I-185; Q-73 to K-184; Q-73 to N-183; Q-73 to E-182; Q-73 to K-181; Q-73 to E-180; Q-73 to E-179; Q-73 to L-178;

Q-73 to A-177; Q-73 to S-176; Q-73 to G-175; Q-73 to R-174; Q-73 to K-173; Q-73 to F-172; Q-73 to S-171; Q-73 to L-170; Q-73 to L-169; Q-73 to W-168; Q-73 to P-167; Q-73 to V-166; Q-73 to F-165; Q-73 to T-164; Q-73 to Y-163; Q-73 to S-162; Q-73 to G-161; Q-73 to K-160; Q-73 to Q-159; Q-73 to I-158; Q-73 to T-157; Q-73 to P-156; Q-73 to T-155; Q-73 to E-154; Q-73 to S-153; Q-73 to D-152; Q-73 to A-151; Q-73 to I-150; Q-73 to L-149; Q-73 to Q-148; Q-73 to L-147; Q-73 to C-146; Q-73 to D-145; Q-73 to Q-144; Q-73 to T-143; Q-73 to V-142; Q-73 to T-141; Q-73 to E-140; Q-73 to E-139; Q-73 to P-138; Q-73 to G-137; Q-73 to Q-136; Q-73 to V-135; Q-73 to A-134; Q-73 to R-133; Q-73 to K-132; Q-73 to N-131; Q-73 to R-130; Q-73 to S-129; Q-73 to N-128; Q-73 to Q-127; Q-73 to S-126; Q-73 to S-125; Q-73 to N-124; Q-73 to G-123; Q-73 to E-122; Q-73 to G-121; Q-73 to P-120; Q-73 to A-119; Q-73 to P-118; Q-73 to P-117; Q-73 to E-116; Q-73 to F-115; Q-73 to I-114; Q-73 to K-113; Q-73 to L-112; Q-73 to G-111; Q-73 to A-110; Q-73 to T-109; Q-73 to V-108; Q-73 to A-107; Q-73 to P-106; Q-73 to A-105; Q-73 to E-104; Q-73 to E-103; Q-73 to L-102; Q-73 to G-101; Q-73 to A-100; Q-73 to K-99; Q-73 to P-98; Q-73 to A-97; Q-73 to G-96; Q-73 to A-95; Q-73 to G-94; Q-73 to A-93; Q-73 to P-92; Q-73 to L-91; Q-73 to K-90; Q-73 to E-89; Q-73 to A-88; Q-73 to H-87; Q-73 to H-86; Q-73 to G-85; Q-73 to Q-84; Q-73 to L-83; Q-73 to E-82; Q-73 to A-81; Q-73 to R-80; and Q-73 to L-79 of SEQ ID NO:3228. The present invention is also directed to antibodies that bind BLYS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLYS polypeptides described above.

[0127] The invention also provides antibodies that bind polypeptides having one or more amino acids deleted from both the amino and the carboxyl termini of the predicted extracellular domain of BLYS, which may be described generally as having residues n^2 - m^2 of SEQ ID NO:3228 where n^2 and m^2 are integers as defined above.

[0128] In another embodiment, antibodies of the present invention bind polypeptides consisting of a portion of the extracellular domain of the BLYS amino acid sequence encoded by the cDNA plasmid contained in the deposit having ATCC accession no. 97768, where this portion excludes from 1 to about 206 amino acids from the amino terminus of the extracellular domain of the amino acid sequence encoded by the cDNA plasmid contained in the deposit having ATCC accession no. 97768, or from 1 to about

206 amino acids from the carboxy terminus of the extracellular domain of the amino acid sequence encoded by the cDNA plasmid contained in the deposit having ATCC accession no. 97768, or any combination of the above amino terminal and carboxy terminal deletions, of the entire extracellular domain of the amino acid sequence encoded by the cDNA plasmid contained in the deposit having ATCC accession no. 97768.

[0129] As mentioned above, even if deletion of one or more amino acids from the N-terminus of a polypeptide results in modification or loss of one or more functional activities (e.g., biological activity) of the polypeptide, other functions or biological activities may still be retained. Thus, the ability of a shortened BLYS mutein to induce and/or bind to antibodies which recognize the full-length or mature forms or the extracellular domain of the polypeptide generally will be retained when less than the majority of the residues of the full-length or mature or extracellular domain of the polypeptide are removed from the N-terminus. Whether a particular polypeptide lacking N-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a BLYS mutein with a large number of deleted N-terminal amino acid residues may retain some functional (e.g., biological or immunogenic) activities. In fact, peptides composed of as few as six BLYS amino acid residues may often evoke an immune response.

[0130] Accordingly, the present invention further provides antibodies that bind polypeptides having one or more residues deleted from the amino terminus of the predicted full-length amino acid sequence of the BLYS shown in SEQ ID NO:3228, up to the glycine residue at position number 280 of the sequence shown SEQ ID NO:3228 and polynucleotides encoding such polypeptides. In particular, the present invention provides antibodies that bind polypeptides comprising the amino acid sequence of residues n^3 -285 of the sequence shown in SEQ ID NO:3228, where n^3 is an integer in the range of the amino acid position of amino acid residues 1 to 280 of the amino acid sequence in SEQ ID NO:3228.

[0131] More in particular, the invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues of D-2 to L-285; D-3 to L-285; S-4 to L-285; T-5 to L-285; E-6 to L-285; R-7 to L-285; E-8 to L-285; Q-9 to L-285; S-10 to L-285; R-11 to L-285; L-12 to

L-285; T-13 to L-285; S-14 to L-285; C-15 to L-285; L-16 to L-285; K-17 to L-285; K-18 to L-285; R-19 to L-285; E-20 to L-285; E-21 to L-285; M-22 to L-285; K-23 to L-285; L-24 to L-285; K-25 to L-285; E-26 to L-285; C-27 to L-285; V-28 to L-285; S-29 to L-285; I-30 to L-285; L-31 to L-285; P-32 to L-285; R-33 to L-285; K-34 to L-285; E-35 to L-285; S-36 to L-285; P-37 to L-285; S-38 to L-285; V-39 to L-285; R-40 to L-285; S-41 to L-285; S-42 to L-285; K-43 to L-285; D-44 to L-285; G-45 to L-285; K-46 to L-285; L-47 to L-285; L-48 to L-285; A-49 to L-285; A-50 to L-285; T-51 to L-285; L-52 to L-285; L-53 to L-285; L-54 to L-285; A-55 to L-285; L-56 to L-285; L-57 to L-285; S-58 to L-285; C-59 to L-285; C-60 to L-285; L-61 to L-285; T-62 to L-285; V-63 to L-285; V-64 to L-285; S-65 to L-285; F-66 to L-285; Y-67 to L-285; Q-68 to L-285; V-69 to L-285; A-70 to L-285; A-71 to L-285; L-72 to L-285; Q-73 to L-285; G-74 to L-285; D-75 to L-285; L-76 to L-285; A-77 to L-285; S-78 to L-285; L-79 to L-285; R-80 to L-285; A-81 to L-285; E-82 to L-285; L-83 to L-285; Q-84 to L-285; G-85 to L-285; H-86 to L-285; H-87 to L-285; A-88 to L-285; E-89 to L-285; K-90 to L-285; L-91 to L-285; P-92 to L-285; A-93 to L-285; G-94 to L-285; A-95 to L-285; G-96 to L-285; A-97 to L-285; P-98 to L-285; K-99 to L-285; A-100 to L-285; G-101 to L-285; L-102 to L-285; E-103 to L-285; E-104 to L-285; A-105 to L-285; P-106 to L-285; A-107 to L-285; V-108 to L-285; T-109 to L-285; A-110 to L-285; G-111 to L-285; L-112 to L-285; K-113 to L-285; I-114 to L-285; F-115 to L-285; E-116 to L-285; P-117 to L-285; P-118 to L-285; A-119 to L-285; P-120 to L-285; G-121 to L-285; E-122 to L-285; G-123 to L-285; N-124 to L-285; S-125 to L-285; S-126 to L-285; Q-127 to L-285; N-128 to L-285; S-129 to L-285; R-130 to L-285; N-131 to L-285; K-132 to L-285; R-133 to L-285; A-134 to L-285; V-135 to L-285; Q-136 to L-285; G-137 to L-285; P-138 to L-285; E-139 to L-285; E-140 to L-285; T-141 to L-285; V-142 to L-285; T-143 to L-285; Q-144 to L-285; D-145 to L-285; C-146 to L-285; L-147 to L-285; Q-148 to L-285; L-149 to L-285; I-150 to L-285; A-151 to L-285; D-152 to L-285; S-153 to L-285; E-154 to L-285; T-155 to L-285; P-156 to L-285; T-157 to L-285; I-158 to L-285; Q-159 to L-285; K-160 to L-285; G-161 to L-285; S-162 to L-285; Y-163 to L-285; T-164 to L-285; F-165 to L-285; V-166 to L-285; P-167 to L-285; W-168 to L-285; L-169 to L-285; L-170 to L-285; S-171 to L-285; F-172 to L-285; K-173 to L-285; R-174 to L-285; G-175 to L-285; S-176 to L-285; A-177 to L-285; L-178 to L-285; E-179 to L-285; E-180 to L-285; K-181 to L-285; E-182 to L-285; N-183 to L-285; K-184 to L-285; I-185 to L-285; L-186 to

L-285; V-187 to L-285; K-188 to L-285; E-189 to L-285; T-190 to L-285; G-191 to L-285; Y-192 to L-285; F-193 to L-285; F-194 to L-285; I-195 to L-285; Y-196 to L-285; G-197 to L-285; Q-198 to L-285; V-199 to L-285; L-200 to L-285; Y-201 to L-285; T-202 to L-285; D-203 to L-285; K-204 to L-285; T-205 to L-285; Y-206 to L-285; A-207 to L-285; M-208 to L-285; G-209 to L-285; H-210 to L-285; L-211 to L-285; I-212 to L-285; Q-213 to L-285; R-214 to L-285; K-215 to L-285; K-216 to L-285; V-217 to L-285; H-218 to L-285; V-219 to L-285; F-220 to L-285; G-221 to L-285; D-222 to L-285; E-223 to L-285; L-224 to L-285; S-225 to L-285; L-226 to L-285; V-227 to L-285; T-228 to L-285; L-229 to L-285; F-230 to L-285; R-231 to L-285; C-232 to L-285; I-233 to L-285; Q-234 to L-285; N-235 to L-285; M-236 to L-285; P-237 to L-285; E-238 to L-285; T-239 to L-285; L-240 to L-285; P-241 to L-285; N-242 to L-285; N-243 to L-285; S-244 to L-285; C-245 to L-285; Y-246 to L-285; S-247 to L-285; A-248 to L-285; G-249 to L-285; I-250 to L-285; A-251 to L-285; K-252 to L-285; L-253 to L-285; E-254 to L-285; E-255 to L-285; G-256 to L-285; D-257 to L-285; E-258 to L-285; L-259 to L-285; Q-260 to L-285; L-261 to L-285; A-262 to L-285; I-263 to L-285; P-264 to L-285; R-265 to L-285; E-266 to L-285; N-267 to L-285; A-268 to L-285; Q-269 to L-285; I-270 to L-285; S-271 to L-285; L-272 to L-285; D-273 to L-285; G-274 to L-285; D-275 to L-285; V-276 to L-285; T-277 to L-285; F-278 to L-285; F-279 to L-285; and G-280 to L-285 of SEQ ID NO:3228. The present invention is also directed to antibodies that bind BLyS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLyS polypeptides described above.

[0132] Also as mentioned above, even if deletion of one or more amino acids from the C-terminus of a protein results in modification or loss of one or more functional activities (e.g., biological activity) of the protein, other functional activities may still be retained. Thus, the ability of a shortened BLyS mutein to induce and/or bind to antibodies which recognize the complete or mature form or the extracellular domain of the polypeptide generally will be retained when less than the majority of the residues of the complete or mature form or the extracellular domain of the polypeptide are removed from the C-terminus. Whether a particular polypeptide lacking C-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a BLyS

mutain with a large number of deleted C-terminal amino acid residues may retain some functional (e.g., biological or immunogenic) activities. In fact, peptides composed of as few as six BLYS amino acid residues may often evoke an immune response.

[0133] Accordingly, the present invention further provides in another embodiment, antibodies that bind polypeptides having one or more residues deleted from the carboxy terminus of the amino acid sequence of the BLYS shown in SEQ ID NO:3228, up to the glutamic acid residue at position number 6, and polynucleotides encoding such polypeptides. In particular, the present invention provides antibodies that bind polypeptides comprising the amino acid sequence of residues 1-m³ of SEQ ID NO:3228, where m³ is an integer in the range of the amino acid position of amino acid residues 6-284 of the amino acid sequence in SEQ ID NO:3228.

[0134] More in particular, the invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues M-1 to L-284; M-1 to K-283; M-1 to L-282; M-1 to A-281; M-1 to G-280; M-1 to F-279; M-1 to F-278; M-1 to T-277; M-1 to V-276; M-1 to D-275; M-1 to G-274; M-1 to D-273; M-1 to L-272; M-1 to S-271; M-1 to I-270; M-1 to Q-269; M-1 to A-268; M-1 to N-267; M-1 to E-266; M-1 to R-265; M-1 to P-264; M-1 to I-263; M-1 to A-262; M-1 to L-261; M-1 to Q-260; M-1 to L-259; M-1 to E-258; M-1 to D-257; M-1 to G-256; M-1 to E-255; M-1 to E-254; M-1 to L-253; M-1 to K-252; M-1 to A-251; M-1 to I-250; M-1 to G-249; M-1 to A-248; M-1 to S-247; M-1 to Y-246; M-1 to C-245; M-1 to S-244; M-1 to N-243; M-1 to N-242; M-1 to P-241; M-1 to L-240; M-1 to T-239; M-1 to E-238; M-1 to P-237; M-1 to M-236; M-1 to N-235; M-1 to Q-234; M-1 to I-233; M-1 to C-232; M-1 to R-231; M-1 to F-230; M-1 to L-229; M-1 to T-228; M-1 to V-227; M-1 to L-226; M-1 to S-225; M-1 to L-224; M-1 to E-223; M-1 to D-222; M-1 to G-221; M-1 to F-220; M-1 to V-219; M-1 to H-218; M-1 to V-217; M-1 to K-216; M-1 to K-215; M-1 to R-214; M-1 to Q-213; M-1 to I-212; M-1 to L-211; M-1 to H-210; M-1 to G-209; M-1 to M-208; M-1 to A-207; M-1 to Y-206; M-1 to T-205; M-1 to K-204; M-1 to D-203; M-1 to T-202; M-1 to Y-201; M-1 to L-200; M-1 to V-199; M-1 to Q-198; M-1 to G-197; M-1 to Y-196; M-1 to I-195; M-1 to F-194; M-1 to F-193; M-1 to Y-192; M-1 to G-191; M-1 to T-190; M-1 to E-189; M-1 to K-188; M-1 to V-187; M-1 to L-186; M-1 to I-185; M-1 to K-184; M-1 to N-183; M-1 to E-182; M-1 to K-181; M-1 to E-180; M-1 to E-179; M-1 to L-178; M-1 to A-177; M-1 to S-176; M-1 to G-175; M-1 to R-174; M-1 to K-173; M-1 to

F-172; M-1 to S-171; M-1 to L-170; M-1 to L-169; M-1 to W-168; M-1 to P-167; M-1 to V-166; M-1 to F-165; M-1 to T-164; M-1 to Y-163; M-1 to S-162; M-1 to G-161; M-1 to K-160; M-1 to Q-159; M-1 to I-158; M-1 to T-157; M-1 to P-156; M-1 to T-155; M-1 to E-154; M-1 to S-153; M-1 to D-152; M-1 to A-151; M-1 to I-150; M-1 to L-149; M-1 to Q-148; M-1 to L-147; M-1 to C-146; M-1 to D-145; M-1 to Q-144; M-1 to T-143; M-1 to V-142; M-1 to T-141; M-1 to E-140; M-1 to E-139; M-1 to P-138; M-1 to G-137; M-1 to Q-136; M-1 to V-135; M-1 to A-134; M-1 to R-133; M-1 to K-132; M-1 to N-131; M-1 to R-130; M-1 to S-129; M-1 to N-128; M-1 to Q-127; M-1 to S-126; M-1 to S-125; M-1 to N-124; M-1 to G-123; M-1 to E-122; M-1 to G-121; M-1 to P-120; M-1 to A-119; M-1 to P-118; M-1 to P-117; M-1 to E-116; M-1 to F-115; M-1 to I-114; M-1 to K-113; M-1 to L-112; M-1 to G-111; M-1 to A-110; M-1 to T-109; M-1 to V-108; M-1 to A-107; M-1 to P-106; M-1 to A-105; M-1 to E-104; M-1 to E-103; M-1 to L-102; M-1 to G-101; M-1 to A-100; M-1 to K-99; M-1 to P-98; M-1 to A-97; M-1 to G-96; M-1 to A-95; M-1 to G-94; M-1 to A-93; M-1 to P-92; M-1 to L-91; M-1 to K-90; M-1 to E-89; M-1 to A-88; M-1 to H-87; M-1 to H-86; M-1 to G-85; M-1 to Q-84; M-1 to L-83; M-1 to E-82; M-1 to A-81; M-1 to R-80; M-1 to L-79; M-1 to S-78; M-1 to A-77; M-1 to L-76; M-1 to D-75; M-1 to G-74; M-1 to Q-73; M-1 to L-72; M-1 to A-71; M-1 to A-70; M-1 to V-69; M-1 to Q-68; M-1 to Y-67; M-1 to F-66; M-1 to S-65; M-1 to V-64; M-1 to V-63; M-1 to T-62; M-1 to L-61; M-1 to C-60; M-1 to C-59; M-1 to S-58; M-1 to L-57; M-1 to L-56; M-1 to A-55; M-1 to L-54; M-1 to L-53; M-1 to L-52; M-1 to T-51; M-1 to A-50; M-1 to A-49; M-1 to L-48; M-1 to L-47; M-1 to K-46; M-1 to G-45; M-1 to D-44; M-1 to K-43; M-1 to S-42; M-1 to S-41; M-1 to R-40; M-1 to V-39; M-1 to S-38; M-1 to P-37; M-1 to S-36; M-1 to E-35; M-1 to K-34; M-1 to R-33; M-1 to P-32; M-1 to L-31; M-1 to I-30; M-1 to S-29; M-1 to V-28; M-1 to C-27; M-1 to E-26; M-1 to K-25; M-1 to L-24; M-1 to K-23; M-1 to M-22; M-1 to E-21; M-1 to E-20; M-1 to R-19; M-1 to K-18; M-1 to K-17; M-1 to L-16; M-1 to C-15; M-1 to S-14; M-1 to T-13; M-1 to L-12; M-1 to R-11; M-1 to S-10; M-1 to Q-9; M-1 to E-8; M-1 to R-7; and M-1 to E-6 of SEQ ID NO:3228. The present invention is also directed to antibodies that bind BLyS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLyS polypeptides described above.

[0135] The invention also provides antibodies that bind polypeptides having one or more amino acids deleted from both the amino and the carboxyl termini of a BLyS polypeptide, which may be described generally as having residues n^3 - m^3 of SEQ ID NO:3228, where n^3 and m^3 are integers as defined above.

[0136] Furthermore, since the predicted extracellular domain of the BLyS polypeptide of SEQ ID NO:3229 may itself elicit functional activity (e.g., biological activity), deletions of N- and C-terminal amino acid residues from the predicted extracellular region of the polypeptide at positions Gln-73 to Leu-266 of SEQ ID NO:3229 may retain some functional activity, such as, for example, ligand binding, to stimulation of lymphocyte (e.g., B cell) proliferation, differentiation, and/or activation, modulation of cell replication, modulation of target cell activities and/or immunogenicity. However, even if deletion of one or more amino acids from the N-terminus of the predicted extracellular domain of a BLyS polypeptide results in modification or loss of one or more functional activities of the polypeptide, other functional activities may still be retained. Thus, the ability of the shortened polypeptides to induce and/or bind to antibodies which recognize the complete or mature or extracellular domains of the polypeptides generally will be retained when less than the majority of the residues of the complete or mature or extracellular domains of the polypeptides are removed from the N-terminus. Whether a particular polypeptide lacking N-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art.

[0137] Accordingly, the present invention further provides antibodies that bind polypeptides having one or more residues deleted from the amino terminus of the amino acid sequence of BLyS shown in SEQ ID NO:3229, up to the glycine residue at position number 261. In particular, the present invention provides antibodies that bind polypeptides comprising the amino acid sequence of residues n^4 -266 of SEQ ID NO:3229, where n^4 is an integer in the range of the amino acid position of amino acid residues 73-261 of the amino acid sequence in SEQ ID NO:3229, and 261 is the position of the first residue from the N-terminus of the predicted extracellular domain BLyS polypeptide (shown in SEQ ID NO:3229).

[0138] More in particular, in certain embodiments, the invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, an amino acid sequence

selected from the group consisting of residues of Q-73 to L-266; G-74 to L-266; D-75 to L-266; L-76 to L-266; A-77 to L-266; S-78 to L-266; L-79 to L-266; R-80 to L-266; A-81 to L-266; E-82 to L-266; L-83 to L-266; Q-84 to L-266; G-85 to L-266; H-86 to L-266; H-87 to L-266; A-88 to L-266; E-89 to L-266; K-90 to L-266; L-91 to L-266; P-92 to L-266; A-93 to L-266; G-94 to L-266; A-95 to L-266; G-96 to L-266; A-97 to L-266; P-98 to L-266; K-99 to L-266; A-100 to L-266; G-101 to L-266; L-102 to L-266; E-103 to L-266; E-104 to L-266; A-105 to L-266; P-106 to L-266; A-107 to L-266; V-108 to L-266; T-109 to L-266; A-110 to L-266; G-111 to L-266; L-112 to L-266; K-113 to L-266; I-114 to L-266; F-115 to L-266; E-116 to L-266; P-117 to L-266; P-118 to L-266; A-119 to L-266; P-120 to L-266; G-121 to L-266; E-122 to L-266; G-123 to L-266; N-124 to L-266; S-125 to L-266; S-126 to L-266; Q-127 to L-266; N-128 to L-266; S-129 to L-266; R-130 to L-266; N-131 to L-266; K-132 to L-266; R-133 to L-266; A-134 to L-266; V-135 to L-266; Q-136 to L-266; G-137 to L-266; P-138 to L-266; E-139 to L-266; E-140 to L-266; T-141 to L-266; G-142 to L-266; S-143 to L-266; Y-144 to L-266; T-145 to L-266; F-146 to L-266; V-147 to L-266; P-148 to L-266; W-149 to L-266; L-150 to L-266; L-151 to L-266; S-152 to L-266; F-153 to L-266; K-154 to L-266; R-155 to L-266; G-156 to L-266; S-157 to L-266; A-158 to L-266; L-159 to L-266; E-160 to L-266; E-161 to L-266; K-162 to L-266; E-163 to L-266; N-164 to L-266; K-165 to L-266; I-166 to L-266; L-167 to L-266; V-168 to L-266; K-169 to L-266; E-170 to L-266; T-171 to L-266; G-172 to L-266; Y-173 to L-266; F-174 to L-266; F-175 to L-266; I-176 to L-266; Y-177 to L-266; G-178 to L-266; Q-179 to L-266; V-180 to L-266; L-181 to L-266; Y-182 to L-266; T-183 to L-266; D-184 to L-266; K-185 to L-266; T-186 to L-266; Y-187 to L-266; A-188 to L-266; M-189 to L-266; G-190 to L-266; H-191 to L-266; L-192 to L-266; I-193 to L-266; Q-194 to L-266; R-195 to L-266; K-196 to L-266; K-197 to L-266; V-198 to L-266; H-199 to L-266; V-200 to L-266; F-201 to L-266; G-202 to L-266; D-203 to L-266; E-204 to L-266; L-205 to L-266; S-206 to L-266; L-207 to L-266; V-208 to L-266; T-209 to L-266; L-210 to L-266; F-211 to L-266; R-212 to L-266; C-213 to L-266; I-214 to L-266; Q-215 to L-266; N-216 to L-266; M-217 to L-266; P-218 to L-266; E-219 to L-266; T-220 to L-266; L-221 to L-266; P-222 to L-266; N-223 to L-266; N-224 to L-266; S-225 to L-266; C-226 to L-266; Y-227 to L-266; S-228 to L-266; A-229 to L-266; G-230 to L-266; I-231 to L-266; A-232 to L-266; K-233 to L-266; L-234 to L-266; E-235 to L-266; E-236 to L-266; G-237 to L-266; D-238 to L-266; E-239 to L-266; L-240

to L-266; Q-241 to L-266; L-242 to L-266; A-243 to L-266; I-244 to L-266; P-245 to L-266; R-246 to L-266; E-247 to L-266; N-248 to L-266; A-249 to L-266; Q-250 to L-266; I-251 to L-266; S-252 to L-266; L-253 to L-266; D-254 to L-266; G-255 to L-266; D-256 to L-266; V-257 to L-266; T-258 to L-266; F-259 to L-266; F-260 to L-266; and G-261 to L-266 of SEQ ID NO:3229. The present invention is also directed to antibodies that bind BLyS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLyS polypeptides described above.

[0139] Similarly, deletions of C-terminal amino acid residues of the predicted extracellular domain of BLyS up to the leucine residue at position 79 of SEQ ID NO:3229 may retain some functional activity, such as, for example, ligand binding, the ability to stimulate lymphocyte (e.g., B cell) proliferation, differentiation, and/or activation, modulation of cell replication, modulation of target cell activities and/or immunogenicity. Polypeptides having further C-terminal deletions including Leu-79 of SEQ ID NO:3229 would not be expected to retain biological activities.

[0140] However, even if deletion of one or more amino acids from the C-terminus of a polypeptide results in modification or loss of one or more functional activities (e.g., biological activity) of the polypeptide, other functional activities may still be retained. Thus, the ability of the shortened polypeptide to induce and/or bind to antibodies which recognize the complete, mature or extracellular forms of the polypeptide generally will be retained when less than the majority of the residues of the complete, mature or extracellular forms of the polypeptide are removed from the C-terminus. Whether a particular polypeptide lacking C-terminal residues of the predicted extracellular domain retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art.

[0141] Accordingly, the present invention further provides antibodies that bind polypeptides having one or more residues from the carboxy terminus of the amino acid sequence of the predicted extracellular domain of BLyS shown in SEQ ID NO:3229, up to the leucine residue at position 79 of SEQ ID NO:3229. In particular, the present invention provides antibodies that bind polypeptides having the amino acid sequence of residues 73-m⁴ of the amino acid sequence in SEQ ID NO:3229, where m⁴ is any integer in the

range of the amino acid position of amino acid residues 79-265 of the amino acid sequence in SEQ ID NO:3229.

[0142] More in particular, in certain embodiments, the invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues Q-73 to L-265; Q-73 to K-264; Q-73 to L-263; Q-73 to A-262; Q-73 to G-261; Q-73 to F-260; Q-73 to F-259; Q-73 to T-258; Q-73 to V-257; Q-73 to D-256; Q-73 to G-255; Q-73 to D-254; Q-73 to L-253; Q-73 to S-252; Q-73 to I-251; Q-73 to Q-250; Q-73 to A-249; Q-73 to N-248; Q-73 to E-247; Q-73 to R-246; Q-73 to P-245; Q-73 to I-244; Q-73 to A-243; Q-73 to L-242; Q-73 to Q-241; Q-73 to L-240; Q-73 to E-239; Q-73 to D-238; Q-73 to G-237; Q-73 to E-236; Q-73 to E-235; Q-73 to L-234; Q-73 to K-233; Q-73 to A-232; Q-73 to I-231; Q-73 to G-230; Q-73 to A-229; Q-73 to S-228; Q-73 to Y-227; Q-73 to C-226; Q-73 to S-225; Q-73 to N-224; Q-73 to N-223; Q-73 to P-222; Q-73 to L-221; Q-73 to T-220; Q-73 to E-219; Q-73 to P-218; Q-73 to M-217; Q-73 to N-216; Q-73 to Q-215; Q-73 to I-214; Q-73 to C-213; Q-73 to R-212; Q-73 to F-211; Q-73 to L-210; Q-73 to T-209; Q-73 to V-208; Q-73 to L-207; Q-73 to S-206; Q-73 to L-205; Q-73 to E-204; Q-73 to D-203; Q-73 to G-202; Q-73 to F-201; Q-73 to V-200; Q-73 to H-199; Q-73 to V-198; Q-73 to K-197; Q-73 to K-196; Q-73 to R-195; Q-73 to Q-194; Q-73 to I-193; Q-73 to L-192; Q-73 to H-191; Q-73 to G-190; Q-73 to Q-189; Q-73 to A-188; Q-73 to Y-187; Q-73 to T-186; Q-73 to K-185; Q-73 to D-184; Q-73 to T-183; Q-73 to Y-182; Q-73 to L-181; Q-73 to V-180; Q-73 to Q-179; Q-73 to G-178; Q-73 to Y-177; Q-73 to I-176; Q-73 to F-175; Q-73 to F-174; Q-73 to Y-173; Q-73 to G-172; Q-73 to T-171; Q-73 to E-170; Q-73 to K-169; Q-73 to V-168; Q-73 to L-167; Q-73 to I-166; Q-73 to K-165; Q-73 to N-164; Q-73 to E-163; Q-73 to K-162; Q-73 to E-161; Q-73 to E-160; Q-73 to L-159; Q-73 to A-158; Q-73 to S-157; Q-73 to G-156; Q-73 to R-155; Q-73 to K-154; Q-73 to F-153; Q-73 to S-152; Q-73 to L-151; Q-73 to L-150; Q-73 to W-149; Q-73 to P-148; Q-73 to V-147; Q-73 to F-146; Q-73 to T-145; Q-73 to Y-144; Q-73 to S-143; Q-73 to G-142; Q-73 to T-141; Q-73 to E-140; Q-73 to E-139; Q-73 to P-138; Q-73 to G-137; Q-73 to Q-136; Q-73 to V-135; Q-73 to A-134; Q-73 to R-133; Q-73 to K-132; Q-73 to N-131; Q-73 to R-130; Q-73 to S-129; Q-73 to N-128; Q-73 to Q-127; Q-73 to S-126; Q-73 to S-125; Q-73 to N-124; Q-73 to G-123; Q-73 to E-122; Q-73 to G-121; Q-73 to P-120; Q-73 to A-119; Q-73 to P-118; Q-73 to P-117; Q-73 to E-116; Q-73 to F-115;

Q-73 to I-114; Q-73 to K-113; Q-73 to L-112; Q-73 to G-111; Q-73 to A-110; Q-73 to T-109; Q-73 to V-108; Q-73 to A-107; Q-73 to P-106; Q-73 to A-105; Q-73 to E-104; Q-73 to E-103; Q-73 to L-102; Q-73 to G-101; Q-73 to A-100; Q-73 to K-99; Q-73 to P-98; Q-73 to A-97; Q-73 to G-96; Q-73 to A-95; Q-73 to G-94; Q-73 to A-93; Q-73 to P-92; Q-73 to L-91; Q-73 to K-90; Q-73 to E-89; Q-73 to A-88; Q-73 to H-87; Q-73 to H-86; Q-73 to G-85; Q-73 to Q-84; Q-73 to L-83; Q-73 to E-82; Q-73 to A-81; Q-73 to R-80; Q-73 to L-79; and Q-73 to S-78 of SEQ ID NO:3229. The present invention is also directed to antibodies that bind BLyS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLyS polypeptides described above.

[0143] The invention also provides polypeptides having one or more amino acids deleted from both the amino and the carboxyl termini of the predicted extracellular domain of BLyS, which may be described generally as having residues n^4 - m^4 of SEQ ID NO:3229 where n^4 and m^4 are integers as defined above.

[0144] In another embodiment, antibodies of the present invention bind polypeptides consisting of a portion of the extracellular domain of the BLyS amino acid sequence encoded by the cDNA clone contained in the deposit having ATCC Accession No. 203518, where this portion excludes from 1 to about 260 amino acids from the amino terminus of the extracellular domain of the amino acid sequence encoded by cDNA clone contained in the deposit having ATCC Accession No. 203518, or from 1 to about 187 amino acids from the carboxy terminus of the extracellular domain of the amino acid sequence encoded by cDNA clone contained in the deposit having ATCC Accession No. 203518, or any combination of the above amino terminal and carboxy terminal deletions, of the entire extracellular domain of the amino acid sequence encoded by the cDNA clone contained in the deposit having ATCC Accession No. 203518.

[0145] As mentioned above, even if deletion of one or more amino acids from the N-terminus of a polypeptide results in modification or loss of one or more functional activities (e.g., biological activity) of the polypeptide, other functional activities may still be retained. Thus, the ability of a shortened BLyS polypeptide to induce and/or bind to antibodies which recognize the full-length or mature forms or the extracellular domain of the polypeptide generally will be retained when less than the majority of the residues of

the full-length or mature or extracellular domain of the polypeptide are removed from the N-terminus. Whether a particular polypeptide lacking N-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a BLYS mutein with a large number of deleted N-terminal amino acid residues may retain functional (e.g., immunogenic) activities. In fact, peptides composed of as few as six BLYS amino acid residues may often evoke an immune response.

[0146] Accordingly, the present invention further provides antibodies that bind polypeptides having one or more residues deleted from the amino terminus of the predicted full-length amino acid sequence of the BLYS polypeptide shown in SEQ ID NO:3229, up to the glycine residue at position number 261 of the sequence shown SEQ ID NO:3229 and polynucleotides encoding such polypeptides. In particular, the present invention provides antibodies that bind polypeptides comprising the amino acid sequence of residues n^5 -266 of the sequence shown in SEQ ID NO:3229, where n^5 is an integer in the range of the amino acid position of amino acid residues 1 to 261 of the amino acid sequence in SEQ ID NO:3229.

[0147] More in particular, the invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues of D-2 to L-266; D-3 to L-266; S-4 to L-266; T-5 to L-266; E-6 to L-266; R-7 to L-266; E-8 to L-266; Q-9 to L-266; S-10 to L-266; R-11 to L-266; L-12 to L-266; T-13 to L-266; S-14 to L-266; C-15 to L-266; L-16 to L-266; K-17 to L-266; K-18 to L-266; R-19 to L-266; E-20 to L-266; E-21 to L-266; M-22 to L-266; K-23 to L-266; L-24 to L-266; K-25 to L-266; E-26 to L-266; C-27 to L-266; V-28 to L-266; S-29 to L-266; I-30 to L-266; L-31 to L-266; P-32 to L-266; R-33 to L-266; K-34 to L-266; E-35 to L-266; S-36 to L-266; P-37 to L-266; S-38 to L-266; V-39 to L-266; R-40 to L-266; S-41 to L-266; S-42 to L-266; K-43 to L-266; D-44 to L-266; G-45 to L-266; K-46 to L-266; L-47 to L-266; L-48 to L-266; A-49 to L-266; A-50 to L-266; T-51 to L-266; L-52 to L-266; L-53 to L-266; L-54 to L-266; A-55 to L-266; L-56 to L-266; L-57 to L-266; S-58 to L-266; C-59 to L-266; C-60 to L-266; L-61 to L-266; T-62 to L-266; V-63 to L-266; V-64 to L-266; S-65 to L-266; F-66 to L-266; Y-67 to L-266; Q-68 to L-266; V-69 to L-266; A-70 to L-266; A-71 to L-266; L-72 to L-266; Q-73 to L-266; G-74 to L-266; D-75 to L-266; L-76 to L-266; A-77 to L-266; S-78 to L-266; L-79 to L-266; R-80 to

L-266; A-81 to L-266; E-82 to L-266; L-83 to L-266; Q-84 to L-266; G-85 to L-266; H-86 to L-266; H-87 to L-266; A-88 to L-266; E-89 to L-266; K-90 to L-266; L-91 to L-266; P-92 to L-266; A-93 to L-266; G-94 to L-266; A-95 to L-266; G-96 to L-266; A-97 to L-266; P-98 to L-266; K-99 to L-266; A-100 to L-266; G-101 to L-266; L-102 to L-266; E-103 to L-266; E-104 to L-266; A-105 to L-266; P-106 to L-266; A-107 to L-266; V-108 to L-266; T-109 to L-266; A-110 to L-266; G-111 to L-266; L-112 to L-266; K-113 to L-266; I-114 to L-266; F-115 to L-266; E-116 to L-266; P-117 to L-266; P-118 to L-266; A-119 to L-266; P-120 to L-266; G-121 to L-266; E-122 to L-266; G-123 to L-266; N-124 to L-266; S-125 to L-266; S-126 to L-266; Q-127 to L-266; N-128 to L-266; S-129 to L-266; R-130 to L-266; N-131 to L-266; K-132 to L-266; R-133 to L-266; A-134 to L-266; V-135 to L-266; Q-136 to L-266; G-137 to L-266; P-138 to L-266; E-139 to L-266; E-140 to L-266; T-141 to L-266; G-142 to L-266; S-143 to L-266; Y-144 to L-266; T-145 to L-266; F-146 to L-266; V-147 to L-266; P-148 to L-266; W-149 to L-266; L-150 to L-266; L-151 to L-266; S-152 to L-266; F-153 to L-266; K-154 to L-266; R-155 to L-266; G-156 to L-266; S-157 to L-266; A-158 to L-266; L-159 to L-266; E-160 to L-266; E-161 to L-266; K-162 to L-266; E-163 to L-266; N-164 to L-266; K-165 to L-266; I-166 to L-266; L-167 to L-266; V-168 to L-266; K-169 to L-266; E-170 to L-266; T-171 to L-266; G-172 to L-266; Y-173 to L-266; F-174 to L-266; F-175 to L-266; I-176 to L-266; Y-177 to L-266; G-178 to L-266; Q-179 to L-266; V-180 to L-266; L-181 to L-266; Y-182 to L-266; T-183 to L-266; D-184 to L-266; K-185 to L-266; T-186 to L-266; Y-187 to L-266; A-188 to L-266; M-189 to L-266; G-190 to L-266; H-191 to L-266; L-192 to L-266; I-193 to L-266; Q-194 to L-266; R-195 to L-266; K-196 to L-266; K-197 to L-266; V-198 to L-266; H-199 to L-266; V-200 to L-266; F-201 to L-266; G-202 to L-266; D-203 to L-266; E-204 to L-266; L-205 to L-266; S-206 to L-266; L-207 to L-266; V-208 to L-266; T-209 to L-266; L-210 to L-266; F-211 to L-266; R-212 to L-266; C-213 to L-266; I-214 to L-266; Q-215 to L-266; N-216 to L-266; M-217 to L-266; P-218 to L-266; E-219 to L-266; T-220 to L-266; L-221 to L-266; P-222 to L-266; N-223 to L-266; N-224 to L-266; S-225 to L-266; C-226 to L-266; Y-227 to L-266; S-228 to L-266; A-229 to L-266; G-230 to L-266; I-231 to L-266; A-232 to L-266; K-233 to L-266; L-234 to L-266; E-235 to L-266; E-236 to L-266; G-237 to L-266; D-238 to L-266; E-239 to L-266; L-240 to L-266; Q-241 to L-266; L-242 to L-266; A-243 to L-266; I-244 to L-266; P-245 to L-266; R-246 to L-266; E-247 to L-266; N-248 to L-266; A-249 to L-266; Q-250 to

L-266; I-251 to L-266; S-252 to L-266; L-253 to L-266; D-254 to L-266; G-255 to L-266; D-256 to L-266; V-257 to L-266; T-258 to L-266; F-259 to L-266; F-260 to L-266; and G-261 to L-266 of SEQ ID NO:3229. The present invention is also directed to antibodies that bind BLyS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLyS polypeptides described above.

[0148] Also as mentioned above, even if deletion of one or more amino acids from the C-terminus of a protein results in modification or loss of one or more functional activities (e.g., biological activities) of the protein, other functional activities may still be retained. Thus, the ability of a shortened BLyS mutein to induce and/or bind to antibodies which recognize the complete or mature form or the extracellular domain of the polypeptide generally will be retained when less than the majority of the residues of the complete or mature form or the extracellular domain of the polypeptide are removed from the C-terminus. Whether a particular polypeptide lacking C-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a BLyS mutein with a large number of deleted C-terminal amino acid residues may retain some functional (e.g., immunogenic) activities. In fact, peptides composed of as few as six BLyS amino acid residues may often evoke an immune response.

[0149] Accordingly, the present invention further provides in another embodiment, antibodies that bind polypeptides having one or more residues deleted from the carboxy terminus of the amino acid sequence of the BLyS shown in SEQ ID NO:3229, up to the glutamic acid residue at position number 6, and polynucleotides encoding such polypeptides. In particular, the present invention provides antibodies that bind polypeptides comprising the amino acid sequence of residues 1-m⁵ of SEQ ID NO:3229, where m⁵ is an integer in the range of the amino acid position of amino acid residues 6 to 265 in the amino acid sequence of SEQ ID NO:3229.

[0150] More in particular, the invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues M-1 to L-265; M-1 to K-264; M-1 to L-263; M-1 to A-262; M-1 to G-261; M-1 to F-260; M-1 to F-259; M-1 to T-258; M-1 to V-257; M-1 to D-256; M-1 to G-255; M-1 to D-254; M-1 to L-253; M-1 to S-252; M-1 to I-251; M-1 to Q-250; M-1 to

A-249; M-1 to N-248; M-1 to E-247; M-1 to R-246; M-1 to P-245; M-1 to I-244; M-1 to A-243; M-1 to L-242; M-1 to Q-241; M-1 to L-240; M-1 to E-239; M-1 to D-238; M-1 to G-237; M-1 to E-236; M-1 to E-235; M-1 to L-234; M-1 to K-233; M-1 to A-232; M-1 to I-231; M-1 to G-230; M-1 to A-229; M-1 to S-228; M-1 to Y-227; M-1 to C-226; M-1 to S-225; M-1 to N-224; M-1 to N-223; M-1 to P-222; M-1 to L-221; M-1 to T-220; M-1 to E-219; M-1 to P-218; M-1 to M-217; M-1 to N-216; M-1 to Q-215; M-1 to I-214; M-1 to C-213; M-1 to R-212; M-1 to F-211; M-1 to L-210; M-1 to T-209; M-1 to V-208; M-1 to L-207; M-1 to S-206; M-1 to L-205; M-1 to E-204; M-1 to D-203; M-1 to G-202; M-1 to F-201; M-1 to V-200; M-1 to H-199; M-1 to V-198; M-1 to K-197; M-1 to K-196; M-1 to R-195; M-1 to Q-194; M-1 to I-193; M-1 to L-192; M-1 to H-191; M-1 to G-190; M-1 to M-189; M-1 to A-188; M-1 to Y-187; M-1 to T-186; M-1 to K-185; M-1 to D-184; M-1 to T-183; M-1 to Y-182; M-1 to L-181; M-1 to V-180; M-1 to Q-179; M-1 to G-178; M-1 to Y-177; M-1 to I-176; M-1 to F-175; M-1 to F-174; M-1 to Y-173; M-1 to G-172; M-1 to T-171; M-1 to E-170; M-1 to K-169; M-1 to V-168; M-1 to L-167; M-1 to I-166; M-1 to K-165; M-1 to N-164; M-1 to E-163; M-1 to K-162; M-1 to E-161; M-1 to E-160; M-1 to L-159; M-1 to A-158; M-1 to S-157; M-1 to G-156; M-1 to R-155; M-1 to K-154; M-1 to F-153; M-1 to S-152; M-1 to L-151; M-1 to L-150; M-1 to W-149; M-1 to P-148; M-1 to V-147; M-1 to F-146; M-1 to T-145; M-1 to Y-144; M-1 to S-143; M-1 to G-142; M-1 to T-141; M-1 to E-140; M-1 to E-139; M-1 to P-138; M-1 to G-137; M-1 to Q-136; M-1 to V-135; M-1 to A-134; M-1 to R-133; M-1 to K-132; M-1 to N-131; M-1 to R-130; M-1 to S-129; M-1 to N-128; M-1 to Q-127; M-1 to S-126; M-1 to S-125; M-1 to N-124; M-1 to G-123; M-1 to E-122; M-1 to G-121; M-1 to P-120; M-1 to A-119; M-1 to P-118; M-1 to P-117; M-1 to E-116; M-1 to F-115; M-1 to I-114; M-1 to K-113; M-1 to L-112; M-1 to G-111; M-1 to A-110; M-1 to T-109; M-1 to V-108; M-1 to A-107; M-1 to P-106; M-1 to A-105; M-1 to E-104; M-1 to E-103; M-1 to L-102; M-1 to G-101; M-1 to A-100; M-1 to K-99; M-1 to P-98; M-1 to A-97; M-1 to G-96; M-1 to A-95; M-1 to G-94; M-1 to A-93; M-1 to P-92; M-1 to L-91; M-1 to K-90; M-1 to E-89; M-1 to A-88; M-1 to H-87; M-1 to H-86; M-1 to G-85; M-1 to Q-84; M-1 to L-83; M-1 to E-82; M-1 to A-81; M-1 to R-80; M-1 to L-79; M-1 to S-78; M-1 to A-77; M-1 to L-76; M-1 to D-75; M-1 to G-74; M-1 to Q-73; M-1 to L-72; M-1 to A-71; M-1 to A-70; M-1 to V-69; M-1 to Q-68; M-1 to Y-67; M-1 to F-66; M-1 to S-65; M-1 to V-64; M-1 to V-63; M-1 to T-62; M-1 to L-61; M-1 to C-60; M-1 to C-59; M-1 to S-58; M-1 to L-57; M-1 to L-56; M-1 to A-55; M-1 to L-54;

M-1 to L-53; M-1 to L-52; M-1 to T-51; M-1 to A-50; M-1 to A-49; M-1 to L-48; M-1 to L-47; M-1 to K-46; M-1 to G-45; M-1 to D-44; M-1 to K-43; M-1 to S-42; M-1 to S-41; M-1 to R-40; M-1 to V-39; M-1 to S-38; M-1 to P-37; M-1 to S-36; M-1 to E-35; M-1 to K-34; M-1 to R-33; M-1 to P-32; M-1 to L-31; M-1 to I-30; M-1 to S-29; M-1 to V-28; M-1 to C-27; M-1 to E-26; M-1 to K-25; M-1 to L-24; M-1 to K-23; M-1 to M-22; M-1 to E-21; M-1 to E-20; M-1 to R-19; M-1 to K-18; M-1 to K-17; M-1 to L-16; M-1 to C-15; M-1 to S-14; M-1 to T-13; M-1 to L-12; M-1 to R-11; M-1 to S-10; M-1 to Q-9; M-1 to E-8; M-1 to R-7; and M-1 to E-6 of SEQ ID NO:3229. The present invention is also directed to antibodies that bind BLyS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLyS polypeptides described above.

[0151] The invention also provides antibodies that bind polypeptides having one or more amino acids deleted from both the amino and the carboxyl termini of a BLyS polypeptide, which may be described generally as having residues n^5 - m^5 of SEQ ID NO:3229, where n^5 and m^5 are integers as defined above.

[0152] In additional embodiments, the present invention provides antibodies that bind polypeptides comprising the amino acid sequence of residues 134- m^6 of SEQ ID NO:3228, where m^6 is an integer from 140 to 285, corresponding to the position of the amino acid residue in SEQ ID NO:3228. For example, the invention provides antibodies that bind polypeptides comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues A-134 to Leu-285; A-134 to L-284; A-134 to K-283; A-134 to L-282; A-134 to A-281; A-134 to G-280; A-134 to F-279; A-134 to F-278; A-134 to T-277; A-134 to V-276; A-134 to D-275; A-134 to G-274; A-134 to D-273; A-134 to L-272; A-134 to S-271; A-134 to I-270; A-134 to Q-269; A-134 to A-268; A-134 to N-267; A-134 to E-266; A-134 to R-265; A-134 to P-264; A-134 to I-263; A-134 to A-262; A-134 to L-261; A-134 to Q-260; A-134 to L-259; A-134 to E-258; A-134 to D-257; A-134 to G-256; A-134 to E-255; A-134 to E-254; A-134 to L-253; A-134 to K-252; A-134 to A-251; A-134 to I-250; A-134 to G-249; A-134 to A-248; A-134 to S-247; A-134 to Y-246; A-134 to C-245; A-134 to S-244; A-134 to N-243; A-134 to N-242; A-134 to P-241; A-134 to L-240; A-134 to T-239; A-134 to E-238; A-134 to P-237; A-134 to M-236; A-134 to N-235; A-134 to Q-234; A-134 to

I-233; A-134 to C-232; A-134 to R-231; A-134 to F-230; A-134 to L-229; A-134 to T-228; A-134 to V-227; A-134 to L-226; A-134 to S-225; A-134 to L-224; A-134 to E-223; A-134 to D-222; A-134 to G-221; A-134 to F-220; A-134 to V-219; A-134 to H-218; A-134 to V-217; A-134 to K-216; A-134 to K-215; A-134 to R-214; A-134 to Q-213; A-134 to I-212; A-134 to L-211; A-134 to H-210; A-134 to G-209; A-134 to M-208; A-134 to A-207; A-134 to Y-206; A-134 to T-205; A-134 to K-204; A-134 to D-203; A-134 to T-202; A-134 to Y-201; A-134 to L-200; A-134 to V-199; A-134 to Q-198; A-134 to G-197; A-134 to Y-196; A-134 to I-195; A-134 to F-194; A-134 to F-193; A-134 to Y-192; A-134 to G-191; A-134 to T-190; A-134 to E-189; A-134 to K-188; A-134 to V-187; A-134 to L-186; A-134 to I-185; A-134 to K-184; A-134 to N-183; A-134 to E-182; A-134 to K-181; A-134 to E-180; A-134 to E-179; A-134 to L-178; A-134 to A-177; A-134 to S-176; A-134 to G-175; A-134 to R-174; A-134 to K-173; A-134 to F-172; A-134 to S-171; A-134 to L-170; A-134 to L-169; A-134 to W-168; A-134 to P-167; A-134 to V-166; A-134 to F-165; A-134 to T-164; A-134 to Y-163; A-134 to S-162; A-134 to G-161; A-134 to K-160; A-134 to Q-159; A-134 to I-158; A-134 to T-157; A-134 to P-156; A-134 to T-155; A-134 to E-154; A-134 to S-153; A-134 to D-152; A-134 to A-151; A-134 to I-150; A-134 to L-149; A-134 to Q-148; A-134 to L-147; A-134 to C-146; A-134 to D-145; A-134 to Q-144; A-134 to T-143; A-134 to V-142; A-134 to T-141; and A-134 to E-140 of SEQ ID NO:3228. The present invention is also directed to antibodies that bind BLYS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLYS polypeptides described above.

[0153] In additional embodiments, antibodies of the present invention may bind polypeptide fragments comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues: M-1 to C-15; D-2 to L-16; D-3 to K-17; S-4 to K-18; T-5 to R-19; E-6 to E-20; R-7 to E-21; E-8 to M-22; Q-9 to K-23; S-10 to L-24; R-11 to K-25; L-12 to E-26; T-13 to C-27; S-14 to V-28; C-15 to S-29; L-16 to I-30; K-17 to L-31; K-18 to P-32; R-19 to R-33; E-20 to K-34; E-21 to E-35; M-22 to S-36; K-23 to P-37; L-24 to S-38; K-25 to V-39; E-26 to R-40; C-27 to S-41; V-28 to S-42; S-29 to K-43; I-30 to D-44; L-31 to G-45; P-32 to K-46; R-33 to L-47; K-34 to L-48; E-35 to A-49; S-36 to A-50; P-37 to T-51; S-38 to L-52; V-39 to L-53; R-40 to L-54; S-41 to A-55; S-42

to L-56; K-43 to L-57; D-44 to S-58; G-45 to C-59; K-46 to C-60; L-47 to L-61; L-48 to T-62; A-49 to V-63; A-50 to V-64; T-51 to S-65; L-52 to F-66; L-53 to Y-67; L-54 to Q-68; A-55 to V-69; L-56 to A-70; L-57 to A-71; S-58 to L-72; C-59 to Q-73; C-60 to G-74; L-61 to D-75; T-62 to L-76; V-63 to A-77; V-64 to S-78; S-65 to L-79; F-66 to R-80; Y-67 to A-81; Q-68 to E-82; V-69 to L-83; A-70 to Q-84; A-71 to G-85; L-72 to H-86; Q-73 to H-87; G-74 to A-88; D-75 to E-89; L-76 to K-90; A-77 to L-91; S-78 to P-92; L-79 to A-93; R-80 to G-94; A-81 to A-95; E-82 to G-96; L-83 to A-97; Q-84 to P-98; G-85 to K-99; H-86 to A-100; H-87 to G-101; A-88 to L-102; E-89 to E-103; K-90 to E-104; L-91 to A-105; P-92 to P-106; A-93 to A-107; G-94 to V-108; A-95 to T-109; G-96 to A-110; A-97 to G-111; P-98 to L-112; K-99 to K-113; A-100 to I-114; G-101 to F-115; L-102 to E-116; E-103 to P-117; E-104 to P-118; A-105 to A-119; P-106 to P-120; A-107 to G-121; V-108 to E-122; T-109 to G-123; A-110 to N-124; G-111 to S-125; L-112 to S-126; K-113 to Q-127; I-114 to N-128; F-115 to S-129; E-116 to R-130; P-117 to N-131; P-118 to K-132; A-119 to R-133; P-120 to A-134; G-121 to V-135; E-122 to Q-136; G-123 to G-137; N-124 to P-138; S-125 to E-139; S-126 to E-140; Q-127 to T-141; N-128 to V-142; S-129 to T-143; R-130 to Q-144; N-131 to D-145; K-132 to C-146; R-133 to L-147; A-134 to Q-148; V-135 to L-149; Q-136 to I-150; G-137 to A-151; P-138 to D-152; E-139 to S-153; E-140 to E-154; T-141 to T-155; V-142 to P-156; T-143 to T-157; Q-144 to I-158; D-145 to Q-159; C-146 to K-160; L-147 to G-161; Q-148 to S-162; L-149 to Y-163; I-150 to T-164; A-151 to F-165; D-152 to V-166; S-153 to P-167; E-154 to W-168; T-155 to L-169; P-156 to L-170; T-157 to S-171; I-158 to F-172; Q-159 to K-173; K-160 to R-174; G-161 to G-175; S-162 to S-176; Y-163 to A-177; T-164 to L-178; F-165 to E-179; V-166 to E-180; P-167 to K-181; W-168 to E-182; L-169 to N-183; L-170 to K-184; S-171 to I-185; F-172 to L-186; K-173 to V-187; R-174 to K-188; G-175 to E-189; S-176 to T-190; A-177 to G-191; L-178 to Y-192; E-179 to F-193; E-180 to F-194; K-181 to I-195; E-182 to Y-196; N-183 to G-197; K-184 to Q-198; I-185 to V-199; L-186 to L-200; V-187 to Y-201; K-188 to T-202; E-189 to D-203; T-190 to K-204; G-191 to T-205; Y-192 to Y-206; F-193 to A-207; F-194 to M-208; I-195 to G-209; Y-196 to H-210; G-197 to L-211; Q-198 to I-212; V-199 to Q-213; L-200 to R-214; Y-201 to K-215; T-202 to K-216; D-203 to V-217; K-204 to H-218; T-205 to V-219; Y-206 to F-220; A-207 to G-221; M-208 to D-222; G-209 to E-223; H-210 to L-224; L-211 to S-225; I-212 to L-226; Q-213 to V-227; R-214 to T-228; K-215 to L-229; K-216 to F-230; V-217 to R-231; H-218 to C-232;

V-219 to I-233; F-220 to Q-234; G-221 to N-235; D-222 to M-236; E-223 to P-237; L-224 to E-238; S-225 to T-239; L-226 to L-240; V-227 to P-241; T-228 to N-242; L-229 to N-243; F-230 to S-244; R-231 to C-245; C-232 to Y-246; I-233 to S-247; Q-234 to A-248; N-235 to G-249; M-236 to I-250; P-237 to A-251; E-238 to K-252; T-239 to L-253; L-240 to E-254; P-241 to E-255; N-242 to G-256; N-243 to D-257; S-244 to E-258; C-245 to L-259; Y-246 to Q-260; S-247 to L-261; A-248 to A-262; G-249 to I-263; I-250 to P-264; A-251 to R-265; K-252 to E-266; L-253 to N-267; E-254 to A-268; E-255 to Q-269; G-256 to I-270; D-257 to S-271; E-258 to L-272; L-259 to D-273; Q-260 to G-274; L-261 to D-275; A-262 to V-276; I-263 to T-277; P-264 to F-278; R-265 to F-279; E-266 to G-280; N-267 to A-281; A-268 to L-282; Q-269 to K-283; I-270 to L-284; and S-271 to L-285 of SEQ ID NO:3228. The present invention is also directed to antibodies that bind BLyS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLyS polypeptides described above.

[0154] In additional embodiments, antibodies of the present invention may bind polypeptide fragments comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues: M-1 to C-15; D-2 to L-16; D-3 to K-17; S-4 to K-18; T-5 to R-19; E-6 to E-20; R-7 to E-21; E-8 to M-22; Q-9 to K-23; S-10 to L-24; R-11 to K-25; L-12 to E-26; T-13 to C-27; S-14 to V-28; C-15 to S-29; L-16 to I-30; K-17 to L-31; K-18 to P-32; R-19 to R-33; E-20 to K-34; E-21 to E-35; M-22 to S-36; K-23 to P-37; L-24 to S-38; K-25 to V-39; E-26 to R-40; C-27 to S-41; V-28 to S-42; S-29 to K-43; I-30 to D-44; L-31 to G-45; P-32 to K-46; R-33 to L-47; K-34 to L-48; E-35 to A-49; S-36 to A-50; P-37 to T-51; S-38 to L-52; V-39 to L-53; R-40 to L-54; S-41 to A-55; S-42 to L-56; K-43 to L-57; D-44 to S-58; G-45 to C-59; K-46 to C-60; L-47 to L-61; L-48 to T-62; A-49 to V-63; A-50 to V-64; T-51 to S-65; L-52 to F-66; L-53 to Y-67; L-54 to Q-68; A-55 to V-69; L-56 to A-70; L-57 to A-71; S-58 to L-72; C-59 to Q-73; C-60 to G-74; L-61 to D-75; T-62 to L-76; V-63 to A-77; V-64 to S-78; S-65 to L-79; F-66 to R-80; Y-67 to A-81; Q-68 to E-82; V-69 to L-83; A-70 to Q-84; A-71 to G-85; L-72 to H-86; Q-73 to H-87; G-74 to A-88; D-75 to E-89; L-76 to K-90; A-77 to L-91; S-78 to P-92; L-79 to A-93; R-80 to G-94; A-81 to A-95; E-82 to G-96; L-83 to A-97; Q-84 to P-98; G-85 to K-99; H-86 to A-100; H-87 to G-101; A-88 to L-102; E-89 to E-103; K-90 to E-104; L-91 to A-105; P-92 to P-106; A-93 to A-107; G-94 to V-108; A-95 to T-109; G-96 to A-110; A-

97 to G-111; P-98 to L-112; K-99 to K-113; A-100 to I-114; G-101 to F-115; L-102 to E-116; E-103 to P-117; E-104 to P-118; A-105 to A-119; P-106 to P-120; A-107 to G-121; V-108 to E-122; T-109 to G-123; A-110 to N-124; G-111 to S-125; L-112 to S-126; K-113 to Q-127; I-114 to N-128; F-115 to S-129; E-116 to R-130; P-117 to N-131; P-118 to K-132; A-119 to R-133; P-120 to A-134; G-121 to V-135; E-122 to Q-136; G-123 to G-137; N-124 to P-138; S-125 to E-139; S-126 to E-140; Q-127 to T-141; N-128 to G-142; S-129 to S-143; R-130 to Y-144; N-131 to T-145; K-132 to F-146; R-133 to V-147; A-134 to P-148; V-135 to W-149; Q-136 to L-150; G-137 to L-151; P-138 to S-152; E-139 to F-153; E-140 to K-154; T-141 to R-155; G-142 to G-156; S-143 to S-157; Y-144 to A-158; T-145 to L-159; F-146 to E-160; V-147 to E-161; P-148 to K-162; W-149 to E-163; L-150 to N-164; L-151 to K-165; S-152 to I-166; F-153 to L-167; K-154 to V-168; R-155 to K-169; G-156 to E-170; S-157 to T-171; A-158 to G-172; L-159 to Y-173; E-160 to F-174; E-161 to F-175; K-162 to I-176; E-163 to Y-177; N-164 to G-178; K-165 to Q-179; I-166 to V-180; L-167 to L-181; V-168 to Y-182; K-169 to T-183; E-170 to D-184; T-171 to K-185; G-172 to T-186; Y-173 to Y-187; F-174 to A-188; F-175 to M-189; I-176 to G-190; Y-177 to H-191; G-178 to L-192; Q-179 to I-193; V-180 to Q-194; L-181 to R-195; Y-182 to K-196; T-183 to K-197; D-184 to V-198; K-185 to H-199; T-186 to V-200; Y-187 to F-201; A-188 to G-202; M-189 to D-203; G-190 to E-204; H-191 to L-205; L-192 to S-206; I-193 to L-207; Q-194 to V-208; R-195 to T-209; K-196 to L-210; K-197 to F-211; V-198 to R-212; H-199 to C-213; V-200 to I-214; F-201 to Q-215; G-202 to N-216; D-203 to M-217; E-204 to P-218; L-205 to E-219; S-206 to T-220; L-207 to L-221; V-208 to P-222; T-209 to N-223; L-210 to N-224; F-211 to S-225; R-212 to C-226; C-213 to Y-227; I-214 to S-228; Q-215 to A-229; N-216 to G-230; M-217 to I-231; P-218 to A-232; E-219 to K-233; T-220 to L-234; L-221 to E-235; P-222 to E-236; N-223 to G-237; N-224 to D-238; S-225 to E-239; C-226 to L-240; Y-227 to Q-241; S-228 to L-242; A-229 to A-243; G-230 to I-244; I-231 to P-245; A-232 to R-246; K-233 to E-247; L-234 to N-248; E-235 to A-249; E-236 to Q-250; G-237 to I-251; D-238 to S-252; E-239 to L-253; L-240 to D-254; Q-241 to G-255; L-242 to D-256; A-243 to V-257; I-244 to T-258; P-245 to F-259; R-246 to F-260; E-247 to G-261; N-248 to A-262; A-249 to L-263; Q-250 to K-264; I-251 to L-265; and S-252 to L-266 of SEQ ID NO:3229. The present invention is also directed to antibodies that bind BLyS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%,

96%, 97%, 98% or 99% identical to the amino acid sequence of BLyS polypeptides described above.

[0155] In additional embodiments, antibodies of the present invention may bind polypeptide fragments comprising, or alternatively consisting of, an amino acid sequence selected from the group consisting of residues: M-1 to F-15; D-2 to C-16; E-3 to S-17; S-4 to E-18; A-5 to K-19; K-6 to G-20; T-7 to E-21; L-8 to D-22; P-9 to M-23; P-10 to K-24; P-11 to V-25; C-12 to G-26; L-13 to Y-27; C-14 to D-28; F-15 to P-29; C-16 to I-30; S-17 to T-31; E-18 to P-32; K-19 to Q-33; G-20 to K-34; E-21 to E-35; D-22 to E-36; M-23 to G-37; K-24 to A-38; V-25 to W-39; G-26 to F-40; Y-27 to G-41; D-28 to I-42; P-29 to C-43; I-30 to R-44; T-31 to D-45; P-32 to G-46; Q-33 to R-47; K-34 to L-48; E-35 to L-49; E-36 to A-50; G-37 to A-51; A-38 to T-52; W-39 to L-53; F-40 to L-54; G-41 to L-55; I-42 to A-56; C-43 to L-57; R-44 to L-58; D-45 to S-59; G-46 to S-60; R-47 to S-61; L-48 to F-62; L-49 to T-63; A-50 to A-64; A-51 to M-65; T-52 to S-66; L-53 to L-67; L-54 to Y-68; L-55 to Q-69; A-56 to L-70; L-57 to A-71; L-58 to A-72; S-59 to L-73; S-60 to Q-74; S-61 to A-75; F-62 to D-76; T-63 to L-77; A-64 to M-78; M-65 to N-79; S-66 to L-80; L-67 to R-81; Y-68 to M-82; Q-69 to E-83; L-70 to L-84; A-71 to Q-85; A-72 to S-86; L-73 to Y-87; Q-74 to R-88; A-75 to G-89; D-76 to S-90; L-77 to A-91; M-78 to T-92; N-79 to P-93; L-80 to A-94; R-81 to A-95; M-82 to A-96; E-83 to G-97; L-84 to A-98; Q-85 to P-99; S-86 to E-100; Y-87 to L-101; R-88 to T-102; G-89 to A-103; S-90 to G-104; A-91 to V-105; T-92 to K-106; P-93 to L-107; A-94 to L-108; A-95 to T-109; A-96 to P-110; G-97 to A-111; A-98 to A-112; P-99 to P-113; E-100 to R-114; L-101 to P-115; T-102 to H-116; A-103 to N-117; G-104 to S-118; V-105 to S-119; K-106 to R-120; L-107 to G-121; L-108 to H-122; T-109 to R-123; P-110 to N-124; A-111 to R-125; A-112 to R-126; P-113 to A-127; R-114 to F-128; P-115 to Q-129; H-116 to G-130; N-117 to P-131; S-118 to E-132; S-119 to E-133; R-120 to T-134; G-121 to E-135; H-122 to Q-136; R-123 to D-137; N-124 to V-138; R-125 to D-139; R-126 to L-140; A-127 to S-141; F-128 to A-142; Q-129 to P-143; G-130 to P-144; P-131 to A-145; E-132 to P-146; E-133 to C-147; T-134 to L-148; E-135 to P-149; Q-136 to G-150; D-137 to C-151; V-138 to R-152; D-139 to H-153; L-140 to S-154; S-141 to Q-155; A-142 to H-156; P-143 to D-157; P-144 to D-158; A-145 to N-159; P-146 to G-160; C-147 to M-161; L-148 to N-162; P-149 to L-163; G-150 to R-164; C-151 to N-165; R-152 to I-166; H-153 to I-167; S-154 to Q-168; Q-155 to D-169; H-156 to C-170; D-157 to L-171; D-158 to Q-172; N-159 to L-173; G-160 to I-

174; M-161 to A-175; N-162 to D-176; L-163 to S-177; R-164 to D-178; N-165 to T-179; I-166 to P-180; I-167 to A-181; Q-168 to L-182; D-169 to E-183; C-170 to E-184; L-171 to K-185; Q-172 to E-186; L-173 to N-187; I-174 to K-188; A-175 to I-189; D-176 to V-190; S-177 to V-191; D-178 to R-192; T-179 to Q-193; P-180 to T-194; A-181 to G-195; L-182 to Y-196; E-183 to F-197; E-184 to F-198; K-185 to I-199; E-186 to Y-200; N-187 to S-201; K-188 to Q-202; I-189 to V-203; V-190 to L-204; V-191 to Y-205; R-192 to T-206; Q-193 to D-207; T-194 to P-208; G-195 to I-209; Y-196 to F-210; F-197 to A-211; F-198 to M-212; I-199 to G-213; Y-200 to H-214; S-201 to V-215; Q-202 to I-216; V-203 to Q-217; L-204 to R-218; Y-205 to K-219; T-206 to K-220; D-207 to V-221; P-208 to H-222; I-209 to V-223; F-210 to F-224; A-211 to G-225; M-212 to D-226; G-213 to E-227; H-214 to L-228; V-215 to S-229; I-216 to L-230; Q-217 to V-231; R-218 to T-232; K-219 to L-233; K-220 to F-234; V-221 to R-235; H-222 to C-236; V-223 to I-237; F-224 to Q-238; G-225 to N-239; D-226 to M-240; E-227 to P-241; L-228 to K-242; S-229 to T-243; L-230 to L-244; V-231 to P-245; T-232 to N-246; L-233 to N-247; F-234 to S-248; R-235 to C-249; C-236 to Y-250; I-237 to S-251; Q-238 to A-252; N-239 to G-253; M-240 to I-254; P-241 to A-255; K-242 to R-256; T-243 to L-257; L-244 to E-258; P-245 to E-259; N-246 to G-260; N-247 to D-261; S-248 to E-262; C-249 to I-263; Y-250 to Q-264; S-251 to L-265; A-252 to A-266; G-253 to I-267; I-254 to P-268; A-255 to R-269; R-256 to E-270; L-257 to N-271; E-258 to A-272; E-259 to Q-273; G-260 to I-274; D-261 to S-275; E-262 to R-276; I-263 to N-277; Q-264 to G-278; L-265 to D-279; A-266 to D-280; I-267 to T-281; P-268 to F-282; R-269 to F-283; E-270 to G-284; N-271 to A-285; A-272 to L-286; Q-273 to K-287; I-274 to L-288; and S-275 to L-289 of SEQ ID NO:38. The present invention is also directed to antibodies that bind BLyS polypeptides comprising, or alternatively, consisting of, a contiguous sequence of amino acid residues at least 80%, 85%, 90%, 92%, 95%, 96%, 97%, 98% or 99% identical to the amino acid sequence of BLyS polypeptides described above.

[0156] It will be recognized by one of ordinary skill in the art that some amino acid sequences of the BLyS polypeptides can be varied without significant effect of the structure or function of the polypeptide. If such differences in sequence are contemplated, it should be remembered that there will be critical areas on the polypeptide which determine activity.

[0157] Thus, the invention further includes antibodies that bind variations of BLYS polypeptides which show BLYS polypeptide functional activity (e.g., biological activity) or which include regions of BLYS polypeptide such as the polypeptide fragments described herein. Such mutants include deletions, insertions, inversions, repeats, and type substitutions selected according to general rules known in the art so as to have little effect on activity. For example, guidance concerning how to make phenotypically silent amino acid substitutions is provided in Bowie, J. U. et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," *Science* 247:1306-1310 (1990), wherein the authors indicate that there are two main approaches for studying the tolerance of an amino acid sequence to change. The first method relies on the process of evolution, in which mutations are either accepted or rejected by natural selection. The second approach uses genetic engineering to introduce amino acid changes at specific positions of a cloned gene and selections or screens to identify sequences that maintain functionality.

[0158] As the authors state, these studies have revealed that proteins are surprisingly tolerant of amino acid substitutions. The authors further indicate which amino acid changes are likely to be permissive at a certain position of the protein. For example, most buried amino acid residues require nonpolar side chains, whereas few features of surface side chains are generally conserved. Other such phenotypically silent substitutions are described in Bowie, J. U. et al., *supra*, and the references cited therein. Typically seen as conservative substitutions are the replacements, one for another, among the aliphatic amino acids Ala, Val, Leu and Ile; interchange of the hydroxyl residues Ser and Thr, exchange of the acidic residues Asp and Glu, substitution between the amide residues Asn and Gln, exchange of the basic residues Lys and Arg and replacements among the aromatic residues Phe, Tyr.

[0159] Thus, antibodies of the present invention may bind fragments, derivatives or analogs of the polypeptide of SEQ ID NO:3228, or that encoded by the deposited cDNA plasmid, such as (i) polypeptides in which one or more of the amino acid residues are substituted with a conserved or non-conserved amino acid residue (preferably a conserved amino acid residue) and such substituted amino acid residue may or may not be one encoded by the genetic code, or (ii) polypeptides in which one or more of the amino acid residues includes a substituent group, or (iii) polypeptides in which the extracellular domain of the polypeptide is fused with another compound, such as a compound to

increase the half-life of the polypeptide (for example, polyethylene glycol), or (iv) polypeptides in which the additional amino acids are fused to the extracellular domain of the polypeptide, such as an IgG Fc fusion region peptide or leader or secretory sequence or a sequence which is employed for purification of the extracellular domain of the polypeptide or a proprotein sequence.

[0160] Antibodies of the present invention may bind fragments, derivatives or analogs of the polypeptide of SEQ ID NO:3229, or that encoded by the deposited cDNA plasmid, such as (i) polypeptides in which one or more of the amino acid residues are substituted with a conserved or non-conserved amino acid residue (preferably a conserved amino acid residue) and such substituted amino acid residue may or may not be one encoded by the genetic code, or (ii) polypeptides in which one or more of the amino acid residues includes a substituent group, or (iii) polypeptides in which the extracellular domain of the polypeptide is fused with another compound, such as a compound to increase the half-life of the polypeptide (for example, polyethylene glycol), or (iv) polypeptides in which the additional amino acids are fused to the extracellular domain of the polypeptide, such as, a soluble biologically active fragment of another TNF ligand family member (e.g., CD40 Ligand), an IgG Fc fusion region peptide or leader or secretory sequence or a sequence which is employed for purification of the extracellular domain of the polypeptide or a proprotein sequence. Such fragments, derivatives and analogs are deemed to be within the scope of those skilled in the art from the teachings herein.

[0161] Thus, the antibodies of the invention may bind BLyS polypeptides that include one or more amino acid substitutions, deletions or additions, either from natural mutations or human manipulation. As indicated, changes are preferably of a minor nature, such as conservative amino acid substitutions that do not significantly affect the folding or activity of the protein (see Table 13).

TABLE 13. Conservative Amino Acid Substitutions.

Aromatic	Phenylalanine Tryptophan Tyrosine
Hydrophobic	Leucine Isoleucine Valine
Polar	Glutamine Asparagine
Basic	Arginine Lysine Histidine
Acidic	Aspartic Acid Glutamic Acid
Small	Alanine Serine Threonine Methionine Glycine

[0162] In one embodiment of the invention, antibodies of the present invention bind polypeptides comprising, or alternatively consisting of, the amino acid sequence of a BLYS polypeptide having an amino acid sequence which contains at least one conservative amino acid substitution, but not more than 50 conservative amino acid substitutions, even more preferably, not more than 40 conservative amino acid substitutions, still more preferably, not more than 30 conservative amino acid substitutions, and still even more preferably, not more than 20 conservative amino acid substitutions. In one embodiment of the invention, antibodies of the present invention bind polypeptides comprising, or alternatively consisting of, the amino acid sequence of a BLYS polypeptide having an amino acid sequence which contains at least one conservative amino acid substitution, but not more than 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1 conservative amino acid substitutions.

[0163] For example, site directed changes at the amino acid level of BLYS can be made by replacing a particular amino acid with a conservative substitution. Antibodies of the present invention may bind BLYS amino acid sequences containing conservative substitution mutations of the polypeptide of SEQ ID NO:3228 including: M1 replaced

with A, G, I, L, S, T, or V; D2 replaced with E; D3 replaced with E; S4 replaced with A, G, I, L, T, M, or V; T5 replaced with A, G, I, L, S, M, or V; E6 replaced with D; R7 replaced with H, or K; E8 replaced with D; Q9 replaced with N; S10 replaced with A, G, I, L, T, M, or V; R11 replaced with H, or K; L12 replaced with A, G, I, S, T, M, or V; T13 replaced with A, G, I, L, S, M, or V; S14 replaced with A, G, I, L, T, M, or V; L16 replaced with A, G, I, S, T, M, or V; K17 replaced with H, or R; K18 replaced with H, or R; R19 replaced with H, or K; E20 replaced with D; E21 replaced with D; M22 replaced with A, G, I, L, S, T, or V; K23 replaced with H, or R; L24 replaced with A, G, I, S, T, M, or V; K25 replaced with H, or R; E26 replaced with D; V28 replaced with A, G, I, L, S, T, or M; S29 replaced with A, G, I, L, T, M, or V; I30 replaced with A, G, L, S, T, M, or V; L31 replaced with A, G, I, S, T, M, or V; R33 replaced with H, or K; K34 replaced with H, or R; E35 replaced with D; S36 replaced with A, G, I, L, T, M, or V; S38 replaced with A, G, I, L, T, M, or V; V39 replaced with A, G, I, L, S, T, or M; R40 replaced with H, or K; S41 replaced with A, G, I, L, T, M, or V; S42 replaced with A, G, I, L, T, M, or V; K43 replaced with H, or R; D44 replaced with E; G45 replaced with A, I, L, S, T, M, or V; K46 replaced with H, or R; L47 replaced with A, G, I, S, T, M, or V; L48 replaced with A, G, I, S, T, M, or V; A49 replaced with G, I, L, S, T, M, or V; A50 replaced with G, I, L, S, T, M, or V; T51 replaced with A, G, I, L, S, M, or V; L52 replaced with A, G, I, S, T, M, or V; L53 replaced with A, G, I, S, T, M, or V; L54 replaced with A, G, I, S, T, M, or V; A55 replaced with G, I, L, S, T, M, or V; L56 replaced with A, G, I, S, T, M, or V; L57 replaced with A, G, I, S, T, M, or V; S58 replaced with A, G, I, L, T, M, or V; L61 replaced with A, G, I, S, T, M, or V; T62 replaced with A, G, I, L, S, M, or V; V63 replaced with A, G, I, L, S, T, or M; V64 replaced with A, G, I, L, S, T, or M; S65 replaced with A, G, I, L, T, M, or V; F66 replaced with W, or Y; Y67 replaced with F, or W; Q68 replaced with N; V69 replaced with A, G, I, L, S, T, or M; A70 replaced with G, I, L, S, T, M, or V; A71 replaced with G, I, L, S, T, M, or V; L72 replaced with A, G, I, S, T, M, or V; Q73 replaced with N; G74 replaced with A, I, L, S, T, M, or V; D75 replaced with E; L76 replaced with A, G, I, S, T, M, or V; A77 replaced with G, I, L, S, T, M, or V; S78 replaced with A, G, I, L, T, M, or V; L79 replaced with A, G, I, S, T, M, or V; R80 replaced with H, or K; A81 replaced with G, I, L, S, T, M, or V; E82 replaced with D; L83 replaced with A, G, I, S, T, M, or V; Q84 replaced with N; G85 replaced with A, I, L, S, T, M, or V; H86 replaced with K, or R; H87 replaced with K, or R; A88 replaced with G,

I, L, S, T, M, or V; E89 replaced with D; K90 replaced with H, or R; L91 replaced with A, G, I, S, T, M, or V; A93 replaced with G, I, L, S, T, M, or V; G94 replaced with A, I, L, S, T, M, or V; A95 replaced with G, I, L, S, T, M, or V; G96 replaced with A, I, L, S, T, M, or V; A97 replaced with G, I, L, S, T, M, or V; K99 replaced with H, or R; A100 replaced with G, I, L, S, T, M, or V; G101 replaced with A, I, L, S, T, M, or V; L102 replaced with A, G, I, S, T, M, or V; E103 replaced with D; E104 replaced with D; A105 replaced with G, I, L, S, T, M, or V; A107 replaced with G, I, L, S, T, M, or V; V108 replaced with A, G, I, L, S, T, or M; T109 replaced with A, G, I, L, S, M, or V; A110 replaced with G, I, L, S, T, M, or V; G111 replaced with A, I, L, S, T, M, or V; L112 replaced with A, G, I, S, T, M, or V; K113 replaced with H, or R; I114 replaced with A, G, L, S, T, M, or V; F115 replaced with W, or Y; E116 replaced with D; A119 replaced with G, I, L, S, T, M, or V; G121 replaced with A, I, L, S, T, M, or V; E122 replaced with D; G123 replaced with A, I, L, S, T, M, or V; N124 replaced with Q; S125 replaced with A, G, I, L, T, M, or V; S126 replaced with A, G, I, L, T, M, or V; Q127 replaced with N; N128 replaced with Q; S129 replaced with A, G, I, L, T, M, or V; R130 replaced with H, or K; N131 replaced with Q; K132 replaced with H, or R; R133 replaced with H, or K; A134 replaced with G, I, L, S, T, M, or V; V135 replaced with A, G, I, L, S, T, or M; Q136 replaced with N; G137 replaced with A, I, L, S, T, M, or V; E139 replaced with D; E140 replaced with D; T141 replaced with A, G, I, L, S, M, or V; V142 replaced with A, G, I, L, S, T, or M; T143 replaced with A, G, I, L, S, M, or V; Q144 replaced with N; D145 replaced with E; L147 replaced with A, G, I, S, T, M, or V; Q148 replaced with N; L149 replaced with A, G, I, S, T, M, or V; I150 replaced with A, G, L, S, T, M, or V; A151 replaced with G, I, L, S, T, M, or V; D152 replaced with E; S153 replaced with A, G, I, L, T, M, or V; E154 replaced with D; T155 replaced with A, G, I, L, S, M, or V; T157 replaced with A, G, I, L, S, M, or V; I158 replaced with A, G, L, S, T, M, or V; Q159 replaced with N; K160 replaced with H, or R; G161 replaced with A, I, L, S, T, M, or V; S162 replaced with A, G, I, L, T, M, or V; Y163 replaced with F, or W; T164 replaced with A, G, I, L, S, M, or V; F165 replaced with W, or Y; V166 replaced with A, G, I, L, S, T, or M; W168 replaced with F, or Y; L169 replaced with A, G, I, S, T, M, or V; L170 replaced with A, G, I, S, T, M, or V; S171 replaced with A, G, I, L, T, M, or V; F172 replaced with W, or Y; K173 replaced with H, or R; R174 replaced with H, or K; G175 replaced with A, I, L, S, T, M, or V; S176 replaced with A, G, I, L, T, M, or V; A177 replaced with G, I, L, S, T, M, or

V; L178 replaced with A, G, I, S, T, M, or V; E179 replaced with D; E180 replaced with D; K181 replaced with H, or R; E182 replaced with D; N183 replaced with Q; K184 replaced with H, or R; I185 replaced with A, G, L, S, T, M, or V; L186 replaced with A, G, I, S, T, M, or V; V187 replaced with A, G, I, L, S, T, or M; K188 replaced with H, or R; E189 replaced with D; T190 replaced with A, G, I, L, S, M, or V; G191 replaced with A, I, L, S, T, M, or V; Y192 replaced with F, or W; F193 replaced with W, or Y; F194 replaced with W, or Y; I195 replaced with A, G, L, S, T, M, or V; Y196 replaced with F, or W; G197 replaced with A, I, L, S, T, M, or V; Q198 replaced with N; V199 replaced with A, G, I, L, S, T, or M; L200 replaced with A, G, I, S, T, M, or V; Y201 replaced with F, or W; T202 replaced with A, G, I, L, S, M, or V; D203 replaced with E; K204 replaced with H, or R; T205 replaced with A, G, I, L, S, M, or V; Y206 replaced with F, or W; A207 replaced with G, I, L, S, T, M, or V; M208 replaced with A, G, I, L, S, T, or V; G209 replaced with A, I, L, S, T, M, or V; H210 replaced with K, or R; L211 replaced with A, G, I, S, T, M, or V; I212 replaced with A, G, L, S, T, M, or V; Q213 replaced with N; R214 replaced with H, or K; K215 replaced with H, or R; K216 replaced with H, or R; V217 replaced with A, G, I, L, S, T, or M; H218 replaced with K, or R; V219 replaced with A, G, I, L, S, T, or M; F220 replaced with W, or Y; G221 replaced with A, I, L, S, T, M, or V; D222 replaced with E; E223 replaced with D; L224 replaced with A, G, I, S, T, M, or V; S225 replaced with A, G, I, L, T, M, or V; L226 replaced with A, G, I, S, T, M, or V; V227 replaced with A, G, I, L, S, T, or M; T228 replaced with A, G, I, L, S, M, or V; L229 replaced with A, G, I, S, T, M, or V; F230 replaced with W, or Y; R231 replaced with H, or K; I233 replaced with A, G, L, S, T, M, or V; Q234 replaced with N; N235 replaced with Q; M236 replaced with A, G, I, L, S, T, or V; E238 replaced with D; T239 replaced with A, G, I, L, S, M, or V; L240 replaced with A, G, I, S, T, M, or V; N242 replaced with Q; N243 replaced with Q; S244 replaced with A, G, I, L, T, M, or V; Y246 replaced with F, or W; S247 replaced with A, G, I, L, T, M, or V; A248 replaced with G, I, L, S, T, M, or V; G249 replaced with A, I, L, S, T, M, or V; I250 replaced with A, G, L, S, T, M, or V; A251 replaced with G, I, L, S, T, M, or V; K252 replaced with H, or R; L253 replaced with A, G, I, S, T, M, or V; E254 replaced with D; E255 replaced with D; G256 replaced with A, I, L, S, T, M, or V; D257 replaced with E; E258 replaced with D; L259 replaced with A, G, I, S, T, M, or V; Q260 replaced with N; L261 replaced with A, G, I, S, T, M, or V; A262 replaced with G, I, L, S, T, M, or V; I263 replaced with A, G, L,

S, T, M, or V; R265 replaced with H, or K; E266 replaced with D; N267 replaced with Q; A268 replaced with G, I, L, S, T, M, or V; Q269 replaced with N; I270 replaced with A, G, L, S, T, M, or V; S271 replaced with A, G, I, L, T, M, or V; L272 replaced with A, G, I, S, T, M, or V; D273 replaced with E; G274 replaced with A, I, L, S, T, M, or V; D275 replaced with E; V276 replaced with A, G, I, L, S, T, or M; T277 replaced with A, G, I, L, S, M, or V; F278 replaced with W, or Y; F279 replaced with W, or Y; G280 replaced with A, I, L, S, T, M, or V; A281 replaced with G, I, L, S, T, M, or V; L282 replaced with A, G, I, S, T, M, or V; K283 replaced with H, or R; L284 replaced with A, G, I, S, T, M, or V; and/or L285 replaced with A, G, I, S, T, M, or V.

[0164] In another embodiment, site directed changes at the amino acid level of BLyS can be made by replacing a particular amino acid with a conservative substitution. Antibodies of the present invention may bind BLyS amino acid sequences containing conservative substitution mutations of the polypeptide of SEQ ID NO:3229 including: M1 replaced with A, G, I, L, S, T, or V; D2 replaced with E; D3 replaced with E; S4 replaced with A, G, I, L, T, M, or V; T5 replaced with A, G, I, L, S, M, or V; E6 replaced with D; R7 replaced with H, or K; E8 replaced with D; Q9 replaced with N; S10 replaced with A, G, I, L, T, M, or V; R11 replaced with H, or K; L12 replaced with A, G, I, S, T, M, or V; T13 replaced with A, G, I, L, S, M, or V; S14 replaced with A, G, I, L, T, M, or V; L16 replaced with A, G, I, S, T, M, or V; K17 replaced with H, or R; K18 replaced with H, or R; R19 replaced with H, or K; E20 replaced with D; E21 replaced with D; M22 replaced with A, G, I, L, S, T, or V; K23 replaced with H, or R; L24 replaced with A, G, I, S, T, M, or V; K25 replaced with H, or R; E26 replaced with D; V28 replaced with A, G, I, L, S, T, or M; S29 replaced with A, G, I, L, T, M, or V; I30 replaced with A, G, L, S, T, M, or V; L31 replaced with A, G, I, S, T, M, or V; R33 replaced with H, or K; K34 replaced with H, or R; E35 replaced with D; S36 replaced with A, G, I, L, T, M, or V; S38 replaced with A, G, I, L, T, M, or V; V39 replaced with A, G, I, L, S, T, or M; R40 replaced with H, or K; S41 replaced with A, G, I, L, T, M, or V; S42 replaced with A, G, I, L, T, M, or V; K43 replaced with H, or R; D44 replaced with E; G45 replaced with A, I, L, S, T, M, or V; K46 replaced with H, or R; L47 replaced with A, G, I, S, T, M, or V; L48 replaced with A, G, I, S, T, M, or V; A49 replaced with G, I, L, S, T, M, or V; A50 replaced with G, I, L, S, T, M, or V; T51 replaced with A, G, I, L, S, M, or V; L52 replaced with A, G, I, S, T, M, or V; L53 replaced with A, G, I, S, T, M, or V; L54 replaced with A, G, I, S, T, M, or V; A55

replaced with G, I, L, S, T, M, or V; L56 replaced with A, G, I, S, T, M, or V; L57 replaced with A, G, I, S, T, M, or V; S58 replaced with A, G, I, L, T, M, or V; L61 replaced with A, G, I, S, T, M, or V; T62 replaced with A, G, I, L, S, M, or V; V63 replaced with A, G, I, L, S, T, or M; V64 replaced with A, G, I, L, S, T, or M; S65 replaced with A, G, I, L, T, M, or V; F66 replaced with W, or Y; Y67 replaced with F, or W; Q68 replaced with N; V69 replaced with A, G, I, L, S, T, or M; A70 replaced with G, I, L, S, T, M, or V; A71 replaced with G, I, L, S, T, M, or V; L72 replaced with A, G, I, S, T, M, or V; Q73 replaced with N; G74 replaced with A, I, L, S, T, M, or V; D75 replaced with E; L76 replaced with A, G, I, S, T, M, or V; A77 replaced with G, I, L, S, T, M, or V; S78 replaced with A, G, I, L, T, M, or V; L79 replaced with A, G, I, S, T, M, or V; R80 replaced with H, or K; A81 replaced with G, I, L, S, T, M, or V; E82 replaced with D; L83 replaced with A, G, I, S, T, M, or V; Q84 replaced with N; G85 replaced with A, I, L, S, T, M, or V; H86 replaced with K, or R; H87 replaced with K, or R; A88 replaced with G, I, L, S, T, M, or V; E89 replaced with D; K90 replaced with H, or R; L91 replaced with A, G, I, S, T, M, or V; A93 replaced with G, I, L, S, T, M, or V; G94 replaced with A, I, L, S, T, M, or V; A95 replaced with G, I, L, S, T, M, or V; G96 replaced with A, I, L, S, T, M, or V; A97 replaced with G, I, L, S, T, M, or V; K99 replaced with H, or R; A100 replaced with G, I, L, S, T, M, or V; G101 replaced with A, I, L, S, T, M, or V; L102 replaced with A, G, I, S, T, M, or V; E103 replaced with D; E104 replaced with D; A105 replaced with G, I, L, S, T, M, or V; A107 replaced with G, I, L, S, T, M, or V; V108 replaced with A, G, I, L, S, T, or M; T109 replaced with A, G, I, L, S, M, or V; A110 replaced with G, I, L, S, T, M, or V; G111 replaced with A, I, L, S, T, M, or V; L112 replaced with A, G, I, S, T, M, or V; K113 replaced with H, or R; I114 replaced with A, G, L, S, T, M, or V; F115 replaced with W, or Y; E116 replaced with D; A119 replaced with G, I, L, S, T, M, or V; G121 replaced with A, I, L, S, T, M, or V; E122 replaced with D; G123 replaced with A, I, L, S, T, M, or V; N124 replaced with Q; S125 replaced with A, G, I, L, T, M, or V; S126 replaced with A, G, I, L, T, M, or V; Q127 replaced with N; N128 replaced with Q; S129 replaced with A, G, I, L, T, M, or V; R130 replaced with H, or K; N131 replaced with Q; K132 replaced with H, or R; R133 replaced with H, or K; A134 replaced with G, I, L, S, T, M, or V; V135 replaced with A, G, I, L, S, T, or M; Q136 replaced with N; G137 replaced with A, I, L, S, T, M, or V; E139 replaced with D; E140 replaced with D; T141 replaced with A, G, I, L, S, M, or V; G142 replaced with A, I, L, S, T, M, or V;

S143 replaced with A, G, I, L, T, M, or V; Y144 replaced with F, or W; T145 replaced with A, G, I, L, S, M, or V; F146 replaced with W, or Y; V147 replaced with A, G, I, L, S, T, or M; W149 replaced with F, or Y; L150 replaced with A, G, I, S, T, M, or V; L151 replaced with A, G, I, S, T, M, or V; S152 replaced with A, G, I, L, T, M, or V; F153 replaced with W, or Y; K154 replaced with H, or R; R155 replaced with H, or K; G156 replaced with A, I, L, S, T, M, or V; S157 replaced with A, G, I, L, T, M, or V; A158 replaced with G, I, L, S, T, M, or V; L159 replaced with A, G, I, S, T, M, or V; E160 replaced with D; E161 replaced with D; K162 replaced with H, or R; E163 replaced with D; N164 replaced with Q; K165 replaced with H, or R; I166 replaced with A, G, L, S, T, M, or V; L167 replaced with A, G, I, S, T, M, or V; V168 replaced with A, G, I, L, S, T, or M; K169 replaced with H, or R; E170 replaced with D; T171 replaced with A, G, I, L, S, M, or V; G172 replaced with A, I, L, S, T, M, or V; Y173 replaced with F, or W; F174 replaced with W, or Y; F175 replaced with W, or Y; I176 replaced with A, G, L, S, T, M, or V; Y177 replaced with F, or W; G178 replaced with A, I, L, S, T, M, or V; Q179 replaced with N; V180 replaced with A, G, I, L, S, T, or M; L181 replaced with A, G, I, S, T, M, or V; Y182 replaced with F, or W; T183 replaced with A, G, I, L, S, M, or V; D184 replaced with E; K185 replaced with H, or R; T186 replaced with A, G, I, L, S, M, or V; Y187 replaced with F, or W; A188 replaced with G, I, L, S, T, M, or V; M189 replaced with A, G, I, L, S, T, or V; G190 replaced with A, I, L, S, T, M, or V; H191 replaced with K, or R; L192 replaced with A, G, I, S, T, M, or V; I193 replaced with A, G, L, S, T, M, or V; Q194 replaced with N; R195 replaced with H, or K; K196 replaced with H, or R; K197 replaced with H, or R; V198 replaced with A, G, I, L, S, T, or M; H199 replaced with K, or R; V200 replaced with A, G, I, L, S, T, or M; F201 replaced with W, or Y; G202 replaced with A, I, L, S, T, M, or V; D203 replaced with E; E204 replaced with D; L205 replaced with A, G, I, S, T, M, or V; S206 replaced with A, G, I, L, T, M, or V; L207 replaced with A, G, I, S, T, M, or V; V208 replaced with A, G, I, L, S, T, or M; T209 replaced with A, G, I, L, S, M, or V; L210 replaced with A, G, I, S, T, M, or V; F211 replaced with W, or Y; R212 replaced with H, or K; I214 replaced with A, G, L, S, T, M, or V; Q215 replaced with N; N216 replaced with Q; M217 replaced with A, G, I, L, S, T, or V; E219 replaced with D; T220 replaced with A, G, I, L, S, M, or V; L221 replaced with A, G, I, S, T, M, or V; N223 replaced with Q; N224 replaced with Q; S225 replaced with A, G, I, L, T, M, or V; Y227 replaced with F, or W; S228 replaced with A, G, I, L, T,

M, or V; A229 replaced with G, I, L, S, T, M, or V; G230 replaced with A, I, L, S, T, M, or V; I231 replaced with A, G, L, S, T, M, or V; A232 replaced with G, I, L, S, T, M, or V; K233 replaced with H, or R; L234 replaced with A, G, I, S, T, M, or V; E235 replaced with D; E236 replaced with D; G237 replaced with A, I, L, S, T, M, or V; D238 replaced with E; E239 replaced with D; L240 replaced with A, G, I, S, T, M, or V; Q241 replaced with N; L242 replaced with A, G, I, S, T, M, or V; A243 replaced with G, I, L, S, T, M, or V; I244 replaced with A, G, L, S, T, M, or V; R246 replaced with H, or K; E247 replaced with D; N248 replaced with Q; A249 replaced with G, I, L, S, T, M, or V; Q250 replaced with N; I251 replaced with A, G, L, S, T, M, or V; S252 replaced with A, G, I, L, T, M, or V; L253 replaced with A, G, I, S, T, M, or V; D254 replaced with E; G255 replaced with A, I, L, S, T, M, or V; D256 replaced with E; V257 replaced with A, G, I, L, S, T, or M; T258 replaced with A, G, I, L, S, M, or V; F259 replaced with W, or Y; F260 replaced with W, or Y; G261 replaced with A, I, L, S, T, M, or V; A262 replaced with G, I, L, S, T, M, or V; L263 replaced with A, G, I, S, T, M, or V; K264 replaced with H, or R; L265 replaced with A, G, I, S, T, M, or V; and/or L266 replaced with A, G, I, S, T, M, or V.

[0165] In another embodiment, site directed changes at the amino acid level of BLYS can be made by replacing a particular amino acid with a conservative substitution. Antibodies of the present invention may bind BLYS amino acid sequences containing conservative substitution mutations of the polypeptide of any one of SEQ ID NOS:3230-3237.

[0166] Amino acids in the BLYS polypeptides that are essential for function can be identified by methods known in the art, such as site-directed mutagenesis or alanine-scanning mutagenesis (Cunningham and Wells, *Science* 244:1081-1085 (1989)). The latter procedure introduces single alanine mutations at every residue in the molecule. The resulting mutant molecules are then tested for functional activity, such ligand binding and the ability to stimulate lymphocyte (e.g., B cell) as, for example, proliferation, differentiation, and/or activation. Accordingly, antibodies of the present invention may bind amino acids in the BLYS polypeptides that are essential for function. In preferred embodiments, antibodies of the present invention bind amino acids in the BLYS polypeptides that are essential for function and inhibit BLYS polypeptide function. In other preferred embodiments, antibodies of the present invention bind amino acids in the BLYS polypeptides that are essential for function and enhance BLYS polypeptide function.

[0167] Of special interest are substitutions of charged amino acids with other charged or neutral amino acids which may produce proteins with highly desirable improved characteristics, such as less aggregation. Aggregation may not only reduce activity but also be problematic when preparing pharmaceutical formulations, because aggregates can be immunogenic (Pinckard *et al.*, *Clin. Exp. Immunol.* 2:331-340 (1967); Robbins *et al.*, *Diabetes* 36: 838-845 (1987); Cleland *et al.*, *Crit. Rev. Therapeutic Drug Carrier Systems* 10:307-377 (1993).

[0168] In another embodiment, the invention provides for antibodies that bind polypeptides having amino acid sequences containing non-conservative substitutions of the amino acid sequence provided in SEQ ID NO:3228. For example, non-conservative substitutions of the BLyS protein sequence provided in SEQ ID NO:3228 include: M1 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D2 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; D3 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; S4 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T5 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E6 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; R7 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E8 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; Q9 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; S10 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; R11 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L12 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T13 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S14 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; C15 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; L16 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K17 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K18 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; R19 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E20 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E21 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; M22 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K23 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L24 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K25 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E26 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; C27 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; V28 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S29 replaced with D, E, H,

K, R, N, Q, F, W, Y, P, or C; I30 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L31 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P32 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; R33 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K34 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E35 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; S36 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P37 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; S38 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V39 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; R40 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; S41 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S42 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K43 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; D44 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G45 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K46 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L47 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L48 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A49 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A50 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T51 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L52 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L53 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L54 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A55 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L56 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L57 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S58 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; C59 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; C60 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; L61 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T62 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V63 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V64 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S65 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F66 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; Y67 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; Q68 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; V69 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A70 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A71 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L72 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q73 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; G74 replaced with D, E, H, K, R, N, Q, F, W, Y, P,

or C; D75 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L76 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A77 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S78 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L79 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; R80 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; A81 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E82 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L83 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q84 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; G85 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; H86 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; H87 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; A88 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E89 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K90 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L91 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P92 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; A93 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G94 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A95 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G96 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A97 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P98 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; K99 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; A100 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G101 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L102 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E103 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E104 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; A105 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P106 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; A107 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V108 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T109 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A110 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G111 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L112 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K113 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; I114 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F115 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; E116 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; P117 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; P118 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q,

F, W, Y, or C; A119 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P120 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; G121 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E122 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G123 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; N124 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; S125 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S126 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q127 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; N128 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; S129 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; R130 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; N131 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; K132 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; R133 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; A134 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V135 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q136 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; G137 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P138 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; E139 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E140 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; T141 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V142 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T143 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q144 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; D145 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; C146 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; L147 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q148 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; L149 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; I150 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A151 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D152 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; S153 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E154 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; T155 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P156 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; T157 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; I158 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q159 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; K160 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G161

replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S162 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Y163 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; T164 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F165 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; V166 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P167 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; W168 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; L169 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L170 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S171 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F172 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; K173 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; R174 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G175 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S176 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A177 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L178 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E179 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E180 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K181 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E182 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; N183 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; K184 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; I185 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L186 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V187 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K188 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E189 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; T190 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G191 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Y192 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; F193 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; F194 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; I195 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Y196 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; G197 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q198 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; V199 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L200 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Y201 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; T202 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D203 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K204 replaced with D, E, A, G, I, L,

S, T, M, V, N, Q, F, W, Y, P, or C; T205 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Y206 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; A207 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; M208 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G209 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; H210 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L211 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; I212 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q213 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; R214 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K215 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K216 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; V217 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; H218 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; V219 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F220 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; G221 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D222 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E223 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L224 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S225 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L226 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V227 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T228 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L229 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F230 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; R231 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; C232 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; I233 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q234 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; N235 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; M236 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P237 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; E238 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; T239 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L240 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P241 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; N242 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; N243 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; S244 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; C245 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; Y246 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; S247

replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A248 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G249 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; I250 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A251 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K252 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L253 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E254 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E255 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G256 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D257 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E258 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L259 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q260 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; L261 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A262 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; I263 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P264 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; R265 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E266 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; N267 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; A268 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q269 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; I270 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S271 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L272 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D273 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G274 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D275 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; V276 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T277 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F278 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; F279 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; G280 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A281 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L282 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K283 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L284 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; and/or L285 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C.

[0169] In an additional embodiment, antibodies of the present invention bind BLYS polypeptides comprising, or alternatively consisting of, a BLYS amino acid sequence in which more than one amino acid (e.g., 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 30 and 50) is

replaced with the substituted amino acids as described above (either conservative or nonconservative).

[0170] In another embodiment of the invention, antibodies of the present invention bind BLyS polypeptides with non-conservative substitutions of the sequence provided in SEQ ID NO:3229 including: M1 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D2 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; D3 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; S4 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T5 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E6 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; R7 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E8 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; Q9 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; S10 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; R11 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L12 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T13 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S14 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; C15 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; L16 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K17 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K18 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; R19 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E20 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E21 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; M22 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K23 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L24 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K25 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E26 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; C27 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; V28 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S29 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; I30 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L31 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P32 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; R33 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K34 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E35 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; S36 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P37 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; S38 replaced

with D, E, H, K, R, N, Q, F, W, Y, P, or C; V39 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; R40 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; S41 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S42 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K43 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; D44 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G45 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K46 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L47 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L48 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A49 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A50 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T51 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L52 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L53 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L54 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A55 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L56 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L57 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S58 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; C59 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; C60 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; L61 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T62 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V63 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V64 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S65 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F66 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; Y67 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; Q68 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; V69 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A70 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A71 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L72 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q73 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; G74 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D75 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L76 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A77 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S78 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L79 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; R80 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; A81 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E82 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L83 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q84

replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; G85 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; H86 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; H87 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; A88 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E89 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K90 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L91 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P92 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; A93 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G94 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A95 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G96 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A97 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P98 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; K99 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; A100 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G101 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L102 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E103 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E104 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; A105 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P106 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; A107 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V108 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T109 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A110 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G111 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L112 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K113 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; I114 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F115 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; E116 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; P117 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; P118 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; A119 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P120 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; G121 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E122 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G123 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; N124 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; S125 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S126 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q127 replaced with D, E,

H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; N128 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; S129 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; R130 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; N131 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; K132 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; R133 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; A134 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V135 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q136 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; G137 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P138 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; E139 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E140 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; T141 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G142 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S143 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Y144 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; T145 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F146 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; V147 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P148 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; W149 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; L150 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L151 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S152 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F153 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; K154 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; R155 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G156 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S157 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A158 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L159 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E160 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E161 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K162 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E163 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; N164 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; K165 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; I166 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L167 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V168 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K169 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or

C; E170 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; T171 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G172 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Y173 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; F174 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; F175 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; I176 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Y177 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; G178 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q179 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; V180 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L181 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Y182 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; T183 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D184 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K185 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; T186 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Y187 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; A188 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; M189 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G190 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; H191 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L192 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; I193 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q194 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; R195 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K196 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; K197 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; V198 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; H199 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; V200 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F201 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; G202 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D203 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E204 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L205 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S206 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L207 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; V208 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T209 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L210 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F211 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; R212 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; C213 replaced with D, E, H, K, R, A, G,

I, L, S, T, M, V, N, Q, F, W, Y, or P; I214 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q215 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; N216 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; M217 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P218 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; E219 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; T220 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L221 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P222 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; N223 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; N224 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; S225 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; C226 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or P; Y227 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; S228 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A229 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; G230 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; I231 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A232 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K233 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L234 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; E235 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E236 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G237 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D238 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E239 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L240 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q241 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; L242 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A243 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; I244 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; P245 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, or C; R246 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; E247 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; N248 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; A249 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; Q250 replaced with D, E, H, K, R, A, G, I, L, S, T, M, V, F, W, Y, P, or C; I251 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; S252 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L253 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D254 replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; G255 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; D256

replaced with H, K, R, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; V257 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; T258 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; F259 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; F260 replaced with D, E, H, K, R, N, Q, A, G, I, L, S, T, M, V, P, or C; G261 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; A262 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; L263 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; K264 replaced with D, E, A, G, I, L, S, T, M, V, N, Q, F, W, Y, P, or C; L265 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C; and/or L266 replaced with D, E, H, K, R, N, Q, F, W, Y, P, or C.

[0171] In another embodiment, site directed changes at the amino acid level of BLyS can be made by replacing a particular amino acid with a non-conservative substitution. Antibodies of the present invention may bind BLyS amino acid sequences containing non-conservative substitution mutations of the polypeptide of any one of SEQ ID NOS:3230-3237.

[0172] In an additional embodiment, antibodies of the present invention bind BLyS polypeptides comprising, or alternatively consisting of, a BLyS amino acid sequence in which more than one amino acid (e.g., 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 30 and 50) is replaced with the substituted amino acids as described above (either conservative or nonconservative).

[0173] Replacement of amino acids can also change the selectivity of the binding of a ligand to cell surface receptors. For example, Ostade *et al.*, *Nature* 361:266-268 (1993) describes certain mutations resulting in selective binding of TNF-alpha to only one of the two known types of TNF receptors. Since BLyS is a member of the TNF polypeptide family, mutations similar to those in TNF-alpha are likely to have similar effects in BLyS polypeptides.

[0174] Sites that are critical for ligand-receptor binding can also be determined by structural analysis such as crystallization, nuclear magnetic resonance or photoaffinity labeling (Smith *et al.*, *J. Mol. Biol.* 224:899-904 (1992) and de Vos *et al.* *Science* 255:306-312 (1992)).

[0175] Since BLyS is a member of the TNF-related protein family, mutations may be made in sequences encoding amino acids in the TNF conserved domain, e.g., in positions Gly-191 through Leu-284 of SEQ ID NO:3228 or in positions Gly-172 through Leu-265 of SEQ ID NO:3229, may modulate rather than completely eliminate functional activities

(e.g., biological activities) of BLYS polypeptides or fragments or variants thereof. Accordingly, antibodies of the present invention may bind BLYS polypeptides that have mutations in the TNF conserved domain. In preferred embodiments, antibodies of the present invention may bind BLYS polypeptides that have mutations in the TNF conserved domain and act as antagonists of BLYS. In other preferred embodiments, antibodies of the present invention may bind BLYS polypeptides that have mutations in the TNF conserved domain and act as agonists of BLYS.

[0176] Recombinant DNA technology known to those skilled in the art (see, for instance, DNA shuffling *supra*) can be used to create novel mutant proteins or muteins including single or multiple amino acid substitutions, deletions, additions or fusion proteins. Such modified polypeptides can show, e.g., enhanced activity or increased stability. In addition, they may be purified in higher yields and show better solubility than the corresponding natural polypeptide, at least under certain purification and storage conditions.

[0177] Thus, the invention also encompasses antibodies that bind BLYS derivatives and analogs that have one or more amino acid residues deleted, added, or substituted to generate BLYS polypeptides, e.g., that are better suited for expression, scale up, etc., in the host cells. For example, cysteine residues can be deleted or substituted with another amino acid residue in order to eliminate disulfide bridges; N-linked glycosylation sites can be altered or eliminated to achieve, for example, expression of a homogeneous product that is more easily recovered and purified from yeast hosts which are known to hyperglycosylate N-linked sites. To this end, a variety of amino acid substitutions at one or both of the first or third amino acid positions on any one or more of the glycosylation recognition sequences in the BLYS polypeptides of the invention, and/or an amino acid deletion at the second position of any one or more such recognition sequences will prevent glycosylation of the BLYS at the modified tripeptide sequence (see, e.g., Miyajimo et al., EMBO J 5(6):1193-1197). By way of non-limiting example, mutation of the serine at position 244 to alanine either singly or in combination with mutation of the asparagine at position 242 to glutamine abolishes glycosylation of the mature soluble form of BLYS (e.g., amino acids 134-285 of SEQ ID NO:3228) when expressed in the yeast *Pichia pastoris*. A mutant BLYS polypeptide in which only the asparagine at position 242 is mutated to glutamine, is still glycosylated when expressed in *Pichia pastoris*. In this

mutant, the glycosylation event may be due to the activation or unmasking of an O-linked glycosylation site at serine 244. Similar mutations affecting glycosylation could also be made in the BLYS polypeptide of SEQ ID NO:3229, i.e., asparagine-223 to glutamine and/or serine-224 to alanine of SEQ ID NO:3229. Additionally, one or more of the amino acid residues of the polypeptides of the invention (e.g., arginine and lysine residues) may be deleted or substituted with another residue to eliminate undesired processing by proteases such as, for example, furins or kexins. One possible result of such a mutation is that BLYS polypeptide of the invention is not cleaved and released from the cell surface. Accordingly, antibodies of the invention may bind BLYS derivatives and analogs that have one or more amino acid residues deleted, added, or substituted. In other embodiments, antibodies of the invention may bind BLYS derivatives, variants or analogs that are unable to be cleaved from the cell surface.

[0178] In a specific embodiment, antibodies of the invention bind BLYS polypeptides in which Lys-132 and/or Arg-133 of the BLYS sequence shown in SEQ ID NO:3228 is mutated to another amino acid residue, or deleted altogether, to prevent or diminish release of the soluble form of BLYS from cells expressing BLYS. In a more specific embodiment, antibodies of the invention bind BLYS polypeptides in which Lys-132 of the BLYS sequence shown in SEQ ID NO:3228 is mutated to Ala-132. In another, nonexclusive specific embodiment, antibodies of the invention bind BLYS polypeptides in which Arg-133 of the BLYS sequence shown in SEQ ID NO:3228 is mutated to Ala-133. These mutated proteins have uses such as, for example, in ex vivo therapy or gene therapy, to engineer cells expressing a BLYS polypeptide that is retained on the surface of the engineered cells.

[0179] In a specific embodiment, antibodies of the invention bind BLYS polypeptides in which Cys-146 of the BLYS sequence shown in SEQ ID NO:3228 is mutated to another amino acid residue, or deleted altogether, for example, to aid preventing or diminishing oligomerization of the mutant BLYS polypeptide when expressed in an expression system. In a specific embodiment, antibodies of the invention bind BLYS polypeptides in which Cys-146 is replaced with a serine amino acid residue.

[0180] In another specific embodiment, antibodies of the invention bind BLYS polypeptides in which Cys-232 of the BLYS sequence shown in SEQ ID NO:3228 is mutated to another amino acid residue, or deleted altogether, for example, to aid

preventing or diminishing oligomerization of the mutant BLYS polypeptide when expressed in an expression system. In a specific embodiment, antibodies of the invention bind BLYS polypeptides in which Cys-232 is replaced with a serine amino acid residue. Polypeptides encoding these polypeptides are also encompassed by the invention.

[0181] In yet another specific embodiment, antibodies of the invention bind BLYS polypeptides in which Cys-245 of the BLYS sequence shown in SEQ ID NO:3228 is mutated to another amino acid residue, or deleted altogether, for example, to aid preventing or diminishing oligomerization of the mutant BLYS polypeptide when expressed in an expression system. In a specific embodiment, antibodies of the invention bind BLYS polypeptides in which Cys-245 is replaced with a serine amino acid residue. Polypeptides encoding these polypeptides are also encompassed by the invention.

[0182] The polypeptides of the present invention are preferably provided in an isolated form, and preferably are substantially purified. A recombinantly produced version of the BLYS polypeptides can be substantially purified by the one-step method described in Smith and Johnson, *Gene* 67:31-40 (1988).

[0183] The antibodies of the present invention bind BLYS polypeptides including the complete polypeptide encoded by the deposited cDNA (ATCC Deposit No. 97768) including the intracellular, transmembrane and extracellular domains of the polypeptide encoded by the deposited cDNA, the mature soluble polypeptide encoded by the deposited cDNA, the extracellular domain minus the intracellular and transmembrane domains of the protein, the complete polypeptide of SEQ ID NO:3228, the mature soluble polypeptide of SEQ ID NO:3228, e.g., amino acids 134-285 of SEQ ID NO:3228, the extracellular domain of SEQ ID NO:3228, amino acid residues 73-285 of SEQ ID NO:3228 minus the intracellular and transmembrane domains, as well as polypeptides which have at least 80%, 85%, 90% similarity, more preferably at least 95% similarity, and still more preferably at least 96%, 97%, 98% or 99% similarity to those described above. Polynucleotides encoding these polypeptides are also encompassed by the invention.

[0184] The antibodies of the present invention bind BLYS polypeptides including the complete polypeptide encoded by the deposited cDNA including the intracellular, transmembrane and extracellular domains of the polypeptide encoded by the deposited cDNA (ATCC Deposit No. 203518), the mature soluble polypeptide encoded by the deposited cDNA, the extracellular domain minus the intracellular and transmembrane

domains of the protein, the complete polypeptide of SEQ ID NO:3229, the mature soluble of SEQ ID NO:3229, e.g., amino acid residues 134-266 of SEQ ID NO:3229, the extracellular domain of SEQ ID NO:3229, e.g., amino acid residues 73-266 of SEQ ID NO:3229 minus the intracellular and transmembrane domains, as well as polypeptides which have at least 80%, 85%, 90% similarity, more preferably at least 95% similarity, and still more preferably at least 96%, 97%, 98% or 99% similarity to those described above. Polynucleotides encoding these polypeptides are also encompassed by the invention.

[0185] Further antibodies of the present invention bind polypeptides including polypeptides at least 80%, or at least 85% identical, more preferably at least 90% or 95% identical, still more preferably at least 96%, 97%, 98% or 99% identical to the polypeptide encoded by the deposited cDNA (ATCC Deposit No. 97768) or to the polypeptide of SEQ ID NO:3228, and also include antibodies that bind portions of such polypeptides with at least 30 amino acids and more preferably at least 50 amino acids.

[0186] Further antibodies of the present invention bind polypeptides including polypeptides at least 80%, or at least 85% identical, more preferably at least 90% or 95% identical, still more preferably at least 96%, 97%, 98% or 99% identical to the polypeptide encoded by the deposited cDNA (ATCC Deposit No. 203518) or to the polypeptide of SEQ ID NO:3229, and also include antibodies that bind portions of such polypeptides with at least 30 amino acids and more preferably at least 50 amino acids. Polynucleotides encoding these polypeptides are also encompassed by the invention.

[0187] By "% similarity" for two polypeptides is intended a similarity score produced by comparing the amino acid sequences of the two polypeptides using the Bestfit program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, 575 Science Drive, Madison, WI 53711) and the default settings for determining similarity. Bestfit uses the local homology algorithm of Smith and Waterman (Advances in Applied Mathematics 2:482-489, 1981) to find the best segment of similarity between two sequences.

[0188] By a polypeptide having an amino acid sequence at least, for example, 95% "identical" to a reference amino acid sequence of a BLyS polypeptide is intended that the amino acid sequence of the polypeptide is identical to the reference sequence except that the polypeptide sequence may include up to five amino acid alterations per each 100

amino acids of the reference amino acid of the BLYS polypeptide. In other words, to obtain a polypeptide having an amino acid sequence at least 95% identical to a reference amino acid sequence, up to 5% of the amino acid residues in the reference sequence may be deleted or substituted with another amino acid, or a number of amino acids up to 5% of the total amino acid residues in the reference sequence may be inserted into the reference sequence. These alterations of the reference sequence may occur at the amino or carboxy terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence.

[0189] As a practical matter, whether any particular polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to, for instance, the amino acid sequence of SEQ ID NO:3228, the amino acid sequence encoded by the deposited cDNA clone HNEDU15 (ATCC Accession No. 97768), or fragments thereof, or, for instance, to the amino acid sequence of SEQ ID NO:3229, the amino acid sequence encoded by the deposited cDNA clone HDPMC52 (ATCC Accession No. 203518), or fragments thereof, can be determined conventionally using known computer programs such the Bestfit program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, 575 Science Drive, Madison, WI 53711). When using Bestfit or any other sequence alignment program to determine whether a particular sequence is, for instance, 95% identical to a reference sequence according to the present invention, the parameters are set, of course, such that the percentage of identity is calculated over the full length of the reference amino acid sequence and that gaps in homology of up to 5% of the total number of amino acid residues in the reference sequence are allowed.

[0190] In a specific embodiment, the identity between a reference (query) sequence (a sequence of the present invention) and a subject sequence, also referred to as a global sequence alignment, is determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci. 6:237-245 (1990)). Preferred parameters used in a FASTDB amino acid alignment are: Matrix=PAM 0, k-tuple=2, Mismatch Penalty=1, Joining Penalty=20, Randomization Group Length=0, Cutoff Score=1, Window Size=sequence length, Gap Penalty=5, Gap Size Penalty=0.05, Window Size=500 or the length of the subject amino acid sequence, whichever is shorter.

According to this embodiment, if the subject sequence is shorter than the query sequence due to N- or C-terminal deletions, not because of internal deletions, a manual correction is made to the results to take into consideration the fact that the FASTDB program does not account for N- and C-terminal truncations of the subject sequence when calculating global percent identity. For subject sequences truncated at the N- and C-termini, relative to the query sequence, the percent identity is corrected by calculating the number of residues of the query sequence that are N- and C-terminal of the subject sequence, which are not matched/aligned with a corresponding subject residue, as a percent of the total bases of the query sequence. A determination of whether a residue is matched/aligned is determined by results of the FASTDB sequence alignment. This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This final percent identity score is what is used for the purposes of this embodiment. Only residues to the N- and C-termini of the subject sequence, which are not matched/aligned with the query sequence, are considered for the purposes of manually adjusting the percent identity score. That is, only query residue positions outside the farthest N- and C-terminal residues of the subject sequence. For example, a 90 amino acid residue subject sequence is aligned with a 100 residue query sequence to determine percent identity. The deletion occurs at the N-terminus of the subject sequence and therefore, the FASTDB alignment does not show a matching/alignment of the first 10 residues at the N-terminus. The 10 unpaired residues represent 10% of the sequence (number of residues at the N- and C-termini not matched/total number of residues in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 residues were perfectly matched the final percent identity would be 90%. In another example, a 90 residue subject sequence is compared with a 100 residue query sequence. This time the deletions are internal deletions so there are no residues at the N- or C-termini of the subject sequence which are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only residue positions outside the N- and C-terminal ends of the subject sequence, as displayed in the FASTDB alignment, which are not matched/aligned with the query sequence are manually corrected for. No other manual corrections are made for the purposes of this embodiment.

Antibodies that Immunospecifically bind BLYS Polypeptides

[0191] The present invention also encompasses antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to BLYS polypeptides, which antibodies comprise, or alternatively consist of, all or a portion of a heavy and/or light chain variable domain of the scFvs referred to in Table 1.

[0192] The present invention also encompasses methods and compositions for detecting, diagnosing and/or prognosing diseases or disorders associated with aberrant BLYS or BLYS receptor expression or inappropriate BLYS or BLYS receptor function in an animal, preferably a mammal, and most preferably a human, comprising using antibodies (including molecules which comprise, or alternatively consist of, antibody fragments or variants thereof) that immunospecifically bind to BLYS. Diseases and disorders which can be detected, diagnosed or prognosed with the antibodies of the invention include, but are not limited to, immune disorders (*e.g.*, lupus, rheumatoid arthritis, multiple sclerosis, myasthenia gravis, Hashimoto's disease, and immunodeficiency syndrome), inflammatory disorders (*e.g.*, asthma, allergic disorders, and rheumatoid arthritis), infectious diseases (*e.g.*, AIDS), and proliferative disorders (*e.g.*, leukemia, carcinoma, and lymphoma).

[0193] The present invention further encompasses methods and compositions for preventing, treating or ameliorating diseases or disorders associated with aberrant BLYS or BLYS receptor expression or inappropriate BLYS or BLYS receptor function in an animal, preferably a mammal, and most preferably a human, comprising administering to said animal an effective amount of one or more antibodies (including molecules which comprise, or alternatively consist of, antibody fragments or variants thereof) that immunospecifically bind to BLYS. Diseases and disorders which can be prevented, treated or inhibited by administering an effective amount of one or more antibodies or molecules of the invention include, but are not limited to, immune disorders (*e.g.*, lupus, rheumatoid arthritis, multiple sclerosis, myasthenia gravis, Hashimoto's disease, and immunodeficiency syndrome), inflammatory disorders (*e.g.*, asthma, allergic disorders, and rheumatoid arthritis), infectious diseases (*e.g.*, AIDS), and proliferative disorders (*e.g.*, leukemia, carcinoma, and lymphoma).

Anti-BLYS Antibodies

[0194] The antibodies of the present invention were discovered, in part, using phage display technology. Single chain antibody molecules ("scFvs") displayed on the surface of phage particles were screened to identify those scFvs that immunospecifically bind to BLyS, including the membrane-bound form and soluble form of BLyS. The present invention encompasses the scFvs and portions thereof that were identified to immunospecifically bind to BLyS, including scFvs that immunospecifically bind to the soluble form of BLyS, scFvs that immunospecifically bind to the membrane-bound form of BLyS, and scFvs that immunospecifically bind to both the soluble form and membrane-bound form of BLyS. In particular, the present invention encompasses scFvs comprising, or alternatively consisting of, the amino acid sequence of SEQ ID NOS: 1 - 2128, as referred to in Table 1. Preferably, the scFvs of the present invention comprise, or alternatively consist of, the amino acid sequence of SEQ ID NOS: 1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908. The scFvs include scFvs that bind to soluble BLyS (e.g., scFvs comprising, or alternatively consisting of, an amino acid sequence of SEQ ID NOS: 1563 - 1880), scFvs that bind to the membrane-bound form of BLyS (e.g., scFvs comprising, or alternatively consisting of, an amino acid sequence of SEQ ID NOS: 1881 - 2128), and scFvs that bind to both the soluble form and the membrane-bound form of BLyS (e.g., scFvs comprising, or alternatively consisting of, an amino acid sequence of SEQ ID NOS: 1 - 1562). Molecules comprising, or alternatively consisting of, fragments or variants of these scFvs, that immunospecifically bind to BLyS are also encompassed by the invention, as are nucleic acid molecules encoding these scFvs, molecules, fragments and/or variants.

[0195] In one embodiment of the present invention, scFvs that immunospecifically bind to BLyS comprise a polypeptide having the amino acid sequence of any one of the VH domains referred to in Table 1 and/or any one of the VL domains referred to in Table 1. In preferred embodiments, scFvs of the present invention comprise the amino acid sequence of a VH domain and VL domain from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention comprise the amino acid sequence of a VH domain and VL domain from different scFvs referred to in Table 1. In another embodiment, scFvs that immunospecifically bind to BLyS, comprise a polypeptide having the amino acid sequence of any one, two, three, or more of the VH CDRs referred to in Table 1 and/or any one, two, three, or more of the VL CDRs referred to in Table 1. In

preferred embodiments, scFvs of the present invention comprise the amino acid sequence of a VH CDR and VL CDR from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention comprise the amino acid sequence of a VH CDR and VL CDR from different scFvs referred to in Table 1. Molecules comprising, or alternatively consisting of, antibody fragments or variants of the scFvs referred to in Table 1 that immunospecifically bind to BLYS are also encompassed by the invention, as are nucleic acid molecules encoding these scFvs, molecules, fragments and/or variants.

[0196] (Table 1 can be found at the end of the specification just prior to the claims.)

[0197] In another embodiment of the present invention, an scFv that immunospecifically binds to a soluble form of BLYS, comprises, or alternatively consists of, the amino acid sequence of SEQ ID NOS:1563 – 1880 as referred to in Table 1. In a preferred embodiment, an scFv that immunospecifically binds to a soluble form of BLYS comprises, or alternatively consists of, the amino acid sequence of SEQ ID NOS:1570 - 1595. In an even more preferred embodiment, an scFv that immunospecifically binds to a soluble form of BLYS comprises, or alternatively consists of, the amino acid sequence of SEQ ID NOS:1563 - 1569.

[0198] In another embodiment of the present invention, an scFv that immunospecifically binds to a membrane-bound form of BLYS comprises, or alternatively consists of, the amino acid sequence of SEQ ID NOS:1881 - 2128 as referred to in Table 1. In a preferred embodiment, an scFv that immunospecifically binds to a membrane-bound form of BLYS comprises, or alternatively consists of, the amino acid sequence of SEQ ID NOS:1886 - 1908. In an even more preferred embodiment, an scFv that immunospecifically binds to a membrane-bound form of BLYS comprises, or alternatively consists of, the amino acid sequence of SEQ ID NOS:1881 - 1885.

[0199] In another embodiment of the present invention, an scFv that immunospecifically binds to both the soluble form and membrane-bound form of BLYS comprises, or alternatively consists of, the amino acid sequence of SEQ ID NOS:1 - 1562 as referred to in Table 1. In a preferred embodiment, an scFv that immunospecifically binds to both the soluble form and membrane-bound form of BLYS comprises, or alternatively consists of, the amino acid sequence of SEQ ID NOS:834 - 872. In another

preferred embodiment, an scFv that immunospecifically binds to both the soluble form and membrane-bound form of BLyS comprises, or alternatively consists of, any one of the amino acids sequences of SEQ ID NOS:1 – 46 or 321 – 329. Molecules comprising, or alternatively consisting of, fragments or variants of these scFvs, that immunospecifically bind to the soluble form of BLyS and/or the membrane-bound form of BLyS are also encompassed by the invention, as are nucleic acid molecules encoding these scFvs, molecules, fragments and/or variants.

[0200] In another embodiment of the present invention, scFvs that immunospecifically bind to the soluble form of BLyS, comprise a polypeptide having the amino acid sequence of any one of the VH domains contained in SEQ ID NOS:1563 – 1880 as disclosed in Table 1 and/or any one of the VL domains contained in SEQ ID NOS:1563 – 1880 as disclosed in Table 1. In preferred embodiments, scFvs of the present invention that immunospecifically bind to the soluble form of BLyS, comprise a polypeptide having the amino acid sequence of a VH CDR and VL CDR from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention that immunospecifically bind to the soluble form of BLyS, comprise a polypeptide having amino acid sequence of a VH CDR and VL CDR from different scFvs referred to in Table 1. In another embodiment, scFvs that immunospecifically bind to the soluble form of BLyS, comprise a polypeptide having the amino acid sequence of any one, two, three, or more of the VH CDRs SEQ ID NOS:1563 – 1880 as disclosed in Table 1 and/or any one, two, three, or more of the VL CDRs contained in contained SEQ ID NOS:1563 – 1880, as disclosed in Table 1. In preferred embodiments, scFvs of the present invention that immunospecifically bind to the soluble form of BLyS, comprise a polypeptide having the amino acid sequence of a VH domain and VL domain from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention that immunospecifically bind to the soluble form of BLyS, comprise a polypeptide having the amino acid sequence of a VH domain and VL domain from different scFvs referred to in Table 1. In a preferred embodiment, scFvs that immunospecifically bind to the soluble form of BLyS, comprise a polypeptide having the amino acid sequence of any one of the VH CDR3s contained in SEQ ID NOS:1563 – 1880 as disclosed in Table 1 and/or any one of the VL CDR3s contained in SEQ ID NOS: 1563 – 1880 as disclosed in Table 1. In preferred embodiments, scFvs of the present invention that immunospecifically bind to

the soluble form of BLyS, comprise a polypeptide having the amino acid sequence of a VH CDR and VL CDR from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention that immunospecifically bind to the soluble form of BLyS, comprise a polypeptide having the amino acid sequence of a VH CDR and VL CDR from different scFvs referred to in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these scFvs, that immunospecifically bind to BLyS, preferably the soluble form of BLyS, are also encompassed by the invention, as are nucleic acid molecules encoding these scFvs, molecules, fragments and/or variants.

[0201] In another embodiment of the present invention, scFvs that immunospecifically bind to the membrane-bound form of BLyS comprise a polypeptide having the amino acid sequence of any one of the VH domains contained in SEQ ID NOS:1881 - 2128 as disclosed in Table 1 and/or any one of the VL domains contained in SEQ ID NOS: 1881 - 2128 as disclosed in Table 1. In preferred embodiments, scFvs of the present invention that immunospecifically bind to the soluble form of BLyS, comprise a polypeptide having the amino acid sequence of a VH CDR and VL CDR from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention that immunospecifically bind to the membrane-bound form of BLyS, comprise a polypeptide having the amino acid sequence of a VH domain and VL domain from different scFvs referred to in Table 1. In another embodiment, scFvs that immunospecifically bind to the membrane-bound form of BLyS, comprise a polypeptide having the amino acid sequence of any one, two, three, or more of the VH CDRs contained in SEQ ID NOS: 1881 - 2128 as disclosed in Table 1 and/or any one, two, three, or more of the VL CDRs contained in SEQ ID NOS: 1881 - 2128 as disclosed in Table 1. In preferred embodiments, scFvs of the present invention that immunospecifically bind to the membrane-bound form of BLyS, comprise a polypeptide having the amino acid sequence of a VH domain and VL domain from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention that immunospecifically bind to the membrane-bound form of BLyS, comprise a polypeptide having the amino acid sequence of a VH domain and VL domain from different scFvs referred to in Table 1. In a preferred embodiment, scFvs that immunospecifically bind to the membrane-bound form of BLyS, comprise a polypeptide having the amino acid sequence of any one of the VH CDR3s contained in SEQ ID NOS:

1881 - 2128 as disclosed in Table 1 and/or any one of the VL CDR3s contained in SEQ ID NOS: 1881 - 2128 as disclosed in Table 1. In preferred embodiments, scFvs of the present invention that immunospecifically bind to the membrane-bound form of BLyS, comprise a polypeptide having the amino acid sequence of a VH domain and VL domain from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention that immunospecifically bind to the membrane-bound form of BLyS, comprise a polypeptide having the amino acid sequence of a VH CDR and VL CDR from different scFvs referred to in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these scFvs, that immunospecifically bind to BLyS, preferably the membrane-bound form of BLyS, are also encompassed by the invention, as are nucleic acid molecules encoding these scFvs, molecules, fragments and/or variants.

[0202] In another embodiment of the present invention, scFvs that immunospecifically bind to the soluble form and membrane-bound form of BLyS, comprise a polypeptide having the amino acid sequence of any one of the VH domains contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1 and/or any one of the VL domains contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1. In preferred embodiments, scFvs of the present invention that immunospecifically bind to the soluble and membrane-bound forms of BLyS, comprise a polypeptide having the amino acid sequence of a VH domain and VL domain from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention that immunospecifically bind to the soluble form and membrane-bound form of BLyS, comprise a polypeptide having the amino acid sequence of a VH domain and VL domain from different scFvs referred to in Table 1. In another embodiment, scFvs that immunospecifically bind to the soluble form and membrane-bound form of BLyS comprise a polypeptide having the amino acid sequence of any one, two, three, or more of the VH CDRs contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1 and/or any one, two, three, or more of the VL CDRs contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1. In preferred embodiments, scFvs of the present invention that immunospecifically bind to the soluble form and membrane-bound form of BLyS, comprise a polypeptide having the amino acid sequence of a VH domain and VL domain from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention that immunospecifically bind to the soluble and membrane-bound forms of BLyS, comprise a polypeptide having the amino acid sequence of a VH domain and VL

domain from different scFvs referred to in Table 1. In a preferred embodiment, scFvs that immunospecifically bind to the soluble and membrane-bound forms of BLYS, comprise a polypeptide having the amino acid sequence of any one of the VH CDR3s contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1 and/or any one of the VL CDR3s contained in SEQ ID NOS:1 - 1562, as disclosed in Table 1. In preferred embodiments, scFvs of the present invention that immunospecifically bind to the soluble and membrane-bound forms of BLYS, comprise a polypeptide having the amino acid sequence of a VH CDR and VL CDR from the same scFv referred to in Table 1. In alternative embodiments, scFvs of the present invention that immunospecifically bind to the soluble and membrane-bound forms of BLYS, comprise a polypeptide having the amino acid sequence of a VH CDR and VL CDR from different scFvs referred to in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these scFvs or molecules, that immunospecifically bind to BLYS, preferably the soluble and membrane-bound forms of BLYS, are also encompassed by the invention, as are nucleic acid molecules encoding these scFvs, molecules, fragments and/or variants.

[0203] The present invention provides antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to a polypeptide or a polypeptide fragment of BLYS. In particular, the invention provides antibodies corresponding to the scFvs referred to in Table 1, such scFvs may routinely be "converted" to immunoglobulin molecules by inserting, for example, the nucleotide sequences encoding the VH and/or VL domains of the scFv into an expression vector containing the constant domain sequences and engineered to direct the expression of the immunoglobulin molecule, as described in more detail in Example 20, *infra*.

[0204] In one embodiment, the invention provides antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) wherein said antibodies comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one of the VH domains contained in the sequences referred to in Table 1. The present invention also provides antibodies that immunospecifically bind to a polypeptide, or polypeptide fragment of BLYS, wherein said antibodies comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one, two, three, or more of the VH CDRs contained in the sequences referred to in Table 1.

Molecules comprising, or alternatively consisting of, these antibodies, or antibody fragments or variants thereof, that immunospecifically bind to BLYS or a BLYS fragment are also encompassed by the invention, as are nucleic acid molecules encoding these antibodies, molecules, fragments and/or variants.

[0205] In one embodiment of the present invention, antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind BLYS, comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a VH CDR referred to in Table 1. In particular, the invention provides antibodies that immunospecifically bind BLYS, comprising, or alternatively consisting of, a polypeptide having the amino acid sequence of a VH CDR1 contained in SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, or 1881 - 1885 as disclosed in Table 1. In another embodiment, antibodies that immunospecifically bind BLYS, comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a VH CDR2 contained in SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, or 1881 - 1885 as disclosed in Table 1. In a preferred embodiment, antibodies that immunospecifically bind BLYS, comprise, or alternatively consist of a polypeptide having the amino acid sequence of a VH CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, or 1881 - 1885 as disclosed in Table 1. In yet another embodiment, antibodies that immunospecifically bind BLYS, comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a VH CDR1 contained in SEQ ID NOS:834 - 872, 1570 - 1595, or 1886 - 1908 as disclosed in Table 1; a VH CDR2 contained in SEQ ID NOS: SEQ ID NOS: SEQ ID NOS:834 - 872, 1570 - 1595, or 1886 - 1908; and/or a VH CDR3 contained in SEQ ID NOS: SEQ ID NOS:834 - 872, 1570 - 1595, or 1886 - 1908 as disclosed in Table 1. Preferably, antibodies of the invention comprise, or alternatively consist of, VH CDRs that are derived from the same scFv as disclosed in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies that immunospecifically bind to BLYS are also encompassed by the invention, as are nucleic acid molecules encoding these antibodies, molecules, fragments or variants.

[0206] The present invention provides antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants) that immunospecifically bind to a polypeptide, or polypeptide fragment of BLYS. In particular, the invention provides antibodies wherein said antibodies comprise, or alternatively consist of, a VL domain

having an amino acid sequence of any one of the VL domains referred to in Table 1. The present invention also provides antibodies that immunospecifically bind to a polypeptide or polypeptide fragment of BLYS, wherein said antibodies comprise, or alternatively consist of, a VL CDR having an amino acid sequence of any one, two, three, or more of the VL CDRs contained in the sequences referred to in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies that immunospecifically bind to BLYS are also encompassed by the invention, as are nucleic acid molecules encoding these antibodies, molecules, fragments or variants.

[0207] In one embodiment of the present invention, antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind BLYS, comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a VL CDR referred to in Table 1. In particular, the invention provides antibodies that immunospecifically bind BLYS, comprising, or alternatively consisting of, a polypeptide having the amino acid sequence of a VL CDR1 contained in SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, or 1881 - 1885 as disclosed in Table 1. In another embodiment, antibodies that immunospecifically bind BLYS comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a VL CDR2 contained in SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, or 1881 - 1885 as disclosed in Table 1. In a preferred embodiment, antibodies comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a VL CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, or 1881 - 1885 disclosed in Table 1. In yet another embodiment, antibodies that immunospecifically bind BLYS comprise, or alternatively consist of: a polypeptide having the amino acid sequence of a VL CDR1 contained in SEQ ID NOS:834 - 872, 1570 - 1595, or 1886 - 1908 as disclosed in Table 1; a VL CDR2 SEQ ID NOS :834 - 872, 1570 - 1595, or 1886 - 1908 as disclosed in Table 1; and a VL CDR3 contained SEQ ID NOS:834 - 872, 1570 - 1595, or 1886 - 1908 as disclosed in Table 1. Preferably, antibodies of the invention comprise, or alternatively consist of, VL CDRs that are derived from the same scFv as disclosed in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies, that immunospecifically bind to BLYS are also encompassed by the invention, as are nucleic acid molecules encoding these antibodies, molecules, fragments or variants.

[0208] The present invention also provides antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to a polypeptide or a polypeptide fragment of BLyS, wherein said antibodies comprise, or alternatively consist of, a VH domain of one of the scFvs referred to in Table 1 combined with a VL domain of one of the scFvs referred to in Table 1, or other VL domain. The present invention further provides antibodies (including molecules comprise, or alternatively consist of, antibody fragments or variants thereof) that immunospecifically bind to a polypeptide or a polypeptide fragment of BLyS, wherein said antibodies comprise, or alternatively consist of, a VL domain of one of the scFvs referred to in Table 1 combined with a VH domain of one of the scFvs referred to in Table 1, or other VH domain. In a preferred embodiment, antibodies that immunospecifically bind to a polypeptide or a polypeptide fragment of BLyS, comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a VH domain contained SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1 and a VL domain contained in contained SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1. In a further preferred embodiment, the antibodies of the invention comprise, or alternatively consist of, a VH and a VL domain from the same scFv as disclosed in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies, that immunospecifically bind to BLyS are also encompassed by the invention, as are nucleic acid molecules encoding these antibodies, molecules, fragments or variants.

[0209] The present invention also provides antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants) that immunospecifically bind to a polypeptide or polypeptide fragment of BLyS, wherein said antibodies comprise, or alternatively consist of, one, two, three, or more VH CDRs and one, two, three or more VL CDRs, as referred to in Table 1. In particular, the invention provides for antibodies that immunospecifically bind to a polypeptide or polypeptide fragment of BLyS, wherein said antibodies comprise, or alternatively consist of, a VH CDR1 and a VL CDR1, a VH CDR1 and a VL CDR2, a VH CDR1 and a VL CDR3, a VH CDR2 and a VL CDR1, VH CDR2 and VL CDR2, a VH CDR2 and a VL CDR3, a VH CDR3 and a VH CDR1, a VH CDR3 and a VL CDR2, a VH CDR3 and a VL CDR3, or any combination thereof, of the VH CDRs and VL CDRs referred to in Table 1. In a

preferred embodiment, one or more of these combinations are from the same scFv as disclosed in Table 1. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies, that immunospecifically bind to BLyS are also encompassed by the invention, as are nucleic acid molecules encoding these antibodies, molecules, fragments or variants.

[0210] In a preferred embodiment the invention provides antibodies wherein the VH CDRX (where X=1, 2, or 3) and VL CDRY (where Y= 1, 2, or 3) are from scFvs with the same specificity (i.e., from scFvs that bind soluble BLyS, from scFvs that bind membrane-bound BLyS, or from scFvs that bind both soluble and membrane-bound BLyS. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies, that immunospecifically bind to BLyS are also encompassed by the invention, as are nucleic acid molecules encoding these antibodies, molecules, fragments or variants.

[0211] The term "antibody," as used herein, refers to immunoglobulin molecules and immunologically active portions of immunoglobulin molecules, i.e., molecules that contain an antigen binding site that immunospecifically binds an antigen. As such, the term "antibody" encompasses not only whole antibody molecules, but also antibody fragments, as well as variants (including derivatives) of antibodies and antibody fragments. Antibodies of the invention include, but are not limited to, monoclonal, multispecific, human or chimeric antibodies, single chain antibodies, single chain Fvs (scFvs), Fab fragments, F(ab')₂ fragments, Fd fragments, disulfide-linked Fvs (sdFvs), antiidiotypic (anti-Id) antibodies (including, e.g., anti-Id antibodies to antibodies of the invention), and epitope-binding fragments of any of the above. The immunoglobulin molecules of the invention can be of any type (e.g., IgG, IgE, IgM, IgD, IgA and IgY), class (e.g., IgG₁, IgG₂, IgG₃, IgG₄, IgA₁ and IgA₂) or subclass of immunoglobulin molecule. The antibodies of the present invention also include molecules comprising, or alternatively consisting of, a polypeptide having an amino acid sequence of a portion of an amino acid sequence contained SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908. Preferably, an antibody of the invention comprises, or alternatively consists of, a polypeptide having an amino acid sequence of a VH domain, VH CDR, VL domain, or VL CDR of any one those contained in the sequences referred to in Table 1. Antibodies of the invention also include molecules comprising, or alternatively consisting of, fragments or variants of the above antibodies that immunospecifically bind BLyS.

[0212] Most preferably the antibodies of the present invention are whole antibodies or antibody fragments that immunospecifically bind human BLyS. Antibody fragments of the invention that immunospecifically bind human BLyS include, but are not limited to, Fab, Fab' and F(ab')₂, Fd fragments, single-chain Fvs (scFv), single-chain antibodies, disulfide-linked Fvs (sdFvs), fragments comprising, or alternatively consisting of, either a VL or VH domain, and epitope binding fragments of any of the above.

[0213] BLyS-binding antibody fragments, including single-chain antibodies, may comprise, or alternatively consist of, the variable region(s) alone or in combination with the entirety or a portion of the following: hinge region, CH1, CH2, and CH3 domains. In a preferred embodiment, the antibodies of the invention comprise, or alternatively consist of, a polypeptide that immunospecifically binds to BLyS, said polypeptides comprise, or alternatively consist of, one, two, three, four, five, six or more CDRs referred to in Table 1, preferably a polypeptide having an amino acid sequence of a VH CDR3 and/or a VL CDR3 of contained SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1. Most preferably, antibodies of the invention comprise, or alternatively consist of, one, two, three, four, five, six or more CDRs from the same scFv, as referred to in Table 1. The antibodies of the invention may be from any animal origin, including birds and mammals. Preferably, the antibodies are human, murine (*e.g.*, mouse and rat), donkey, sheep, rabbit, goat, guinea pig, camel, horse, or chicken. Most preferably, the antibodies are human antibodies. As used herein, "human" antibodies include antibodies having the amino acid sequence of a human immunoglobulin and include antibodies isolated from human immunoglobulin libraries and xenomice or other organisms that have been genetically engineered to produce human antibodies. For a detailed discussion of a few of the technologies for producing human antibodies and human monoclonal antibodies and protocols for producing such antibodies, see, *e.g.*, PCT publications WO 98/24893; WO 92/01047; WO 96/34096; WO 96/33735; European Patent No. 0 598 877; U.S. Patent Nos. 5,413,923; 5,625,126; 5,633,425; 5,569,825; 5,661,016; 5,545,806; 5,814,318; 5,885,793; 5,916,771; and 5,939,598; and Lonberg and Huszar, *Int. Rev. Immunol.* 13:65-93 (1995), which are incorporated by reference herein in their entirety. Human antibodies or "humanized" chimeric monoclonal antibodies can be produced using techniques described herein or otherwise known in the art. For example, methods for producing chimeric antibodies are known in the art. See, for review

the following references which are hereby incorporated in their entirety: Morrison, *Science* 229:1202 (1985); Oi et al., *BioTechniques* 4:214 (1986); Cabilly et al., U.S. Patent No. 4,816,567; Taniguchi et al., EP 171496; Morrison et al., EP 173494; Neuberger et al., WO 8601533; Robinson et al., WO 8702671; Boulianne et al., *Nature* 312:643 (1984); Neuberger et al., *Nature* 314:268 (1985). In addition, companies such as Abgenix, Inc. (Freemont, CA) and Genpharm (San Jose, CA) can be engaged to provide human antibodies directed against a selected antigen using technology similar to that described above.

[0214] The antibodies of the present invention may be monovalent, bivalent, trivalent or multivalent. For example, monovalent scFvs can be multimerized either chemically or by association with another protein or substance. An scFv that is fused to a hexahistidine tag or a Flag tag can be multimerized using Ni-NTA agarose (Qiagen) or using anti-Flag antibodies (Stratagene, Inc.).

[0215] The antibodies of the present invention may be monospecific, bispecific, trispecific or of greater multispecificity. Multispecific antibodies may be specific for different epitopes of a BLYS polypeptide, or fragment thereof, or may be specific for both a BLYS polypeptide, or fragment thereof, and a heterologous epitope, such as a heterologous polypeptide or solid support material. See, e.g., PCT publications WO 93/17715; WO 92/08802; WO 91/00360; WO 92/05793; Tutt, et al., *J. Immunol.* 147:60-69 (1991); U.S. Patent Nos. 4,474,893; 4,714,681; 4,925,648; 5,573,920; 5,601,819; Kostelny et al., *J. Immunol.* 148:1547-1553 (1992).

[0216] The antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) may bind immunospecifically to murine BLYS (e.g., a polypeptide having the amino acid sequence of human BLYS (SEQ ID NOS:3228 and/or 3229) or BLYS expressed on human monocytes; murine BLYS (SEQ ID NOS:3230 and/or 3231) or BLYS expressed on murine monocytes; rat BLYS (either the soluble forms as given in SEQ ID NOS:3232, 3233, 3234 and/or 3235 or in a membrane associated form, e.g., on the surface of rat monocytes); or monkey BLYS (e.g., the monkey BLYS polypeptides of SEQ ID NOS:3236 and/or 3237, the soluble form of monkey BLYS, or BLYS expressed on monkey monocytes), preferably the antibodies of the invention bind immunospecifically to human BLYS. Preferably, the antibodies of the invention bind immunospecifically to human and monkey BLYS. Also

preferably, the antibodies of the invention bind immunospecifically to human BLyS and murine BLyS. More preferably, antibodies of the invention, bind immunospecifically and with higher affinity to human BLyS than to murine BLyS.

[0217] Antibodies of the present invention may also be described or specified in terms of their cross-reactivity. Antibodies that do not bind any other analog, ortholog, or homolog of a polypeptide of the present invention are included. Antibodies that bind polypeptides with at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 65%, at least 60%, at least 55%, and at least 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In a specific embodiment, antibodies of the present invention cross react with APRIL (SEQ ID NO:3239; GenBank Accession No. AF046888; J. Exp. Med. 188(6):1185-1190; PCT International Publication WO97/33902). In specific embodiments, antibodies of the present invention cross-react with murine, rat and/or rabbit homologs of human proteins and the corresponding epitopes thereof. Antibodies that do not bind polypeptides with less than 95%, less than 90%, less than 85%, less than 80%, less than 75%, less than 70%, less than 65%, less than 60%, less than 55%, and less than 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In a specific embodiment, the above-described cross-reactivity is with respect to any single specific antigenic or immunogenic polypeptide, or combination(s) of 2, 3, 4, 5, or more of the specific antigenic and/or immunogenic polypeptides disclosed herein. Further included in the present invention are antibodies which bind polypeptides encoded by polynucleotides which hybridize to a polynucleotide of the present invention under hybridization conditions (as described herein).

[0218] In a specific embodiment, antibodies of the present invention cross react with APRIL (SEQ ID NO:3239; GenBank Accession No. AF046888; J. Exp. Med. 188(6):1185-1190; PCT International Publication WO97/33902). In specific embodiments, antibodies that immunospecifically bind both BLyS and APRIL comprise all or a portion the BAB2001, BAB2080, BAB2015, BAB2019, BAB2087, BAB2016, BAB2034 or BAB2065 scFVs (SEQ ID NOS:3240-3247). These scFVs were isolated by panning a phage scFv library comprising VH and VL domains obtained from human bone marrow B cells (BM library). Phage from the BM phage library were first selected for

binding to soluble BLyS (amino acids 134-285 of SEQ ID NO:3228). A second round of selection for binding to the soluble form of APRIL (amino acids 105-250 of SEQ ID NO:3239) was then performed on the BLyS binding phage selected in round one. A third round of selection for binding to the soluble form of APRIL (amino acids 105-250 of SEQ ID NO:3239) was then performed on the phage selected in round two. A final (fourth) round of selection for binding to the soluble form of BLyS (amino acids 134-285 of SEQ ID NO:3228) was then performed on the phage selected in round three. Phage clones that bound BLyS in the fourth round of selection were eluted with either 0.1M triethylamine (TEA) or with a TACI-Fc fusion protein (e.g., the extracellular domain of TACI (amino acids 31 to 159 of Genbank Accession No. AAC51790) fused to Fc). Eluted Phage were collected and sequenced (SEQ ID NOS:3240-3247). Of 79 sequences, there were 8 unique sequences (SEQ ID NOS:3240-3247).

[0219] Isolated scFv clones (e.g., scFvs corresponding to SEQ ID NOS:3240-3247 or other scFvs described in Table 1) or antibodies comprising at least a portion of said scFV clones may be screened for their ability to bind their ability to bind the soluble form of BLyS and the soluble form of APRIL by ELISA. Isolated scFv clones or antibodies comprising at least a portion of said scFv clones may also be screened for their ability to inhibit binding of a soluble form of BLyS or BLyS heterotrimer to TACI, BCMA or BAFF-R (Genbank Accession Nos. AAC51790, NP_00183, and NP_443177, respectively). Isolated scFv clones or antibodies comprising at least a portion of said scFv clones may also be screened for their ability to inhibit BLyS or BLyS heterotrimer mediated biological activities (e.g. stimulation of B cell proliferation and/or stimulation of immunoglobulin production).

[0220] In specific embodiments, antibodies that immunospecifically bind both BLyS and APRIL comprise all or a portion (e.g., VHCDR, VLCDR, VH domain, VL domain) of the BAB2001, BAB2015, BAB2016, BAB2019, BAB2034, BAB2065, or BAB2080 scFVs (SEQ ID NOS:3240-3247).

[0221] In preferred embodiments, the antibodies of the present invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), immunospecifically bind to BLyS and do not cross-react with any other antigens. In more preferred embodiments, the antibodies of the invention immunospecifically bind to

BLyS and do not cross-react with TRAIL, APRIL, Endokine-alpha, TNF-alpha, TNF-beta, Fas-L or LIGHT.

[0222] The present invention also provides for a nucleic acid molecule, generally isolated, encoding an antibody of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof). In one embodiment, a nucleic acid molecule of the invention encodes an antibody comprising, or alternatively consisting of, a VH domain having an amino acid sequence of any one of the VH domains referred to in Table 1. In another embodiment, a nucleic acid molecule of the present invention encodes an antibody comprising, or alternatively consisting of, a VH CDR1 having an amino acid sequence of any one of the VH CDR1s referred to in Table 1. In another embodiment, a nucleic acid molecule of the present invention encodes an antibody comprising, or alternatively consisting of, a VH CDR2 having an amino acid sequence of any one of the VH CDR2s referred to in Table 1. In yet another embodiment, a nucleic acid molecule of the present invention encodes an antibody comprising, or alternatively consisting of, a VH CDR3 having an amino acid sequence of any one of the VH CDR3s referred to in Table 1. Nucleic acid molecules encoding antibodies that immunospecifically bind BLyS and comprise, or alternatively consist of, fragments or variants of the VH domains and/or VH CDRs are also encompassed by the invention:

[0223] In another embodiment, a nucleic acid molecule of the invention encodes an antibody (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), comprising, or alternatively consisting of, a VL domain having an amino acid sequence of any one of the VL domains referred to in Table 1. In another embodiment, a nucleic acid molecule of the present invention encodes an antibody comprising, or alternatively consisting of, a VL CDR1 having amino acid sequence of any one of the VL CDR1s referred to in Table 1. In another embodiment, a nucleic acid molecule of the present invention encodes an antibody comprising, or alternatively consisting of, a VL CDR2 having an amino acid sequence of any one of the VL CDR2s referred to in Table 1. In yet another embodiment, a nucleic acid molecule of the present invention encodes an antibody comprising, or alternatively consisting of, a VL CDR3 having an amino acid sequence of any one of the VL CDR3s referred to in Table 1. Nucleic acid encoding antibodies that immunospecifically bind BLyS and comprise, or

alternatively consist of, fragments or variants of the VL domains and/or VLCDR(s) are also encompassed by the invention.

[0224] In another embodiment, a nucleic acid molecule of the invention encodes an antibody (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), comprising, or alternatively consisting of, a VH domain having an amino acid sequence of any one of the VH domains referred to in Table 1 and a VL domain having an amino acid sequence of any one of the VL domains referred to in Table 1. In another embodiment, a nucleic acid molecule of the invention encodes an antibody comprising, or alternatively consisting of, a VH CDR1, a VL CDR1, a VH CDR2, a VL CDR2, a VH CDR3, a VL CDR3, or any combination thereof having an amino acid sequence referred to in Table 1. Nucleic acid encoding antibodies that immunospecifically bind BLYS and comprise, or alternatively consist of, fragments or variants of the VL and/or domains and/or VHCDR(s) and/or VLCDR(s) are also encompassed by the invention.

[0225] The present invention also provides antibodies that comprise, or alternatively consist of, variants (including derivatives) of the VH domains, VH CDRs, VL domains, and VL CDRs described herein, which antibodies immunospecifically bind to BLYS. Standard techniques known to those of skill in the art can be used to introduce mutations in the nucleotide sequence encoding a molecule of the invention, including, for example, site-directed mutagenesis and PCR-mediated mutagenesis which result in amino acid substitutions. Preferably, the variants (including derivatives) encode less than 50 amino acid substitutions, less than 40 amino acid substitutions, less than 30 amino acid substitutions, less than 25 amino acid substitutions, less than 20 amino acid substitutions, less than 15 amino acid substitutions, less than 10 amino acid substitutions, less than 5 amino acid substitutions, less than 4 amino acid substitutions, less than 3 amino acid substitutions, or less than 2 amino acid substitutions relative to the reference VH domain, VHCDR1, VHCDR2, VHCDR3, VL domain, VLCDR1, VLCDR2, or VLCDR3. In specific embodiments, the variants encode substitutions of VHCDR3. In a preferred embodiment, the variants have conservative amino acid substitutions at one or more predicted non-essential amino acid residues. A "conservative amino acid substitution" is one in which the amino acid residue is replaced with an amino acid residue having a side chain with a similar charge. Families of amino acid residues having side chains with

similar charges have been defined in the art. These families include amino acids with basic side chains (*e.g.*, lysine, arginine, histidine), acidic side chains (*e.g.*, aspartic acid, glutamic acid), uncharged polar side chains (*e.g.*, glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), nonpolar side chains (*e.g.*, alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan), beta-branched side chains (*e.g.*, threonine, valine, isoleucine) and aromatic side chains (*e.g.*, tyrosine, phenylalanine, tryptophan, histidine). Alternatively, mutations can be introduced randomly along all or part of the coding sequence, such as by saturation mutagenesis, and the resultant mutants can be screened for biological activity to identify mutants that retain activity (*e.g.*, the ability to bind BLYS). Following mutagenesis, the encoded protein may routinely be expressed and the functional and/or biological activity of the encoded protein, (*e.g.*, ability to immunospecifically bind BLYS) can be determined using techniques described herein or by routinely modifying techniques known in the art.

[0226] The antibodies of the invention include derivatives (*i.e.*, variants) that are modified, *e.g.*, by the covalent attachment of any type of molecule to the antibody such that covalent attachment does not affect the ability of the antibody to immunospecifically bind to BLYS. For example, but not by way of limitation, derivatives of the invention include antibodies that have been modified, *e.g.*, by glycosylation, acetylation, pegylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to a cellular ligand or other protein, etc. Any of numerous chemical modifications may be carried out by known techniques, including, but not limited to, specific chemical cleavage, acetylation, formylation, metabolic synthesis of tunicamycin, etc. Additionally, the derivative may contain one or more non-classical amino acids.

[0227] In a specific embodiment, an antibody of the invention (including a molecule comprising, or alternatively consisting of, an antibody fragment or variant thereof), that immunospecifically binds BLYS, comprises, or alternatively consists of, an amino acid sequence encoded by a nucleotide sequence that hybridizes to a nucleotide sequence that is complementary to that encoding one of the VH or VL domains referred to in Table 1 under stringent conditions, *e.g.*, hybridization to filter-bound DNA in 6x sodium chloride/sodium citrate (SSC) at about 45° C followed by one or more washes in 0.2xSSC/0.1% SDS at about 50-65° C, under highly stringent conditions, *e.g.*,

hybridization to filter-bound nucleic acid in 6xSSC at about 45° C followed by one or more washes in 0.1xSSC/0.2% SDS at about 68° C, or under other stringent hybridization conditions which are known to those of skill in the art (see, for example, Ausubel, F.M. et al., eds. , 1989, *Current Protocols in Molecular Biology*, Vol. I, Green Publishing Associates, Inc. and John Wiley & Sons, Inc., New York at pages 6.3.1-6.3.6 and 2.10.3). In another embodiment, an antibody of the invention that immunospecifically binds to BLyS, comprises, or alternatively consists of, an amino acid sequence encoded by a nucleotide sequence that hybridizes to a nucleotide sequence that is complementary to that encoding one of the VH CDRs or VL CDRs referred to in Table 1 under stringent conditions, e.g., hybridization under conditions as described above, or under other stringent hybridization conditions which are known to those of skill in the art. In another embodiment, an antibody of the invention that immunospecifically binds to BLyS, comprises, or alternatively consists of, an amino acid sequence encoded by a nucleotide sequence that hybridizes to a nucleotide sequence that is complementary to that encoding one of the VH CDR3s referred to in Table 1 under stringent conditions e.g., hybridization under conditions as described above, or under other stringent hybridization conditions which are known to those of skill in the art. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0228] In another embodiment, an antibody (including a molecule comprising, or alternatively consisting of, an antibody fragment or variant thereof), that immunospecifically binds to BLyS comprises, or alternatively consists of, a polypeptide having an amino acid sequence that is at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, or at least 99% identical, to any one of the VH domains referred to in Table 1. In another embodiment, an antibody of the invention that immunospecifically binds to BLyS comprises, or alternatively consists of, a polypeptide having an amino acid sequence that is at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, or at least 99% identical, to any one of the VH CDRs referred to in Table 1. In another embodiment, an antibody of the invention that immunospecifically binds to BLyS comprises, or alternatively consists of, a polypeptide having an amino acid sequence that is at least 35%, at least 40%, at least 45%, at least

50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, or at least 99% identical to any one of the VH CDR3s referred to in Table 1. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0229] In another embodiment, an antibody of the invention (including a molecule comprising, or alternatively consisting of, an antibody fragment or variant thereof), that immunospecifically binds to BLYS comprises, or alternatively consists of, a polypeptide having an amino acid sequence that is at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, or at least 99% identical, to any one of the VL domains referred to in Table 1. In another embodiment, an antibody of the invention that immunospecifically binds to BLYS comprises, or alternatively consists of, a polypeptide having an amino acid sequence that is at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, or at least 99% identical, to any one of the VL CDRs referred to in Table 1. In another embodiment, an antibody of the invention that immunospecifically binds to BLYS comprises, or alternatively consists of, a polypeptide having an amino acid sequence that is at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, or at least 99% identical, to any one of the VL CDR3s referred to in Table 1. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0230] Antibodies of the present invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) may also be described or specified in terms of their binding affinity for to BLYS polypeptides or fragments or variants of BLYS polypeptides (e.g., to the soluble form of BLYS and/or membrane-bound form of BLYS). In specific embodiments, antibodies of the invention bind BLYS polypeptides, or fragments or variants thereof, with a dissociation constant or K_D of less than or equal to 5×10^{-2} M, 10^{-2} M, 5×10^{-3} M, 10^{-3} M, 5×10^{-4} M, 10^{-4} M, 5×10^{-5} M, or 10^{-5} M. More preferably, antibodies of the invention bind BLYS polypeptides or fragments or variants thereof with a dissociation constant or K_D less than or equal to 5×10^{-6} M, 10^{-6} M, 5×10^{-7} M, 10^{-7} M, 5×10^{-8} M, or 10^{-8} M. Even more preferably,

antibodies of the invention bind BLyS polypeptides or fragments or variants thereof with a dissociation constant or K_D less than or equal to 5×10^{-9} M, 10^{-9} M, 5×10^{-10} M, 10^{-10} M, 5×10^{-11} M, 10^{-11} M, 5×10^{-12} M, 10^{-12} M, 5×10^{-13} M, 10^{-13} M, 5×10^{-14} M, 10^{-14} M, 5×10^{-15} M, or 10^{-15} M. The invention encompasses antibodies that bind BLyS polypeptides with a dissociation constant or K_D that is within any one of the ranges that are between each of the individual recited values.

[0231] In specific embodiments, antibodies of the invention bind BLyS polypeptides or fragments or variants thereof with an off rate (k_{off}) of less than or equal to $5 \times 10^{-2} \text{ sec}^{-1}$, 10^{-2} sec^{-1} , $5 \times 10^{-3} \text{ sec}^{-1}$ or 10^{-3} sec^{-1} . More preferably, antibodies of the invention bind BLyS polypeptides or fragments or variants thereof with an off rate (k_{off}) less than or equal to $5 \times 10^{-4} \text{ sec}^{-1}$, 10^{-4} sec^{-1} , $5 \times 10^{-5} \text{ sec}^{-1}$, or 10^{-5} sec^{-1} $5 \times 10^{-6} \text{ sec}^{-1}$, 10^{-6} sec^{-1} , $5 \times 10^{-7} \text{ sec}^{-1}$ or 10^{-7} sec^{-1} . The invention encompasses antibodies that bind BLyS polypeptides with an off rate (k_{off}) that is within any one of the ranges that are between each of the individual recited values.

[0232] In other embodiments, antibodies of the invention bind BLyS polypeptides or fragments or variants thereof with an on rate (k_{on}) of greater than or equal to $10^3 \text{ M}^{-1} \text{ sec}^{-1}$, $5 \times 10^3 \text{ M}^{-1} \text{ sec}^{-1}$, $10^4 \text{ M}^{-1} \text{ sec}^{-1}$ or $5 \times 10^4 \text{ M}^{-1} \text{ sec}^{-1}$. More preferably, antibodies of the invention bind BLyS polypeptides or fragments or variants thereof with an on rate (k_{on}) greater than or equal to $10^5 \text{ M}^{-1} \text{ sec}^{-1}$, $5 \times 10^5 \text{ M}^{-1} \text{ sec}^{-1}$, $10^6 \text{ M}^{-1} \text{ sec}^{-1}$, or $5 \times 10^6 \text{ M}^{-1} \text{ sec}^{-1}$ or $10^7 \text{ M}^{-1} \text{ sec}^{-1}$. The invention encompasses antibodies that bind BLyS polypeptides with on rate (k_{on}) that is within any one of the ranges that are between each of the individual recited values.

[0233] The invention also encompasses antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that have one or more of the same biological characteristics as one or more of the antibodies described herein. By "biological characteristics" is meant, the in vitro or in vivo activities or properties of the antibodies, such as, for example, the ability to bind to BLyS (e.g., the soluble form of BLyS, the membrane-bound form of BLyS, the soluble form and membrane-bound form of BLyS), and/or an antigenic and/or epitope region of BLyS), the ability to substantially block BLyS/BLyS receptor (e.g., TACI - GenBank accession number AAC51790; BCMA - GenBank accession number NP_001183; and/or BAFF-R - GenBank accession number NP_443177) binding, or the ability to block BLyS mediated

biological activity (e.g., stimulation of B cell proliferation and immunoglobulin production). Optionally, the antibodies of the invention will bind to the same epitope as at least one of the antibodies specifically referred to herein. Such epitope binding can be routinely determined using assays known in the art.

[0234] The present invention also provides for antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that neutralize BLyS or a fragment thereof, said antibodies comprising, or alternatively consisting of, a portion (*i.e.*, a VH domain, VL domain, VH CDR1, VH CDR2, VH CDR3, VL CDR1, VL CDR2, or VL CDR3) of an scFv referred to in Table 1, more preferably having an amino acid sequence contained in SEQ ID NOS:834 - 872, 1570 - 1595, or 1886 - 1908, and even more preferably having an amino acid sequence contained in SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, or 1881 - 1885 as disclosed in Table 1, or a fragment or variant thereof. By an antibody that "neutralizes BLyS or a fragment thereof" is meant an antibody that diminishes or abolishes the ability of BLyS to bind to its receptor (e.g., TACI - GenBank accession number AAC51790; BCMA - GenBank accession number NP_001183; and/or BAFF-R - GenBank accession number NP_443177) to stimulate B cell proliferation, to stimulate immunoglobulin secretion by B cells, and/or to stimulate the BLyS receptor signalling cascade. In one embodiment, an antibody that neutralizes BLyS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another embodiment, an antibody that neutralizes BLyS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another embodiment, an antibody that neutralizes BLyS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH CDR domain in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In a preferred embodiment, an antibody that neutralizes BLyS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or

a fragment or variant thereof. In another embodiment, an antibody that neutralizes BLyS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL CDR domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another preferred embodiment, an antibody that neutralizes BLyS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0235] The present invention also provides for antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that inhibit (i.e., diminish or abolish) BLyS-mediated B cell proliferation as determined by any method known in the art such as, for example, the assays described in Examples 21 and 22, *infra*, said antibodies comprising, or alternatively consisting of, a portion (e.g., a VH domain, VL domain, VH CDR1, VH CDR2, VH CDR3, VL CDR1, VL CDR2, or VL CDR3) of an scFv having an amino acid sequence SEQ ID NOS:834 - 872, 1570 - 1595, 1886 - 1908, and even more preferably having an amino acid sequence SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, 1881 - 1885 as disclosed in Table 1 or a fragment or variant thereof. In one embodiment, an antibody that inhibits BLyS-mediated B cell proliferation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908, as disclosed in Table 1, or a fragment or variant thereof. In another embodiment, an antibody that inhibits BLyS-mediated B cell proliferation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In a preferred embodiment, an antibody that inhibits BLyS-mediated B cell proliferation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another preferred embodiment, an antibody that inhibits BLyS-mediated B cell proliferation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL CDR3 contained SEQ ID NOS:1 -

46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0236] The present invention also provides for antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that inhibit (i.e., diminish or abolish) BLYS-mediated stimulation of B cell survival as determined by any method known in the art such as, for example, the assays described in Examples 21 and 22, *infra*, said antibodies comprising, or alternatively consisting of, a portion (e.g., a VH domain, VL domain, VH CDR1, VH CDR2, VH CDR3, VL CDR1, VL CDR2, or VL CDR3) of an scFv having an amino acid sequence SEQ ID NOS:834 - 872, 1570 - 1595, 1886 - 1908, and even more preferably having an amino acid sequence SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, 1881 - 1885 as disclosed in Table 1 or a fragment or variant thereof. In one embodiment, an antibody that inhibits BLYS-mediated stimulation of B cell survival, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908, as disclosed in Table 1, or a fragment or variant thereof. In another embodiment, an antibody that inhibits BLYS-mediated stimulation of B cell survival, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In a preferred embodiment, an antibody that inhibits BLYS-mediated stimulation of B cell survival, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another preferred embodiment, an antibody that inhibits BLYS-mediated stimulation of B cell survival, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL CDR3 contained SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0237] The present invention also provides for antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that inhibit (i.e., diminish or abolish) BLYS-mediated stimulation of B cell differentiation as

determined by any method known in the art such as, for example, the assays described in Examples 21 and 22, *infra*, said antibodies comprising, or alternatively consisting of, a portion (*e.g.*, a VH domain, VL domain, VH CDR1, VH CDR2, VH CDR3, VL CDR1, VL CDR2, or VL CDR3) of an scFv having an amino acid sequence SEQ ID NOS:834 - 872, 1570 - 1595, 1886 - 1908, and even more preferably having an amino acid sequence SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, 1881 - 1885 as disclosed in Table 1 or a fragment or variant thereof. In one embodiment, an antibody that inhibits BLyS-mediated stimulation of B cell differentiation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908, as disclosed in Table 1, or a fragment or variant thereof. In another embodiment, an antibody that inhibits BLyS-mediated stimulation of B cell differentiation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In a preferred embodiment, an antibody that inhibits BLyS-mediated stimulation of B cell differentiation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another preferred embodiment, an antibody that inhibits BLyS-mediated stimulation of B cell differentiation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL CDR3 contained SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0238] The present invention also provides for antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that inhibit (*i.e.*, diminish or abolish) BLyS-mediated stimulation of immunoglobulin production by B cells as determined by any method known in the art such as, for example, the assays described in Examples 21 and 22, *infra*, said antibodies comprising, or alternatively consisting of, a portion (*e.g.*, a VH domain, VL domain, VH CDR1, VH CDR2, VH CDR3, VL CDR1, VL CDR2, or VL CDR3) of an scFv having an amino acid sequence SEQ ID NOS:834 - 872, 1570 - 1595, 1886 - 1908, and even more preferably

having an amino acid sequence SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, 1881 - 1885 as disclosed in Table 1 or a fragment or variant thereof. In one embodiment, an antibody that inhibits BLyS-mediated stimulation of immunoglobulin production by B cells, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908, as disclosed in Table 1, or a fragment or variant thereof. In another embodiment, an antibody that inhibits BLyS-mediated stimulation of immunoglobulin production by B cells, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In a preferred embodiment, an antibody that inhibits BLyS-mediated stimulation of immunoglobulin production by B cells, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another preferred embodiment, an antibody that inhibits BLyS-mediated stimulation of immunoglobulin production by B cells, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0239] The present invention also provides for antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that enhance the activity of BLyS or a fragment thereof, said antibodies comprising, or alternatively consisting of, a portion (*i.e.*, a VH domain, VL domain, VH CDR1, VH CDR2, VH CDR3, VL CDR1, VL CDR2, or VL CDR3) of an scFv having an amino acid sequence SEQ ID NOS:834 - 872, 1570 - 1595, or 1886 - 1908, and preferably having an amino acid sequence of SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, or 1881 - 1885, as disclosed in Table 1, or a fragment or variant thereof. By an antibody that "enhances the activity of BLyS or a fragment thereof" is meant an antibody increases the ability of BLyS to bind to its receptor (*e.g.*, TACI - GenBank accession number AAC51790; BCMA - GenBank accession number NP_001183; and/or BAFF-R - GenBank accession number NP_443177), to stimulate B cell proliferation, to stimulate immunoglobulin secretion by B

cells, and/or to stimulate the BLYS receptor signalling cascade. In one embodiment, an antibody that enhances the activity of BLYS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another embodiment, an antibody that enhances the activity of BLYS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another embodiment, an antibody that enhances the activity of BLYS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH CDR domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In a preferred embodiment, an antibody that enhances the activity of BLYS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another embodiment, an antibody that enhances BLYS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL CDR domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another preferred embodiment, an antibody that enhances the activity of BLYS or a fragment thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0240] The present invention also provides for antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that stimulate BLYS-mediated B cell proliferation as determined by any method known in the art, such as, for example, the assays described in Examples 21 and 22, *infra*, said antibodies comprising, or alternatively consisting of, a portion (*e.g.*, a VH domain, VL domain, VH CDR1, VH CDR2, VH CDR3, VL CDR1, VL CDR2, or VL CDR3) of an scFv having an amino acid sequence of SEQ ID NOS:834 - 872, 1570 - 1595, or 1886 -

1908, and even more preferably having an amino acid sequence of SEQ ID NOS:1 - 46, 321 - 329, 1563 - 1569, or 1881 - 1885 as disclosed in Table 1 or a fragment or variant thereof. In one embodiment, an antibody that stimulates BLYS-mediated B cell proliferation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another embodiment, an antibody that stimulates BLYS-mediated B cell proliferation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL domain contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In a preferred embodiment, an antibody that stimulates BLYS-mediated B cell proliferation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VH CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. In another preferred embodiment, an antibody that stimulates BLYS-mediated B cell proliferation, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a VL CDR3 contained in SEQ ID NOS:1 - 46, 321 - 329, 834 - 872, 1563 - 1595, or 1881 - 1908 as disclosed in Table 1, or a fragment or variant thereof. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0241] The present invention also provides for fusion proteins comprising, or alternatively consisting of, an antibody (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that immunospecifically binds to BLYS, and a heterologous polypeptide. Preferably, the heterologous polypeptide to which the antibody is fused to is useful for B-cell function or is useful to target the antibody to B-cells. In an alternative preferred embodiment, the heterologous polypeptide to which the antibody is fused to is useful for monocyte cell function or is useful to target the antibody to a monocyte. In another embodiment, the heterologous polypeptide to which the antibody is fused is albumin (including but not limited to recombinant human serum albumin or fragments or variants thereof (see, e.g., U.S. Patent No. 5,876,969, issued March 2, 1999, EP Patent 0 413 622, and U.S. Patent No. 5,766,883, issued June 16, 1998, herein incorporated by reference in their entirety)). In a preferred embodiment, antibodies of the present invention (including fragments or variants thereof) are fused with the

mature form of human serum albumin (i.e., amino acids 1 – 585 of human serum albumin as shown in Figures 1 and 2 of EP Patent 0 322 094) which is herein incorporated by reference in its entirety. In another preferred embodiment, antibodies of the present invention (including fragments or variants thereof) are fused with polypeptide fragments comprising, or alternatively consisting of, amino acid residues 1-x of human serum albumin, where x is an integer from 1 to 585 and the albumin fragment has human serum albumin activity. In another preferred embodiment, antibodies of the present invention (including fragments or variants thereof) are fused with polypeptide fragments comprising, or alternatively consisting of, amino acid residues 1-z of human serum albumin, where z is an integer from 369 to 419, as described in U.S. Patent 5,766,883 herein incorporated by reference in its entirety. Antibodies of the present invention (including fragments or variants thereof) may be fused to either the N- or C-terminal end of the heterologous protein (e.g., immunoglobulin Fc polypeptide or human serum albumin polypeptide).

[0242] In one embodiment, a fusion protein of the invention comprises, or alternatively consists of, a polypeptide having the amino acid sequence of any one or more of the VH domains referred to in Table 1 or the amino acid sequence of any one or more of the VL domains referred to in Table 1 or fragments or variants thereof, and a heterologous polypeptide sequence. In another embodiment, a fusion protein of the present invention comprises, or alternatively consists of, a polypeptide having the amino acid sequence of any one, two, three, or more of the VH CDRs referred to in Table 1, or the amino acid sequence of any one, two, three, or more of the VL CDRs referred to in Table 1, or fragments or variants thereof, and a heterologous polypeptide sequence. In a preferred embodiment, the fusion protein comprises, or alternatively consists of, a polypeptide having the amino acid sequence of, a VH CDR3 referred to in Table 1, or fragment or variant thereof, and a heterologous polypeptide sequence, which fusion protein immunospecifically binds to BLYS. In another embodiment, a fusion protein comprises, or alternatively consists of a polypeptide having the amino acid sequence of at least one VH domain referred to in Table 1 and the amino acid sequence of at least one VL domain referred to in Table 1 or fragments or variants thereof, and a heterologous polypeptide sequence. Preferably, the VH and VL domains of the fusion protein correspond to the same scFv referred to in Table 1. In yet another embodiment, a fusion

protein of the invention comprises, or alternatively consists of a polypeptide having the amino acid sequence of any one, two, three or more of the VH CDRs referred to in Table 1 and the amino acid sequence of any one, two, three or more of the VL CDRs referred to in Table 1, or fragments or variants thereof, and a heterologous polypeptide sequence. Preferably, two, three, four, five, six, or more of the VHCDR(s) or VLCDR(s) correspond to the same scFv referred to in Table 1. Nucleic acid molecules encoding these fusion proteins are also encompassed by the invention.

[0243] The present invention also provides: antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that immunospecifically bind to the soluble form of BLYS; antibodies that immunospecifically bind to the membrane-bound form of BLYS; and antibodies that immunospecifically bind to both the soluble form and membrane-bound form of BLYS.

[0244] In one embodiment of the present invention, antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to the soluble form of BLYS, comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one or more of the VH domains contained in SEQ ID NOS:1563 – 1880 as disclosed in Table 1 and/or the amino acid sequence of any one or more of the VL domains contained in SEQ ID NOS: 1563 - 1880 as disclosed in Table 1, or fragment(s) or variant(s) (including derivative) thereof. Preferably, the VH and VL domains of the antibody correspond to the same scFv as disclosed in Table 1. In another embodiment, antibodies that immunospecifically bind to the soluble form of BLYS are provided that comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one, two, three, or more of the VH CDRs contained SEQ ID NOS: 1563 - 1880 as disclosed in Table 1 and/or the amino acid sequence of any one, two, three, or more of the VL CDRs contained in SEQ ID NOS: 1563 - 1880 as disclosed in Table 1, or fragment(s) or variant(s) thereof. Preferably, two, three, four, five, six or more of the VH and VL CDRs of the antibody correspond to the same scFv as disclosed in Table 1. In a preferred embodiment, antibodies that immunospecifically bind to the soluble form of BLYS are provided that comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one or more of the VH CDR3s contained in SEQ ID NOS: 1563 - 1880 as disclosed in Table 1 and/or the amino acid sequence of any one or more of the VL CDR3s contained in SEQ ID NOS:

1563 - 1880 as disclosed in Table 1, or fragment(s) or variant(s) thereof. Preferably, the VHCDR3 and VLCDR3 of the antibody correspond to the same scFv, as disclosed in Table 1. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0245] In another embodiment of the present invention, antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to the membrane-bound form of BLYS are provided that comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one or more of the VH domains contained in SEQ ID NOS: 1881 - 2128 as disclosed in Table 1 and/or the amino acid sequence of any one or more of the VL domains contained in SEQ ID NOS: 1881 - 2128 as disclosed in Table 1, or a fragment or variant thereof. Preferably, the VH and VL domains of the antibody correspond to the same scFv as disclosed in Table 1. In another embodiment, antibodies that immunospecifically bind to the membrane-bound form of BLYS are provided that comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one, two, three, or more of the VH CDRs contained in SEQ ID NOS: 1881 - 2128 as disclosed in Table 1 and/or the amino acid sequence of any one, two, three, or more of the VL CDRs contained in SEQ ID NOS: 1881 - 2128 as disclosed in Table 1, or fragment(s) or variant(s) thereof. Preferably, two, three, four, five, six or more of the VH and VL CDRs of the antibody correspond to the same scFv as disclosed in Table 1. In a preferred embodiment, antibodies that immunospecifically bind to the membrane-bound form of BLYS are provided that comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one or more of the VH CDR3s contained in SEQ ID NOS: 1881 - 2128 as disclosed in Table 1 and/or the amino acid sequence of any one or more of the VL CDR3s contained in SEQ ID NOS: 1881 - 2128 as disclosed in Table 1, or fragment(s) or variant(s) thereof. Preferably, the VHCDR3 and VLCDR3 of the antibody correspond to the same scFv, as disclosed in Table 1. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

[0246] In another embodiment of the present invention, antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to the soluble form and membrane-bound form of BLYS, are provided that comprise, or alternatively consist of, a polypeptide having the

amino acid sequence of any one or more of the VH domains contained in SEQ ID NOS: 1 - 1562 as disclosed in Table 1 and/or the amino acid sequence of any one or more of the VL domains contained in SEQ ID NOS: 1 - 1562 as disclosed in Table 1, or a fragment or variant thereof. Preferably, the VH and VL domains of the antibody correspond to the same scFv as disclosed in Table 1. In another embodiment, antibodies that immunospecifically bind to the soluble form and membrane-bound form of BLYS are provided that comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one, two, three, or more of the VH CDRs contained in SEQ ID NOS: 1 - 1562 as disclosed in Table 1 and/or the amino acid sequence of any one, two, three, or more of the VL CDRs contained in SEQ ID NOS: 1 - 1562 as disclosed in Table 1, or fragment(s) or variant(s) thereof. Preferably, two, three, four, five, six or more of the VH and VL CDRs of the antibody correspond to the same scFv as disclosed in Table 1. In a preferred embodiment, antibodies that immunospecifically bind to the soluble form and membrane-bound form of BLYS are provided that comprise, or alternatively consist of, a polypeptide having the amino acid sequence of any one or more of the VH CDR3s contained in SEQ ID NOS: 1 - 1562, disclosed in Table 1 and/or the amino acid sequence of any one or more of the VL CDR3s contained in SEQ ID NOS: 1 - 1562, disclosed in Table 1, or fragment(s) or variant(s) thereof. Preferably, the VHCDR3 and VLCDR3 of the antibody correspond to the same scFv, as disclosed in Table 1.

[0247] The present invention also provides for mixtures of antibodies (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to BLYS, wherein the mixture has at least one, two, three, four, five or more different antibodies of the invention. In particular, the invention provides for mixtures of different antibodies that immunospecifically bind to the soluble form of BLYS, the membrane-bound form of BLYS, and/or both the membrane-bound form and soluble form of BLYS. In specific embodiments, the invention provides mixtures of at least 2, preferably at least 4, at least 6, at least 8, at least 10, at least 12, at least 15, at least 20, or at least 25 different antibodies that immunospecifically bind to BLYS, wherein at least 1, at least 2, at least 4, at least 6, or at least 10, antibodies of the mixture is an antibody of the invention. In a specific embodiment, each antibody of the mixture is an antibody of the invention.

[0248] The present invention also provides for panels of antibodies (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to BLYS, wherein the panel has at least one, two, three, four, five or more different antibodies of the invention. In particular, the invention provides for panels of different antibodies that immunospecifically bind to the soluble form of BLYS, the membrane-bound form of BLYS, and/or both the membrane-bound form and soluble form of BLYS. In specific embodiments, the invention provides for panels of antibodies that have different affinities for BLYS, different specificities for BLYS, or different dissociation rates. The invention provides panels of at least 10, preferably at least 25, at least 50, at least 75, at least 100, at least 125, at least 150, at least 175, at least 200, at least 250, at least 300, at least 350, at least 400, at least 450, at least 500, at least 550, at least 600, at least 650, at least 700, at least 750, at least 800, at least 850, at least 900, at least 950, or at least 1000, antibodies. Panels of antibodies can be used, for example, in 96 well plates for assays such as ELISAs.

[0249] The present invention further provides for compositions comprising, one or more antibodies (including scFvs and other molecules comprising, or alternatively consisting of antibody fragments or variants of the invention). In one embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH domains contained in SEQ ID NOS:1563 - 1880 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH CDR1s contained in SEQ ID NOS:1563 - 1880 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH CDR2s contained in SEQ ID NOS:1563 - 1880 as disclosed in Table 1, or a variant thereof. In a preferred embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH CDR3s contained in SEQ ID NOS:1563 - 1880, as disclosed in Table 1 or a variant thereof.

[0250] The present invention further provides for compositions comprising, one or more antibodies (including scFvs and other molecules comprising, or alternatively consisting of antibody fragments or variants of the invention). In one embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH domains contained in SEQ ID NOS:1881 - 2128 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH CDR1s contained in SEQ ID NOS:1881 - 2128 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH CDR2s contained in SEQ ID NOS:1881 - 2128 as disclosed in Table 1, or a variant thereof. In a preferred embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH CDR3s contained in SEQ ID NOS:1881 - 2128 as disclosed in Table 1 or a variant thereof.

[0251] The present invention further provides for compositions comprising, one or more antibodies (including scFvs, or molecules comprising, or alternatively consisting of antibody fragments or variants of the invention). In one embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH domains contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH CDR1s contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH CDR2s contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1, or a variant thereof. In a preferred embodiment,

a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH CDR3s contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1 or a variant thereof.

[0252] Other embodiments of the present invention providing for compositions comprising, one or more antibodies (including scFvs and other molecules comprising, or alternatively consisting of antibody fragments or variants of the invention) are listed below. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL domains contained in SEQ ID NOS:1563 - 1880 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL CDR1s contained in SEQ ID NOS:1563 - 1880 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL CDR2s contained in SEQ ID NOS:1563 - 1880 as disclosed in Table 1, or a variant thereof. In a preferred embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL CDR3s contained in SEQ ID NOS:1563 - 1880 as disclosed in Table 1, or a variant thereof.

[0253] Other embodiments of the present invention providing for compositions comprising, one or more antibodies (including scFvs and other molecules comprising, or alternatively consisting of antibody fragments or variants of the invention) are listed below. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL domains contained in SEQ ID NOS:1881 - 2128 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide

having an amino acid sequence of any one or more of the VL CDR1s contained in SEQ ID NOS:1881 - 2128 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL CDR2s SEQ ID NOS:1881 - 2128 as disclosed in Table 1, or a variant thereof. In a preferred embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL CDR3s contained in SEQ ID NOS:1881 - 2128 as disclosed in Table 1, or a variant thereof.

[0254] Other embodiments of the present invention providing for compositions comprising, one or more antibodies (including scFvs and other molecules comprising, or alternatively consisting of antibody fragments or variants of the invention) are listed below. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL domains contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL CDR1s contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1, or a variant thereof. In another embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL CDR2s SEQ ID NOS:1 - 1562 as disclosed in Table 1, or a variant thereof. In a preferred embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VL CDR3s contained in SEQ ID NOS:1 - 1562 as disclosed in Table 1, or a variant thereof.

[0255] In a preferred embodiment, a composition of the present invention comprises, one, two, three, four, five, or more antibodies that comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one or more of the VH domains in

disclosed in Table 1, or a variant thereof, and an amino acid sequence of any one or more of the VL domains disclosed in Table 1, or a variant thereof wherein the VH and VL domains are from scFvs with the same specificity (i.e., from scFvs that bind soluble BLyS (SEQ ID NOS:1563 - 1880), from scFvs that bind membrane-bound BLyS (SEQ ID 1881 - 2128), or from scFvs that bind both soluble and membrane-bound BLyS (SEQ ID NOS:1 - 1562). In a preferred embodiment the invention provides antibodies wherein the VH CDRX (where X=1,2, or 3) and VL CDRY (where Y= 1,2, or 3) are from scFvs with the same specificity (i.e., from scFvs that bind soluble BLyS (SEQ ID NOS:1563 - 1880), from scFvs that bind membrane-bound BLyS (SEQ ID NOS:1881 - 2128), or from scFvs that bind both soluble and membrane-bound BLyS (SEQ ID NOS:1 - 1562). In yet another embodiment, a composition of the present invention comprises one or more fusion proteins.

[0256] As discussed in more detail below, a composition of the invention may be used either alone or in combination with other compositions. The antibodies (including scFvs and other molecules comprising, or alternatively consisting of antibody fragments or variants of the present invention) may further be recombinantly fused to a heterologous polypeptide at the N- or C-terminus or chemically conjugated (including covalently and non-covalently conjugations) to polypeptides or other compositions. For example, antibodies of the present invention may be recombinantly fused or conjugated to molecules useful as labels in detection assays and effector molecules such as heterologous polypeptides, drugs, radionuclides, or toxins. See, *e.g.*, PCT publications WO 92/08495; WO 91/14438; WO 89/12624; U.S. Patent No. 5,314,995; and EP 396,387.

[0257] Antibodies of the present invention (including scFvs and other molecules comprising, or alternatively consisting of antibody fragments or variants of the present invention) may be used, for example, but not limited to, to purify and detect BLyS, and to target the polypeptides of the present invention to cells expressing membrane-bound BLyS or BLyS receptor, including both *in vitro* and *in vivo* diagnostic and therapeutic methods. For example, the antibodies have use in immunoassays for qualitatively and quantitatively measuring levels of BLyS in biological samples. See, *e.g.*, Harlow *et al.*, *Antibodies: A Laboratory Manual*, (Cold Spring Harbor Laboratory Press, 2nd ed. 1988) (incorporated by reference herein in its entirety).

Methods Producing Antibodies

[0258] The antibodies of the invention (including scFvs and other molecules comprising, or alternatively consisting of antibody fragments or variants of the invention) can be produced by any method known in the art for the synthesis of antibodies, in particular, by chemical synthesis or preferably, by recombinant expression techniques.

[0259] The single chain Fvs disclosed in Table 1 were generated using phage display methods known in the art. Furthermore, other scFvs that immunospecifically bind BLYS may be generated using phage display methods known in the art. In phage display methods, functional antibody domains are displayed on the surface of phage particles which carry the polynucleotide sequences encoding them. In particular, DNA sequences encoding VH and VL domains are amplified from animal cDNA libraries (*e.g.*, human or murine cDNA libraries of lymphoid tissues) or synthetic cDNA libraries. The DNA encoding the VH and VL domains are joined together by an scFv linker by PCR and cloned into a phagemid vector (*e.g.*, p CANTAB 6 or pComb 3 HSS). The vector is electroporated in *E. coli* and the *E. coli* is infected with helper phage. Phage used in these methods are typically filamentous phage including fd and M13 and the VH and VL domains are usually recombinantly fused to either the phage gene III or gene VIII. Phage expressing an antigen binding domain that binds to an antigen of interest (*i.e.*, BLYS or a fragment thereof) can be selected or identified with antigen, *e.g.*, using labeled antigen or antigen bound or captured to a solid surface or bead. Examples of phage display methods that can be used to make the antibodies of the present invention include, but are not limited to, those disclosed in Brinkman *et al.*, J. Immunol. Methods 182:41-50 (1995); Ames *et al.*, J. Immunol. Methods 184:177-186 (1995); Kettleborough *et al.*, Eur. J. Immunol. 24:952-958 (1994); Persic *et al.*, Gene 187 9-18 (1997); Burton *et al.*, Advances in Immunology 57:191-280(1994); PCT application No. PCT/GB91/O1 134; PCT publications WO 90/02809; WO 91/10737; WO 92/01047; WO 92/18619; WO 93/1 1236; WO 95/15982; WO 95/20401; WO97/13844; and U.S. Patent Nos. 5,698,426; 5,223,409; 5,403,484; 5,580,717; 5,427,908; 5,750,753; 5,821,047; 5,571,698; 5,427,908; 5,516,637; 5,780,225; 5,658,727; 5,733,743 and 5,969,108; each of which is incorporated herein by reference in its entirety.

[0260] ScFvs that immunospecifically bind to both BLYS and APRIL polypeptides (preferably to the mature soluble forms of each) may be obtained, for example, by

sequential rounds of selection for binding to one or the other of BLyS and APRIL polypeptides. Thus in one embodiment, the present invention provides for a method of selecting phage that express scFvs that immunospecifically bind both BLyS polypeptides and APRIL polypeptides, comprising at least one round of phage selection for binding to BLyS polypeptide and at least one round of phage selection for binding to APRIL polypeptide. Selection for BLyS binding may either precede or follow selection for APRIL binding. More than one round of selection for binding to either BLyS or APRIL may be conducted.

[0261] ScFvs that immunospecifically bind to a heterotrimer comprising at least one BLyS polypeptide and at least one APRIL polypeptide may be, for example, obtained by sequential rounds of selection for binding to one or the other of BLyS and APRIL polypeptide. Thus in one embodiment, the present invention provides for a method of selecting phage that express scFvs that immunospecifically bind a heterotrimer comprising at least one BLyS polypeptide and at least one APRIL polypeptide, comprising at least one round of phage selection for binding to BLyS polypeptide and at least one round of phage selection for binding to APRIL polypeptide. Selection for BLyS binding may either precede or follow selection for APRIL binding. More than one round of selection for binding to either BLyS or APRIL may be conducted.

[0262] Alternatively, scFvs that immunospecifically bind to a heterotrimer comprising at least one BLyS polypeptide and at least one APRIL polypeptide may be obtained, for example, by selecting scFVs that bind to a BLyS heterotrimer. A BLyS heterotrimer may contain, for example, one BLyS polypeptide and two APRIL polypeptides (2BLyS:1APRIL heterotrimer). Other BLyS heterotrimers may contain, for example, one BLyS polypeptide and two APRIL polypeptides (1BLyS:2APRIL heterotrimer). Preferably, the heterotrimers comprising BLyS and APRIL polypeptides contain the mature forms of both the BLyS and APRIL polypeptides. ScFvs may be selected in one or more rounds of selection for binding only to the 2BLyS:1APRIL heterotrimer, or only to the 1BLyS:2APRIL heterotrimer. Alternatively, scFVs that immunospecifically bind heterotrimers comprising BLyS and APRIL polypeptides may be obtained through sequential rounds of screening on individual forms of the BLyS/APRIL heterotrimer in any order and/or on both forms of the heterotrimer simultaneously, or any combination thereof.

[0263] As described in the above references, after phage selection, the antibody coding regions from the phage can be isolated and used to generate whole antibodies, including human antibodies, or any other desired antigen binding fragment, and expressed in any desired host, including mammalian cells, insect cells, plant cells, yeast, and bacteria, *e.g.*, as described below. Techniques to recombinantly produce Fab, Fab' and F(ab')₂ fragments can also be employed using methods known in the art such as those disclosed in PCT publication WO 92/22324; Mullinax *et al.*, *BioTechniques* 12(6):864-869 (1992); Sawai *et al.*, *AJRI* 34:26-34 (1995); and Better *et al.*, *Science* 240:1041-1043 (1988) (said references incorporated by reference in their entireties).

[0264] The characteristics of an antibody, such as its on-rate, off-rate and/or overall affinity may be altered using in vitro mutation and selection techniques. This process is well known in the art and is commonly referred to as in vitro affinity maturation of antibodies. Starting with a given antibody that binds a particular antigen with a certain affinity, one of skill in the art can engineer variants of that antibody and test the antibody variants for altered (usually improved) antigen binding characteristics. The amino acid sequence of the VH and VL regions of such antibody variants may be substantially from that of the starting or original antibody; for example, the an antibody variants may comprise the original VH or VL paired with a different (from the original) VL or VH region, respectively. Alternatively, the amino acid sequence of the VH and VL region of such antibody variants may be quite similar to that of the starting or original antibody; for example, an antibody variant may have only a few amino acid changes in the VH and/or VL region. It is common for one to engineer the mutations in CDR regions, and particularly in the VHCDR3 region. Examples of both types of in vitro antibody affinity maturation are described for example, Thompson *et al.*, (1996) *The Journal of Molecular Biology* 256:77-88. Moreover, a review of phage display antibody technology may be found in Vaughan *et al.*, (1998) *Nature Biotechnology* 16:535-539; both of these articles are herein incorporated by reference in their entireties. The scFvs of SEQ ID NOS:10-37 are CDR3 mutants derived from the scFv of SEQ ID NO:9 and scFvs of SEQ ID NOS:291-327 are CDR3 mutants derived from the scFv of SEQ ID NO:2.

[0265] To generate whole antibodies, PCR primers including VH or VL nucleotide sequences, a restriction site, and a flanking sequence to protect the restriction site can be used to amplify the VH or VL sequences in scFv clones. Utilizing cloning techniques

known to those of skill in the art, the PCR amplified VH domains can be cloned into vectors expressing a VH constant region, *e.g.*, the human gamma 4 constant region, and the PCR amplified VL domains can be cloned into vectors expressing a VL constant region, *e.g.*, human kappa or lambda constant regions. Preferably, the vectors for expressing the VH or VL domains comprise a promoter suitable to direct expression of the heavy and light chains in the chosen expression system, a secretion signal, a cloning site for the immunoglobulin variable domain, immunoglobulin constant domains, and a selection marker such as neomycin. The VH and VL domains may also be cloned into one vector expressing the necessary constant regions. The heavy chain conversion vectors and light chain conversion vectors are then co-transfected into cell lines to generate stable or transient cell lines that express full-length antibodies, *e.g.*, IgG, using techniques known to those of skill in the art.

[0266] Cell lines that express antibodies that comprise the VH and VL domains of scFvs of the invention have been deposited with the American Type Culture Collection ("ATCC") on the dates listed in Table 2 and given the ATCC Deposit Numbers identified in Table 2. The ATCC is located at 10801 University Boulevard, Manassas, VA 20110-2209, USA. The ATCC deposit was made pursuant to the terms of the Budapest Treaty on the international recognition of the deposit of microorganisms for purposes of patent procedure.

Table 2

Cell Line	Corresponding scFv	SEQ ID NO:	ATCC Deposit Number	ATCC Deposit Date
NSO-B11-15	I050B11-15	24	PTA-3238	March 27, 2001
NSO-anti-BLyS-6D08-18	I006D08	2	PTA-3239	March 27, 2001
NSO- anti-BLyS-116A01-60	I116A01	327	PTA-3240	March 27, 2001
IO26C04K	I026C04-K	1563	PTA-3241	March 27, 2001
IO50A12	I050A12	12	PTA-3242	March 27, 2001
IO50-B11	I050B11	9	PTA-3243	March 27, 2001

[0267] Accordingly, in one embodiment, the invention provides antibodies that comprise the VH and VL domains of scFvs of the invention.

[0268] In a preferred embodiment, an antibody of the invention is the antibody expressed by cell line NSO-B11-15.

[0269] In a preferred embodiment, an antibody of the invention is the antibody expressed by cell line NSO-anti-BLyS-6D08-18.

[0270] In a preferred embodiment, an antibody of the invention is the antibody expressed by cell line NSO- anti-BLyS-116A01-60.

[0271] In a preferred embodiment, an antibody of the invention is the antibody expressed by cell line IO26C04K.

[0272] In a preferred embodiment, an antibody of the invention is the antibody expressed by cell line IO50A12.

[0273] In a preferred embodiment, an antibody of the invention is the antibody expressed by cell line NSO-B11.

[0274] In other preferred embodiments, the invention provides antibodies that competitively inhibit binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLyS polypeptide. In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLyS polypeptide by between 1% and 10% in a competitive inhibition assay. In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLyS polypeptide by between 1% and 10% in a competitive inhibition assay.

[0275] In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLyS polypeptide by at least 10% and up to 20% in a competitive inhibition assay.

[0276] In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv

referred to in Table 1 to a BLYS polypeptide by at least 20% and up to 30% in a competitive inhibition assay.

[0277] In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLYS polypeptide by at least 30% and up to 40% in a competitive inhibition assay.

[0278] In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLYS polypeptide by at least 40% and up to 50% in a competitive inhibition assay.

[0279] In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLYS polypeptide by at least 50% and up to 60% in a competitive inhibition assay.

[0280] In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLYS polypeptide by at least 60% and up to 70% in a competitive inhibition assay.

[0281] In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLYS polypeptide by at least 70% and up to 80% in a competitive inhibition assay.

[0282] In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLYS polypeptide by at least 80% and up to 90% in a competitive inhibition assay.

[0283] In preferred embodiments, the invention provides antibodies that which reduce the binding of an antibody comprising a fragment (e.g., VH domain, VL domain, VHCDR1, VHCDR2, VHCDR3, VLCDR1, VLCDR2, or VLCDR3) or variant of an scFv referred to in Table 1 to a BLyS polypeptide by at least 90% and up to 100% in a competitive inhibition assay.

[0284] In other preferred embodiments, the invention provides antibodies that competitively inhibit binding of the antibody produced by the cell line having ATCC deposit number PTA-3238 to a BLyS polypeptide.

[0285] In other preferred embodiments, the invention provides antibodies that competitively inhibit binding of the antibody produced by the cell line having ATCC deposit number PTA-3239 to a BLyS polypeptide.

[0286] In other preferred embodiments, the invention provides antibodies that competitively inhibit binding of the antibody produced by the cell line having ATCC deposit number PTA-3240 to a BLyS polypeptide.

[0287] In other preferred embodiments, the invention provides antibodies that competitively inhibit binding of the antibody produced by the cell line having ATCC deposit number PTA-3241 to a BLyS polypeptide.

[0288] In other preferred embodiments, the invention provides antibodies that competitively inhibit binding of the antibody produced by the cell line having ATCC deposit number PTA-3242 to a BLyS polypeptide.

[0289] In other preferred embodiments, the invention provides antibodies that competitively inhibit binding of the antibody produced by the cell line having ATCC deposit number PTA-3243 to a BLyS polypeptide.

[0290] For some uses, including *in vivo* use of antibodies in humans and *in vitro* detection assays, it may be preferable to use human or chimeric antibodies. Completely human antibodies are particularly desirable for therapeutic treatment of human patients. See also, U.S. Patent Nos. 4,444,887 and 4,716,111; and PCT publications WO 98/46645, WO 98/50433, WO 98/24893, WO98/16654, WO 96/34096, WO 96/33735, and WO 91/10741; each of which is incorporated herein by reference in its entirety. In a specific embodiment, antibodies of the present invention comprise one or more VH and VL domains corresponding to the human scFvs of the invention and framework regions from another immunoglobulin molecule, preferably a human immunoglobulin molecule. In a

specific embodiment, antibodies of the present invention comprise one or more CDRs corresponding to the human scFvs of the invention and framework regions from another immunoglobulin molecule, preferably a human immunoglobulin molecule. In other embodiments, an antibody of the present invention comprises one, two, three, four, five, six or more VL CDRs or VH CDRs corresponding to one or more of the human scFvs referred to in Table 1, or fragments or variants thereof, and framework regions (and, optionally CDRs not derived from the scFvs in Table 1) from a human immunoglobulin molecule. In a preferred embodiment, an antibody of the present invention comprises a VH CDR3, VL CDR3, or both, corresponding to the same scFv, or different scFvs referred to in Table 1, or fragments or variants thereof, and framework regions from a human immunoglobulin.

[0291] A chimeric antibody is a molecule in which different portions of the antibody are derived from different immunoglobulin molecules such as antibodies having a variable region derived from a human antibody and a non-human immunoglobulin constant region. Methods for producing chimeric antibodies are known in the art. See *e.g.*, Morrison, *Science* 229:1202 (1985); Oi *et al.*, *BioTechniques* 4:214 (1986); Gillies *et al.*, *J. Immunol. Methods* 125:191-202 (1989); U.S. Patent Nos. 5,807,715; 4,816,567; and 4,816,397, which are incorporated herein by reference in their entirety. Chimeric antibodies comprising one or more CDRs from human species and framework regions from a non-human immunoglobulin molecule (*e.g.*, framework regions from a canine or feline immunoglobulin molecule) can be produced using a variety of techniques known in the art including, for example, CDR-grafting (EP 239,400; PCT publication WO 91/09967; U.S. Patent Nos. 5,225,539; 5,530,101; and 5,585,089), veneering or resurfacing (EP 592,106; EP 519,596; Padlan, *Molecular Immunology* 28(4/5):489-498 (1991); Studnicka *et al.*, *Protein Engineering* 7(6):805-814 (1994); Roguska *et al.*, *PNAS* 91:969-973 (1994)), and chain shuffling (U.S. Patent No. 5,565,332). In a preferred embodiment, chimeric antibodies comprise a human CDR3 having an amino acid sequence of any one of the VH CDR3s or VL CDR3s referred to in Table 1, or a variant thereof, and non-human framework regions or human framework regions different from those of the frameworks in the corresponding scFv disclosed in Table 1. Often, framework residues in the framework regions will be substituted with the corresponding residue from the CDR donor antibody to alter, preferably improve, antigen binding. These

framework substitutions are identified by methods well known in the art, *e.g.*, by modeling of the interactions of the CDR and framework residues to identify framework residues important for antigen binding and sequence comparison to identify unusual framework residues at particular positions. (See, *e.g.*, Queen *et al.*, U.S. Patent No. 5,585,089; Riechmann *et al.*, Nature 332:323 (1988), which are incorporated herein by reference in their entirety.)

[0292] Further, the antibodies of the invention can, in turn, be utilized to generate anti-idiotypic antibodies that "mimic" BLyS polypeptides using techniques well known to those skilled in the art. (See, *e.g.*, Greenspan & Bona, FASEB J. 7(5):437-444 (1993); and Nissinoff, J. Immunol. 147(8):2429-2438 (1991)). For example, antibodies of the invention which bind to BLyS and competitively inhibit the binding of BLyS to its receptor (as determined by assays well known in the art such as, for example, that disclosed, *infra*) can be used to generate anti-idiotypes that "mimic" a BLyS ligand/receptor-binding domain and, as a consequence, bind to and neutralize BLyS receptors (*e.g.*, TACI - GenBank accession number AAC51790; BCMA - GenBank accession number NP_001183; and/or BAFF-R - GenBank accession number NP_443177). Such neutralizing anti-idiotypes (including molecules comprising, or alternatively consisting of, antibody fragments or variants, such as Fab fragments of such anti-idiotypes) can be used in therapeutic regimens to neutralize BLyS. For example, such anti-idiotypic antibodies can be used to bind BLyS ligands/receptors, and thereby block BLyS mediated biological activity. Alternatively, anti-idiotypes that "mimic" a BLyS binding domain may bind to BLyS receptor(s) and induce BLyS receptor mediated signalling (*e.g.*, activation of nuclear factor of activated T cells (NF-AT), nuclear factor-kappa B (NF-kappa B), and/or AP-1). Such agonistic anti-idiotypes (including agonistic Fab fragments of these anti-idiotypes) can be used in therapeutic regimens to induce or enhance BLyS receptor mediated signalling. For example, such anti-idiotypic antibodies can be used to bind BLyS ligands/receptors, and thereby stimulate BLyS mediated biological activity (*e.g.*, B cell proliferation and/or immunoglobulin production).

[0293] Once an antibody molecule of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) has been chemically synthesized or recombinantly expressed, it may be purified by any method known in the art for purification of an immunoglobulin molecule, or more generally, a protein molecule,

such as, for example, by chromatography (*e.g.*, ion exchange, affinity, particularly by affinity for the specific antigen after Protein A, and sizing column chromatography), centrifugation, differential solubility, or by any other standard technique for the purification of proteins. Further, the antibodies of the present invention may be fused to heterologous polypeptide sequences described herein or otherwise known in the art, to facilitate purification.

Polynucleotides Encoding an Antibody

[0294] The invention provides polynucleotides comprising, or alternatively consisting of, a nucleotide sequence encoding an antibody of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof). The invention also encompasses polynucleotides that hybridize under high stringency, or alternatively, under intermediate or lower stringency hybridization conditions, *e.g.*, as defined *supra*, to polynucleotides complementary to nucleic acids having a polynucleotide sequence that encodes an antibody of the invention or a fragment or variant thereof.

[0295] The polynucleotides may be obtained, and the nucleotide sequence of the polynucleotides determined, by any method known in the art. Since the amino acid sequences of the scFv antibodies and VH domains, VL domains and CDRs thereof, are known (as described in Table 1), nucleotide sequences encoding these antibodies can be determined using methods well known in the art, *i.e.*, the nucleotide codons known to encode the particular amino acids are assembled in such a way to generate a nucleic acid that encodes the antibody, of the invention. Such a polynucleotide encoding the antibody may be assembled from chemically synthesized oligonucleotides (*e.g.*, as described in Kutmeier *et al.*, *BioTechniques* 17:242 (1994)), which, briefly, involves the synthesis of overlapping oligonucleotides containing portions of the sequence encoding the antibody, annealing and ligating of those oligonucleotides, and then amplification of the ligated oligonucleotides by PCR.

[0296] Alternatively, a polynucleotide encoding an antibody (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) may be generated from nucleic acid from a suitable source. If a clone containing a nucleic acid encoding a particular antibody is not available, but the sequence of the antibody molecule is known, a nucleic acid encoding the immunoglobulin may be chemically synthesized or

obtained from a suitable source (*e.g.*, an antibody cDNA library, or a cDNA library generated from, or nucleic acid, preferably poly A+ RNA, isolated from, any tissue or cells expressing the antibody, such as hybridoma cells selected to express an antibody of the invention) by PCR amplification using synthetic primers hybridizable to the 3' and 5' ends of the sequence or by cloning using an oligonucleotide probe specific for the particular gene sequence to identify, *e.g.*, a cDNA clone from a cDNA library that encodes the antibody. Amplified nucleic acids generated by PCR may then be cloned into replicable cloning vectors using any method well known in the art.

[0297] Once the nucleotide sequence of the antibody (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) is determined, the nucleotide sequence of the antibody may be manipulated using methods well known in the art for the manipulation of nucleotide sequences, *e.g.*, recombinant DNA techniques, site directed mutagenesis, PCR, etc. (see, for example, the techniques described in Sambrook *et al.*, 1990, Molecular Cloning, A Laboratory Manual, 2d Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, NY and Ausubel *et al.*, eds., 1998, Current Protocols in Molecular Biology, John Wiley & Sons, NY, which are both incorporated by reference herein in their entireties), to generate antibodies having a different amino acid sequence, for example to create amino acid substitutions, deletions, and/or insertions.

[0298] In a specific embodiment, one or more of the VH and VL domains referred to in Table 1, or fragments or variants thereof, is inserted within framework regions using recombinant DNA techniques known in the art. In a specific embodiment, one, two, three, four, five, six, or more of the CDRs referred to in Table 1, or fragments or variants thereof, is inserted within framework regions using recombinant DNA techniques known in the art. The framework regions may be naturally occurring or consensus framework regions, and preferably human framework regions (see, *e.g.*, Chothia *et al.*, J. Mol. Biol. 278: 457-479 (1998) for a listing of human framework regions, the contents of which are hereby incorporated by reference in its entirety). Preferably, the polynucleotides generated by the combination of the framework regions and CDRs encode an antibody (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that specifically binds to BLYS. Preferably, as discussed *supra*, polynucleotides encoding variants of antibodies or antibody fragments having one or more amino acid substitutions may be made within the framework regions, and, preferably, the

amino acid substitutions improve binding of the antibody to its antigen. Additionally, such methods may be used to make amino acid substitutions or deletions of one or more variable region cysteine residues participating in an intrachain disulfide bond to generate antibody molecules, or antibody fragments or variants, lacking one or more intrachain disulfide bonds. Other alterations to the polynucleotide are encompassed by the present invention and fall within the ordinary skill of the art.

Recombinant Expression of an Antibody

[0299] Recombinant expression of an antibody of the invention (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof (e.g., a heavy or light chain of an antibody of the invention or a portion thereof or a single chain antibody of the invention)), requires construction of an expression vector(s) containing a polynucleotide that encodes the antibody. Once a polynucleotide encoding an antibody molecule (e.g., a whole antibody, a heavy or light chain of an antibody, or portion thereof (preferably, but not necessarily, containing the heavy or light chain variable domain)), of the invention has been obtained, the vector(s) for the production of the antibody molecule may be produced by recombinant DNA technology using techniques well known in the art. Thus, methods for preparing a protein by expressing a polynucleotide containing an antibody encoding nucleotide sequence are described herein. Methods which are well known to those skilled in the art can be used to construct expression vectors containing antibody coding sequences and appropriate transcriptional and translational control signals. These methods include, for example, *in vitro* recombinant DNA techniques, synthetic techniques, and *in vivo* genetic recombination. The invention, thus, provides replicable vectors comprising a nucleotide sequence encoding an antibody molecule of the invention (e.g., a whole antibody, a heavy or light chain of an antibody, a heavy or light chain variable domain of an antibody, or a portion thereof, or a heavy or light chain CDR, a single chain Fv, or fragments or variants thereof), operably linked to a promoter. Such vectors may include the nucleotide sequence encoding the constant region of the antibody molecule (see, e.g., PCT Publication WO 86/05807; PCT Publication WO 89/01036; and U.S. Patent No. 5,122,464, the contents of each of which are hereby incorporated by reference in its entirety) and the variable domain of the antibody may be cloned into such a vector for

expression of the entire heavy chain, the entire light chain, or both the entire heavy and light chains.

[0300] The expression vector(s) is(are) transferred to a host cell by conventional techniques and the transfected cells are then cultured by conventional techniques to produce an antibody of the invention. Thus, the invention includes host cells containing polynucleotide(s) encoding an antibody of the invention (e.g., whole antibody, a heavy or light chain thereof, or portion thereof, or a single chain antibody of the invention, or a fragment or variant thereof), operably linked to a heterologous promoter. In preferred embodiments, for the expression of entire antibody molecules, vectors encoding both the heavy and light chains may be co-expressed in the host cell for expression of the entire immunoglobulin molecule, as detailed below.

[0301] A variety of host-expression vector systems may be utilized to express the antibody molecules of the invention. Such host-expression systems represent vehicles by which the coding sequences of interest may be produced and subsequently purified, but also represent cells which may, when transformed or transfected with the appropriate nucleotide coding sequences, express an antibody molecule of the invention *in situ*. These include, but are not limited to, microorganisms such as bacteria (e.g., *E. coli*, *B. subtilis*) transformed with recombinant bacteriophage DNA, plasmid DNA or cosmid DNA expression vectors containing antibody coding sequences; yeast (e.g., *Saccharomyces*, *Pichia*) transformed with recombinant yeast expression vectors containing antibody coding sequences; insect cell systems infected with recombinant virus expression vectors (e.g., baculovirus) containing antibody coding sequences; plant cell systems infected with recombinant virus expression vectors (e.g., cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) or transformed with recombinant plasmid expression vectors (e.g., Ti plasmid) containing antibody coding sequences; or mammalian cell systems (e.g., COS, CHO, BHK, 293, 3T3 cells) harboring recombinant expression constructs containing promoters derived from the genome of mammalian cells (e.g., metallothionein promoter) or from mammalian viruses (e.g., the adenovirus late promoter; the vaccinia virus 7.5K promoter). Preferably, bacterial cells such as *Escherichia coli*, and more preferably, eukaryotic cells, especially for the expression of whole recombinant antibody molecule, are used for the expression of a recombinant antibody molecule. For example, mammalian cells such as Chinese hamster ovary cells (CHO), in conjunction with a vector

such as the major intermediate early gene promoter element from human cytomegalovirus is an effective expression system for antibodies (Foecking *et al.*, Gene 45:101 (1986); Cockett *et al.*, Bio/Technology 8:2 (1990)).

[0302] In bacterial systems, a number of expression vectors may be advantageously selected depending upon the use intended for the antibody molecule being expressed. For example, when a large quantity of such a protein is to be produced, for the generation of pharmaceutical compositions of an antibody molecule, vectors which direct the expression of high levels of fusion protein products that are readily purified may be desirable. Such vectors include, but are not limited to, the *E. coli* expression vector pUR278 (Ruther *et al.*, EMBO 1. 2:1791 (1983)), in which the antibody coding sequence may be ligated individually into the vector in frame with the lac Z coding region so that a fusion protein is produced; pIN vectors (Inouye & Inouye, Nucleic Acids Res. 13:3101-3109 (1985); Van Heeke & Schuster, J. Biol. Chem. 24:5503-5509 (1989)); and the like. pGEX vectors may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption and binding to matrix glutathione agarose beads followed by elution in the presence of free glutathione. The pGEX vectors are designed to include thrombin or factor Xa protease cleavage sites so that the cloned target gene product can be released from the GST moiety.

[0303] In an insect system, Autographa californica nuclear polyhedrosis virus (AcNPV) may be used as a vector to express foreign genes. The virus grows in *Spodoptera frugiperda* cells. Antibody coding sequences may be cloned individually into non-essential regions (for example, the polyhedrin gene) of the virus and placed under control of an AcNPV promoter (for example, the polyhedrin promoter).

[0304] In mammalian host cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, the antibody coding sequence of interest may be ligated to an adenovirus transcription/translation control complex, *e.g.*, the late promoter and tripartite leader sequence. This chimeric gene may then be inserted in the adenovirus genome by *in vitro* or *in vivo* recombination. Insertion in a non-essential region of the viral genome (*e.g.*, region EI or E3) will result in a recombinant virus that is viable and capable of expressing the antibody molecule in infected hosts (*e.g.*, see Logan & Shenk, Proc. Natl. Acad. Sci. USA 81:355-359 (1984)).

Specific initiation signals may also be required for efficient translation of inserted antibody coding sequences. These signals include the ATG initiation codon and adjacent sequences. Furthermore, the initiation codon must be in phase with the reading frame of the desired coding sequence to ensure translation of the entire insert. These exogenous translational control signals and initiation codons can be of a variety of origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of appropriate transcription enhancer elements, transcription terminators, etc. (see, *e.g.*, Bittner *et al.*, *Methods in Enzymol.* 153:51-544 (1987)).

[0305] In addition, a host cell strain may be chosen which modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion desired. Such modifications (*e.g.*, glycosylation) and processing (*e.g.*, cleavage) of protein products may be important for the function of the protein. Different host cells have characteristic and specific mechanisms for the post-translational processing and modification of proteins and gene products. Appropriate cell lines or host systems can be chosen to ensure the correct modification and processing of the foreign protein expressed. To this end, eukaryotic host cells which possess the cellular machinery for proper processing of the primary transcript, glycosylation, and phosphorylation of the gene product may be used. Such mammalian host cells include, but are not limited to, CHO, VERO, BHK, HeLa, COS, NSO, MDCK, 293, 3T3, W138, and in particular, breast cancer cell lines such as, for example, BT483, Hs578T, HTB2, BT20 and T47D, and normal mammary gland cell line such as, for example, CRL7030 and HsS78Bst.

[0306] For long-term, high-yield production of recombinant proteins, stable expression is preferred. For example, cell lines which stably express the antibody may be engineered. Rather than using expression vectors which contain viral origins of replication, host cells can be transformed with DNA controlled by appropriate expression control elements (*e.g.*, promoter, enhancer, sequences, transcription terminators, polyadenylation sites, etc.), and a selectable marker. Following the introduction of the foreign DNA, engineered cells may be allowed to grow for 1-2 days in an enriched media, and then are switched to a selective media. The selectable marker in the recombinant plasmid confers resistance to the selection and allows cells to stably integrate the plasmid into their chromosomes and grow to form foci which in turn can be cloned and expanded into cell lines. This method may advantageously be used to engineer cell lines which

express the antibody molecule. Such engineered cell lines may be particularly useful in screening and evaluation of compositions that interact directly or indirectly with the antibody molecule.

[0307] A number of selection systems may be used, including but not limited to, the herpes simplex virus thymidine kinase (Wigler *et al.*, Cell 11:223 (1977)), hypoxanthine-guanine phosphoribosyltransferase (Szybalska & Szybalski, Proc. Natl. Acad. Sci. USA 48:202 (1992)), and adenine phosphoribosyltransferase (Lowy *et al.*, Cell 22:8 17 (1980)) genes can be employed in tk-, hgprt- or aprt- cells, respectively. Also, antimetabolite resistance can be used as the basis of selection for the following genes: *dhfr*, which confers resistance to methotrexate (Wigler *et al.*, Natl. Acad. Sci. USA 77:357 (1980); O'Hare *et al.*, Proc. Natl. Acad. Sci. USA 78:1527 (1981)); *gpt*, which confers resistance to mycophenolic acid (Mulligan & Berg, Proc. Natl. Acad. Sci. USA 78:2072 (1981)); neo, which confers resistance to the aminoglycoside G-418 (Clinical Pharmacy 12:488-505; Wu and Wu, Biotherapy 3:87-95 (1991); Tolstoshev, Ann. Rev. Pharmacol. Toxicol. 32:573-596 (1993); Mulligan, Science 260:926-932 (1993); and Morgan and Anderson, Ann. Rev. Biochem. 62: 191-217 (1993); TIB TECH 11(5):155-2 15 (May, 1993)); and *hygro*, which confers resistance to hygromycin (Santerre *et al.*, Gene 30:147 (1984)). Methods commonly known in the art of recombinant DNA technology may be routinely applied to select the desired recombinant clone, and such methods are described, for example, in Ausubel *et al.* (eds.), Current Protocols in Molecular Biology, John Wiley & Sons, NY (1993); Kriegler, Gene Transfer and Expression, A Laboratory Manual, Stockton Press, NY (1990); and in Chapters 12 and 13, Dracopoli *et al.* (eds), Current Protocols in Human Genetics, John Wiley & Sons, NY (1994); Colberre-Garapin *et al.*, J. Mol. Biol. 150:1 (1981), which are incorporated by reference herein in their entireties.

[0308] The expression levels of an antibody molecule can be increased by vector amplification (for a review, see Bebbington and Hentschel, The use of vectors based on gene amplification for the expression of cloned genes in mammalian cells in DNA cloning, Vol.3. (Academic Press, New York, 1987)). When a marker in the vector system expressing antibody is amplifiable, increase in the level of inhibitor present in culture of host cell will increase the number of copies of the marker gene. Since the amplified region is associated with the coding sequence of the antibody, production of the antibody will also increase (Crouse *et al.*, Mol. Cell. Biol. 3:257 (1983)).

[0309] The host cell may be co-transfected with two expression vectors of the invention, the first vector encoding a heavy chain derived polypeptide and the second vector encoding a light chain derived polypeptide. The two vectors may contain identical selectable markers which enable equal expression of heavy and light chain polypeptides. Alternatively, a single vector may be used which encodes, and is capable of expressing, both heavy and light chain polypeptides. In such situations, the light chain is preferably placed before the heavy chain to avoid an excess of toxic free heavy chain (Proudfoot, Nature 322:52 (1986); Kohler, Proc. Natl. Acad. Sci. USA 77:2 197 (1980)). The coding sequences for the heavy and light chains may comprise cDNA or genomic DNA.

[0310] Once an antibody molecule of the invention has been produced by recombinant expression, it may be purified by any method known in the art for purification of an immunoglobulin molecule, or more generally, for purification of a protein, for example, by chromatography (*e.g.*, ion exchange, affinity, particularly by affinity for the specific antigen after Protein A, and sizing column chromatography), centrifugation, differential solubility, or by any other standard technique for the purification of proteins. Further, the antibodies of the present invention may be fused to heterologous polypeptide sequences described herein or otherwise known in the art to facilitate purification.

[0311] Antibodies of the present invention include naturally purified products, products of chemical synthetic procedures, and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, higher plant, insect and mammalian cells. Depending upon the host employed in a recombinant production procedure, the antibodies of the present invention may be glycosylated or may be non-glycosylated. In addition, antibodies of the invention may also include an initial modified methionine residue, in some cases as a result of host-mediated processes.

[0312] Antibodies of the invention can be chemically synthesized using techniques known in the art (*e.g.*, see Creighton, 1983, Proteins: Structures and Molecular Principles, W.H. Freeman & Co., N.Y., and Hunkapiller, M., et al., 1984, Nature 310:105-111). For example, a peptide corresponding to a fragment of an antibody of the invention can be synthesized by use of a peptide synthesizer. Furthermore, if desired, nonclassical amino acids or chemical amino acid analogs can be introduced as a substitution or addition into the antibody polypeptide sequence. Non-classical amino acids include, but are not limited

to, to the D-isomers of the common amino acids, 2,4-diaminobutyric acid, α -amino isobutyric acid, 4-aminobutyric acid, Abu, 2-amino butyric acid, γ -Abu, ϵ -Ahx, 6-amino hexanoic acid, Aib, 2-amino isobutyric acid, 3-amino propionic acid, ornithine, norleucine, norvaline, hydroxyproline, sarcosine, citrulline, homocitrulline, cysteic acid, t-butylglycine, t-butylalanine, phenylglycine, cyclohexylalanine, β -alanine, fluoro-amino acids, designer amino acids such as β -methyl amino acids, Ca-methyl amino acids, Na-methyl amino acids, and amino acid analogs in general. Furthermore, the amino acid can be D (dextrorotary) or L (levorotary).

[0313] The invention encompasses antibodies which are differentially modified during or after translation, e.g., by glycosylation, acetylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to an antibody molecule or other cellular ligand, etc. Any of numerous chemical modifications may be carried out by known techniques, including but not limited, to specific chemical cleavage by cyanogen bromide, trypsin, chymotrypsin, papain, V8 protease, NaBH_4 , acetylation, formylation, oxidation, reduction, metabolic synthesis in the presence of tunicamycin, etc.

[0314] Additional post-translational modifications encompassed by the invention include, for example, e.g., N-linked or O-linked carbohydrate chains, processing of N-terminal or C-terminal ends), attachment of chemical moieties to the amino acid backbone, chemical modifications of N-linked or O-linked carbohydrate chains, and addition or deletion of an N-terminal methionine residue as a result of procaryotic host cell expression. The polypeptides may also be modified with a detectable label, such as an enzymatic, fluorescent, radioisotopic or affinity label to allow for detection and isolation of the antibody.

[0315] Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, β -galactosidase, glucose oxidase or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include biotin, umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin; and examples of suitable radioactive material include a radioactive metal ion, e.g., α -emitters such as,

for example, ^{213}Bi , or other radioisotopes such as, for example, iodine (^{131}I , ^{125}I , ^{123}I , ^{121}I), carbon (^{14}C), sulfur (^{35}S), tritium (^3H), indium ($^{115\text{m}}\text{In}$, $^{113\text{m}}\text{In}$, ^{112}In , ^{111}In), and technetium (^{99}Tc , $^{99\text{m}}\text{Tc}$), thallium (^{201}Tl), gallium (^{68}Ga , ^{67}Ga), palladium (^{103}Pd), molybdenum (^{99}Mo), xenon (^{133}Xe), fluorine (^{18}F), ^{153}Sm , ^{177}Lu , ^{159}Gd , ^{149}Pm , ^{140}La , ^{175}Yb , ^{166}Ho , ^{90}Y , ^{47}Sc , ^{186}Re , ^{188}Re , ^{142}Pr , ^{105}Rh , ^{97}Ru , ^{68}Ge , ^{57}Co , ^{65}Zn , ^{85}Sr , ^{32}P , ^{153}Gd , ^{169}Yb , ^{51}Cr , ^{54}Mn , ^{75}Se , ^{113}Sn , and ^{117}In .

[0316] In specific embodiments, antibodies of the invention may be labeled with Europium. For example, antibodies of the invention may be labelled with Europium using the DELFIA Eu-labeling kit (catalog# 1244-302, Perkin Elmer Life Sciences, Boston, MA) following manufacturer's instructions.

[0317] In specific embodiments, antibodies of the invention are attached to macrocyclic chelators useful for conjugating radiometal ions, including but not limited to, ^{111}In , ^{177}Lu , ^{90}Y , ^{166}Ho , and ^{153}Sm , to antibodies. In a preferred embodiment, the radiometal ion associated with the macrocyclic chelators attached to antibodies of the invention is ^{111}In . In another preferred embodiment, the radiometal ion associated with the macrocyclic chelator attached to antibodies of the invention is ^{90}Y . In specific embodiments, the macrocyclic chelator is 1,4,7,10-tetraazacyclododecane-N,N',N'',N'''-tetraacetic acid (DOTA). In specific embodiments, the macrocyclic chelator is α -(5-isothiocyanato-2-methoxyphenyl)-1,4,7,10-tetraaza- cyclododecane-1,4,7,10-tetraacetic acid. In other specific embodiments, the DOTA is attached to the antibody of the invention via a linker molecule. Examples of linker molecules useful for conjugating DOTA to an antibody are commonly known in the art - see, for example, DeNardo et al., Clin Cancer Res. 4(10):2483-90, 1998; Peterson et al., Bioconjug. Chem. 10(4):553-7, 1999; and Zimmerman et al, Nucl. Med. Biol. 26(8):943-50, 1999 which are hereby incorporated by reference in their entirety. In addition, U.S. Patents 5,652,361 and 5,756,065, which disclose chelating agents that may be conjugated to antibodies, and methods for making and using them, are hereby incorporated by reference in their entirety.

[0318] In one embodiment, antibodies of the invention are labeled with biotin. In other related embodiments, biotinylated antibodies of the invention may be used, for example, as an imaging agent or as a means of identifying one or more BLyS receptor(s) or other coreceptor or ligand molecules.

[0319] Also provided by the invention are chemically modified derivatives of antibodies of the invention which may provide additional advantages such as increased solubility, stability and in vivo or in vitro circulating time of the polypeptide, or decreased immunogenicity (see U. S. Patent No. 4,179,337). The chemical moieties for derivitization may be selected from water soluble polymers such as polyethylene glycol, ethylene glycol/propylene glycol copolymers, carboxymethylcellulose, dextran, polyvinyl alcohol and the like. The polypeptides may be modified at random positions within the molecule, or at predetermined positions within the molecule and may include one, two, three or more attached chemical moieties.

[0320] The polymer may be of any molecular weight, and may be branched or unbranched. For polyethylene glycol, the preferred molecular weight is between about 1 kDa and about 100 kDa (the term "about" indicating that in preparations of polyethylene glycol, some molecules will weigh more, some less, than the stated molecular weight) for ease in handling and manufacturing. Other sizes may be used, depending on the desired therapeutic profile (e.g., the duration of sustained release desired, the effects, if any on biological activity, the ease in handling, the degree or lack of antigenicity and other known effects of the polyethylene glycol to a therapeutic protein or analog). For example, the polyethylene glycol may have an average molecular weight of about 200, 500, 1000, 1500, 2000, 2500, 3000, 3500, 4000, 4500, 5000, 5500, 6000, 6500, 7000, 7500, 8000, 8500, 9000, 9500, 10,000, 10,500, 11,000, 11,500, 12,000, 12,500, 13,000, 13,500, 14,000, 14,500, 15,000, 15,500, 16,000, 16,500, 17,000, 17,500, 18,000, 18,500, 19,000, 19,500, 20,000, 25,000, 30,000, 35,000, 40,000, 50,000, 55,000, 60,000, 65,000, 70,000, 75,000, 80,000, 85,000, 90,000, 95,000, or 100,000 kDa.

[0321] As noted above, the polyethylene glycol may have a branched structure. Branched polyethylene glycols are described, for example, in U.S. Patent No. 5,643,575; Morpurgo *et al.*, *Appl. Biochem. Biotechnol.* 56:59-72 (1996); Vorobjev *et al.*, *Nucleosides Nucleotides* 18:2745-2750 (1999); and Caliceti *et al.*, *Bioconjug. Chem.* 10:638-646 (1999), the disclosures of each of which are incorporated herein by reference.

[0322] The polyethylene glycol molecules (or other chemical moieties) should be attached to the protein with consideration of effects on functional or antigenic domains of the antibody. There are a number of attachment methods available to those skilled in the art, e.g., EP 0 401 384, herein incorporated by reference (coupling PEG to G-CSF), see

also Malik et al., *Exp. Hematol.* 20:1028-1035 (1992) (reporting pegylation of GM-CSF using tresyl chloride). For example, polyethylene glycol may be covalently bound through amino acid residues via a reactive group, such as, a free amino or carboxyl group. Reactive groups are those to which an activated polyethylene glycol molecule may be bound. The amino acid residues having a free amino group may include, for example, lysine residues and the N-terminal amino acid residues; those having a free carboxyl group may include aspartic acid residues, glutamic acid residues, and the C-terminal amino acid residue. Sulfhydryl groups may also be used as a reactive group for attaching the polyethylene glycol molecules. Preferred for therapeutic purposes is attachment at an amino group, such as attachment at the N-terminus or lysine group.

[0323] As suggested above, polyethylene glycol may be attached to proteins, e.g., antibodies, via linkage to any of a number of amino acid residues. For example, polyethylene glycol can be linked to a proteins via covalent bonds to lysine, histidine, aspartic acid, glutamic acid, or cysteine residues. One or more reaction chemistries may be employed to attach polyethylene glycol to specific amino acid residues (e.g., lysine, histidine, aspartic acid, glutamic acid, or cysteine) of the antibody or to more than one type of amino acid residue (e.g., lysine, histidine, aspartic acid, glutamic acid, cysteine and combinations thereof) of the antibody.

[0324] One may specifically desire antibodies chemically modified at the N-terminus of either the heavy chain or the light chain or both. Using polyethylene glycol as an illustration, one may select from a variety of polyethylene glycol molecules (by molecular weight, branching, etc.), the proportion of polyethylene glycol molecules to protein (or peptide) molecules in the reaction mix, the type of pegylation reaction to be performed, and the method of obtaining the selected N-terminally pegylated protein. The method of obtaining the N-terminally pegylated preparation (i.e., separating this moiety from other monopegylated moieties if necessary) may be by purification of the N-terminally pegylated material from a population of pegylated protein molecules. Selective chemical modification at the N-terminus may be accomplished by reductive alkylation which exploits differential reactivity of different types of primary amino groups (lysine versus the N-terminal) available for derivatization in a particular antibody, e.g., a heavy chain or alight chain. Under the appropriate reaction conditions, substantially selective

derivatization of the protein at the N-terminus with a carbonyl group containing polymer is achieved.

[0325] As indicated above, pegylation of the proteins of the invention may be accomplished by any number of means. For example, polyethylene glycol may be attached to the protein either directly or by an intervening linker. Linkerless systems for attaching polyethylene glycol to proteins are described in Delgado *et al.*, *Crit. Rev. Thera. Drug Carrier Sys.* 9:249-304 (1992); Francis *et al.*, *Intern. J. of Hematol.* 68:1-18 (1998); U.S. Patent No. 4,002,531; U.S. Patent No. 5,349,052; WO 95/06058; and WO 98/32466, the disclosures of each of which are incorporated herein by reference.

[0326] One system for attaching polyethylene glycol directly to amino acid residues of proteins without an intervening linker employs tresylated MPEG, which is produced by the modification of monmethoxy polyethylene glycol (MPEG) using tresylchloride ($\text{ClSO}_2\text{CH}_2\text{CF}_3$). Upon reaction of antibody with tresylated MPEG, polyethylene glycol is directly attached to amine groups of the antibody. Thus, the invention includes antibody-polyethylene glycol conjugates produced by reacting proteins of the invention with a polyethylene glycol molecule having a 2,2,2-trifluoroethane sulphonyl group.

[0327] Polyethylene glycol can also be attached to antibodies using a number of different intervening linkers. For example, U.S. Patent No. 5,612,460, the entire disclosure of which is incorporated herein by reference, discloses urethane linkers for connecting polyethylene glycol to proteins. Protein-polyethylene glycol conjugates wherein the polyethylene glycol is attached to the antibody by a linker can also be produced by reaction of antibodies with compounds such as MPEG-succinimidylsuccinate, MPEG activated with 1,1'-carbonyldiimidazole, MPEG-2,4,5-trichloropenylcarbonate, MPEG-p-nitrophenolcarbonate, and various MPEG-succinate derivatives. A number additional polyethylene glycol derivatives and reaction chemistries for attaching polyethylene glycol to proteins are described in WO 98/32466, the entire disclosure of which is incorporated herein by reference. Pegylated protein products produced using the reaction chemistries set out herein are included within the scope of the invention.

[0328] The number of polyethylene glycol moieties attached to each antibody of the invention (*i.e.*, the degree of substitution) may also vary. For example, the pegylated antibodies of the invention may be linked, on average, to 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15,

17, 20, or more polyethylene glycol molecules. Similarly, the average degree of substitution within ranges such as 1-3, 2-4, 3-5, 4-6, 5-7, 6-8, 7-9, 8-10, 9-11, 10-12, 11-13, 12-14, 13-15, 14-16, 15-17, 16-18, 17-19, or 18-20 polyethylene glycol moieties per antibody molecule. Methods for determining the degree of substitution are discussed, for example, in Delgado *et al.*, *Crit. Rev. Thera. Drug Carrier Sys.* 9:249-304 (1992).

Antibody Characterization

[0329] Antibodies of the present invention (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) may be characterized in a variety of ways. In particular, antibodies and related molecules of the invention may be assayed for the ability to immunospecifically bind to BLYS or a fragment of BLYS (e.g., to the soluble form or the membrane-bound form of BLYS) using techniques described herein or routinely modifying techniques known in the art. BLYS or BLYS fragments that may be immunospecifically bound by the compositions of the invention include, but are not limited to, human BLYS (SEQ ID NOS:3228 and/or 3229) or BLYS expressed on human monocytes; murine BLYS (SEQ ID NOS:3230 and/or 3231) or BLYS expressed on murine monocytes; rat BLYS (either the soluble forms as given in SEQ ID NOS:3232, 3233, 3234 and/or 3235 or in a membrane associated form, e.g., on the surface of rat monocytes); or monkey BLYS (e.g., the monkey BLYS polypeptides of SEQ ID NOS:3236 and/or 3237, the soluble form of monkey BLYS, or BLYS expressed on monkey monocytes) or fragments thereof. Preferably compositions of the invention bind human BLYS (SEQ ID NOS:3228 and/or 3229) or fragments thereof. Assays for the ability of the antibodies of the invention to immunospecifically bind BLYS or a fragment of BLYS may be performed in solution (e.g., Houghten, *Bio/Techniques* 13:412-421(1992)), on beads (e.g., Lam, *Nature* 354:82-84 (1991)), on chips (e.g., Fodor, *Nature* 364:555-556 (1993)), on bacteria (e.g., U.S. Patent No. 5,223,409), on spores (e.g., Patent Nos. 5,571,698; 5,403,484; and 5,223,409), on plasmids (e.g., Cull *et al.*, *Proc. Natl. Acad. Sci. USA* 89:1865-1869 (1992)) or on phage (e.g., Scott and Smith, *Science* 249:386-390 (1990); Devlin, *Science* 249:404-406 (1990); Cwirla *et al.*, *Proc. Natl. Acad. Sci. USA* 87:6378-6382 (1990); and Felici, *J. Mol. Biol.* 222:301-310 (1991)) (each of these references is incorporated herein in its entirety by reference). Antibodies that have been identified to immunospecifically bind to BLYS or a fragment of BLYS can then be

assayed for their specificity and affinity for BLyS or a fragment of BLyS using or routinely modifying techniques described herein or otherwise known in the art.

[0330] The antibodies of the invention may be assayed for immunospecific binding to BLyS and cross-reactivity with other antigens by any method known in the art. In particular, the ability of an antibody to immunospecifically bind to the soluble form or membrane-bound form of BLyS and the specificity of the antibody, fragment, or variant for BLyS polypeptide from a particular species (e.g., murine, monkey or human, preferably human) may be determined using or routinely modifying techniques described herein or otherwise known in art.

[0331] Immunoassays which can be used to analyze immunospecific binding and cross-reactivity include, but are not limited to, competitive and non-competitive assay systems using techniques such as western blots, radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoprecipitation assays, precipitin reactions, gel diffusion precipitin reactions, immunodiffusion assays, agglutination assays, complement-fixation assays, immunoradiometric assays, fluorescent immunoassays, and protein A immunoassays, to name but a few. Such assays are routine and well known in the art (see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, which is incorporated by reference herein in its entirety). Exemplary immunoassays are described briefly below (but are not intended by way of limitation).

[0332] Immunoprecipitation protocols generally comprise lysing a population of cells in a lysis buffer such as RIPA buffer (1% NP-40 or Triton X-100, 1% sodium deoxycholate, 0.1% SDS, 0.15 M NaCl, 0.01 M sodium phosphate at pH 7.2, 1% Trasylol) supplemented with protein phosphatase and/or protease inhibitors (e.g., EDTA, PMSF, aprotinin, sodium vanadate), adding the antibody of interest to the cell lysate, incubating for a period of time (e.g., 1 to 4 hours) at 40 degrees C, adding protein A and/or protein G sepharose beads to the cell lysate, incubating for about an hour or more at 40 degrees C, washing the beads in lysis buffer and resuspending the beads in SDS/sample buffer. The ability of the antibody of interest to immunoprecipitate a particular antigen can be assessed by, e.g., western blot analysis. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the binding of the antibody to an antigen and decrease the background (e.g., pre-clearing the cell lysate with sepharose beads). For

further discussion regarding immunoprecipitation protocols see, *e.g.*, Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 10.16.1.

[0333] Western blot analysis generally comprises preparing protein samples, electrophoresis of the protein samples in a polyacrylamide gel (*e.g.*, 8%- 20% SDS-PAGE depending on the molecular weight of the antigen), transferring the protein sample from the polyacrylamide gel to a membrane such as nitrocellulose, PVDF or nylon, blocking the membrane in blocking solution (*e.g.*, PBS with 3% BSA or non-fat milk), washing the membrane in washing buffer (*e.g.*, PBS-Tween 20), blocking the membrane with primary antibody (the antibody of interest) diluted in blocking buffer, washing the membrane in washing buffer, blocking the membrane with a secondary antibody (which recognizes the primary antibody, *e.g.*, an anti-human antibody) conjugated to an enzymatic substrate (*e.g.*, horseradish peroxidase or alkaline phosphatase) or radioactive molecule (*e.g.*, ^{32}P or ^{125}I) diluted in blocking buffer, washing the membrane in wash buffer, and detecting the presence of the antigen. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected and to reduce the background noise. For further discussion regarding western blot protocols see, *e.g.*, Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 10.8.1.

[0334] ELISAs comprise preparing antigen, coating the well of a 96-well microtiter plate with the antigen, washing away antigen that did not bind the wells, adding the antibody of interest conjugated to a detectable compound such as an enzymatic substrate (*e.g.*, horseradish peroxidase or alkaline phosphatase) to the wells and incubating for a period of time, washing away unbound antibodies or non-specifically bound antibodies, and detecting the presence of the antibodies specifically bound to the antigen coating the well. In ELISAs the antibody of interest does not have to be conjugated to a detectable compound; instead, a second antibody (which recognizes the antibody of interest) conjugated to a detectable compound may be added to the well. Further, instead of coating the well with the antigen, the antibody may be coated to the well. In this case, the detectable molecule could be the antigen conjugated to a detectable compound such as an enzymatic substrate (*e.g.*, horseradish peroxidase or alkaline phosphatase). One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the

signal detected as well as other variations of ELISAs known in the art. For further discussion regarding ELISAs see, *e.g.*, Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 11.2.1.

[0335] The binding affinity of an antibody (including an scFv or other molecule comprising, or alternatively consisting of, antibody fragments or variants thereof) to an antigen and the off-rate of an antibody-antigen interaction can be determined by competitive binding assays. One example of a competitive binding assay is a radioimmunoassay comprising the incubation of labeled antigen (*e.g.*, ^3H or ^{125}I) with the antibody of interest in the presence of increasing amounts of unlabeled antigen, and the detection of the antibody bound to the labeled antigen. The affinity of the antibody of the present invention for BLyS and the binding off-rates can be determined from the data by Scatchard plot analysis. Competition with a second antibody can also be determined using radioimmunoassays. In this case, BLyS is incubated with an antibody of the present invention conjugated to a labeled compound (*e.g.*, ^3H or ^{125}I) in the presence of increasing amounts of an unlabeled second anti-BLyS antibody.

[0336] In a preferred embodiment, BIAcore kinetic analysis is used to determine the binding on and off rates of antibodies (including an scFv or other molecule comprising, or alternatively consisting of, antibody fragments or variants thereof) to BLyS, or fragments of BLyS. BIAcore kinetic analysis comprises analyzing the binding and dissociation of BLyS from chips with immobilized antibodies on their surface as described in detail in Examples 6, 12, 17 and 18, *infra*.

[0337] The antibodies of the invention (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) can also be assayed for their ability to inhibit, increase, or not significantly alter, the binding of BLyS to a BLyS receptor (*e.g.*, TACI - GenBank accession number AAC51790; BCMA - GenBank accession number NP_001183; and/or BAFF-R - GenBank accession number NP_443177) using techniques known to those of skill in the art. For example, cells expressing a receptor for BLyS (*e.g.*, IM9, REH, ARH-77cells, Namalwa, and RPMI-8226 B cell tumor lines as well as peripheral CD20+ B cells) can be contacted with BLyS in the presence or absence of an antibody, and the ability of the antibody to inhibit, increase, or not significantly alter, BLyS binding to the cells can be measured. BLyS binding to cells can be measured by, for example, flow cytometry or a scintillation assay. BLyS or

the antibody can be labeled with a detectable compound such as a radioactive label (*e.g.*, ^{32}P , ^{35}S , and ^{125}I) or a fluorescent label (*e.g.*, fluorescein isothiocyanate, rhodamine, phycoerythrin, phycocyanin, allophycocyanin, *o*-phthaldehyde and fluorescamine) to enable detection of an interaction between BLyS and a BLyS receptor and/or BLyS and an antibody of the invention. Alternatively, the ability of antibodies of the invention to inhibit, increase, or not significantly alter, BLyS binding to a BLyS receptor can be determined in cell-free assays. For example, native or recombinant BLyS (*e.g.*, that having the amino acid sequence of amino acids 134 – 285 of SEQ ID NO:3228) or a fragment thereof can be contacted with an antibody and the ability of the antibody to inhibit, increase, or not significantly alter, BLyS from binding to a BLyS receptor can be determined. Preferably, the antibody is immobilized on a solid support and BLyS or a BLyS fragment is labeled with a detectable compound. Alternatively, BLyS or a BLyS fragment is immobilized on a solid support and the antibody is labeled with a detectable compound. BLyS may be partially or completely purified (*e.g.*, partially or completely free of other polypeptides) or part of a cell lysate. Further, the BLyS polypeptide may be a fusion protein comprising BLyS or a biologically active portion thereof and a domain such as an Immunoglobulin Fc or glutathione-S-transferase. For example, amino acid residues 1-154 of TACI (GenBank accession number AAC51790), or 1-48 of BCMA (GenBank accession number NP_001183) may be fused to the Fc region of an IgG molecule and used in a cell free assay to determine the ability of antibodies of the invention to inhibit, increase, or not significantly alter, BLyS binding to a BLyS receptor. Alternatively, BLyS can be biotinylated using techniques well known to those of skill in the art (*e.g.*, biotinylation kit, Pierce Chemicals; Rockford, IL).

[0338] The antibodies of the invention (including scFvs or other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), can also be assayed for their ability to inhibit, stimulate, or not significantly alter, BLyS-induced B-cell proliferation using techniques known to those of skill in the art. For example, B-cell proliferation can be assayed by ^3H -thymidine incorporation assays and trypan blue cell counts (see, *e.g.*, Moore *et al.*, Science 285: 260-263 (1999)). Further, the antibodies of the invention, or fragments or variants thereof, can be assayed for their ability to block, stimulate, or not significantly alter, BLyS-induced activation of cellular signaling molecules and transcription factors such as calcium-modulator and cyclophilin ligand

("CAML"), calcineurin, nuclear factor of activated T cells transcription factor ("NF-AT"), nuclear factor-kappa B ("NF-kappa B"), and AP-1 using techniques known to those of skill in the art (see, *e.g.*, von Bulow and Bram, Science 278:138-141(1997)). For example, NF-AT activity can be determined by electromobility gel shift assays, by detecting the expression of a protein known to be regulated by NF-AT (*e.g.*, IL-2 expression), by detecting the induction of a reporter gene (*e.g.*, an NF-AT regulatory element operably linked to a nucleic acid encoding a detectable marker such as luciferase, beta-galactosidase or chloramphenicol acetyltransferase (CAT)), or by detecting a cellular response (*e.g.*, cellular differentiation, or cell proliferation).

[0339] The antibodies of the invention, or fragments or variants thereof can also be assayed for their ability to neutralize, enhance, or not significantly alter, BLyS activity. For example, antibodies or fragments or variants thereof, may be routinely tested for their ability to inhibit BLyS from binding to cells expressing the receptor for BLyS (see Example 3, *infra*).

Selection and Screening for Antibodies that Immunospecifically Bind to Soluble BLyS

[0340] Antibodies of the invention (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) may be screened in a variety of assays to identify those antibodies that immunospecifically bind to the soluble form of BLyS. In one particular assay, antibodies that bind to the biotinylated soluble form of BLyS in solution are captured on streptavidin coated magnetic beads. This assay may be relatively applied to identify antibodies of the invention that neutralize and/or bind to BLyS. Additionally, antibodies may be assayed in neutralization assays described herein or otherwise known in the art (see Example 3, *infra*). For example, antibodies may be tested for their ability to inhibit soluble BLyS (*e.g.*, biotinylated BLyS) from binding to IM9 cells. In this assay, labeled soluble BLyS (*e.g.*, biotinylated BLyS) is incubated with candidate anti-BLyS antibodies to allow for the formation of BLyS-anti-BLyS antibody complexes. Following incubation, an aliquot of the BLyS-anti-BLyS antibody sample is added to IM9 cells. The binding of soluble BLyS may be determined using techniques known in the art. For example, the binding of biotinylated BLyS to IM9 cells may be detected using a fluorimeter following the addition of streptavidin-delfia. Biotinylated BLyS, if it is not bound by antibodies that neutralize BLyS, binds to the cells is detected.

Thus, an antibody that decreases the amount of bio-BLyS that binds to IM-9 cells (relative to a control sample in which the BLyS had been preincubated with an irrelevant antibody or no antibody at all) is identified as one that binds to and neutralizes the soluble form of BLyS. In another assay, antibodies are screened using ELISAs for those antibodies that bind to biotinylated soluble BLyS, but do not bind membrane-bound BLyS, such as, for example, BLyS on membranes from U937 cells (see Examples 2 and 9, *infra*). In these assays, soluble BLyS (e.g., biotinylated BLyS) and membrane-bound BLyS (e.g., on U937 membranes) are incubated in separate samples with the same antibodies and those antibodies that bind to the soluble BLyS (biotinylated BLyS), but not membrane-bound BLyS (e.g., on U937 membranes) are captured and identified.

[0341] Antibodies of the invention (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) may be tested to identify those antibodies that do not cross-react with APRIL, endokine-alpha, VEGI, TRAIL, TNF-alpha, TNF-beta, Fas-L, LIGHT, and PBS (see Example 4, *infra*). Antibodies may also be tested for their affinity for BLyS using, for example, BIAcore analysis (see Examples 6, 12, 17 and 18 *infra*). Antibodies may also be tested for their ability to stimulate, inhibit, or not alter, BLyS-induced immunoglobulin production and/or B-cell proliferation using techniques known to those of skill in the art. For example, human B-cells, BLyS and antibodies may be incubated together in 96 well plates and ³H-thymidine incorporation may be measured using a scintillation counter.

Selection and Screening for Antibodies that Immunospecifically Bind to Membrane-bound BLyS

[0342] Antibodies of the invention (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) may be screened in a variety of assays to identify those antibodies that immunospecifically bind to the membrane-bound form of BLyS. In one particular assay, antibodies that bind to BLyS on U937 membranes or immobilized histidine-tagged BLyS are captured. Other cell lines that express BLyS that might be useful for testing antibody binding to membrane-bound form of BLyS include, K-562, HL-60 and THP-1 cells. In another assay, antibodies are screened using ELISAs for those antibodies (or antibody fragments or variants) that bind to BLyS on U937 membranes or to histidine-tagged BLyS. In this assay, antibodies are

added to 96 well plates coated with U937 membranes or histidine-tagged BLyS and those antibodies or antibody fragments or variants that bind to the U937 membranes or histidine-tagged BLyS are captured. In another assay, antibodies are screened using ELISAs for those antibodies (or antibody fragments or variants thereof) that do not bind to biotinylated BLyS (soluble BLyS) but bind to membrane-bound BLyS, such as, for example, that on membranes from U937 cells (see Example 2, *infra*). In these assays, soluble BLyS (e.g., biotinylated BLyS) and membrane-bound BLyS (e.g., on U937 membranes) are incubated in separate samples with the same antibodies (or antibody fragments or variants) and those antibodies (or antibody fragments or variants) that do not bind to the soluble BLyS (biotinylated BLyS), but bind the membrane-bound BLyS (e.g., on U937 membranes) are captured and identified. In other assays, antibodies are screened using ELISAs to determine which of the antibodies (or antibody fragments or variants) that bind to histidine-tagged BLyS or membranes from U937 cells do not cross-react with APRIL, endokine-alpha, VEGI, TRAIL, TNF-alpha, TNF-beta, Fas-L, LIGHT, and PBS (See Example 4, *infra*). ELISAs can also be used to determine which of the antibodies (or antibody fragments or variants) that bind to histidine-tagged BLyS or membranes from U937 cells bind to BLyS in the presence of TNF-alpha (see Example 4, *infra*). Antibodies or fragments or variants thereof that immunospecifically bind to the membrane-bound form of BLyS may also be tested for their affinity for histidine-tagged BLyS using high-throughput BIAcore analysis (see Example 14, *infra*).

[0343] Additionally, antibodies of the invention may be screened against cells engineered to express an "uncleavable" form of BLyS in order to determine their specificity for the membrane-bound form of BLyS. Mutations in BLyS which may achieve this result include, but are not limited to, the mutation or deletion of amino acid residues Lys-132 and/or Arg-133 of the BLyS sequence shown in SEQ ID NO:3228. A typical mutagenesis might include mutation of one or both of residues Lys-132 or Arg-133 to alanine residues. Cells expressing such an "uncleavable" form of BLyS provide a profound reagent to use in assaying the ability of antibodies to bind the membrane-bound form of BLyS.

Selection and Screening for Antibodies that Immunospecifically Bind to Soluble and Membrane-bound BLyS

[0344] Antibodies of the invention (including scFvs and other molecules comprising, or alternately consisting of, antibody fragments or variants) may be screened in a variety of assays to identify those antibodies or antibody fragments or variants that immunospecifically bind to the soluble form and membrane-bound form of BLyS. In one particular assay, antibodies that bind to immobilized BLyS are captured. In another assay, antibodies are screened using ELISAs for those antibodies (or antibody fragments or variants) that inhibit the binding of soluble BLyS (*e.g.* soluble bio-BLyS) to IM-9 cells as described *supra*. In other assays, antibodies are screened using ELISAs for those antibodies that bind to membranes from U937 cells. Additionally, further ELISA assays may be performed using techniques known in the art to determine which antibodies do not cross-react with APRIL, endokine-alpha, VEGI, TRAIL, TNF-alpha, TNF-beta, Fas-L, LIGHT, and PBS, or those antibodies that bind to BLyS in the presence of TNF-alpha (see Example 4 *infra*). Antibodies may be assayed in neutralization assays using techniques described herein or otherwise known in the art. Antibodies that immunospecifically bind to the soluble and membrane-bound forms of BLyS may also be tested for their affinity for BLyS using high-throughput BIAcore analysis.

Antibody Conjugates

[0345] The present invention encompasses antibodies (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), recombinantly fused or chemically conjugated (including both covalent and non-covalent conjugations) to a heterologous polypeptide (or portion thereof, preferably at least 10, at least 20, at least 30, at least 40, at least 50, at least 60, at least 70, at least 80, at least 90 or at least 100 amino acids of the polypeptide) to generate fusion proteins. The fusion does not necessarily need to be direct, but may occur through linker sequences. For example, antibodies of the invention may be used to target heterologous polypeptides to particular cell types (*e.g.*, cells of monocytic lineage and B-cells), either *in vitro* or *in vivo*, by fusing or conjugating the heterologous polypeptides to antibodies of the invention that are specific for particular cell surface antigens (*e.g.*, membrane-bound BLyS on cells of monocytic lineage) or which bind antigens that bind particular cell surface receptors (*e.g.*, TACI, BCMA, BAFF-R located on B cells). Antibodies fused or conjugated to heterologous polypeptides may also be used in *in vitro* immunoassays and purification

methods using methods known in the art. See *e.g.*, Harbor *et al.*, supra, and PCT publication WO 93/2 1232; EP 439,095; Naramura *et al.*, Immunol. Lett. 39:91-99 (1994); U.S. Patent 5,474,981; Gillies *et al.*, PNAS 89:1428-1432 (1992); Fell *et al.*, J. Immunol. 146:2446-2452 (1991), which are incorporated by reference in their entireties.

[0346] In one embodiment, a fusion protein comprises a polypeptide having an amino acid sequence of any one of the VH domains referred to in Table 1, and a heterologous polypeptide. In another embodiment, a fusion protein comprises a polypeptide having the amino acid sequence of any one of the VH CDR1s referred to in Table 1, and a heterologous polypeptide. In another embodiment, a fusion protein comprises a polypeptide having the amino acid sequence of any one of the VH CDR2s referred to in Table 1, and a heterologous polypeptide. In a preferred embodiment, a fusion protein comprises a polypeptide having the amino acid sequence of any one of the VH CDR3s referred to in Table 1 (i.e., SEQ ID NOS:2129 - 3227), and a heterologous polypeptide.

[0347] In another embodiment, a fusion protein comprises a polypeptide having the amino acid sequence of any one of the VL domains referred to in Table 1, and a heterologous polypeptide. In another embodiment, a fusion protein comprises a polypeptide having the amino acid sequence of any one of the VL CDR1s referred to in Table 1, and a heterologous polypeptide. In yet another embodiment, a fusion protein comprises a polypeptide having the amino acid sequence of any one of the VL CDR2s referred to in Table 1, and a heterologous polypeptide. In a preferred embodiment, a fusion protein comprises a polypeptide having the amino acid sequence of any one of the VL CDR3s referred to in Table 1, and a heterologous polypeptide.

[0348] In another embodiment, a fusion protein comprises a polypeptide having the amino acid sequence of any one of the VH domains referred to in Table 1, and one or more VL domains referred to in Table 1, and a heterologous polypeptide. In another embodiment, a fusion protein of the present invention comprises a polypeptide having the amino acid sequence of any one of the VH CDRs referred to in Table 1, and any one of the VL CDRs referred to in Table 1, and a heterologous polypeptide.

[0349] The present invention further includes compositions comprising, or alternatively consisting of, heterologous polypeptides fused or conjugated to antibody fragments. For example, the heterologous polypeptides may be fused or conjugated to a Fab fragment, Fd fragment, Fv fragment, F(ab)₂ fragment, or a portion thereof. Methods

for fusing or conjugating polypeptides to antibody portions are known in the art. See, *e.g.*, U.S. Patent Nos. 5,336,603; 5,622,929; 5,359,046; 5,349,053; 5,447,851; 5,112,946; EP 307,434; EP 367,166; PCT publications WO 96/04388; WO 9 1/06570; Ashkenazi *et al.*, Proc. Natl. Acad. Sci. USA 88: 10535-10539 (1991); Zheng *et al.*, J. Immunol. 154:5590-5600 (1995); and Vil *et al.*, Proc. Natl. Acad. Sci. USA 89:11337- 11341 (1992) (said references incorporated by reference in their entireties).

[0350] Additional fusion proteins of the invention may be generated through the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or codon-shuffling (collectively referred to as "DNA shuffling"). DNA shuffling may be employed to modulate the activities of antibodies (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), such methods can be used to generate antibodies with altered activity (*e.g.*, antibodies with higher affinities and lower dissociation rates). See, generally, U.S. Patent Nos. 5,605,793; 5,811,238; 5,830,721; 5,834,252; and 5,837,458, and Patten *et al.*, Curr. Opinion Biotechnol. 8:724-33 (1997); Harayama, Trends Biotechnol. 16(2):76-82 (1998); Hansson, *et al.*, J. Mol. Biol. 287:265-76 (1999); and Lorenzo and Blasco, Biotechniques 24(2):308- 13 (1998) (each of these patents and publications are hereby incorporated by reference in its entirety). In one embodiment, polynucleotides encoding antibodies of the invention may be altered by being subjected to random mutagenesis by error-prone PCR, random nucleotide insertion or other methods prior to recombination. In another embodiment, one or more portions of a polynucleotide encoding an antibody which portions immunospecifically bind to BLyS may be recombined with one or more components, motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules.

[0351] Moreover, the antibodies of the present invention (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), can be fused to marker sequences, such as a polypeptides to facilitate purification. In preferred embodiments, the marker amino acid sequence is a hexa-histidine polypeptide, such as the tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue, Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz *et al.*, Proc. Natl. Acad. Sci. USA 86:821-824 (1989), for instance, hexa-histidine provides for convenient purification of the fusion protein. Other peptide tags useful for purification include, but are not limited to, the hemagglutinin "HA"

tag, which corresponds to an epitope derived from the influenza hemagglutinin protein (Wilson *et al.*, Cell 37:767 (1984)) and the "flag" tag (DYKDDDDK, (SEQ ID No: 3238) Stratagene, La Jolla, CA).

[0352] The present invention further encompasses antibodies (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), conjugated to a diagnostic or therapeutic agent. The antibodies can be used diagnostically to, for example, monitor or prognose the development or progression of a tumor as part of a clinical testing procedure to, *e.g.*, determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling the antibody to a detectable substance. Examples of detectable substances include, but are not limited to, various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, radioactive materials, positron emitting metals using various positron emission tomographies, and nonradioactive paramagnetic metal ions. The detectable substance may be coupled or conjugated either directly to the antibody or indirectly, through an intermediate (such as, for example, a linker known in the art) using techniques known in the art. See, for example, U.S. Patent No. 4,741,900 for metal ions which can be conjugated to antibodies for use as diagnostics according to the present invention. Examples of suitable enzymes include, but are not limited to, horseradish peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include, but are not limited to, streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include, but are not limited to, umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes, but is not limited to, luminol; examples of bioluminescent materials include, but are not limited to, luciferase, luciferin, and aequorin; and examples of suitable radioactive material include, but are not limited to, iodine (^{131}I , ^{125}I , ^{123}I , ^{121}I), carbon (^{14}C), sulfur (^{35}S), tritium (^3H), indium ($^{115\text{m}}\text{In}$, $^{113\text{m}}\text{In}$, ^{112}In , ^{111}In), and technetium (^{99}Tc , $^{99\text{m}}\text{Tc}$), thallium (^{201}Tl), gallium (^{68}Ga , ^{67}Ga), palladium (^{103}Pd), molybdenum (^{99}Mo), xenon (^{133}Xe), fluorine (^{18}F), ^{153}Sm , ^{177}Lu , ^{159}Gd , ^{149}Pm , ^{140}La , ^{175}Yb , ^{166}Ho , ^{90}Y , ^{47}Sc , ^{186}Re , ^{188}Re , ^{142}Pr , ^{105}Rh , ^{97}Ru , ^{68}Ge , ^{57}Co , ^{65}Zn , ^{85}Sr , ^{32}P , ^{153}Gd , ^{169}Yb , ^{51}Cr , ^{54}Mn , ^{75}Se , ^{113}Sn , and ^{117}Te .

[0353] Further, an antibody of the invention (including an scFv or other molecule comprising, or alternatively consisting of, antibody fragments or variants thereof), may be conjugated to a therapeutic moiety such as a cytotoxin, e.g., a cytostatic or cytotoxic agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example, ^{213}Bi . In specific embodiments, antibodies of the invention are attached to macrocyclic chelators useful for conjugating radiometal ions, including but not limited to, ^{111}In , ^{177}Lu , ^{90}Y , ^{166}Ho , and ^{153}Sm , to polypeptides. In preferred embodiments, the radiometal ion associated with the macrocyclic chelators attached to antibodies of the invention is ^{111}In . In preferred embodiments, the radiometal ion associated with the macrocyclic chelators attached to antibodies of the invention is ^{90}Y . In specific embodiments, the macrocyclic chelator is 1,4,7,10-tetraazacyclododecane- $\text{N,N',N'',N'''}\text{-tetraacetic acid (DOTA)}$. In other specific embodiments, the DOTA is attached to the antibody of the invention via a linker molecule. Examples of linker molecules useful for conjugating DOTA to a polypeptide are commonly known in the art - see, for example, DeNardo et al., Clin Cancer Res. 4(10):2483-90, 1998; Peterson et al., Bioconjug. Chem. 10(4):553-7, 1999; and Zimmerman et al, Nucl. Med. Biol. 26(8):943-50, 1999 which are hereby incorporated by reference in their entirety.

[0354] A cytotoxin or cytotoxic agent includes any agent that is detrimental to cells and includes such molecules as small molecule toxins and enzymatically active toxins of bacterial, fungal, plant, or animal origin, or fragments thereof. Examples include, but are not limited to, paclitaxol, cytochalasin B, gramicidin D, ethidium bromide, emetine, mitomycin, etoposide (VP-16), teniposide, vincristine, vinblastine, colchicin, doxorubicin, daunorubicin, dihydroxy anthracin dione, mitoxantrone, mithramycin, actinomycin D, 1-dehydrotestosterone, glucocorticoids, procaine, tetracaine, lidocaine, propranolol, thymidine kinase, endonuclease, RNase, and puromycin and fragments, variants or homologs thereof. Therapeutic agents include, but are not limited to, antimetabolites (e.g., methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine), alkylating agents (e.g., mechlorethamine, thioepa chlorambucil, melphalan, carmustine (BSNU) and lomustine (CCNU), cyclophosphamide, busulfan, dibromomannitol, streptozotocin, mitomycin C, and cisdichlorodiamine platinum (II) (DDP) cisplatin), anthracyclines (e.g., daunorubicin (formerly daunomycin) and doxorubicin), antibiotics (e.g., dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin

(AMC)), and anti-mitotic agents (*e.g.*, vincristine and vinblastine), improsulfan, piposulfan, benzodopa, carboquone, meturedopa, uredopa, altretamine, triethylenemelamine, trietylenephosphoramidate, triethylenethiophosphoramidate, trimethylolomelamine, chlornaphazine, cholophosphamide, estramustine, ifosfamide, novembichin, phenesterine, prednimustine, trofosfamide, uracil mustard, chlorozotocin, fotemustine, nimustine, ranimustine, aclacinomysins, azaserine, cactinomycin, calichearnicin, carabycin, carminomycin, carzinophilin, chromomycins, detorubicin, 6-diazo-5-oxo-L-norleucine, epirubicin, esorubicin, idarubicin, marcellomycin, mycophenolic acid, nogalamycin, olivomycins, peplomycin, potfiromycin, quelamycin, rodorubicin, streptonigrin, tubercidin, ubenimex, zinostatin, zorubicin, denopterin, pteropterin, trimetrexate, fludarabine, thiamiprine, ancitabine, azacitidine, 6-azauridine, carmofur, dideoxyuridine, doxifluridine, enocitabine, floxuridine, 5-FU, calusterone, dromostanolone propionate, epitiostanol, mepitiostane, testolactone, aminoglutethimide, mitotane, trilostane, frolic acid, aceglatone, aldophosphamide glycoside, aminolevulinic acid, amsacrine, bestrabucil, bisantrene, edatraxate, defofamine, dernecolcine, diaziqune, elfornithine, elliptinium acetate, etoglucid, gallium nitrate, hydroxyurea, lentinan, lonidamine, mitoguazone, mopidamol, nitracrine, pentostatin, phenamet, pirarubicin, podophyllinic acid, 2-ethylhydrazide, procarbazine, PSKO, razoxane, sizofiran, spirogermanium, tenuazonic acid, triaziquone, 2, 2',2"-trichlorotriethylamine, urethan, vindesine, dacarbazine, mannomustine, mitobronitol, mitolactol, pipobroman, gacytosine, arabinoside ("Ara-C"), taxoids, *e.g.* paclitaxel (TAXOL", Bristol-Myers Squibb Oncology, Princeton, NJ) doxetaxel (TAXOTERE", Rh6ne-Poulenc Rorer, Antony, France), gemcitabine, ifosfamide, vinorelbine, navelbine, novantrone, teniposide, aminopterin, xeloda, ibandronate, CPT-I 1, topoisomerase inhibitor RFS 2000, difluoromethylornithine (DMFO), retinoic acid, esperamicins, capecitabine, and pharmaceutically acceptable salts, acids or derivatives of any of the above. Also included in this definition are anti-hormonal agents that act to regulate or inhibit hormone action on tumors such as anti-estrogens including for example tamoxifen, raloxifene, aromatase inhibiting 4(5)-imidazoles, 4 hydroxytamoxifen, trioxifene, keoxifene, LY 117018, onapristone, toremifene (Fareston), and anti-androgens such as flutamide, nilutamide, bicalutamide, leuprolide, and goserelin, and pharmaceutically acceptable salts, acids or derivatives of any of the above.

[0355] Techniques known in the art may be applied to label antibodies of the invention. Such techniques include, but are not limited to, the use of bifunctional conjugating agents (see e.g., U.S. Patent Nos. 5,756,065; 5,714,631; 5,696,239; 5,652,361; 5,505,931; 5,489,425; 5,435,990; 5,428,139; 5,342,604; 5,274,119; 4,994,560; and 5,808,003; the contents of each of which are hereby incorporated by reference in its entirety) and direct coupling reactions (e.g., Bolton-Hunter and Chloramine-T reaction).

[0356] The antibodies of the invention which are conjugates can be used for modifying a given biological response, the therapeutic agent or drug moiety is not to be construed as limited to classical chemical therapeutic agents. For example, the drug moiety may be a protein or polypeptide possessing a desired biological activity. Such proteins may include, but are not limited to, for example, a toxin such as abrin, ricin A, alpha toxin, pseudomonas exotoxin, or diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin; a protein such as tumor necrosis factor, alpha-interferon, beta-interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator, an apoptotic agent, e.g., TNF-alpha, TNF-beta, AIM I (see, International Publication No. WO 97/33899), AIM II (see, International Publication No. WO 97/34911), Fas Ligand (Takahashi *et al.*, *Int. Immunol.*, 6:1567-1574 (1994)), VEGI (see, International Publication No. WO 99/23105), a thrombotic agent or an anti-angiogenic agent, e.g., angiostatin or endostatin; or, biological response modifiers such as, for example, lymphokines, interleukin-1 (IL-1), interleukin-2 (IL-2), interleukin-6 (IL-6), granulocyte macrophage colony stimulating factor (GM-CSF), granulocyte colony stimulating factor (G-CSF), or other growth factors.

[0357] Antibodies of the invention (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), may also be attached to solid supports, which are particularly useful for immunoassays or purification of the target antigen. Such solid supports include, but are not limited to, glass, cellulose, polyacrylamide, nylon, polystyrene, polyvinyl chloride or polypropylene.

[0358] Techniques for conjugating a therapeutic moiety to antibodies are well known, see, e.g., Arnon *et al.*, "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in *Monoclonal Antibodies And Cancer Therapy*, Reisfeld *et al.* (eds.), pp. 243-56 (Alan R. Liss, Inc. 1985); Hellstrom *et al.*, "Antibodies For Drug Delivery", in *Controlled Drug Delivery* (2nd Ed.), Robinson *et al.* (eds.), pp. 623-53 (Marcel Dekker,

Inc. 1987); Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", in *Monoclonal Antibodies '84: Biological And Clinical Applications*, Pinchera *et al.* (eds.), pp. 475-506 (1985); "Analysis, Results, And Future Prospective Of The Therapeutic Use Of Radiolabeled Antibody In Cancer Therapy", in *Monoclonal Antibodies For Cancer Detection And Therapy*, Baldwin *et al.* (eds.), pp. 303-16 (Academic Press 1985), and Thorpe *et al.*, "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", *Immunol. Rev.* 62:119-58 (1982).

[0359] Alternatively, an antibody of the invention can be conjugated to a second antibody to form an antibody heteroconjugate as described by Segal in U.S. Patent No. 4,676,980, which is incorporated herein by reference in its entirety.

[0360] An antibody of the invention (including an scFv or and other molecule comprising, or alternatively consisting of, an antibody fragment or variant thereof), with or without a therapeutic moiety conjugated to it, administered alone or in combination with cytotoxic factor(s) and/or cytokine(s) can be used as a therapeutic.

Use of Antibodies for Epitope Mapping

[0361] The present invention provides antibodies (including scFvs and other molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that can be used to identify epitopes of BLYS. In particular, the antibodies of the present invention can be used to identify epitopes of human BLYS (SEQ ID NOS:3228 and/or 3229) or BLYS expressed on human monocytes; murine BLYS (SEQ ID NOS:3230 and/or 3231) or BLYS expressed on murine monocytes; rat BLYS (either the soluble forms as given in SEQ ID NOS:3232, 3233, 3234 and/or 3235 or in a membrane associated form, *e.g.*, on the surface of rat monocytes); or monkey BLYS (*e.g.*, the monkey BLYS polypeptides of SEQ ID NOS:3236 and/or 3237, the soluble form of monkey BLYS, or BLYS expressed on monkey monocytes) using techniques described herein or otherwise known in the art. Fragments which function as epitopes may be produced by any conventional means. (See, *e.g.*, Houghten, *Proc. Natl. Acad. Sci. USA* 82:5131-5135 (1985), further described in U.S. Patent No. 4,631,211.)

Diagnostic Uses of Antibodies

[0362] Labeled antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor diseases and/or disorders associated with the aberrant expression and/or activity of BLYS or BLYS receptor. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample from an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase or decrease in the assayed level of BLYS compared to the standard level of BLYS is indicative of aberrant expression.

[0363] By "biological sample" is intended any fluids and/or cells obtained from an individual, body fluid, body tissue, body cell, cell line, tissue culture, or other source which may contain BLYS protein or mRNA. Body fluids include, but are not limited to, sera, plasma, urine, synovial fluid, spinal fluid, saliva, and mucous. Tissues samples may be taken from virtually any tissue in the body. Tissue samples may also be obtained from autopsy material. Methods for obtaining tissue biopsies and body fluids from mammals are well known in the art. Where the biological sample is to include mRNA, a tissue biopsy is the preferred source.

[0364] The invention also provides for the detection of aberrant expression of BLYS receptor comprising (a) assaying the expression of BLYS receptor in a biological sample from an individual using one or more antibodies or fragments or variants thereof that immunospecifically binds only to soluble BLYS, but does not inhibit BLYS /BLYS receptor binding. Such an antibody, by way of an example that is not to be construed as limiting, would be one that is able to capture a biotinylated BLYS from solution (see Example 8), but that would not prevent BLYS from binding to IM-9 cells (see Example 3). and (b) comparing the level of BLYS receptor with a standard level of BLYS receptor, *e.g.*, in normal tissue or cell samples, whereby an increase or decrease in the assayed level of BLYS receptor compared to the standard level of BLYS receptor is indicative of aberrant expression.

[0365] Antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor autoimmune

disorders and/or immunodeficiencies, and/or diseases or conditions associated therewith. The invention provides for the detection of aberrant expression of BLyS comprising: (a) assaying the expression of BLyS in a biological sample from an individual using one or more antibodies of the invention that immunospecifically binds to BLyS; and (b) comparing the level of BLyS with a standard level of BLyS, *e.g.*, in normal biological samples, whereby an increase or decrease in the assayed level of BLyS compared to the standard level of BLyS is indicative of an autoimmune disorder or disease and/or an immunodeficiency. In specific embodiments, an increase in the assayed level of BLyS is indicative of an autoimmune disorder or disease. In other specific embodiments, a decrease in the assayed level of BLyS is indicative of an immunodeficiency.

[0366] Antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) which specifically bind to BLyS but, do not inhibit BLyS/BLyS receptor binding can be used for diagnostic purposes to detect, diagnose, prognose, or monitor autoimmune disorders and/or immunodeficiencies, and/or diseases or conditions associated therewith. The invention provides for the detection of aberrant expression of BLyS receptor comprising: (a) assaying the expression of BLyS receptor in a biological sample from an individual using one or more antibodies of the invention that immunospecifically binds to BLyS; and (b) comparing the level of BLyS receptor with a standard level of BLyS receptor, *e.g.*, in normal biological samples, whereby an increase or decrease in the assayed level of BLyS receptor compared to the standard level of BLyS receptor is indicative of an autoimmune disorder or disease and/or an immunodeficiency. In specific embodiments, an increase in the assayed level of BLyS receptor is indicative of an autoimmune disorder or disease. In other specific embodiments, a decrease in the assayed level of BLyS receptor is indicative of an immunodeficiency.

[0367] Autoimmune disorders, diseases, or conditions that may be detected, diagnosed, prognosed, or monitored using the antibodies of the invention include, but are not limited to, autoimmune hemolytic anemia, autoimmune neonatal thrombocytopenia, idiopathic thrombocytopenia purpura, autoimmune neutropenia, autoimmunocytopenia, hemolytic anemia, antiphospholipid syndrome, dermatitis, gluten-sensitive enteropathy, allergic encephalomyelitis, myocarditis, relapsing polychondritis, rheumatic heart disease, glomerulonephritis (*e.g.*, IgA nephropathy), Multiple Sclerosis, Neuritis, Uveitis

Ophthalmia, Polyendocrinopathies, Purpura (e.g., Henloch-Scoenlein purpura), Reiter's Disease, Stiff-Man Syndrome, Autoimmune Pulmonary Inflammation, myocarditis, IgA glomerulonephritis, dense deposit disease, rheumatic heart disease, Guillain-Barre Syndrome, diabetes mellitus (e.g. Type I diabetes mellitus or insulin dependent diabetes mellitus), juvenile onset diabetes, and autoimmune inflammatory eye, autoimmune thyroiditis, hypothyroidism (i.e., Hashimoto's thyroiditis, systemic lupus erythematosus, discoid lupus, Goodpasture's syndrome, Pemphigus, Receptor autoimmunities such as, for example, (a) Graves' Disease , (b) Myasthenia Gravis, and (c) insulin resistance, autoimmune hemolytic anemia, autoimmune thrombocytopenic purpura, rheumatoid arthritis, scleroderma with anti-collagen antibodies, mixed connective tissue disease, polymyositis/dermatomyositis, pernicious anemia (Addison's disease), idiopathic Addison's disease, infertility, glomerulonephritis such as primary glomerulonephritis and IgA nephropathy, bullous pemphigoid, Sjögren's syndrome, diabetes mellitus, and adrenergic drug resistance (including adrenergic drug resistance with asthma or cystic fibrosis), chronic active hepatitis, primary biliary cirrhosis, other endocrine gland failure, vitiligo, vasculitis, post-MI, cardiomyopathy syndrome, urticaria, atopic dermatitis, asthma, inflammatory myopathies, and other inflammatory, granulomatous, degenerative, and atrophic disorders and other disorders such as inflammatory skin diseases including psoriasis and sclerosis, responses associated with inflammatory bowel disease (such as Crohn's disease and ulcerative colitis), respiratory distress syndrome (including adult respiratory distress syndrome, ARDS), meningitis, encephalitis, colitis, allergic conditions such as eczema and other conditions involving infiltration of T cells and chronic inflammatory responses, atherosclerosis, leukocyte adhesion deficiency, Reynaud's syndrome, and immune responses associated with acute and delayed hypersensitivity mediated by cytokines and T-lymphocytes typically found in tuberculosis, sarcoidosis, granulomatosis and diseases involving leukocyte diapedesis, central nervous system (CNS) inflammatory disorder, multiple organ injury syndrome, antigen-antibody complex mediated diseases, anti-glomerular basement membrane disease, Lambert-Eaton myasthenic syndrome, Bechet disease, giant cell arteritis, immune complex nephritis, IgA nephropathy, IgM polyneuropathies or autoimmune thrombocytopenia etc.

[0368] In specific embodiments, the present invention encompasses methods and compositions for detecting, diagnosing and/or prognosing diseases or disorders associated

with hypergammaglobulinemia (e.g., AIDS, autoimmune diseases, and some immunodeficiencies). In other specific embodiments, the present invention encompasses methods and compositions for detecting, diagnosing and/or prognosing diseases or disorders associated with hypogammaglobulinemia (e.g., an immunodeficiency).

[0369] Immunodeficiencies that may be detected, diagnosed, prognosed, or monitored using the antibodies of the invention include, but are not limited to, severe combined immunodeficiency (SCID)-X linked, SCID-autosomal, adenosine deaminase deficiency (ADA deficiency), X-linked agammaglobulinemia (XLA), Bruton's disease, congenital agammaglobulinemia, X-linked infantile agammaglobulinemia, acquired agammaglobulinemia, adult onset agammaglobulinemia, late-onset agammaglobulinemia, dysgammaglobulinemia, hypogammaglobulinemia, transient hypogammaglobulinemia of infancy, unspecified hypogammaglobulinemia, agammaglobulinemia, common variable immunodeficiency (CVID) (acquired), Wiskott-Aldrich Syndrome (WAS), X-linked immunodeficiency with hyper IgM, non X-linked immunodeficiency with hyper IgM, selective IgA deficiency, IgG subclass deficiency (with or without IgA deficiency), antibody deficiency with normal or elevated Igs, immunodeficiency with thymoma, Ig heavy chain deletions, kappa chain deficiency, B cell lymphoproliferative disorder (BLPD), selective IgM immunodeficiency, recessive agammaglobulinemia (Swiss type), reticular dysgenesis, neonatal neutropenia, severe congenital leukopenia, thymic aplasia-aplasia or dysplasia with immunodeficiency, ataxia-telangiectasia, short limbed dwarfism, X-linked lymphoproliferative syndrome (XLP), Nezelof syndrome-combined immunodeficiency with Igs, purine nucleoside phosphorylase deficiency (PNP), MHC Class II deficiency (Bare Lymphocyte Syndrome) and severe combined immunodeficiency.

[0370] Elevated levels of soluble BLyS have been observed in the serum of patients with Systemic Lupus Erythematosus (SLE). In comparing the sera of 150 SLE patients with that of 38 control individuals, it was found that most of the SLE patients had more than 5ng/ml of serum BLyS, more than 30% of SLE patients had levels greater than 10ng/ml, and approximately 10% of SLE patients had serum BLyS levels greater than 20ng/ml. In contrast, the majority of normal controls had BLyS levels less than 5ng/ml, and less than 10% had levels higher than 10ng/ml. The elevated levels of BLyS protein in sera is present in the soluble form and has biologic activity as assayed by the ability to

stimulate anti-IgM treated B cells in vitro. SLE patients with more than 15ng/ml serum BLYS were also found to have elevated levels of anti-dsDNA antibodies compared to both normal controls and SLE patients with less than 5ng/ml of serum BLYS.(unpublished data).

[0371] In addition the serum of two subgroups of patients which were positive for anti-nuclear antibodies (ANA+) but did not meet the formal requirements of the American College of Rheumatology (ACR) for classification of SLE were analyzed for BLYS levels. The first subgroup of sera was ANA+ sera that came from patients who did not present with the clinical impression of SLE. This group had only slightly elevated levels of BLYS (~9ng/ml BLYS). The second subgroup however, which was ANA+ sera from patients who presented with the clinical impression of SLE, had significantly increased BLYS levels (~15ng/ml). These results suggest that an elevated level of BLYS precedes the formal fulfillment of the ACR criteria. The ACR criteria are described in Tan, E.M., et al, *Arthritis and Rheumatism* 25:1271 – 1277 (1982).

[0372] Thus in specific embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor Systemic Lupus Erythematosus or conditions associated therewith. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, e.g., in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of SLE.

[0373] In other specific embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor IgA nephropathy or conditions associated therewith. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, e.g., in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of IgA nephropathy.

[0374] In other specific embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor Sjögren's Syndrome or conditions associated therewith. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of Sjögren's Syndrome.

[0375] In other specific embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor HIV infection or conditions associated therewith (*e.g.* AIDS). The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of HIV infection.

[0376] In other specific embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor Myasthenia Gravis or conditions associated therewith. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of Myasthenia Gravis.

[0377] In other specific embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor idiopathic thrombocytopenic purpura (ITP) or conditions associated therewith. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample of an individual using one or more

antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of idiopathic thrombocytopenic purpura (ITP).

[0378] In other specific embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor hemolytic anemia or conditions associated therewith. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of hemolytic anemia.

[0379] In other specific embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor thyroiditis or conditions associated therewith. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of thyroiditis.

[0380] In other specific embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor Goodpasture's syndrome or conditions associated therewith. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of Goodpasture's syndrome.

[0381] In other specific embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or

monitor multiple sclerosis or conditions associated therewith. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of multiple sclerosis.

[0382] In additional embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor Rheumatoid Arthritis. The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample (*e.g.*, serum and synovial fluid) of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of Rheumatoid arthritis.

[0383] In additional embodiments, antibodies of the invention which specifically bind to BLYS can be used for diagnostic purposes to detect, diagnose, prognose, or monitor an immune-based rheumatologic disease, (*e.g.*, SLE, rheumatoid arthritis, CREST syndrome (a variant of scleroderma characterized by calccinosis, Raynaud's phenomenon, esophageal motility disorders, sclerodactyly, and telangiectasia.), Seronegative spondyloarthropathy (SpA), Polymyositis/dermatomyositis, Microscopic polyangiitis, Hepatitis C-associated arthritis, Takayasu's arteritis, and undifferentiated connective tissue disorder). The invention provides for the detection of aberrant expression of BLYS comprising: (a) assaying the expression of BLYS in a biological sample (*e.g.*, serum and synovial fluid) of an individual using one or more antibodies of the invention that immunospecifically binds to BLYS; and (b) comparing the level of BLYS with a standard level of BLYS, *e.g.*, in normal biological samples, whereby an increase in the assayed level of BLYS compared to the standard level of BLYS is indicative of monitor an immune-based rheumatologic disease.

[0384] It has been observed, that serum BLYS levels inversely correlate with nephrotic range proteinuria (>3gm proteinuria in a 24 hour urine collection) using a sample of 71 SLE patients ($p=0.019$). Proteinuria was determined in 71 SLE patients within one month

of phlebotomy for serum BLYS determination. Serum BLYS was classified as low, normal, or high based on the 5th through 95th percentiles for normal controls. Nephrotic-range proteinuria was inversely correlated with serum Neutrokin- α levels. Thus, in specific embodiments, serum levels of BLYS (determined using one or more antibodies of the present invention) in individuals diagnosed with an immune based rheumatologic disease (e.g., SLE, rheumatoid arthritis, CREST syndrome (a variant of scleroderma characterized by calcinosis, Raynaud's phenomenon, esophageal motility disorders, sclerodactyly, and telangiectasia.), seronegative spondyloarthropathy (SpA), polymyositis/dermatomyositis, microscopic polyangiitis, hepatitis C-associated arthritis, Takayasu's arteritis, and undifferentiated connective tissue disorder) may be used to determine, diagnose, prognose, or monitor the severity of certain aspects or symptoms of the disease, such as nephrotic-range proteinuria.

[0385] In another specific embodiment, antibodies of the invention are used to diagnose, prognose, treat, or prevent conditions associated with CVID, including, but not limited to, conditions associated with acute and recurring infections (e.g., pneumonia, bronchitis, sinusitis, otitis media, sepsis, meningitis, septic arthritis, and osteomyelitis), chronic lung disease, autoimmunity, granulomatous disease, lymphoma, cancers (e.g., cancers of the breast, stomach, colon, mouth, prostate, lung, vagina, ovary, skin, and melanin forming cells (i.e. melanoma), inflammatory bowel disease (e.g., Crohn's disease, ulcerative colitis, and ulcerative proctitis), malabsorption, Hodgkin's disease, and Waldenstrom's macroglobulinemia.

[0386] The invention provides a diagnostic assay for diagnosing or prognosing a disease or disorder, comprising: (a) assaying for the level of BLYS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically bind to BLYS; and (b) comparing the level of BLYS with a standard BLYS level, e.g., in a biological sample from a patient without the disease or disorder, whereby an increase or decrease in the assayed BLYS level compared to the standard level of BLYS is indicative of a particular disease or disorder. With respect to cancer, the presence of a relatively high amount of BLYS in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may

allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

[0387] In specific embodiments, the presence of a relatively high amount of membrane-bound BLyS in a biological sample is indicative of monocytic cell related leukemias or lymphomas, such as, for example acute myelogenous leukemia and/or the severity thereof.

[0388] In other specific embodiments, the presence of a relatively high amount of BLyS receptor in a biological sample (as determined using antibodies of the invention that bind to soluble BLyS, but do not inhibit BLyS/BLyS receptor binding) is indicative of B cell related leukemias or lymphomas (e.g., chronic lymphocytic leukemia, multiple myeloma, non-Hodgkin's lymphoma, and Hodgkin's disease), and/or the severity thereof.

[0389] In specific embodiments, the invention provides a diagnostic assay for diagnosing or prognosing Systemic Lupus Erythematosus, comprising: (a) assaying for the level of BLyS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically bind to BLyS; and (b) comparing the level of BLyS with a standard BLyS level, e.g., in a biological sample from a patient without Systemic Lupus Erythematosus, whereby an increase in the assayed BLyS level compared to the standard level of BLyS is indicative of Systemic Lupus Erythematosus.

[0390] In specific embodiments, the invention provides a diagnostic assay for diagnosing or prognosing a Rheumatoid Arthritis, comprising: (a) assaying for the level of BLyS in a biological sample of an individual using one or more antibodies of the invention that immunospecifically bind to BLyS; and (b) comparing the level of BLyS with a standard BLyS level, e.g., in a biological sample from a patient without Rheumatoid Arthritis, whereby an increase or decrease in the assayed BLyS level compared to the standard level of BLyS is indicative of Rheumatoid Arthritis.

[0391] The invention provides a diagnostic assay for diagnosing or prognosing a disease or disorder, comprising: (a) assaying for the level of BLyS receptor in cells or a tissue sample of an individual using one or more antibodies of the invention that immunospecifically binds only to soluble BLyS, but does not neutralize BLyS /BLyS receptor binding; and (b) comparing the level of BLyS receptor with a standard BLyS receptor level, e.g., in a tissue sample from a patient without the disease or disorder, whereby an increase or decrease in the assayed BLyS receptor level compared to the

standard level of BLYS receptor is indicative of a particular disease or disorder. With respect to cancer, the presence of a relatively high amount of BLYS receptor in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

[0392] Antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) can be used to assay protein levels in a biological sample using classical immunohistological methods as described herein or as known to those of skill in the art (*e.g.*, see Jalkanen, *et al.*, J. Cell. Biol. 101:976-985 (1985); Jalkanen, *et al.*, J. Cell. Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase, alkaline phosphatase, and horseradish peroxidase; radioisotopes, such as iodine (^{121}I , ^{123}I , ^{125}I , ^{131}I), carbon (^{14}C), sulfur (^{35}S), tritium (^3H), indium (^{111}In , ^{112}In , $^{113\text{m}}\text{In}$, $^{115\text{m}}\text{In}$), technetium (^{99}Tc , $^{99\text{m}}\text{Tc}$), thallium (^{201}Tl), gallium (^{68}Ga , ^{67}Ga), palladium (^{103}Pd), molybdenum (^{99}Mo), xenon (^{133}Xe), fluorine (^{18}F), ^{153}Sm , ^{177}Lu , ^{159}Gd , ^{149}Pm , ^{140}La , ^{175}Yb , ^{166}Ho , ^{90}Y , ^{47}Sc , ^{186}Re , ^{188}Re , ^{142}Pr , ^{105}Rh , and ^{97}Ru ; luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

[0393] One aspect of the invention is the detection and diagnosis of a disease or disorder associated with aberrant expression of BLYS or BLYS receptor in an animal, preferably a mammal and most preferably a human. In one embodiment, diagnosis comprises: a) administering (for example, parenterally, subcutaneously, or intraperitoneally) to a subject an effective amount of a labeled antibody of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically binds to BLYS; b) waiting for a time interval following the administering for permitting the labeled antibody to preferentially concentrate at sites in the subject where BLYS is expressed (and for unbound labeled molecule to be cleared to background level); c) determining background level; and d) detecting the labeled antibody in the subject, such that detection of labeled antibody or

fragment thereof above the background level and above or below the level observed in a person without the disease or disorder indicates that the subject has a particular disease or disorder associated with aberrant expression of BLyS or BLyS receptor. Background level can be determined by various methods including, comparing the amount of labeled molecule detected to a standard value previously determined for a particular system.

[0394] It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of ⁹⁹Tc. The labeled antibody will then preferentially accumulate at the location of cells which contain the specific protein. *In vivo* tumor imaging is described in S.W. Burchiel *et al.*, "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments." (Chapter 13 in *Tumor Imaging: The Radiochemical Detection of Cancer*, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982).

[0395] Depending on several variables, including the type of label used and the mode of administration, the time interval following the administration for permitting the labeled molecule to preferentially concentrate at sites in the subject and for unbound labeled molecule to be cleared to background level is 6 to 48 hours or 6 to 24 hours or 6 to 12 hours. In another embodiment the time interval following administration is 5 to 20 days or 5 to 10 days.

[0396] In an embodiment, monitoring of the disease or disorder is carried out by repeating the method for diagnosing the disease or disorder, for example, one month after initial diagnosis, six months after initial diagnosis, one year after initial diagnosis, etc.

[0397] Presence of the labeled molecule can be detected in the patient using methods known in the art for *in vivo* scanning. These methods depend upon the type of label used. Skilled artisans will be able to determine the appropriate method for detecting a particular label. Methods and devices that may be used in the diagnostic methods of the invention include, but are not limited to, computed tomography (CT), whole body scan such as position emission tomography (PET), magnetic resonance imaging (MRI), and sonography.

[0398] In a specific embodiment, the molecule is labeled with a radioisotope and is detected in the patient using a radiation responsive surgical instrument (Thurston *et al.*,

U.S. Patent No. 5,441,050). In another embodiment, the molecule is labeled with a fluorescent compound and is detected in the patient using a fluorescence responsive scanning instrument. In another embodiment, the molecule is labeled with a positron emitting metal and is detected in the patient using positron emission-tomography. In yet another embodiment, the molecule is labeled with a paramagnetic label and is detected in a patient using magnetic resonance imaging (MRI).

Immunophenotyping

[0399] The antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) may be utilized for immunophenotyping of cell lines and biological samples by their BLyS expression or BLyS receptor expression. Various techniques can be utilized using antibodies, fragments, or variants of the invention to screen for cellular populations (*i.e.*, immune cells, particularly monocytic cells or B-cells) expressing BLyS or BLyS receptor, and include magnetic separation using antibody-coated magnetic beads, “panning” with antibody attached to a solid matrix (*i.e.*, plate), and flow cytometry (see, *e.g.*, U.S. Patent 5,985,660; and Morrison *et al.*, Cell, 96:737-49 (1999)).

[0400] These techniques allow for the screening of particular populations of cells, such as might be found with hematological malignancies (*i.e.*, minimal residual disease (MRD) in acute leukemic patients) and “non-self” cells in transplantations to prevent Graft-versus-Host Disease (GVHD). Alternatively, these techniques allow for the screening of hematopoietic stem and progenitor cells capable of undergoing proliferation and/or differentiation, as might be found in human umbilical cord blood.

[0401] In one embodiment, antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) are used to identify cells of monocytic or B cell origin.

Therapeutic Uses of Antibodies

[0402] The present invention is further directed to antibody-based therapies which involve administering antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) to an animal, preferably a mammal, and most preferably a human, patient for treating one or more of the disclosed

diseases, disorders, or conditions. Therapeutic compounds of the invention include, but are not limited to, antibodies of the invention and nucleic acids encoding antibodies (and anti-idiotypic antibodies) of the invention as described herein. The antibodies of the invention can be used to treat, ameliorate or prevent diseases, disorders or conditions associated with aberrant expression and/or activity of BLYS or BLYS receptor, including, but not limited to, any one or more of the diseases, disorders, or conditions described herein. The treatment and/or prevention of diseases, disorders, or conditions associated with aberrant BLYS expression and/or activity or aberrant BLYS receptor expression and/or activity includes, but is not limited to, alleviating symptoms associated with those diseases, disorders or conditions. Antibodies of the invention may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

[0403] Antibodies of the present invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that function as agonists or antagonists of BLYS, preferably of BLYS-induced signal transduction, can be administered to an animal to treat, prevent or ameliorate a disease or disorder associated with aberrant BLYS expression, lack of BLYS function, aberrant BLYS receptor expression, or lack of BLYS receptor function. For example, antibodies of the invention which disrupt the interaction between BLYS and its receptor may be administered to an animal to treat, prevent or ameliorate a disease or disorder associated with aberrant BLYS expression, excessive BLYS function, aberrant BLYS receptor expression, or excessive of BLYS receptor function. Antibodies of the invention which do not prevent BLYS from binding its receptor but inhibit or downregulate BLYS-induced signal transduction can be administered to an animal to treat, prevent or ameliorate a disease or disorder associated with aberrant BLYS expression, excessive BLYS function, aberrant BLYS receptor expression, or excessive BLYS receptor function. In particular, antibodies of the present invention which prevent BLYS-induced signal transduction by specifically recognizing the unbound BLYS, receptor-bound BLYS or both unbound and receptor-bound BLYS can be administered to an animal to treat, prevent or ameliorate a disease or disorder associated with aberrant BLYS expression, excessive BLYS function, aberrant BLYS receptor expression, or excessive BLYS receptor function. The ability of an antibody of the invention to inhibit or downregulate BLYS-induced signal transduction may be determined by techniques described herein or otherwise known in the art. For example, BLYS-

induced receptor activation and the activation of signaling molecules can be determined by detecting the phosphorylation (*e.g.*, tyrosine or serine/threonine) of the receptor or a signaling molecule by immunoprecipitation followed by western blot analysis (for example, as described herein).

[0404] In a specific embodiment, an antibody of the present invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that inhibits or downregulates BLYS activity by at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 60%, at least 50%, at least 45%, at least 40%, at least 35%, at least 30%, at least 25%, at least 20%, or at least 10% relative to BLYS activity in absence of the antibody is administered to an animal to treat, prevent or ameliorate a disease or disorder associated with aberrant BLYS expression, excessive BLYS function, aberrant BLYS receptor expression, or excessive BLYS receptor function. In another embodiment, a combination of antibodies, a combination of antibody fragments, a combination of antibody variants, or a combination of antibodies, antibody fragments, and/or variants that inhibit or downregulate BLYS activity by at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 65%, at least 60%, at least 55%, at least 50%, at least 45%, at least 40%, at least 35%, at least 30%, at least 25%, at least 20%, or at least 10% relative to BLYS activity in absence of said antibodies, antibody fragments, and/or antibody variants are administered to an animal to treat, prevent or ameliorate a disease or disorder associated with aberrant BLYS expression, excessive BLYS function, aberrant BLYS receptor expression, or excessive BLYS receptor function.

[0405] Further, antibodies of the present invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) which activate BLYS-induced signal transduction can be administered to an animal to treat, prevent or ameliorate a disease or disorder associated with aberrant BLYS expression, lack of BLYS function, aberrant BLYS receptor expression, or lack of BLYS receptor function. These antibodies may potentiate or activate either all or a subset of the biological activities of BLYS-mediated receptor activation, for example, by inducing multimerization of BLYS and/or multimerization of the receptor. The antibodies of the invention may be administered with or without being pre-complexed with BLYS. In a specific embodiment, an antibody of the present invention that increases BLYS activity by at least 5%, at least

10%, at least 15%, at least 20%, at least 25%, at least 30%, at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, or at least 99% relative to BLYS activity in absence of the antibody is administered to an animal to treat, prevent or ameliorate a disease or disorder associated with aberrant BLYS expression, lack of BLYS function, aberrant BLYS receptor expression, or lack of BLYS receptor function. In another embodiment, a combination of antibodies, a combination of antibody fragments, a combination of antibody variants, or a combination of antibodies, antibody fragments and/or antibody variants that increase BLYS activity by at least 5%, at least 10%, at least 15%, at least 20%, at least 25%, at least 30%, at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, or at least 99% relative to BLYS activity in absence of the said antibodies or antibody fragments and/or antibody variants is administered to an animal to treat, prevent or ameliorate a disease or disorder associated with aberrant BLYS expression or lack of BLYS function or aberrant BLYS receptor expression or lack of BLYS receptor function.

[0406] One or more antibodies of the present invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to BLYS may be used locally or systemically in the body as a therapeutic. The antibodies of this invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) may also be advantageously utilized in combination with other monoclonal or chimeric antibodies, or with lymphokines or hematopoietic growth factors (such as, *e.g.*, IL-2, IL-3 and IL-7), for example, which serve to increase the number or activity of effector cells which interact with the antibodies.

[0407] The antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) may be administered alone or in combination with other types of treatments (*e.g.*, radiation therapy, chemotherapy, hormonal therapy, immunotherapy, anti-tumor agents, anti-angiogenesis and anti-inflammatory agents). Generally, administration of products of a species origin or species reactivity (in the case of antibodies) that is the same species as that of the patient is preferred. Thus, in a preferred embodiment, human antibodies, fragments, or

variants, (e.g., derivatives), or nucleic acids, are administered to a human patient for therapy or prophylaxis.

[0408] It is preferred to use high affinity and/or potent *in vivo* inhibiting and/or neutralizing antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) that immunospecifically bind to BLyS, or polynucleotides encoding antibodies that immunospecifically bind to BLyS, for both immunoassays directed to and therapy of disorders related to BLyS polynucleotides or polypeptides, including fragments thereof. Such antibodies will preferably have an affinity for BLyS and/or BLyS fragments. Preferred binding affinities include those with a dissociation constant or K_D less than or equal to 5×10^{-2} M, 10^{-2} M, 5×10^{-3} M, 10^{-3} M, 5×10^{-4} M, 10^{-4} M, 5×10^{-5} M, or 10^{-5} M. More preferably, antibodies of the invention bind BLyS polypeptides or fragments or variants thereof with a dissociation constant or K_D less than or equal to 5×10^{-6} M, 10^{-6} M, 5×10^{-7} M, 10^{-7} M, 5×10^{-8} M, or 10^{-8} M. Even more preferably, antibodies of the invention bind BLyS polypeptides or fragments or variants thereof with a dissociation constant or K_D less than or equal to 5×10^{-9} M, 10^{-9} M, 5×10^{-10} M, 10^{-10} M, 5×10^{-11} M, 10^{-11} M, 5×10^{-12} M, 10^{-12} M, 5×10^{-13} M, 10^{-13} M, 5×10^{-14} M, 10^{-14} M, 5×10^{-15} M, or 10^{-15} M. The invention encompasses antibodies that bind BLyS polypeptides with a dissociation constant or K_D that is within any one of the ranges that are between each of the individual recited values.

[0409] In a preferred embodiment, antibodies of the invention neutralize BLyS activity. In another preferred embodiment, antibodies of the invention inhibit B cell proliferation.

[0410] In a preferred embodiment, antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) inhibit or reduce binding of the soluble form of BLyS to a BLyS receptor. In another preferred embodiment antibodies of the invention inhibit or reduce B cell proliferation induced by the soluble form of BLyS. In another preferred embodiment antibodies of the invention inhibit or reduce immunoglobulin production induced by the soluble form of BLyS.

[0411] In a preferred embodiment, antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) inhibit or reduce binding of membrane-bound BLyS to a BLyS receptor. In another preferred embodiment, antibodies of the invention inhibit or reduce B cell proliferation induced by

the membrane-bound form of BLyS. In another preferred embodiment, antibodies of the invention inhibit or reduce immunoglobulin production induced by the membrane bound form of BLyS.

[0412] In a preferred embodiment, antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) inhibit or reduce binding of both the soluble and membrane-bound forms of BLyS to a BLyS receptor. In another preferred embodiment, antibodies of the invention inhibit or reduce B cell proliferation induced by either or both forms of BLyS. In another preferred embodiment, antibodies of the invention inhibit or reduce immunoglobulin production induced by either or both forms of BLyS.

[0413] In one embodiment, the invention provides a method of delivering antibody conjugates of the invention to targeted cells, such as, for example, monocytic cells expressing the membrane-bound form of BLyS, or B cells expressing a BLyS receptor.

[0414] In one embodiment, the invention provides a method for the specific delivery of antibodies and antibody conjugates of the invention to cells by administering molecules of the invention that are associated with heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

[0415] In another embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering antibodies or antibody conjugates of the invention (e.g., antibodies conjugated with radioisotopes, toxins, or cytotoxic prodrugs). In a specific embodiment, the invention provides a method for the specific destruction of cells of monocytic lineage (e.g., monocytic cell related leukemias or lymphomas, such as, for example acute myelogenous leukemia) by administering antibodies or antibody conjugates of the invention (e.g., antibodies conjugated with radioisotopes, toxins, or cytotoxic prodrugs) that immunospecifically bind the membrane-bound form of BLyS. In another specific embodiment, the invention provides a method for the specific destruction of cells of B cell lineage (e.g., B cell related leukemias or lymphomas (e.g., chronic lymphocytic leukemia, multiple myeloma, non-

Hodgkin's lymphoma, and Hodgkin's disease) by administering antibodies or antibody conjugates of the invention (e.g., antibodies conjugated with radioisotopes, toxins, or cytotoxic prodrugs) that bind soluble BLyS, but do not inhibit BLyS binding to a BLyS receptor on B cells.

[0416] In another preferred embodiment antibodies of the invention (including antibody fragments and variants) promote or enhance B cell proliferation induced by the soluble form of BLyS. In another preferred embodiment, antibodies of the invention (including antibody fragments and variants) promote or enhance B cell proliferation induced by the membrane or soluble form of APRIL. In another preferred embodiment antibodies of the invention (including antibody fragments and variants) increase or enhance immunoglobulin production induced by the soluble form of BLyS. In another preferred embodiment antibodies of the invention (including antibody fragments and variants) increase or enhance immunoglobulin production induced by the membrane bound or soluble form of APRIL. In another preferred embodiment antibodies of the invention (including antibody fragments and variants) increase or enhance immunoglobulin production in response to T cell dependent immunogens. In another preferred embodiment antibodies of the invention (including antibody fragments and variants, and anti-antibody antibodies) increase or enhance immunoglobulin production in response to T cell independent immunogens.

[0417] In another embodiment, therapeutic or pharmaceutical compositions of the invention are administered to an animal to treat, prevent or ameliorate immune disorders. Immune disorders include, but are not limited to, autoimmune disorders (e.g., arthritis, graft rejection, Hashimoto's thyroiditis, insulin-dependent diabetes, lupus, idiopathic thrombocytopenic purpura, systemic lupus erythematosus and multiple sclerosis), elective IgA deficiency, ataxia-telangiectasia, common variable immunodeficiency (CVID), X-linked agammaglobulinemia, severe combined immunodeficiency (SCID), Wiskott-Aldrich syndrome, idiopathic hyper-eosinophilic syndrome, monocytic leukemoid reaction, monocytic leukocytosis, monocytic leukopenia, monocytopenia, monocytosis, and graft or transplant rejection.

[0418] As discussed herein, antibodies and antibody compositions of the invention, may be used to treat, prevent, ameliorate, diagnose or prognose various immune system-related disorders and/or conditions associated with these disorders, in mammals,

preferably humans. Many autoimmune disorders result from inappropriate recognition of self as foreign material by immune cells. This inappropriate recognition results in an immune response leading to the destruction of the host tissue. Therefore, the administration of antibody and antibody compositions of the invention that can inhibit an immune response, particularly the proliferation of B cells and/or the production of immunoglobulins, may be an effective therapy in treating and/or preventing autoimmune disorders. Thus, in preferred embodiments, antibodies and antibody compositions of the invention are used to treat, prevent, ameliorate, diagnose and/or prognose an autoimmune disorder, or condition(s) associated with such disorder.

[0419] Autoimmune disorders and conditions associated with these disorders that may be treated, prevented, ameliorated, diagnosed and/or prognosed with the therapeutic and pharmaceutical compositions of the invention include, but are not limited to, autoimmune hemolytic anemia, autoimmune neonatal thrombocytopenia, idiopathic thrombocytopenia purpura, autoimmune neutropenia, autoimmunocytopenia, hemolytic anemia, antiphospholipid syndrome, dermatitis, gluten-sensitive enteropathy, allergic encephalomyelitis, myocarditis, relapsing polychondritis, rheumatic heart disease, glomerulonephritis (e.g., IgA nephropathy), Multiple Sclerosis, Neuritis, Uveitis Ophthalmia, Polyendocrinopathies, Purpura (e.g., Henloch-Schoenlein purpura), Reiter's Disease, Stiff-Man Syndrome, Autoimmune Pulmonary Inflammation, myocarditis, IgA glomerulonephritis, dense deposit disease, rheumatic heart disease, Guillain-Barre Syndrome, insulin dependent diabetes mellitus, and autoimmune inflammatory eye disease.

[0420] Additional autoimmune disorders and conditions associated with these disorders that may be treated, prevented, ameliorated, diagnosed and/or prognosed with the therapeutic and pharmaceutical compositions of the invention include, but are not limited to, autoimmune thyroiditis, hypothyroidism (i.e., Hashimoto's thyroiditis) (often characterized, e.g., by cell-mediated and humoral thyroid cytotoxicity), systemic lupus erythematosus (often characterized, e.g., by circulating and locally generated immune complexes), discoid lupus, Goodpasture's syndrome (often characterized, e.g., by anti-basement membrane antibodies), Pemphigus (often characterized, e.g., by epidermal acantholytic antibodies), Receptor autoimmunities such as, for example, (a) Graves' Disease (often characterized, e.g., by TSH receptor antibodies), (b) Myasthenia Gravis (often characterized, e.g., by acetylcholine receptor antibodies), and (c) insulin resistance

(often characterized, e.g., by insulin receptor antibodies), autoimmune hemolytic anemia (often characterized, e.g., by phagocytosis of antibody-sensitized RBCs), autoimmune thrombocytopenic purpura (often characterized, e.g., by phagocytosis of antibody-sensitized platelets).

[0421] Additional autoimmune disorders and conditions associated with these disorders that may be treated, prevented, ameliorated, diagnosed and/or prognosed with the therapeutic and pharmaceutical compositions of the invention include, but are not limited to, rheumatoid arthritis (often characterized, e.g., by immune complexes in joints), scleroderma with anti-collagen antibodies (often characterized, e.g., by nucleolar and other nuclear antibodies), mixed connective tissue disease (often characterized, e.g., by antibodies to extractable nuclear antigens (e.g., ribonucleoprotein)), polymyositis/dermatomyositis (often characterized, e.g., by nonhistone ANA), pernicious anemia (often characterized, e.g., by antiparietal cell, microsomes, and intrinsic factor antibodies), idiopathic Addison's disease (often characterized, e.g., by humoral and cell-mediated adrenal cytotoxicity, infertility (often characterized, e.g., by antispermatozoal antibodies), glomerulonephritis (often characterized, e.g., by glomerular basement membrane antibodies or immune complexes) such as primary glomerulonephritis and IgA nephropathy, bullous pemphigoid (often characterized, e.g., by IgG and complement in basement membrane), Sjögren's syndrome (often characterized, e.g., by multiple tissue antibodies, and/or a specific nonhistone ANA (SS-B)), diabetes mellitus (often characterized, e.g., by cell-mediated and humoral islet cell antibodies), and adrenergic drug resistance (including adrenergic drug resistance with asthma or cystic fibrosis) (often characterized, e.g., by beta-adrenergic receptor antibodies), chronic active hepatitis (often characterized, e.g., by smooth muscle antibodies), primary biliary cirrhosis (often characterized, e.g., by mitochondrial antibodies), other endocrine gland failure (often characterized, e.g., by specific tissue antibodies in some cases), vitiligo (often characterized, e.g., by melanocyte antibodies), vasculitis (often characterized, e.g., by Ig and complement in vessel walls and/or low serum complement), post-MI (often characterized, e.g., by myocardial antibodies), cardiomyopathy syndrome (often characterized, e.g., by myocardial antibodies), urticaria (often characterized, e.g., by IgG and IgM antibodies to IgE), atopic dermatitis (often characterized, e.g., by IgG and IgM antibodies to IgE), asthma (often characterized, e.g., by IgG and IgM antibodies to IgE),

inflammatory myopathies, and many other inflammatory, granulomatous, degenerative, and atrophic disorders.

[0422] In a preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, a member of the group: autoimmune hemolytic anemia, as primary glomerulonephritis, IgA glomerulonephritis, Goodpasture's syndrome, idiopathic thrombocytopenia, Multiple Sclerosis, Myasthenia Gravis, Pemphigus, polymyositis/dermatomyositis, relapsing polychondritis, rheumatoid arthritis, Sjögren's syndrome, systemic lupus erythematosus, Uveitis, vasculitis, and primary biliary cirrhosis.

[0423] In another preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, an immune based-rheumatologic disease, such as, for example, SLE, rheumatoid arthritis, CREST syndrome (a variant of scleroderma characterized by calcinosis, Raynaud's phenomenon, esophageal motility disorders, sclerodactyly, and telangiectasia.), Seronegative spondyloarthropathy (SpA), polymyositis/ dermatomyositis, microscopic polyangiitis, hepatitis C-associated arthritis, Takayasu's arteritis, and undifferentiated connective tissue disorder.

[0424] In a specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, rheumatoid arthritis and/or medical conditions associated therewith.

[0425] For example, an antibody, or antibodies, of the present invention are used to treat patients with clinical diagnosis of rheumatoid arthritis (RA). The patient treated preferably will not have a B cell malignancy. Moreover, the patient is optionally further treated with any one or more agents employed for treating RA such as salicylate; nonsteroidal anti-inflammatory drugs such as indomethacin, phenylbutazone, phenylacetic acid derivatives (e.g. ibuprofen and fenoprofen), naphthalene acetic acids (naproxen), pyrrolealkanoic acid (tometin), indoleacetic acids (sulindac), halogenated anthranilic acid (meclofenamate sodium), piroxicam, zomepirac and diflunisal; antimalarials such as chloroquine; gold salts; penicillamine; or immunosuppressive agents such as methotrexate or corticosteroids in dosages known for such drugs or reduced dosages. Preferably however, the patient is only treated with an antibody, or antibodies, of the present invention. Antibodies of the present invention are administered to the RA patient

according to a dosing schedule as described *infra*, which may be readily determined by one of ordinary skill in the art. The primary response is determined by the Paulus index (Paulus et al. *Athritis Rheum.* 33:477-484 (1990)), *i.e.* improvement in morning stiffness, number of painful and inflamed joints, erythrocyte sedimentation (ESR), and at least a 2-point improvement on a 5-point scale of disease severity assessed by patient and by physician. Administration of an antibody, or antibodies, of the present invention will alleviate one or more of the symptoms of RA in the patient treated as described above.

[0426] In a specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, lupus and/or medical conditions associated therewith. Lupus-associated conditions that may be treated, prevented, ameliorated, prognosed and/or diagnosed with the antibodies and antibody compositions of the invention include, but are not limited to, hematologic disorders (e.g., hemolytic anemia, leukopenia, lymphopenia, and thrombocytopenia), immunologic disorders (e.g., anti-DNA antibodies, and anti-Sm antibodies), rashes, photosensitivity, oral ulcers, arthritis, fever, fatigue, weight loss, serositis (e.g.; pleuritis (pleurisy)), renal disorders (e.g., nephritis), neurological disorders (e.g., seizures, peripheral neuropathy, CNS related disorders), gastrointestinal disorders, Raynaud phenomenon, and pericarditis. In a preferred embodiment, therapeutic and pharmaceutical compositions of the invention are used to treat, prevent, ameliorate, diagnose, or prognose, renal disorders associated with systemic lupus erythematosus. In a most preferred embodiment, therapeutic and pharmaceutical compositions of the invention are used to treat, prevent, ameliorate, diagnose, or prognose, nephritis associated with systemic lupus erythematosus. In another most preferred embodiment, therapeutic or pharmaceutical compositions of the invention are administered to an animal to treat, prevent or ameliorate lupus or glomerular nephritis.

[0427] In a further specific embodiment, antibodies of the invention are used to treat, inhibit, prognose, diagnose or prevent hemolytic anemia. For example, patients diagnosed with autoimmune hemolytic anemia (AIHA), *e.g.*, cryoglobulinemia or Coombs positive anemia, are treated with an antibody, or antibodies, of the present invention. AIHA is an acquired hemolytic anemia due to auto-antibodies that react with the patient's red blood cells. The patient treated preferably will not have a B cell malignancy. Further adjunct therapies (such as glucocorticoids, prednisone, azathioprine, cyclophosphamide,

vinca-laden platelets or Danazol) may be combined with the antibody therapy, but preferably the patient is treated with an antibody, or antibodies, of the present invention as a single-agent throughout the course of therapy. Antibodies of the present invention are administered to the hemolytic anemia patient according to a dosing schedule as described *infra*, which may be readily determined by one of ordinary skill in the art. Overall response rate is determined based upon an improvement in blood counts, decreased requirement for transfusions, improved hemoglobin levels and/or a decrease in the evidence of hemolysis as determined by standard chemical parameters. Administration of an antibody, or antibodies of the present invention will improve any one or more of the symptoms of hemolytic anemia in the patient treated as described above. For example, the patient treated as described above will show an increase in hemoglobin and an improvement in chemical parameters of hemolysis or return to normal as measured by serum lactic dehydrogenase and/or bilirubin.

[0428] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, Sjögren's Syndrome and/or medical conditions associated therewith.

[0429] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, HIV infection and/or medical conditions associated therewith (e.g. AIDS).

[0430] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, Myasthenia gravis and/or medical conditions associated therewith.

[0431] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, IgA nephropathy and/or medical conditions associated therewith.

[0432] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, hemolytic anemia and/or medical conditions associated therewith.

[0433] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, thyroiditis and/or medical conditions associated therewith.

[0434] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, Goodpasture's Syndrome and/or medical conditions associated therewith.

[0435] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, multiple sclerosis and/or medical conditions associated therewith.

[0436] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, chronic lymphocytic leukemia (CLL) and/or medical conditions associated therewith.

[0437] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, multiple myeloma and/or medical conditions associated therewith.

[0438] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, Non-Hodgkin's lymphoma and/or medical conditions associated therewith.

[0439] In another specific preferred embodiment, therapeutic and pharmaceutical compositions of the invention, are used to treat, prevent, ameliorate, diagnose or prognose, Hodgkin's disease and/or medical conditions associated therewith.

[0440] In another specific embodiment, antibodies of the invention are used to treat, inhibit, prognose, diagnose or prevent adult immune thrombocytopenic purpura. Adult immune thrombocytopenic purpura (ITP) is a relatively rare hematologic disorder that constitutes the most common of the immune-mediated cytopenias. The disease typically presents with severe thrombocytopenia that may be associated with acute hemorrhage in the presence of normal to increased megakaryocytes in the bone marrow. Most patients with ITP have an IgG antibody directed against target antigens on the outer surface of the platelet membrane, resulting in platelet sequestration in the spleen and accelerated reticuloendothelial destruction of platelets (Bussell, J.B. Hematol. Oncol. Clin. North Am. (4):179 (1990)). A number of therapeutic interventions have been shown to be effective in the treatment of ITP. Steroids are generally considered first-line therapy, after which most patients are candidates for intravenous immunoglobulin (IVIG), splenectomy, or other medical therapies including vincristine or immunosuppressive/cytotoxic agents. Up to 80% of patients with ITP initially respond to a course of steroids, but far fewer have

complete and lasting remissions. Splenectomy has been recommended as standard second-line therapy for steroid failures, and leads to prolonged remission in nearly 60% of cases yet may result in reduced immunity to infection. Splenectomy is a major surgical procedure that may be associated with substantial morbidity (15%) and mortality (2%). IVIG has also been used as second line medical therapy, although only a small proportion of adult patients with ITP achieve remission. Therapeutic options that would interfere with the production of autoantibodies by activated B cells without the associated morbidities that occur with corticosteroids and/or splenectomy would provide an important treatment approach for a proportion of patients with ITP. Patients with clinical diagnosis of ITP are treated with an antibody, or antibodies of the present invention, optionally in combination with steroid therapy. The patient treated will not have a B cell malignancy. Antibodies of the present invention are administered to the RA patient according to a dosing schedule as described *infra*, which may be readily determined by one of ordinary skill in the art. Overall patient response rate is determined based upon a platelet count determined on two consecutive occasions two weeks apart following treatments as described above. See, George et al. "Idiopathic Thrombocytopenic Purpura: A Practice Guideline Developed by Explicit Methods for The American Society of Hematology", Blood 88:3-40 (1996), expressly incorporated herein by reference.

[0441] In another embodiment, therapeutic or pharmaceutical compositions of the invention are administered to an animal to treat, prevent or ameliorate an IgE-mediated allergic reaction or histamine-mediated allergic reaction. Examples of allergic reactions include, but are not limited to, asthma, rhinitis, eczema, chronic urticaria, and atopic dermatitis. In another embodiment, therapeutic or pharmaceutical compositions of the invention are administered to an animal to treat, prevent, or ameliorate anaphylaxis, hypersensitivity to an antigenic molecule, or blood group incompatibility. In another embodiment, therapeutic or pharmaceutical compositions of the invention are administered to an animal to treat, prevent or ameliorate or modulate inflammation or an inflammatory disorder. Examples of chronic and acute inflammatory disorders that may be treated prevented or ameliorated with the therapeutic and pharmaceutical compositions of the invention include, but are not limited to, chronic prostatitis, granulomatous prostatitis and malacoplakia, inflammation associated with infection (e.g., septic shock, sepsis, or systemic inflammatory response syndrome (SIRS)), ischemia-reperfusion injury,

endotoxin lethality, arthritis, complement-mediated hyperacute rejection, nephritis, cytokine or chemokine induced lung injury, Crohn's disease, inflammatory bowel disease, chronic and acute inflammatory pulmonary diseases, bacterial infection, psoriasis, septicemia, cerebral malaria, arthritis, gastroenteritis, and glomerular nephritis.

[0442] In another embodiment, therapeutic or pharmaceutical compositions of the invention are administered to an animal to treat, prevent or ameliorate ischemia and arteriosclerosis. Examples of such disorders include, but are not limited to, reperfusion damage (*e.g.*, in the heart and/or brain) and cardiac hypertrophy.

[0443] Therapeutic or pharmaceutical compositions of the invention, may also be administered to modulate blood clotting and to treat or prevent blood clotting disorders, such as, for example, antibody-mediated thrombosis (*i.e.*, antiphospholipid antibody syndrome (APS)). For example, therapeutic or pharmaceutical compositions of the invention, may inhibit the proliferation and differentiation of cells involved in producing anticardiolipin antibodies. These compositions of the invention can be used to treat, prevent, ameliorate, diagnose, and/or prognose thrombotic related events including, but not limited to, stroke (and recurrent stroke), heart attack, deep vein thrombosis, pulmonary embolism, myocardial infarction, coronary artery disease (*e.g.*, antibody-mediated coronary artery disease), thrombosis, graft reocclusion following cardiovascular surgery (*e.g.*, coronary arterial bypass grafts, recurrent fetal loss, and recurrent cardiovascular thromboembolic events).

[0444] Therapeutic or pharmaceutical compositions of the invention, may also be administered to treat, prevent, or ameliorate organ rejection or graft-versus-host disease (GVHD) and/or conditions associated therewith. Organ rejection occurs by host immune cell destruction of the transplanted tissue through an immune response. Similarly, an immune response is also involved in GVHD, but, in this case, the foreign transplanted immune cells destroy the host tissues. The administration of antibodies of the invention, that inhibit an immune response, may be an effective therapy in preventing organ rejection or GVHD.

[0445] In another embodiment, therapeutic or pharmaceutical compositions of the invention are administered to an animal to treat, prevent or ameliorate a disease or disorder diseases associated with increased apoptosis including, but not limited to, AIDS, neurodegenerative disorders (such as Alzheimer's disease, Parkinson's disease,

Amyotrophic lateral sclerosis, Retinitis pigmentosa, Cerebellar degeneration), myelodysplastic syndromes (such as aplastic anemia), ischemic injury (such as that caused by myocardial infarction, stroke and reperfusion injury), toxin-induced liver disease (such as that caused by alcohol), septic shock, cachexia and anorexia. In another embodiment, therapeutic or pharmaceutical compositions of the invention are administered to an animal to treat, prevent or ameliorate bone marrow failure, for example, aplastic anemia and myelodysplastic syndrome.

[0446] In another embodiment, therapeutic or pharmaceutical compositions of the invention are administered to an animal to treat, prevent or ameliorate growth, progression, and/or metastases of malignancies and proliferative disorders associated with increased cell survival, or the inhibition of apoptosis. Examples of such disorders, include, but are not limited to, leukemia (*e.g.*, acute leukemia such as acute lymphocytic leukemia and acute myelocytic leukemia), neoplasms, tumors (*e.g.*, fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteogenic sarcoma, chordoma, angiosarcoma, endotheliosarcoma, lymphangiosarcoma, lymphangioendotheliosarcoma, synovioma, mesothelioma, Ewing's tumor, leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, pancreatic cancer, breast cancer, ovarian cancer, prostate cancer, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, cystadenocarcinoma, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilms' tumor, cervical cancer, testicular tumor, lung carcinoma, small cell lung carcinoma, bladder carcinoma, epithelial carcinoma, glioma, astrocytoma, medulloblastoma, craniopharyngioma, ependymoma, pinealoma, hemangioblastoma, acoustic neuroma, oligodendroglioma, meningioma, melanoma, neuroblastoma, and retinoblastoma), heavy chain disease, metastases, or any disease or disorder characterized by uncontrolled cell growth.

[0447] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used to treat or prevent a disorder characterized by hpergammagloulinemia (*e.g.*, AIDS, autoimmune diseases, and some immunodeficiencies).

[0448] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used to treat or prevent a disorder characterized by deficient serum immunoglobulin production, recurrent infections, and/or immune system dysfunction.

Moreover, therapeutic or pharmaceutical compositions of the invention may be used to treat or prevent infections of the joints, bones, skin, and/or parotid glands, blood-borne infections (e.g., sepsis, meningitis, septic arthritis, and/or osteomyelitis), autoimmune diseases (e.g., those disclosed herein), inflammatory disorders, and malignancies, and/or any disease or disorder or condition associated with these infections, diseases, disorders and/or malignancies) including, but not limited to, CVID, other primary immune deficiencies, HIV disease, CLL, recurrent bronchitis, sinusitis, otitis media, conjunctivitis, pneumonia, hepatitis, meningitis, herpes zoster (e.g., severe herpes zoster), and/or pneumocystis carinii.

[0449] Therapeutic or pharmaceutical compositions of the invention of the invention thereof, may be used to diagnose, prognose, treat or prevent one or more of the following diseases or disorders, or conditions associated therewith: primary immunodeficiencies, immune-mediated thrombocytopenia, Kawasaki syndrome, bone marrow transplant (e.g., recent bone marrow transplant in adults or children), chronic B-cell lymphocytic leukemia, HIV infection (e.g., adult or pediatric HIV infection), chronic inflammatory demyelinating polyneuropathy, and post-transfusion purpura.

[0450] Additionally, therapeutic or pharmaceutical compositions of the invention may be used to diagnose, prognose, treat or prevent one or more of the following diseases, disorders, or conditions associated therewith, Guillain-Barre syndrome, anemia (e.g., anemia associated with parvovirus B19, patients with stable multiple myeloma who are at high risk for infection (e.g., recurrent infection), autoimmune hemolytic anemia (e.g., warm-type autoimmune hemolytic anemia), thrombocytopenia (e.g., neonatal thrombocytopenia), and immune-mediated neutropenia), transplantation (e.g., cytomegalovirus (CMV)-negative recipients of CMV-positive organs), hypogammaglobulinemia (e.g., hypogammaglobulinemic neonates with risk factor for infection or morbidity), epilepsy (e.g., intractable epilepsy), systemic vasculitic syndromes, myasthenia gravis (e.g., decompensation in myasthenia gravis), dermatomyositis, and polymyositis.

[0451] Additional preferred embodiments of the invention include, but are not limited to, the use of therapeutic or pharmaceutical compositions of the invention in the following applications:

[0452] Administration to an animal (e.g., mouse, rat, rabbit, hamster, guinea pig, pigs, micro-pig, chicken, camel, goat, horse, cow, sheep, dog, cat, non-human primate, and human, most preferably human) to boost the immune system to produce increased quantities of one or more antibodies (e.g., IgG, IgA, IgM, and IgE), to induce higher affinity antibody production (e.g., IgG, IgA, IgM, and IgE), and/or to increase an immune response. In a specific nonexclusive embodiment, therapeutic or pharmaceutical compositions of the invention are administered to boost the immune system to produce increased quantities of IgG. In another specific nonexclusive embodiment, antibodies of the invention are administered to boost the immune system to produce increased quantities of IgA. In another specific nonexclusive embodiment antibodies of the invention are administered to boost the immune system to produce increased quantities of IgM.

[0453] Administration to an animal (including, but not limited to, those listed above, and also including transgenic animals) incapable of producing functional endogenous antibody molecules or having an otherwise compromised endogenous immune system, but which is capable of producing human immunoglobulin molecules by means of a reconstituted or partially reconstituted immune system from another animal (see, e.g., published PCT Application Nos. WO98/24893, WO/9634096, WO/9633735, and WO/9110741).

[0454] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a vaccine adjuvant that enhances immune responsiveness to specific antigen. In a specific embodiment, the vaccine is an antibody described herein. In another specific embodiment, the vaccine adjuvant is a polynucleotide described herein (e.g., an antibody polynucleotide genetic vaccine adjuvant). As discussed herein, therapeutic or pharmaceutical compositions of the invention may be administered using techniques known in the art, including but not limited to, liposomal delivery, recombinant vector delivery, injection of naked DNA, and gene gun delivery.

[0455] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an adjuvant to enhance tumor-specific immune responses.

[0456] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an adjuvant to enhance anti-viral immune responses. Anti-viral immune responses that may be enhanced using the compositions of the invention as an adjuvant, include, but are not limited to, virus and virus associated diseases or symptoms

described herein or otherwise known in the art. In specific embodiments, the compositions of the invention are used as an adjuvant to enhance an immune response to a virus, disease, or symptom selected from the group consisting of: AIDS, meningitis, Dengue, EBV, and hepatitis (e.g., hepatitis B). In another specific embodiment, the compositions of the invention are used as an adjuvant to enhance an immune response to a virus, disease, or symptom selected from the group consisting of: HIV/AIDS, Respiratory syncytial virus, Dengue, Rotavirus, Japanese B encephalitis, Influenza A and B, Parainfluenza, Measles, Cytomegalovirus, Rabies, Junin, Chikungunya, Rift Valley fever, Herpes simplex, and yellow fever. In another specific embodiment, the compositions of the invention are used as an adjuvant to enhance an immune response to the HIV gp120 antigen.

[0457] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an adjuvant to enhance anti-bacterial or anti-fungal immune responses. Anti-bacterial or anti-fungal immune responses that may be enhanced using the compositions of the invention as an adjuvant, include bacteria or fungus and bacteria or fungus associated diseases or symptoms described herein or otherwise known in the art. In specific embodiments, the compositions of the invention are used as an adjuvant to enhance an immune response to a bacteria or fungus, disease, or symptom selected from the group consisting of: tetanus, Diphtheria, botulism, and meningitis type B. In another specific embodiment, the compositions of the invention are used as an adjuvant to enhance an immune response to a bacteria or fungus, disease, or symptom selected from the group consisting of: *Vibrio cholerae*, *Mycobacterium leprae*, *Salmonella typhi*, *Salmonella paratyphi*, *Neisseria meningitidis*, *Streptococcus pneumoniae*, Group B streptococcus, *Shigella* spp., Enterotoxigenic *Escherichia coli*, Enterohemorrhagic *E. coli*, *Borrelia burgdorferi*, and *Plasmodium* (malaria).

[0458] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an adjuvant to enhance anti-parasitic immune responses. Anti-parasitic immune responses that may be enhanced using the compositions of the invention as an adjuvant, include parasite and parasite associated diseases or symptoms described herein or otherwise known in the art. In specific embodiments, the compositions of the invention are used as an adjuvant to enhance an immune response to a parasite. In another

specific embodiment, the compositions of the invention are used as an adjuvant to enhance an immune response to Plasmodium (malaria).

[0459] In a specific embodiment, compositions of the invention may be administered to patients as vaccine adjuvants. In a further specific embodiment, compositions of the invention may be administered as vaccine adjuvants to patients suffering from an immune-deficiency. In a further specific embodiment, compositions of the invention may be administered as vaccine adjuvants to patients suffering from HIV.

[0460] In a specific embodiment, compositions of the invention may be used to increase or enhance antigen-specific antibody responses to standard and experimental vaccines. In a specific embodiment, compositions of the invention may be used to enhance seroconversion in patients treated with standard and experimental vaccines. In another specific embodiment, compositions of the invention may be used to increase the repertoire of antibodies recognizing unique epitopes in response to standard and experimental vaccination.

[0461] In a preferred embodiment, antibodies of the invention (including antibody fragments and variants, and anti-antibody antibodies) increase or enhance antigen-specific antibody responses to standard and experimental vaccines by regulating binding of the soluble form of BLyS to a BLyS receptor (e.g., TACI - GenBank accession number AAC51790; BCMA - GenBank accession number NP_001183; and/or BAFF-R - GenBank accession number NP_443177). In another preferred embodiment, antibodies of the invention (including antibody fragments and variants, and anti-antibody antibodies) increase or enhance antigen-specific antibody responses to standard and experimental vaccines by regulating binding of the soluble form of APRIL to an APRIL receptor (e.g., BCMA and TACI).

[0462] In a preferred embodiment, antibodies of the invention (including antibody fragments and variants, and anti-antibody antibodies) increase or enhance seroconversion in patients treated with standard and experimental vaccines by regulating binding of the soluble form of BLyS to BLyS receptor (e.g., TACI - GenBank accession number AAC51790; BCMA - GenBank accession number NP_001183; and/or BAFF-R - GenBank accession number NP_443177). In another preferred embodiment, antibodies of the invention (including antibody fragments and variants, and anti-antibody antibodies) increase or enhance seroconversion in patients treated with standard and experimental

vaccines by regulating binding of the soluble form of APRIL to an APRIL receptor (e.g., BCMA and TACI).

[0463] In a preferred embodiment, antibodies of the invention (including antibody fragments and variants, and anti-antibody antibodies) increase or enhance the repertoire of antibodies recognizing unique epitopes in response to standard and experimental vaccination by regulating binding of the soluble form of BLyS to a BLyS receptor (e.g., TACI - GenBank accession number AAC51790; BCMA - GenBank accession number NP_001183; and/or BAFF-R - GenBank accession number NP_443177). In another preferred embodiment, antibodies of the invention (including antibody fragments and variants, and anti-antibody antibodies) increase or enhance the repertoire of antibodies recognizing unique epitopes in response to standard and experimental vaccination by regulating binding of the soluble form of APRIL to an APRIL receptor (e.g., BCMA and TACI).

[0464] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a stimulator of B cell responsiveness to pathogens.

[0465] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an agent that elevates the immune status of an individual prior to their receipt of immunosuppressive therapies.

[0466] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an agent to induce higher affinity antibodies.

[0467] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an agent to increase serum immunoglobulin concentrations.

[0468] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an agent to accelerate recovery of immunocompromised individuals.

[0469] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an agent to boost immunoresponsiveness among aged populations.

[0470] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an immune system enhancer prior to, during, or after bone marrow transplant and/or other transplants (e.g., allogeneic or xenogeneic organ transplantation). With respect to transplantation, compositions of the invention may be administered prior to, concomitant with, and/or after transplantation. In a specific embodiment, compositions of the invention are administered after transplantation, prior to the beginning of recovery

of T-cell populations. In another specific embodiment, compositions of the invention are first administered after transplantation after the beginning of recovery of T cell populations, but prior to full recovery of B cell populations.

[0471] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an agent to boost immunoresponsiveness among B cell immunodeficient individuals, such as, for example, an individual who has undergone a partial or complete splenectomy. B cell immunodeficiencies that may be ameliorated or treated by administering the antibodies and/or compositions of the invention include, but are not limited to, severe combined immunodeficiency (SCID)-X linked, SCID-autosomal, adenosine deaminase deficiency (ADA deficiency), X-linked agammaglobulinemia (XLA), Bruton's disease, congenital agammaglobulinemia, X-linked infantile agammaglobulinemia, acquired agammaglobulinemia, adult onset agammaglobulinemia, late-onset agammaglobulinemia, dysgammaglobulinemia, hypogammaglobulinemia, transient hypogammaglobulinemia of infancy, unspecified hypogammaglobulinemia, agammaglobulinemia, common variable immunodeficiency (CVID) (acquired), Wiskott-Aldrich Syndrome (WAS), X-linked immunodeficiency with hyper IgM, non X-linked immunodeficiency with hyper IgM, selective IgA deficiency, IgG subclass deficiency (with or without IgA deficiency), antibody deficiency with normal or elevated Igs, immunodeficiency with thymoma, Ig heavy chain deletions, kappa chain deficiency, B cell lymphoproliferative disorder (BLPD), selective IgM immunodeficiency, recessive agammaglobulinemia (Swiss type), reticular dysgenesis, neonatal neutropenia, severe congenital leukopenia, thymic aplasia or dysplasia with immunodeficiency, ataxia-telangiectasia, short limbed dwarfism, X-linked lymphoproliferative syndrome (XLP), Nezelof syndrome-combined immunodeficiency with Igs, purine nucleoside phosphorylase deficiency (PNP), MHC Class II deficiency (Bare Lymphocyte Syndrome) and severe combined immunodeficiency.

[0472] In a specific embodiment, antibodies and/or compositions of the invention are administered to treat or ameliorate selective IgA deficiency.

[0473] In another specific embodiment, antibodies and/or compositions of the invention are administered to treat or ameliorate ataxia-telangiectasia.

[0474] In another specific embodiment antibodies and/or compositions of the invention are administered to treat or ameliorate common variable immunodeficiency.

[0475] In another specific embodiment, antibodies and/or compositions of the invention are administered to treat or ameliorate X-linked agammaglobulinemia.

[0476] In another specific embodiment, antibodies and/or compositions of the invention are administered to treat or ameliorate severe combined immunodeficiency (SCID).

[0477] In another specific embodiment, antibodies and/or compositions of the invention are administered to treat or ameliorate Wiskott-Aldrich syndrome.

[0478] In another specific embodiment, antibodies and/or compositions of the invention are administered to treat or ameliorate X-linked Ig deficiency with hyper IgM.

[0479] As an agent to boost immunoresponsiveness among individuals having an acquired loss of B cell function. Conditions resulting in an acquired loss of B cell function that may be ameliorated or treated by administering antibodies and/or compositions of the invention include, but are not limited to, HIV Infection, AIDS, bone marrow transplant, and B cell chronic lymphocytic leukemia (CLL).

[0480] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an agent to boost immunoresponsiveness among individuals having a temporary immune deficiency. Conditions resulting in a temporary immune deficiency that may be ameliorated or treated by administering antibodies and/or compositions of the invention include, but are not limited to, recovery from viral infections (e.g., influenza), conditions associated with malnutrition, recovery from infectious mononucleosis, or conditions associated with stress, recovery from measles, recovery from blood transfusion, recovery from surgery.

[0481] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a regulator of antigen presentation by monocytes, dendritic cells, T cells and/or B-cells. In one embodiment, antibody polypeptides or polynucleotides enhance antigen presentation or antagonize antigen presentation in vitro or in vivo. Moreover, in related embodiments, this enhancement or antagonization of antigen presentation may be useful in anti-tumor treatment or to modulate the immune system.

[0482] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a mediator of mucosal immune responses. The expression of BLyS on monocytes, the expression of BLyS receptor on B cells, and the responsiveness of B cells to BLyS suggests that it may be involved in exchange of signals between B cells and

monocytes or their differentiated progeny. This activity is in many ways analogous to the CD40-CD154 signalling between B cells and T cells. Anti-BLyS antibodies and compositions of the invention may therefore be good regulators of T cell independent immune responses to environmental pathogens. In particular, the unconventional B cell populations (CD5+) that are associated with mucosal sites and responsible for much of the innate immunity in humans may respond to antibodies or compositions of the invention thereby enhancing or inhibiting individual's immune status.

[0483] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an agent to direct an individual's immune system towards development of a humoral response (i.e. TH2) as opposed to a TH1 cellular response.

[0484] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a means to induce tumor proliferation and thus make it more susceptible to anti-neoplastic agents. For example, multiple myeloma is a slowly dividing disease and is thus refractory to virtually all anti-neoplastic regimens. If these cells were forced to proliferate more rapidly, their susceptibility profile would likely change.

[0485] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a monocyte cell specific binding protein to which specific activators or inhibitors of cell growth may be attached. The result would be to focus the activity of such activators or inhibitors onto normal, diseased, or neoplastic B cell populations.

[0486] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a B cell specific binding protein to which specific activators or inhibitors of cell growth may be attached. The result would be to focus the activity of such activators or inhibitors onto normal, diseased, or neoplastic B cell populations.

[0487] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a means of detecting monocytic cells by virtue of its specificity. This application may require labeling the protein with biotin or other agents (e.g., as described herein) to afford a means of detection.

[0488] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a means of detecting B-lineage cells by virtue of its specificity. This application may require labeling the protein with biotin or other agents (e.g., as described herein) to afford a means of detection.

[0489] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a stimulator of B cell production in pathologies such as AIDS, chronic lymphocyte disorder and/or Common Variable immunodeficiency.

[0490] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as part of a monocyte selection device the function of which is to isolate monocytes from a heterogeneous mixture of cell types. Antibodies of the invention could be coupled to a solid support to which monocytes would then specifically bind. Unbound cells would be washed out and the bound cells subsequently eluted. A non-limiting use of this selection would be to allow purging of tumor cells from, for example, bone marrow or peripheral blood prior to transplant.

[0491] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as part of a B cell selection device the function of which is to isolate B cells from a heterogeneous mixture of cell types. Antibodies of the invention (that do not inhibit BLyS/BLyS Receptor interaction) binding soluble BLyS could be coupled to a solid support to which B cells would then specifically bind. Unbound cells would be washed out and the bound cells subsequently eluted. A non-limiting use of this selection would be to allow purging of tumor cells from, for example, bone marrow or peripheral blood prior to transplant.

[0492] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a therapy for generation and/or regeneration of lymphoid tissues following surgery, trauma or genetic defect.

[0493] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a gene-based therapy for genetically inherited disorders resulting in immuno-incompetence such as observed among SCID patients.

[0494] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as an antigen for the generation of antibodies to inhibit or enhance BLyS mediated responses.

[0495] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a means of activating monocytes/macrophages to defend against parasitic diseases that effect monocytes such as Leishmania.

[0496] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as pretreatment of bone marrow samples prior to transplant. Such treatment would increase B cell representation and thus accelerate recovery.

[0497] In a specific embodiment, therapeutic or pharmaceutical compositions of the invention are used as a means of regulating secreted cytokines that are elicited by BLyS and/or BLyS receptor.

[0498] Antibody polypeptides or polynucleotides of the invention may be used to modulate IgE concentrations in vitro or in vivo.

[0499] Additionally, antibody polypeptides or polynucleotides of the invention may be used to treat, prevent, and/or diagnose IgE-mediated allergic reactions. Such allergic reactions include, but are not limited to, asthma, rhinitis, and eczema.

[0500] In a specific embodiment, antibody polypeptides or polynucleotides of the invention, are administered to treat, prevent, diagnose, and/or ameliorate selective IgA deficiency.

[0501] In another specific embodiment antibody polypeptides or polynucleotides of the invention are administered to treat, prevent, diagnose, and/or ameliorate ataxia-telangiectasia.

[0502] In another specific embodiment, antibody polypeptides or polynucleotides of the invention are administered to treat, prevent, diagnose, and/or ameliorate common variable immunodeficiency.

[0503] In another specific embodiment, antibody polypeptides or polynucleotides of the invention are administered to treat, prevent, diagnose, and/or ameliorate X-linked agammaglobulinemia.

[0504] In another specific embodiment, antibody polypeptides or polynucleotides of the invention are administered to treat, prevent, diagnose, and/or ameliorate severe combined immunodeficiency (SCID).

[0505] In another specific embodiment, antibody polypeptides or polynucleotides of the invention are administered to treat, prevent, diagnose, and/or ameliorate Wiskott-Aldrich syndrome.

[0506] In another specific embodiment, antibody polypeptides or polynucleotides of the invention are administered to treat, prevent, diagnose, and/or ameliorate X-linked Ig deficiency with hyper IgM. In a specific embodiment antibody polypeptides or

polynucleotides of the invention are administered to treat, prevent, diagnose, and/or ameliorate X-linked Ig deficiency with hyper IgM.

[0507] In another specific embodiment, antibody polypeptides or polynucleotides of the invention are administered to treat, prevent, and/or diagnose chronic myelogenous leukemia, acute myelogenous leukemia, leukemia, hystiocytic leukemia, monocytic leukemia (e.g., acute monocytic leukemia), leukemic reticulosis, Shilling Type monocytic leukemia, and/or other leukemias derived from monocytes and/or monocytic cells and/or tissues.

[0508] In another specific embodiment, antibody polypeptides or polynucleotides of the invention are administered to treat, prevent, diagnose, and/or ameliorate monocytic leukemoid reaction, as seen, for example, with tuberculosis.

[0509] In another specific embodiment, antibody polypeptides or polynucleotides of the invention are administered to treat, prevent, diagnose, and/or ameliorate monocytic leukocytosis, monocytic leukopenia, monocytopenia, and/or monocytosis.

[0510] In a specific embodiment, antibody polypeptides or polynucleotides of the invention are used to treat, prevent, detect, and/or diagnose monocyte disorders and/or diseases, and/or conditions associated therewith.

[0511] In a specific embodiment, antibody polypeptides or polynucleotides of the invention are used to treat, prevent, detect, and/or diagnose primary B lymphocyte disorders and/or diseases, and/or conditions associated therewith. In one embodiment, such primary B lymphocyte disorders, diseases, and/or conditions are characterized by a complete or partial loss of humoral immunity. Primary B lymphocyte disorders, diseases, and/or conditions associated therewith that are characterized by a complete or partial loss of humoral immunity and that may be prevented, treated, detected and/or diagnosed with compositions of the invention include, but are not limited to, X-Linked Agammaglobulinemia (XLA), severe combined immunodeficiency disease (SCID), and selective IgA deficiency.

[0512] In a preferred embodiment antibody polypeptides or polynucleotides of the invention are used to treat, prevent, and/or diagnose diseases or disorders affecting or conditions associated with any one or more of the various mucous membranes of the body. Such diseases or disorders include, but are not limited to, for example, mucositis, mucoclasia, mucocolitis, mucocutaneous leishmaniasis (such as, for example, American

leishmaniasis, leishmaniasis americana, nasopharyngeal leishmaniasis, and New World leishmaniasis), mucocutaneous lymph node syndrome (for example, Kawasaki disease), mucoenteritis, mucoepidermoid carcinoma, mucoepidermoid tumor, mucoepithelial dysplasia, mucoid adenocarcinoma, mucoid degeneration, myxoid degeneration; myxomatous degeneration; myxomatosis, mucoid medial degeneration (for example, cystic medial necrosis), mucolipidosis (including, for example, mucolipidosis I, mucolipidosis II, mucolipidosis III, and mucolipidosis IV), mucolysis disorders, mucomembranous enteritis, mucoenteritis, mucopolysaccharidosis (such as, for example, type I mucopolysaccharidosis (i.e., Hurler's syndrome), type IS mucopolysaccharidosis (i.e., Scheie's syndrome or type V mucopolysaccharidosis), type II mucopolysaccharidosis (i.e., Hunter's syndrome), type III mucopolysaccharidosis (i.e., Sanfilippo's syndrome), type IV mucopolysaccharidosis (i.e., Morquio's syndrome), type VI mucopolysaccharidosis (i.e., Maroteaux-Lamy syndrome), type VII mucopolysaccharidosis (i.e., mucopolysaccharidosis due to beta-glucuronidase deficiency), and mucosulfatidosis), mucopolysacchariduria, mucopurulent conjunctivitis, mucopus, mucormycosis (i.e., zygomycosis), mucosal disease (i.e., bovine virus diarrhea), mucous colitis (such as, for example, mucocolitis and myxomembranous colitis), and mucoviscidosis (such as, for example, cystic fibrosis, cystic fibrosis of the pancreas, Clarke-Hadfield syndrome, fibrocystic disease of the pancreas, mucoviscidosis, and viscidosis). In a highly preferred embodiment, antibody polypeptides or polynucleotides of the invention are used to treat, prevent, and/or diagnose mucositis, especially as associated with chemotherapy.

[0513] In a preferred embodiment, antibody polypeptides or polynucleotides of the invention are used to treat, prevent, and/or diagnose diseases or disorders affecting or conditions associated with sinusitis.

[0514] An additional condition, disease or symptom that can be treated, prevented, and/or diagnosed by antibody polypeptides or polynucleotides of the invention is osteomyelitis.

[0515] An additional condition, disease or symptom that can be treated, prevented, and/or diagnosed by antibody polypeptides or polynucleotides of the invention is endocarditis.

[0516] All of the above described applications as they may apply to veterinary medicine.

[0517] Antibody polypeptides or polynucleotides of the invention may be used to treat, prevent, and/or diagnose diseases and disorders of the pulmonary system (e.g., bronchi such as, for example, sinopulmonary and bronchial infections and conditions associated with such diseases and disorders and other respiratory diseases and disorders. In specific embodiments, such diseases and disorders include, but are not limited to, bronchial adenoma, bronchial asthma, pneumonia (such as, e.g., bronchial pneumonia, bronchopneumonia, and tuberculous bronchopneumonia), chronic obstructive pulmonary disease (COPD), bronchial polyps, bronchiectasia (such as, e.g., bronchiectasia sicca, cylindrical bronchiectasis, and saccular bronchiectasis), bronchiolar adenocarcinoma, bronchiolar carcinoma, bronchiolitis (such as, e.g., exudative bronchiolitis, bronchiolitis fibrosa obliterans, and proliferative bronchiolitis), bronchiolo-alveolar carcinoma, bronchitic asthma, bronchitis (such as, e.g., asthmatic bronchitis, Castellani's bronchitis, chronic bronchitis, croupous bronchitis, fibrinous bronchitis, hemorrhagic bronchitis, infectious avian bronchitis, obliterative bronchitis, plastic bronchitis, pseudomembranous bronchitis, putrid bronchitis, and verminous bronchitis), bronchocentric granulomatosis, bronchoedema, bronchoesophageal fistula, bronchogenic carcinoma, bronchogenic cyst, broncholithiasis, bronchomalacia, bronchomycosis (such as, e.g., bronchopulmonary aspergillosis), bronchopulmonary spirochetosis, hemorrhagic bronchitis, bronchorrhea, bronchospasm, bronchostaxis, bronchostenosis, Biot's respiration, bronchial respiration, Kussmaul respiration, Kussmaul-Kien respiration, respiratory acidosis, respiratory alkalosis, respiratory distress syndrome of the newborn, respiratory insufficiency, respiratory scleroma, respiratory syncytial virus, and the like.

[0518] In a specific embodiment, antibody polypeptides or polynucleotides of the invention are used to treat, prevent, and/or diagnose chronic obstructive pulmonary disease (COPD).

[0519] In another embodiment, antibody polypeptides or polynucleotides of the invention are used to treat, prevent, and/or diagnose fibroses and conditions associated with fibroses, including, but not limited to, cystic fibrosis (including such fibroses as cystic fibrosis of the pancreas, Clarke-Hadfield syndrome, fibrocystic disease of the pancreas, mucoviscidosis, and viscidosis), endomyocardial fibrosis, idiopathic

retroperitoneal fibrosis, leptomeningeal fibrosis, mediastinal fibrosis, nodular subepidermal fibrosis, pericentral fibrosis, perimuscular fibrosis, pipestem fibrosis, replacement fibrosis, subadventitial fibrosis, and Symmers' clay pipestem fibrosis.

[0520] In another embodiment, therapeutic or pharmaceutical compositions of the invention are administered to an animal to treat, prevent or ameliorate infectious diseases. Infectious diseases include diseases associated with yeast, fungal, viral and bacterial infections. Viruses causing viral infections which can be treated or prevented in accordance with this invention include, but are not limited to, retroviruses (e.g., human T-cell lymphotropic virus (HTLV) types I and II and human immunodeficiency virus (HIV)), herpes viruses (e.g., herpes simplex virus (HSV) types I and II, Epstein-Barr virus, HHV6-HHV8, and cytomegalovirus), arenaviruses (e.g., lassa fever virus), paramyxoviruses (e.g., morbillivirus virus, human respiratory syncytial virus, mumps, and pneumovirus), adenoviruses, bunyaviruses (e.g., hantavirus), coronaviruses, filoviruses (e.g., Ebola virus), flaviviruses (e.g., hepatitis C virus (HCV), yellow fever virus, and Japanese encephalitis virus), hepadnaviruses (e.g., hepatitis B viruses (HBV)), orthomyoviruses (e.g., influenza viruses A, B and C), papovaviruses (e.g., papillomaviruses), picornaviruses (e.g., rhinoviruses, enteroviruses and hepatitis A viruses), poxviruses, reoviruses (e.g., rotaviruses), togaviruses (e.g., rubella virus), rhabdoviruses (e.g., rabies virus). Microbial pathogens causing bacterial infections include, but are not limited to, *Streptococcus pyogenes*, *Streptococcus pneumoniae*, *Neisseria gonorrhoea*, *Neisseria meningitidis*, *Corynebacterium diphtheriae*, *Clostridium botulinum*, *Clostridium perfringens*, *Clostridium tetani*, *Haemophilus influenzae*, *Klebsiella pneumoniae*, *Klebsiella ozaenae*, *Klebsiella rhinoscleromatis*, *Staphylococcus aureus*, *Vibrio cholerae*, *Escherichia coli*, *Pseudomonas aeruginosa*, *Campylobacter* (*Vibrio*) *fetus*, *Campylobacter jejuni*, *Aeromonas hydrophila*, *Bacillus cereus*, *Edwardsiella tarda*, *Yersinia enterocolitica*, *Yersinia pestis*, *Yersinia pseudotuberculosis*, *Shigella dysenteriae*, *Shigella flexneri*, *Shigella sonnei*, *Salmonella typhimurium*, *Treponema pallidum*, *Treponema pertenue*, *Treponema caratenum*, *Borrelia vincentii*, *Borrelia burgdorferi*, *Leptospira icterohemorrhagiae*, *Mycobacterium tuberculosis*, *Toxoplasma gondii*, *Pneumocystis carinii*, *Francisella tularensis*, *Brucella abortus*, *Brucella suis*, *Brucella melitensis*, *Mycoplasma* spp., *Rickettsia prowazeki*, *Rickettsia tsutsugumushi*, *Chlamydia* spp., and *Helicobacter pylori*.

Gene Therapy

[0521] In a specific embodiment, nucleic acids comprising sequences encoding antibodies or functional derivatives thereof, are administered to treat, inhibit or prevent a disease or disorder associated with aberrant expression and/or activity of BLYS and/or its receptor, by way of gene therapy. Gene therapy refers to therapy performed by the administration to a subject of an expressed or expressible nucleic acid. In this embodiment of the invention, the nucleic acids produce their encoded protein that mediates a therapeutic effect.

[0522] Any of the methods for gene therapy available in the art can be used according to the present invention. Exemplary methods are described below.

[0523] For general reviews of the methods of gene therapy, see Goldspiel *et al.*, Clinical Pharmacy 12:488-505 (1993); Wu and Wu, Biotherapy 3:87-95 (1991); Tolstoshev, Ann. Rev. Pharmacol. Toxicol. 32:573-596 (1993); Mulligan, Science 260:926-932 (1993); and Morgan and Anderson, Ann. Rev. Biochem. 62:191-217 (1993); May, TIBTECH 11(5):155-215 (1993). Methods commonly known in the art of recombinant DNA technology which can be used are described in Ausubel *et al.* (eds.), Current Protocols in Molecular Biology, John Wiley & Sons, NY (1993); and Kriegler, Gene Transfer and Expression, A Laboratory Manual, Stockton Press, NY (1990).

[0524] In a preferred aspect, a composition of the invention comprises, or alternatively consists of, nucleic acids encoding an antibody, said nucleic acids being part of an expression vector that expresses the antibody or fragments or chimeric proteins or heavy or light chains thereof in a suitable host. In particular, such nucleic acids have promoters, preferably heterologous promoters, operably linked to the antibody coding region, said promoter being inducible or constitutive, and, optionally, tissue-specific. In another particular embodiment, nucleic acid molecules are used in which the antibody coding sequences and any other desired sequences are flanked by regions that promote homologous recombination at a desired site in the genome, thus providing for intrachromosomal expression of the antibody encoding nucleic acids (Koller and Smithies, Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); Zijlstra *et al.*, Nature 342:435-438 (1989). In specific embodiments, the expressed antibody molecule is an scFv;

alternatively, the nucleic acid sequences include sequences encoding both the heavy and light chains, or fragments or variants thereof, of an antibody.

[0525] Delivery of the nucleic acids into a patient may be either direct, in which case the patient is directly exposed to the nucleic acid or nucleic acid- carrying vectors, or indirect, in which case, cells are first transformed with the nucleic acids *in vitro*, then transplanted into the patient. These two approaches are known, respectively, as *in vivo* or *ex vivo* gene therapy.

[0526] In a specific embodiment, the nucleic acid sequences are directly administered *in vivo*, where it is expressed to produce the encoded product. This can be accomplished by any of numerous methods known in the art, *e.g.*, by constructing them as part of an appropriate nucleic acid expression vector and administering it so that they become intracellular, *e.g.*, by infection using defective or attenuated retrovirals or other viral vectors (see U.S. Patent No. 4,980,286), or by direct injection of naked DNA, or by use of microparticle bombardment (*e.g.*, a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, encapsulation in liposomes, microparticles, or microcapsules, or by administering them in linkage to a peptide which is known to enter the nucleus, by administering it in linkage to a ligand subject to receptor-mediated endocytosis (see, *e.g.*, Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)) (which can be used to target cell types specifically expressing the receptors), etc. In another embodiment, nucleic acid-ligand complexes can be formed in which the ligand comprises a fusogenic viral peptide to disrupt endosomes, allowing the nucleic acid to avoid lysosomal degradation. In yet another embodiment, the nucleic acid can be targeted *in vivo* for cell specific uptake and expression, by targeting a specific receptor (see, *e.g.*, PCT Publications WO 92/06 180; WO 92/22635; W092/203 16; W093/14188, WO 93/20221). Alternatively, the nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination (Koller and Smithies, Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); Zijlstra *et al.*, Nature 342:435-438 (1989)).

[0527] In a specific embodiment, viral vectors that contains nucleic acid sequences encoding an antibody of the invention or fragments or variants thereof are used. For example, a retroviral vector can be used (see Miller *et al.*, Meth. Enzymol. 217:581-599 (1993)). These retroviral vectors contain the components necessary for the correct packaging of the viral genome and integration into the host cell DNA. The nucleic acid

sequences encoding the antibody to be used in gene therapy are cloned into one or more vectors, which facilitates delivery of the gene into a patient. More detail about retroviral vectors can be found in Boesen *et al.*, *Biotherapy* 6:29 1-302 (1994), which describes the use of a retroviral vector to deliver the *mdr 1* gene to hematopoietic stem cells in order to make the stem cells more resistant to chemotherapy. Other references illustrating the use of retroviral vectors in gene therapy are: Clowes *et al.*, *J. Clin. Invest.* 93:644-651(1994); Klein *et al.*, *Blood* 83:1467-1473 (1994); Salmons and Gunzberg, *Human Gene Therapy* 4:129-141 (1993); and Grossman and Wilson, *Curr. Opin. in Genetics and Devel.* 3:110-114 (1993).

[0528] Adenoviruses are other viral vectors that can be used in gene therapy. Adenoviruses are especially attractive vehicles for delivering genes to respiratory epithelia. Adenoviruses naturally infect respiratory epithelia where they cause a mild disease. Other targets for adenovirus-based delivery systems are liver, the central nervous system, endothelial cells, and muscle. Adenoviruses have the advantage of being capable of infecting non-dividing cells. Kozarsky and Wilson, *Current Opinion in Genetics and Development* 3:499-503 (1993) present a review of adenovirus-based gene therapy. Bout *et al.*, *Human Gene Therapy* 5:3-10 (1994) demonstrated the use of adenovirus vectors to transfer genes to the respiratory epithelia of rhesus monkeys. Other instances of the use of adenoviruses in gene therapy can be found in Rosenfeld *et al.*, *Science* 252:431-434 (1991); Rosenfeld *et al.*, *Cell* 68:143- 155 (1992); Mastrangeli *et al.*, *J. Clin. Invest.* 91:225-234 (1993); PCT Publication W094/12649; and Wang, *et al.*, *Gene Therapy* 2:775-783 (1995). In a preferred embodiment, adenovirus vectors are used.

[0529] Adeno-associated virus (AAV) has also been proposed for use in gene therapy (Walsh *et al.*, *Proc. Soc. Exp. Biol. Med.* 204:289-300 (1993); U.S. Patent No. 5,436,146).

[0530] Another approach to gene therapy involves transferring a gene to cells in tissue culture by such methods as electroporation, lipofection, calcium phosphate mediated transfection, or viral infection. Usually, the method of transfer includes the transfer of a selectable marker to the cells. The cells are then placed under selection to isolate those cells that have taken up and are expressing the transferred gene. Those cells are then delivered to a patient.

[0531] In this embodiment, the nucleic acid is introduced into a cell prior to administration *in vivo* of the resulting recombinant cell. Such introduction can be carried

out by any method known in the art, including but not limited to transfection, electroporation, microinjection, infection with a viral or bacteriophage vector containing the nucleic acid sequences, cell fusion, chromosome-mediated gene transfer, microcell-mediated gene transfer, spheroplast fusion, etc. Numerous techniques are known in the art for the introduction of foreign genes into cells (see, *e.g.*, Loeffler and Behr, *Meth. Enzymol.* 217:599-618 (1993); Cohen *et al.*, *Meth. Enzymol.* 217:618-644 (1993); *Clin. Pharma. Ther.* 29:69-92m (1985)) and may be used in accordance with the present invention, provided that the necessary developmental and physiological functions of the recipient cells are not disrupted. The technique should provide for the stable transfer of the nucleic acid to the cell, so that the nucleic acid is expressible by the cell and preferably heritable and expressible by its cell progeny.

[0532] The resulting recombinant cells can be delivered to a patient by various methods known in the art. Recombinant blood cells (*e.g.*, hematopoietic stem or progenitor cells) are preferably administered intravenously. The amount of cells envisioned for use depends on the desired effect, patient state, etc., and can be determined by one skilled in the art.

[0533] Cells into which a nucleic acid can be introduced for purposes of gene therapy encompass any desired, available cell type, and include but are not limited to epithelial cells, endothelial cells, keratinocytes, fibroblasts, muscle cells, hepatocytes; blood cells such as T lymphocytes, B lymphocytes, monocytes, macrophages, neutrophils, eosinophils, megakaryocytes, granulocytes; various stem or progenitor cells, in particular hematopoietic stem or progenitor cells, *e.g.*, as obtained from bone marrow, umbilical cord blood, peripheral blood, fetal liver, etc.

[0534] In a preferred embodiment, the cell used for gene therapy is autologous to the patient.

[0535] In an embodiment in which recombinant cells are used in gene therapy, nucleic acid sequences encoding an antibody or fragment thereof are introduced into the cells such that they are expressible by the cells or their progeny, and the recombinant cells are then administered *in vivo* for therapeutic effect. In a specific embodiment, stem or progenitor cells are used. Any stem and/or progenitor cells which can be isolated and maintained *in vitro* can potentially be used in accordance with this embodiment of the present invention (see *e.g.* PCT Publication WO 94/08598; Stemple and Anderson, *Cell* 71:973-985 (1992);

Rheinwald, Meth. Cell Bio. 21A:229 (1980); and Pittelkow and Scott, Mayo Clinic Proc. 61:771 (1986)).

[0536] In a specific embodiment, the nucleic acid to be introduced for purposes of gene therapy comprises an inducible promoter operably linked to the coding region, such that expression of the nucleic acid is controllable by controlling the presence or absence of the appropriate inducer of transcription.

Demonstration of Therapeutic or Prophylactic Utility of a Composition

[0537] The compounds of the invention are preferably tested *in vitro*, and then *in vivo* for the desired therapeutic or prophylactic activity, prior to use in humans. For example, *in vitro* assays which can be used to determine whether administration of a specific antibody or composition of the present invention is indicated, include *in vitro* cell culture assays in which a patient tissue sample is grown in culture, and exposed to or otherwise administered an antibody or composition of the present invention, and the effect of such an antibody or composition of the present invention upon the tissue sample is observed. In various specific embodiments, *in vitro* assays can be carried out with representative cells of cell types involved in a patient's disorder, to determine if an antibody or composition of the present invention has a desired effect upon such cell types. Preferably, the antibodies or compositions of the invention are also tested in *in vitro* assays and animal model systems prior to administration to humans.

[0538] Antibodies or compositions of the present invention for use in therapy can be tested for their toxicity in suitable animal model systems, including but not limited to rats, mice, chicken, cows, monkeys, and rabbits. For *in vivo* testing of an antibody or composition's toxicity any animal model system known in the art may be used.

[0539] Efficacy in treating or preventing viral infection may be demonstrated by detecting the ability of an antibody or composition of the invention to inhibit the replication of the virus, to inhibit transmission or prevent the virus from establishing itself in its host, or to prevent, ameliorate or alleviate the symptoms of disease a progression. The treatment is considered therapeutic if there is, for example, a reduction in viral load, amelioration of one or more symptoms, or a decrease in mortality and/or morbidity following administration of an antibody or composition of the invention.

[0540] Antibodies or compositions of the invention can be tested for the ability to induce the expression of cytokines such as IFN- γ , by contacting cells, preferably human cells, with an antibody or composition of the invention or a control antibody or control composition and determining the ability of the antibody or composition of the invention to induce one or more cytokines. Techniques known to those of skill in the art can be used to measure the level of expression of cytokines. For example, the level of expression of cytokines can be measured by analyzing the level of RNA of cytokines by, for example, RT-PCR and Northern blot analysis, and by analyzing the level of cytokines by, for example, immunoprecipitation followed by western blot analysis and ELISA. In a preferred embodiment, a compound of the invention is tested for its ability to induce the expression of IFN- γ .

[0541] Antibodies or compositions of the invention can be tested for their ability to modulate the biological activity of immune cells by contacting immune cells, preferably human immune cells (*e.g.*, T-cells, B-cells, and Natural Killer cells), with an antibody or composition of the invention or a control compound and determining the ability of the antibody or composition of the invention to modulate (*i.e.*, increase or decrease) the biological activity of immune cells. The ability of an antibody or composition of the invention to modulate the biological activity of immune cells can be assessed by detecting the expression of antigens, detecting the proliferation of immune cells (*i.e.*, B-cell proliferation), detecting the activation of signaling molecules, detecting the effector function of immune cells, or detecting the differentiation of immune cells. Techniques known to those of skill in the art can be used for measuring these activities. For example, cellular proliferation can be assayed by ^3H -thymidine incorporation assays and trypan blue cell counts. Antigen expression can be assayed, for example, by immunoassays including, but not limited to, competitive and non-competitive assay systems using techniques such as western blots, immunohistochemistry radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoprecipitation assays, precipitin reactions, gel diffusion precipitin reactions, immunodiffusion assays, agglutination assays, complement-fixation assays, immunoradiometric assays, fluorescent immunoassays, protein A immunoassays and FACS analysis. The activation of signaling molecules can be assayed, for example, by kinase assays and electrophoretic shift assays (EMSAs). In a preferred embodiment, the ability of an antibody or composition of the

invention to induce B-cell proliferation is measured. In another preferred embodiment, the ability of an antibody or composition of the invention to modulate immunoglobulin expression is measured.

[0542] Antibodies or compositions of the invention can be tested for their ability to reduce tumor formation in *in vitro*, *ex vivo* and *in vivo* assays. Antibodies or compositions of the invention can also be tested for their ability to inhibit viral replication or reduce viral load in *in vitro* and *in vivo* assays. Antibodies or compositions of the invention can also be tested for their ability to reduce bacterial numbers in *in vitro* and *in vivo* assays known to those of skill in the art. Antibodies or compositions of the invention can also be tested for their ability to alleviate one or more symptoms associated with cancer, an immune disorder (e.g., an inflammatory disease), a neurological disorder or an infectious disease. Antibodies or compositions of the invention can also be tested for their ability to decrease the time course of the infectious disease. Further, antibodies or compositions of the invention can be tested for their ability to increase the survival period of animals suffering from disease or disorder, including cancer, an immune disorder or an infectious disease. Techniques known to those of skill in the art can be used to analyze the function of the antibodies or compositions of the invention *in vivo*.

Therapeutic/Prophylactic Compositions and Administration

[0543] The invention provides methods of treatment, inhibition and prophylaxis by administration to a subject of an effective amount of antibody (or fragment or variant thereof) or pharmaceutical composition of the invention, preferably an antibody of the invention. In a preferred aspect, an antibody or fragment or variant thereof is substantially purified (i.e., substantially free from substances that limit its effect or produce undesired side-effects). The subject is preferably an animal, including but not limited to, animals such as cows, pigs, horses, chickens, cats, dogs, etc., and is preferably a mammal, and most preferably a human.

[0544] Formulations and methods of administration that can be employed when the compound comprises a nucleic acid or an immunoglobulin as described above; additional appropriate formulations and routes of administration can be selected from among those described herein below.

[0545] Various delivery systems are known and can be used to administer antibody or fragment or variant thereof of the invention, *e.g.*, encapsulation in liposomes, microparticles, microcapsules, recombinant cells capable of expressing the antibody or antibody fragment, receptor-mediated endocytosis (see, *e.g.*, Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)), construction of a nucleic acid as part of a retroviral or other vector, etc. Methods of introduction include, but are not limited to, intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural, and oral routes. The compositions may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (*e.g.*, oral mucosa, rectal and intestinal mucosa, etc.) and may be administered together with other biologically active agents. Administration can be systemic or local. In addition, it may be desirable to introduce the pharmaceutical compositions of the invention into the central nervous system by any suitable route, including intraventricular and intrathecal injection; intraventricular injection may be facilitated by an intraventricular catheter, for example, attached to a reservoir, such as an Ommaya reservoir. Pulmonary administration can also be employed, *e.g.*, by use of an inhaler or nebulizer, and formulation with an aerosolizing agent.

[0546] In a preferred embodiment the antibody of the invention is formulated in 10 mM sodium citrate, 1.9% glycine, 0.5% sucrose, 0.01% polysorbate 80, pH 6.5 (\pm 0.3). In another preferred embodiment, the antibody of the invention is formulated in 10 mM sodium citrate, 1.9% glycine, 0.5% sucrose, 0.01% polysorbate 80, pH 6.5 (\pm 0.3) for intravenous administration.

[0547] In a specific embodiment, it may be desirable to administer the pharmaceutical compositions of the invention locally to the area in need of treatment; this may be achieved by, for example, and not by way of limitation, local infusion during surgery, topical application, *e.g.*, in conjunction with a wound dressing after surgery, by injection, by means of a catheter, by means of a suppository, or by means of an implant, said implant being of a porous, non-porous, or gelatinous material, including membranes, such as sialastic membranes, or fibers. Preferably, when administering a protein, including an antibody, of the invention, care must be taken to use materials to which the protein does not absorb.

[0548] In another embodiment, the composition can be delivered in a vesicle, in particular a liposome (see Langer, *Science* 249:1527-1533 (1990); Treat *et al.*, in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 353- 365 (1989); Lopez-Berestein, *ibid.*, pp. 317-327; see generally *ibid.*).

[0549] In yet another embodiment, the composition can be delivered in a controlled release system. In one embodiment, a pump may be used (see Langer, *supra*; Sefton, *CRC Crit. Ref. Biomed. Eng.* 14:20 1 (1987); Buchwald *et al.*, *Surgery* 88:507 (1980); Saudek *et al.*, *N. Engl. J. Med.* 321:574 (1989)). In another embodiment, polymeric materials can be used (see *Medical Applications of Controlled Release*, Langer and Wise (eds.), CRC Pres., Boca Raton, Florida (1974); *Controlled Drug Bioavailability, Drug Product Design and Performance*, Smolen and Ball (eds.), Wiley, New York (1984); Ranger and Peppas, J., *Macromol. Sci. Rev. Macromol. Chem.* 23:61 (1983); see also Levy *et al.*, *Science* 228:190 (1985); During *et al.*, *Ann. Neurol.* 25:35 1 (1989); Howard *et al.*, *J. Neurosurg.* 71:105 (1989)). In yet another embodiment, a controlled release system can be placed in proximity of the therapeutic target, *i.e.*, the brain, thus requiring only a fraction of the systemic dose (see, *e.g.*, Goodson, in *Medical Applications of Controlled Release*, *supra*, vol. 2, pp. 115-138 (1984)).

[0550] Other controlled release systems are discussed in the review by Langer (*Science* 249:1527-1533 (1990)).

[0551] In a specific embodiment where the composition of the invention is a nucleic acid encoding a protein, the nucleic acid can be administered *in vivo* to promote expression of its encoded protein, by constructing it as part of an appropriate nucleic acid expression vector and administering it so that it becomes intracellular, *e.g.*, by use of a retroviral vector (see U.S. Patent No. 4,980,286), or by direct injection, or by use of microparticle bombardment (*e.g.*, a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, or by administering it in linkage to a homeobox- like peptide which is known to enter the nucleus (see *e.g.*, Joliot *et al.*, *Proc. Natl. Acad. Sci. USA* 88:1864-1868 (1991)), etc. Alternatively, a nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination.

[0552] The present invention also provides pharmaceutical compositions. Such compositions comprise a therapeutically effective amount of an antibody or a fragment thereof, and a pharmaceutically acceptable carrier. In a specific embodiment, the term "pharmaceutically acceptable" means approved by a regulatory agency of the Federal or a state government or listed in the U.S. Pharmacopeia or other generally recognized pharmacopeia for use in animals, and more particularly in humans. The term "carrier" refers to a diluent, adjuvant, excipient, or vehicle with which the therapeutic is administered. Such pharmaceutical carriers can be sterile liquids, such as water and oils, including those of petroleum, animal, vegetable or synthetic origin, such as peanut oil, soybean oil, mineral oil, sesame oil and the like. Water is a preferred carrier when the pharmaceutical composition is administered intravenously. Saline solutions and aqueous dextrose and glycerol solutions can also be employed as liquid carriers, particularly for injectable solutions. Suitable pharmaceutical excipients include starch, glucose, lactose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol monostearate, talc, sodium chloride, dried skim milk, glycerol, propylene, glycol, water, ethanol and the like. The composition, if desired, can also contain minor amounts of wetting or emulsifying agents, or pH buffering agents. These compositions can take the form of solutions, suspensions, emulsion, tablets, pills, capsules, powders, sustained-release formulations and the like. The composition can be formulated as a suppository, with traditional binders and carriers such as triglycerides. Oral formulation can include standard carriers such as pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, sodium saccharine, cellulose, magnesium carbonate, etc. Examples of suitable pharmaceutical carriers are described in "Remington's Pharmaceutical Sciences" by E.W. Martin. Such compositions will contain a therapeutically effective amount of the antibody or fragment thereof, preferably in purified form, together with a suitable amount of carrier so as to provide the form for proper administration to the patient. The formulation should suit the mode of administration.

[0553] In a preferred embodiment, the composition is formulated in accordance with routine procedures as a pharmaceutical composition adapted for intravenous administration to human beings. Typically, compositions for intravenous administration are solutions in sterile isotonic aqueous buffer. Where necessary, the composition may also include a solubilizing agent and a local anesthetic such as lignocaine to ease pain at

the site of the injection. Generally, the ingredients are supplied either separately or mixed together in unit dosage form, for example, as a dry lyophilized powder or water free concentrate in a hermetically sealed container such as an ampoule or sachette indicating the quantity of active agent. Where the composition is to be administered by infusion, it can be dispensed with an infusion bottle containing sterile pharmaceutical grade water or saline. Where the composition is administered by injection, an ampoule of sterile water for injection or saline can be provided so that the ingredients may be mixed prior to administration.

[0554] The compositions of the invention can be formulated as neutral or salt forms. Pharmaceutically acceptable salts include those formed with anions such as those derived from hydrochloric, phosphoric, acetic, oxalic, tartaric acids, etc., and those formed with cations such as those derived from sodium, potassium, ammonium, calcium, ferric hydroxides, isopropylamine, triethylamine, 2-ethylamino ethanol, histidine, procaine, etc.

[0555] The amount of the composition of the invention which will be effective in the treatment, inhibition and prevention of a disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention can be determined by standard clinical techniques. In addition, *in vitro* assays may optionally be employed to help identify optimal dosage ranges. The precise dose to be employed in the formulation will also depend on the route of administration, and the seriousness of the disease or disorder, and should be decided according to the judgment of the practitioner and each patient's circumstances. Effective doses may be extrapolated from dose-response curves derived from *in vitro* or animal model test systems.

[0556] For antibodies, the dosage administered to a patient is typically 0.1 mg/kg to 100 mg/kg of the patient's body weight. Preferably, the dosage administered to a patient is between 0.1 mg/kg and 20 mg/kg of the patient's body weight, more preferably 1 mg/kg to 10 mg/kg of the patient's body weight. In preferred embodiments, a dose of 1, 4, 10, or 20 mg/kg is administered intravenously to a patient. Generally, human antibodies have a longer half-life within the human body than antibodies from other species due to the immune response to the foreign polypeptides. Thus, lower dosages of human antibodies and less frequent administration is often possible. Further, the dosage and frequency of administration of therapeutic or pharmaceutical compositions of the invention may be

reduced by enhancing uptake and tissue penetration (*e.g.*, into the brain) of the antibodies by modifications such as, for example, lipidation.

[0557] The antibodies and antibody compositions of the invention may be administered alone or in combination with other adjuvants. Adjuvants that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, alum, alum plus deoxycholate (ImmunoAg), MTP-PE (Biocine Corp.), QS21 (Genentech, Inc.), BCG, and MPL. In a specific embodiment, antibody and antibody compositions of the invention are administered in combination with alum. In another specific embodiment, antibody and antibody compositions of the invention are administered in combination with QS-21. Further adjuvants that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, Monophosphoryl lipid immunomodulator, AdjuVax 100a, QS-21, QS-18, CRL1005, Aluminum salts, MF-59, and Virosomal adjuvant technology. Vaccines that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, vaccines directed toward protection against MMR (measles, mumps, rubella), polio, varicella, tetanus/diphtheria, hepatitis A, hepatitis B, haemophilus influenzae B, whooping cough, pneumonia, influenza, Lyme's Disease, rotavirus, cholera, yellow fever, Japanese encephalitis, poliomyelitis, rabies, typhoid fever, and pertussis, and/or PNEUMOVAX-23™. Combinations may be administered either concomitantly, *e.g.*, as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined agents are administered separately but simultaneously, *e.g.*, as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

[0558] In another specific embodiment, antibody and antibody compositions of the invention are used in combination with PNEUMOVAX-23™ to treat, prevent, and/or diagnose infection and/or any disease, disorder, and/or condition associated therewith. In one embodiment, antibody and antibody compositions of the invention are used in combination with PNEUMOVAX-23™ to treat, prevent, and/or diagnose any Gram positive bacterial infection and/or any disease, disorder, and/or condition associated therewith. In another embodiment, antibody and antibody compositions of the invention

are used in combination with PNEUMOVAX-23™ to treat, prevent, and/or diagnose infection and/or any disease, disorder, and/or condition associated with one or more members of the genus *Enterococcus* and/or the genus *Streptococcus*. In another embodiment, antibody and antibody compositions of the invention are used in any combination with PNEUMOVAX-23™ to treat, prevent, and/or diagnose infection and/or any disease, disorder, and/or condition associated with one or more members of the Group B streptococci. In another embodiment, antibody and antibody compositions of the invention are used in combination with PNEUMOVAX-23™ to treat, prevent, and/or diagnose infection and/or any disease, disorder, and/or condition associated with *Streptococcus pneumoniae*.

[0559] The antibody and antibody compositions of the invention may be administered alone or in combination with other therapeutic agents, including but not limited to, chemotherapeutic agents, antibiotics, antivirals, steroidal and non-steroidal anti-inflammatories, conventional immunotherapeutic agents and cytokines. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

[0560] In one embodiment, the antibody and antibody compositions of the invention are administered in combination with other members of the TNF family. TNF, TNF-related or TNF-like molecules that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, soluble forms of TNF-alpha, lymphotoxin-alpha (LT-alpha, also known as TNF-beta), LT-beta (found in complex heterotrimer LT-alpha2-beta), OPGL, FasL, CD27L, CD30L, CD40L, 4-1BBL, DcR3, OX40L, TNF-gamma (International Publication No. WO 96/14328), TRAIL, AIM-II (International Publication No. WO 97/34911), APRIL (J. Exp. Med. 188(6):1185-1190 (1998)), endokine-alpha (International Publication No. WO 98/07880), Neutrokin-alpha (Internatioanl Application Publication No. WO 98/18921), OPG, OX40, and nerve growth factor (NGF), and soluble forms of Fas, CD30, CD27, CD40 and 4-IBB, TR2

(International Publication No. WO 96/34095), DR3 (International Publication No. WO 97/33904), DR4 (International Publication No. WO 98/32856), TR5 (International Publication No. WO 98/30693), TR6 (International Publication No. WO 98/30694), TR7 (International Publication No. WO 98/41629), TRANK, TR9 (International Publication No. WO 98/56892), 312C2 (International Publication No. WO 98/06842), and TR12, and soluble forms CD154, CD70, and CD153.

[0561] In a preferred embodiment, the antibody and antibody compositions of the invention are administered in combination with CD40 ligand (CD40L), a soluble form of CD40L (e.g., AVREND™), biologically active fragments, variants, or derivatives of CD40L, anti-CD40L antibodies (e.g., agonistic or antagonistic antibodies), and/or anti-CD40 antibodies (e.g., agonistic or antagonistic antibodies).

[0562] In an additional embodiment, the antibody and antibody compositions of the invention are administered alone or in combination with an anti-angiogenic agent(s). Anti-angiogenic agents that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, Angiostatin (Entremed, Rockville, MD), Troponin-1 (Boston Life Sciences, Boston, MA), anti-Invasive Factor, retinoic acid and derivatives thereof, paclitaxel (Taxol), Suramin, Tissue Inhibitor of Metalloproteinase-1, Tissue Inhibitor of Metalloproteinase-2, VEGI, Plasminogen Activator Inhibitor-1, Plasminogen Activator Inhibitor-2, and various forms of the lighter "d group" transition metals.

[0563] Lighter "d group" transition metals include, for example, vanadium, molybdenum, tungsten, titanium, niobium, and tantalum species. Such transition metal species may form transition metal complexes. Suitable complexes of the above-mentioned transition metal species include oxo transition metal complexes.

[0564] Representative examples of vanadium complexes include oxo vanadium complexes such as vanadate and vanadyl complexes. Suitable vanadate complexes include metavanadate and orthovanadate complexes such as, for example, ammonium metavanadate, sodium metavanadate, and sodium orthovanadate. Suitable vanadyl complexes include, for example, vanadyl acetylacetonate and vanadyl sulfate including vanadyl sulfate hydrates such as vanadyl sulfate mono- and trihydrates.

[0565] Representative examples of tungsten and molybdenum complexes also include oxo complexes. Suitable oxo tungsten complexes include tungstate and tungsten oxide

complexes. Suitable tungstate complexes include ammonium tungstate, calcium tungstate, sodium tungstate dihydrate, and tungstic acid. Suitable tungsten oxides include tungsten (IV) oxide and tungsten (VI) oxide. Suitable oxo molybdenum complexes include molybdate, molybdenum oxide, and molybdenyl complexes. Suitable molybdate complexes include ammonium molybdate and its hydrates, sodium molybdate and its hydrates, and potassium molybdate and its hydrates. Suitable molybdenum oxides include molybdenum (VI) oxide, molybdenum (VI) oxide, and molybdic acid. Suitable molybdenyl complexes include, for example, molybdenyl acetylacetonate. Other suitable tungsten and molybdenum complexes include hydroxo derivatives derived from, for example, glycerol, tartaric acid, and sugars.

[0566] A wide variety of other anti-angiogenic factors may also be utilized within the context of the present invention. Representative examples include, but are not limited to, platelet factor 4; protamine sulphate; sulphated chitin derivatives (prepared from queen crab shells), (Murata et al., *Cancer Res.* 51:22-26, 1991); Sulphated Polysaccharide Peptidoglycan Complex (SP- PG) (the function of this compound may be enhanced by the presence of steroids such as estrogen, and tamoxifen citrate); Staurosporine; modulators of matrix metabolism, including for example, proline analogs, cishydroxyproline, d,L-3,4-dehydroproline, Thiaproline, alpha,alpha-dipyridyl, aminopropionitrile fumarate; 4-propyl-5-(4-pyridinyl)-2(3H)-oxazolone; Methotrexate; Mitoxantrone; Heparin; Interferons; 2 Macroglobulin-serum; ChIMP-3 (Pavloff et al., *J. Bio. Chem.* 267:17321-17326, 1992); Chymostatin (Tomkinson et al., *Biochem J.* 286:475-480, 1992); Cyclodextrin Tetradecasulfate; Eponemycin; Camptothecin; Fumagillin (Ingber et al., *Nature* 348:555-557, 1990); Gold Sodium Thiomalate ("GST"; Matsubara and Ziff, *J. Clin. Invest.* 79:1440-1446, 1987); anticollagenase-serum; alpha2-antiplasmin (Holmes et al., *J. Biol. Chem.* 262(4):1659-1664, 1987); Bisantrene (National Cancer Institute); Lobenzarit disodium (N-(2)-carboxyphenyl-4- chloroanthronilic acid disodium or "CCA"; (Takeuchi et al., *Agents Actions* 36:312-316, 1992); and metalloproteinase inhibitors such as BB94.

[0567] Additional anti-angiogenic factors that may also be utilized within the context of the present invention include Thalidomide, (Celgene, Warren, NJ); Angiostatic steroid; AGM-1470 (H. Brem and J. Folkman *J Pediatr. Surg.* 28:445-51 (1993)); an integrin alpha v beta 3 antagonist (C. Storgard et al., *J Clin. Invest.* 103:47-54 (1999));

carboxynaminimidazole; Carboxyamidotriazole (CAI) (National Cancer Institute, Bethesda, MD); Conbretastatin A-4 (CA4P) (OXiGENE, Boston, MA); Squalamine (Magainin Pharmaceuticals, Plymouth Meeting, PA); TNP-470, (Tap Pharmaceuticals, Deerfield, IL); ZD-0101 AstraZeneca (London, UK); APRA (CT2584); Benefin, Byrostatin-1 (SC339555); CGP-41251 (PKC 412); CM101; Dexrazoxane (ICRF187); DMXAA; Endostatin; Flavopridiol; Genestein; GTE; ImmTher; Iressa (ZD1839); Octreotide (Somatostatin); Panretin; Penacillamine; Photopoint; PI-88; Prinomastat (AG-3340) Purlitin; Suradista (FCE26644); Tamoxifen (Nolvadex); Tazarotene; Tetrathiomolybdate; Xeloda (Capecitabine); and 5-Fluorouracil.

[0568] Anti-angiogenic agents that may be administered in combination with the compounds of the invention may work through a variety of mechanisms including, but not limited to, inhibiting proteolysis of the extracellular matrix, blocking the function of endothelial cell-extracellular matrix adhesion molecules, by antagonizing the function of angiogenesis inducers such as growth factors, and inhibiting integrin receptors expressed on proliferating endothelial cells. Examples of anti-angiogenic inhibitors that interfere with extracellular matrix proteolysis and which may be administered in combination with the antibody and antibody compositions of the invention include, but are not limited to, AG-3340 (Agouron, La Jolla, CA), BAY-12-9566 (Bayer, West Haven, CT), BMS-275291 (Bristol Myers Squibb, Princeton, NJ), CGS-27032A (Novartis, East Hanover, NJ), Marimastat (British Biotech, Oxford, UK), and Metastat (Aeterna, St-Foy, Quebec). Examples of anti-angiogenic inhibitors that act by blocking the function of endothelial cell-extracellular matrix adhesion molecules and which may be administered in combination with the antibody and antibody compositions of the invention include, but are not limited to, EMD-121974 (Merck KgaA Darmstadt, Germany) and Vitaxin (Ixsys, La Jolla, CA/Medimmune, Gaithersburg, MD). Examples of anti-angiogenic agents that act by directly antagonizing or inhibiting angiogenesis inducers and which may be administered in combination with the antibody and antibody compositions of the invention include, but are not limited to, Angiozyme (Ribozyme, Boulder, CO), Anti-VEGF antibody (Genentech, S. San Francisco, CA), PTK-787/ZK-225846 (Novartis, Basel, Switzerland), SU-101 (Sugen, S. San Francisco, CA), SU-5416 (Sugen/ Pharmacia Upjohn, Bridgewater, NJ), and SU-6668 (Sugen). Other anti-angiogenic agents act to indirectly inhibit angiogenesis. Examples of indirect inhibitors of angiogenesis which

may be administered in combination with the antibody and antibody compositions of the invention include, but are not limited to, IM-862 (Cytran, Kirkland, WA), Interferon-alpha, IL-12 (Roche, Nutley, NJ), and Pentosan polysulfate (Georgetown University, Washington, DC).

[0569] In particular embodiments, the use of antibody and antibody compositions of the invention in combination with anti-angiogenic agents is contemplated for the treatment, prevention, and/or amelioration of an autoimmune disease, such as for example, an autoimmune disease described herein.

[0570] In a particular embodiment, the use of antibody and antibody compositions of the invention in combination with anti-angiogenic agents is contemplated for the treatment, prevention, and/or amelioration of arthritis. In a more particular embodiment, the use of antibody and antibody compositions of the invention in combination with anti-angiogenic agents is contemplated for the treatment, prevention, and/or amelioration of rheumatoid arthritis.

[0571] In another embodiment, antibody and antibody compositions of the invention are administered in combination with an anticoagulant. Anticoagulants that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, heparin, warfarin, and aspirin. In a specific embodiment, antibody and antibody compositions of the invention are administered in combination with heparin and/or warfarin. In another specific embodiment, antibody and antibody compositions of the invention are administered in combination with warfarin. In another specific embodiment, antibody and antibody compositions of the invention are administered in combination with warfarin and aspirin. In another specific embodiment, antibody and antibody compositions of the invention are administered in combination with heparin. In another specific embodiment, antibody and antibody compositions of the invention are administered in combination with heparin and aspirin.

[0572] In another embodiment, antibody and antibody compositions of the invention are administered in combination with an agent that suppresses the production of anticardiolipin antibodies. In specific embodiments, the polynucleotides of the invention are administered in combination with an agent that blocks and/or reduces the ability of anticardiolipin antibodies to bind phospholipid-binding plasma protein beta 2-glycoprotein I (b2GPI).

[0573] In certain embodiments, antibody and antibody compositions of the invention are administered in combination with antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors. Nucleoside reverse transcriptase inhibitors that may be administered in combination with the antibody and antibody compositions of the invention, include, but are not limited to, RETROVIR™ (zidovudine/AZT), VIDEX™ (didanosine/ddI), HIVID™ (zalcitabine/ddC), ZERIT™ (stavudine/d4T), EPIVIR™ (lamivudine/3TC), and COMBIVIR™ (zidovudine/lamivudine). Non-nucleoside reverse transcriptase inhibitors that may be administered in combination with the antibody and antibody compositions of the invention, include, but are not limited to, VIRAMUNE™ (nevirapine), RESCRIPTOR™ (delavirdine), and SUSTIVA™ (efavirenz). Protease inhibitors that may be administered in combination with the antibody and antibody compositions of the invention, include, but are not limited to, CRIVAN™ (indinavir), NORVIR™ (ritonavir), INVIRASE™ (saquinavir), and VIRACEPT™ (nelfinavir). In a specific embodiment, antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors may be used in any combination with antibody and antibody compositions of the invention to treat, prevent, and/or diagnose AIDS and/or to treat, prevent, and/or diagnose HIV infection.

[0574] In other embodiments, antibody and antibody compositions of the invention may be administered in combination with anti-opportunistic infection agents. Anti-opportunistic agents that may be administered in combination with the antibody and antibody compositions of the invention, include, but are not limited to, TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, ATOVAQUONE™, ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, ETHAMBUTOL™, RIFABUTIN™, CLARITHROMYCIN™, AZITHROMYCIN™, GANCICLOVIR™, FOSCARNET™, CIDOFOVIR™, FLUCONAZOLE™, ITRACONAZOLE™, KETOCONAZOLE™, ACYCLOVIR™, FAMCICLOVIR™, PYRIMETHAMINE™, LEUCOVORIN™, NEUPOGEN™ (filgrastim/G-CSF), and LEUKINE™ (sargramostim/GM-CSF). In a specific embodiment, antibody and antibody compositions of the invention are used in any combination with TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, and/or

ATOVAQUONE™ to prophylactically treat, prevent, and/or diagnose an opportunistic *Pneumocystis carinii* pneumonia infection. In another specific embodiment, antibody and antibody compositions of the invention are used in any combination with ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, and/or ETHAMBUTOL™ to prophylactically treat, prevent, and/or diagnose an opportunistic *Mycobacterium avium* complex infection. In another specific embodiment, antibody and antibody compositions of the invention are used in any combination with RIFABUTIN™, CLARITHROMYCIN™, and/or AZITHROMYCIN™ to prophylactically treat, prevent, and/or diagnose an opportunistic *Mycobacterium tuberculosis* infection. In another specific embodiment, antibody and antibody compositions of the invention are used in any combination with GANCICLOVIR™, FOSCARNET™, and/or CIDOFOVIR™ to prophylactically treat, prevent, and/or diagnose an opportunistic cytomegalovirus infection. In another specific embodiment, antibody and antibody compositions of the invention are used in any combination with FLUCONAZOLE™, ITRACONAZOLE™, and/or KETOCONAZOLE™ to prophylactically treat, prevent, and/or diagnose an opportunistic fungal infection. In another specific embodiment, antibody and antibody compositions of the invention are used in any combination with ACYCLOVIR™ and/or FAMCICLOVIR™ to prophylactically treat, prevent, and/or diagnose an opportunistic herpes simplex virus type I and/or type II infection. In another specific embodiment, antibody and antibody compositions of the invention are used in any combination with PYRIMETHAMINE™ and/or LEUCOVORIN™ to prophylactically treat, prevent, and/or diagnose an opportunistic *Toxoplasma gondii* infection. In another specific embodiment, antibody and antibody compositions of the invention are used in any combination with LEUCOVORIN™ and/or NEUPOGEN™ to prophylactically treat, prevent, and/or diagnose an opportunistic bacterial infection.

[0575] In a further embodiment, the antibody and antibody compositions of the invention are administered in combination with an antiviral agent. Antiviral agents that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, acyclovir, ribavirin, amantadine, and remantidine.

[0576] In a further embodiment, the antibody and antibody compositions of the invention are administered in combination with an antibiotic agent. Antibiotic agents that

may be administered with the antibody and antibody compositions of the invention include, but are not limited to, amoxicillin, aminoglycosides, beta-lactam (glycopeptide), beta-lactamases, Clindamycin, chloramphenicol, cephalosporins, ciprofloxacin, ciprofloxacin, erythromycin, fluoroquinolones, macrolides, metronidazole, penicillins, quinolones, rifampin, streptomycin, sulfonamide, tetracyclines, trimethoprim, trimethoprim-sulfamthoxazole, and vancomycin.

[0577] Conventional nonspecific immunosuppressive agents, that may be administered in combination with the antibody and antibody compositions of the invention include, but are not limited to, steroids, cyclosporine, cyclosporine analogs cyclophosphamide, cyclophosphamide IV, methylprednisolone, prednisolone, azathioprine, FK-506, 15-deoxyspergualin, and other immunosuppressive agents that act by suppressing the function of responding T cells.

[0578] In specific embodiments, antibody and antibody compositions of the invention are administered in combination with immunosuppressants. Immunosuppressants preparations that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, ORTHOCLONE™ (OKT3), SANDIMMUNE™/NEORAL™/SANGDYA™ (cyclosporin), PROGRAF™ (tacrolimus), CELLCEPT™ (mycophenolate), Azathioprine, glucocorticosteroids, and RAPAMUNE™ (sirolimus). In a specific embodiment, immunosuppressants may be used to prevent rejection of organ or bone marrow transplantation.

[0579] In a preferred embodiment, the antibody and antibody compositions of the invention are administered in combination with steroid therapy. Steroids that may be administered in combination with the antibody and antibody compositions of the invention, include, but are not limited to, oral corticosteroids, prednisone, and methylprednisolone (e.g., IV methylprednisolone). In a specific embodiment, antibody and antibody compositions of the invention are administered in combination with prednisone. In a further specific embodiment, the antibody and antibody compositions of the invention are administered in combination with prednisone and an immunosuppressive agent. Immunosuppressive agents that may be administered with the antibody and antibody compositions of the invention and prednisone are those described herein, and include, but are not limited to, azathioprine, cyclophosphamide, and cyclophosphamide IV. In a another specific embodiment, antibody and antibody compositions of the invention

are administered in combination with methylprednisolone. In a further specific embodiment, the antibody and antibody compositions of the invention are administered in combination with methylprednisolone and an immunosuppressive agent. Immunosuppressive agents that may be administered with the antibody and antibody compositions of the invention and methylprednisolone are those described herein, and include, but are not limited to, azathioprine, cyclophosphamide, and cyclophosphamide IV.

[0580] In a preferred embodiment, the antibody and antibody compositions of the invention are administered in combination with an antimalarial. Antimalarials that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, hydroxychloroquine, chloroquine, and/or quinacrine.

[0581] In a preferred embodiment, the antibody and antibody compositions of the invention are administered in combination with an NSAID.

[0582] In a nonexclusive embodiment, the antibody and antibody compositions of the invention are administered in combination with one, two, three, four, five, ten, or more of the following drugs: NRD-101 (Hoechst Marion Roussel), diclofenac (Dimethaid), oxaprozin potassium (Monsanto), mecasermin (Chiron), T-614 (Toyama), pemetrexed disodium (Eli Lilly), atreleuton (Abbott), valdecoxib (Monsanto), eltenac (Byk Gulden), campath, AGM-1470 (Takeda), CDP-571 (Celltech Chiroscience), CM-101 (CarboMed), ML-3000 (Merckle), CB-2431 (KS Biomedix), CBF-BS2 (KS Biomedix), IL-1Ra gene therapy (Valentis), JTE-522 (Japan Tobacco), paclitaxel (Angiotech), DW-166HC (Dong Wha), darbufelone mesylate (Warner-Lambert), soluble TNF receptor 1 (synergen; Amgen), IPR-6001 (Institute for Pharmaceutical Research), trocade (Hoffman-La Roche), EF-5 (Scotia Pharmaceuticals), BIIL-284 (Boehringer Ingelheim), BIIF-1149 (Boehringer Ingelheim), LeukoVax (Inflammatics), MK-663 (Merck), ST-1482 (Sigma-Tau), and butixocort propionate (WarnerLambert).

[0583] In a preferred embodiment, the antibody and antibody compositions of the invention are administered in combination with one, two, three, four, five or more of the following drugs: methotrexate, sulfasalazine, sodium aurothiomalate, auranofin, cyclosporine, penicillamine, azathioprine, an antimalarial drug (e.g., as described herein), cyclophosphamide, chlorambucil, gold, ENBREL™ (Etanercept), anti-TNF antibody, LJP 394 (La Jolla Pharmaceutical Company, San Diego, California) and prednisolone.

[0584] In a more preferred embodiment, the antibody and antibody compositions of the invention are administered in combination with an antimalarial, methotrexate, anti-TNF antibody, ENBREL™ and/or suflasalazine. In one embodiment, the antibody and antibody compositions of the invention are administered in combination with methotrexate. In another embodiment, the antibody and antibody compositions of the invention are administered in combination with anti-TNF antibody. In another embodiment, the antibody and antibody compositions of the invention are administered in combination with methotrexate and anti-TNF antibody. In another embodiment, the antibody and antibody compositions of the invention are administered in combination with suflasalazine. In another specific embodiment, the antibody and antibody compositions of the invention are administered in combination with methotrexate, anti-TNF antibody, and suflasalazine. In another embodiment, the antibody and antibody compositions of the invention are administered in combination ENBREL™. In another embodiment, the antibody and antibody compositions of the invention are administered in combination with ENBREL™ and methotrexate. In another embodiment, the antibody and antibody compositions of the invention are administered in combination with ENBREL™, methotrexate and suflasalazine. In another embodiment, the antibody and antibody compositions of the invention are administered in combination with ENBREL™, methotrexate and suflasalazine. In other embodiments, one or more antimalarials is combined with one of the above-recited combinations. In a specific embodiment, the antibody and antibody compositions of the invention are administered in combination with an antimalarial (e.g., hydroxychloroquine), ENBREL™, methotrexate and suflasalazine. In another specific embodiment, the antibody and antibody compositions of the invention are administered in combination with an antimalarial (e.g., hydroxychloroquine), suflasalazine, anti-TNF antibody, and methotrexate.

[0585] In an additional embodiment, antibody and antibody compositions of the invention are administered alone or in combination with one or more intravenous immune globulin preparations. Intravenous immune globulin preparations that may be administered with the antibody and antibody compositions of the invention include, but not limited to, GAMMAR™, IVEEGAM™, SANDOGLOBULIN™, GAMMAGARD S/D™, and GAMIMUNE™. In a specific embodiment, antibody and antibody

compositions of the invention are administered in combination with intravenous immune globulin preparations in transplantation therapy (e.g., bone marrow transplant).

[0586] CD40 ligand (CD40L), a soluble form of CD40L (e.g., AVREND™), biologically active fragments, variants, or derivatives of CD40L, anti-CD40L antibodies (e.g., agonistic or antagonistic antibodies), and/or anti-CD40 antibodies (e.g., agonistic or antagonistic antibodies).

[0587] In an additional embodiment, the antibody and antibody compositions of the invention are administered alone or in combination with an anti-inflammatory agent. Anti-inflammatory agents that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, glucocorticoids and the nonsteroidal anti-inflammatories, aminoarylcarboxylic acid derivatives, arylacetic acid derivatives, arylbutyric acid derivatives, arylcarboxylic acids, arylpropionic acid derivatives, pyrazoles, pyrazolones, salicylic acid derivatives, thiazinecarboxamides, *N*-acetamidocaproic acid, *S*-adenosylmethionine, 3-amino-4-hydroxybutyric acid, amixetrine, bendazac, benzydamine, bucolome, difenpiramide, ditazol, emorfazone, guaiazulene, nabumetone, nimesulide, orgotein, oxaceprol, paranyline, perisoxal, pifoxime, proquazone, proxazole, and tenidap.

[0588] In another embodiment, compositions of the invention are administered in combination with a chemotherapeutic agent. Chemotherapeutic agents that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, antibiotic derivatives (e.g., doxorubicin, bleomycin, daunorubicin, and dactinomycin); antiestrogens (e.g., tamoxifen); antimetabolites (e.g., fluorouracil, 5-FU, methotrexate, floxuridine, interferon alpha-2b, glutamic acid, plicamycin, mercaptopurine, and 6-thioguanine); cytotoxic agents (e.g., carmustine, BCNU, lomustine, CCNU, cytosine arabinoside, cyclophosphamide, estramustine, hydroxyurea, procarbazine, mitomycin, busulfan, cis-platin, and vincristine sulfate); hormones (e.g., medroxyprogesterone, estramustine phosphate sodium, ethinyl estradiol, estradiol, megestrol acetate, methyltestosterone, diethylstilbestrol diphosphate, chlorotrianisene, and testolactone); nitrogen mustard derivatives (e.g., mephallen, chorambucil, mechlorethamine (nitrogen mustard) and thiotepa); steroids and combinations (e.g., bethamethasone sodium phosphate); and others (e.g., dicarbazine, asparaginase, mitotane, vincristine sulfate, vinblastine sulfate, and etoposide).

[0589] In a specific embodiment, antibody and antibody compositions of the invention are administered in combination with CHOP (cyclophosphamide, doxorubicin, vincristine, and prednisone) or any combination of the components of CHOP. In another embodiment, antibody and antibody compositions of the invention are administered in combination with Rituximab. In a further embodiment, antibody and antibody compositions of the invention are administered with Rituximab and CHOP, or Rituximab and any combination of the components of CHOP.

[0590] In an additional embodiment, the antibody and antibody compositions of the invention are administered in combination with cytokines. Cytokines that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, GM-CSF, G-CSF, IL2, IL3, IL4, IL5, IL6, IL7, IL10, IL12, IL13, IL15, anti-CD40, CD40L, IFN-alpha, IFN-beta, IFN-gamma, TNF-alpha, and TNF-beta. In preferred embodiments, antibody and antibody compositions of the invention are administered with BLYS (e.g., amino acids 134-285 of SEQ ID NO:3228). In another embodiment, antibody and antibody compositions of the invention may be administered with any interleukin, including, but not limited to, IL-1alpha, IL-1beta, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11, IL-12, IL-13, IL-14, IL-15, IL-16, IL-17, IL-18, IL-19, IL-20, IL-21, and IL-22. In preferred embodiments, the antibody and antibody compositions of the invention are administered in combination with IL4 and IL10.

[0591] In one embodiment, the antibody and antibody compositions of the invention are administered in combination with one or more chemokines. In specific embodiments, the antibody and antibody compositions of the invention are administered in combination with an α (CxC) chemokine selected from the group consisting of gamma-interferon inducible protein-10 (γ IP-10), interleukin-8 (IL-8), platelet factor-4 (PF4), neutrophil activating protein (NAP-2), GRO- α , GRO- β , GRO- γ , neutrophil-activating peptide (ENA-78), granulocyte chemoattractant protein-2 (GCP-2), and stromal cell-derived factor-1 (SDF-1, or pre-B cell stimulatory factor (PBSF)); and/or a β (CC) chemokine selected from the group consisting of: RANTES (regulated on activation, normal T expressed and secreted), macrophage inflammatory protein-1 alpha (MIP-1 α), macrophage inflammatory protein-1 beta (MIP-1 β), monocyte chemotactic protein-1 (MCP-1), monocyte chemotactic protein-2 (MCP-2), monocyte chemotactic protein-3 (MCP-3), monocyte chemotactic protein-4 (MCP-4) macrophage inflammatory protein-1 gamma (MIP-1 γ),

macrophage inflammatory protein-3 alpha (MIP-3 α), macrophage inflammatory protein-3 beta (MIP-3 β), macrophage inflammatory protein-4 (MIP-4/DC-CK-1/PARC), eotaxin, Exodus, and I-309; and/or the γ (C) chemokine, lymphotactin.

[0592] In another embodiment, the antibody and antibody compositions of the invention are administered with chemokine beta-8, chemokine beta-1, and/or macrophage inflammatory protein-4. In a preferred embodiment, the antibody and antibody compositions of the invention are administered with chemokine beta-8.

[0593] In an additional embodiment, the antibody and antibody compositions of the invention are administered in combination with an IL-4 antagonist. IL-4 antagonists that may be administered with the antibody and antibody compositions of the invention include, but are not limited to: soluble IL-4 receptor polypeptides, multimeric forms of soluble IL-4 receptor polypeptides; anti-IL-4 receptor antibodies that bind the IL-4 receptor without transducing the biological signal elicited by IL-4, anti-IL4 antibodies that block binding of IL-4 to one or more IL-4 receptors, and muteins of IL-4 that bind IL-4 receptors but do not transduce the biological signal elicited by IL-4. Preferably, the antibodies employed according to this method are monoclonal antibodies (including antibody fragments, such as, for example, those described herein).

[0594] The invention also encompasses combining the polynucleotides and/or polypeptides of the invention (and/or agonists or antagonists thereof) with other proposed or conventional hematopoietic therapies. Thus, for example, the polynucleotides and/or polypeptides of the invention (and/or agonists or antagonists thereof) can be combined with compounds that singly exhibit erythropoietic stimulatory effects, such as erythropoietin, testosterone, progenitor cell stimulators, insulin-like growth factor, prostaglandins, serotonin, cyclic AMP, prolactin, and triiodothyronine. Also encompassed are combinations of the antibody and antibody compositions of the invention with compounds generally used to treat aplastic anemia, such as, for example, methenolene, stanozolol, and nandrolone; to treat iron-deficiency anemia, such as, for example, iron preparations; to treat malignant anemia, such as, for example, vitamin B₁₂ and/or folic acid; and to treat hemolytic anemia, such as, for example, adrenocortical steroids, e.g., corticoids. See e.g., Resegotti et al., *Panminerva Medica*, 23:243-248 (1981); Kurtz, *FEBS Letters*, 14a:105-108 (1982); McGonigle et al., *Kidney Int.*, 25:437-

444 (1984); and Pavlovic-Kantera, *Expt. Hematol.*, 8(supp. 8) 283-291 (1980), the contents of each of which are hereby incorporated by reference in their entireties.

[0595] Compounds that enhance the effects of or synergize with erythropoietin are also useful as adjuvants herein, and include but are not limited to, adrenergic agonists, thyroid hormones, androgens, hepatic erythropoietic factors, erythrotropins, and erythrogenins. See for e.g., Dunn, "Current Concepts in Erythropoiesis", John Wiley and Sons (Chichester, England, 1983); Kalmani, *Kidney Int.*, 22:383-391 (1982); Shahidi, *New Eng. J. Med.*, 289:72-80 (1973); Urabe et al., *J. Exp. Med.*, 149:1314-1325 (1979); Billat et al., *Expt. Hematol.*, 10:133-140 (1982); Naughton et al., *Acta Haemat.*, 69:171-179 (1983); Cognote et al. in abstract 364, *Proceedings 7th Intl. Cong. of Endocrinology* (Quebec City, Quebec, July 1-7, 1984); and Rothman et al., 1982, *J. Surg. Oncol.*, 20:105-108 (1982). Methods for stimulating hematopoiesis comprise administering a hematopoietically effective amount (i.e., an amount which effects the formation of blood cells) of a pharmaceutical composition containing polynucleotides and/or polypeptides of the invention (and/or agonists or antagonists thereof) to a patient. The polynucleotides and/or polypeptides of the invention and/or agonists or antagonists thereof is administered to the patient by any suitable technique, including but not limited to, parenteral, sublingual, topical, intrapulmonary and intranasal, and those techniques further discussed herein. The pharmaceutical composition optionally contains one or more members of the group consisting of erythropoietin, testosterone, progenitor cell stimulators, insulin-like growth factor, prostaglandins, serotonin, cyclic AMP, prolactin, triiodothyronine, methenolone, stanozolol, and nandrolone, iron preparations, vitamin B₁₂, folic acid and/or adrenocortical steroids.

[0596] In an additional embodiment, the antibody and antibody compositions of the invention are administered in combination with hematopoietic growth factors. Hematopoietic growth factors that may be administered with the antibody and antibody compositions of the invention include, but are not limited to, LEUKINE™ (SARGRAMOSTIM™) and NEUPOGEN™ (FILGRASTIM™).

[0597] In an additional embodiment, the antibody and antibody compositions of the invention are administered in combination with fibroblast growth factors. Fibroblast growth factors that may be administered with the antibody and antibody compositions of

the invention include, but are not limited to, FGF-1, FGF-2, FGF-3, FGF-4, FGF-5, FGF-6, FGF-7, FGF-8, FGF-9, FGF-10, FGF-11, FGF-12, FGF-13, FGF-14, and FGF-15.

[0598] Additionally, the antibody and antibody compositions of the invention may be administered alone or in combination with other therapeutic regimens, including but not limited to, radiation therapy. Such combinatorial therapy may be administered sequentially and/or concomitantly.

Kits

[0599] The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Optionally associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration.

[0600] The present invention provides kits that can be used in the above methods. In one embodiment, a kit comprises an antibody of the invention, preferably a purified antibody, in one or more containers. In an alternative embodiment, a kit comprises an antibody fragment that immunospecifically binds to BLYS. In a specific embodiment, the kits of the present invention contain a substantially isolated BLYS polypeptide as a control. Preferably, the kits of the present invention further comprise a control antibody which does not react with BLYS. In another specific embodiment, the kits of the present invention contain a means for detecting the binding of an antibody to BLYS (*e.g.*, the antibody may be conjugated to a detectable substrate such as a fluorescent compound, an enzymatic substrate, a radioactive compound or a luminescent compound, or a second antibody which recognizes the first antibody may be conjugated to a detectable substrate). In specific embodiments, the kit may include a recombinantly produced or chemically synthesized BLYS. The BLYS provided in the kit may also be attached to a solid support. In a more specific embodiment the detecting means of the above-described kit includes a solid support to which BLYS is attached. Such a kit may also include a non-attached reporter-labeled anti-human antibody. In this embodiment, binding of the antibody to BLYS can be detected by binding of the said reporter-labeled antibody.

[0601] In an additional embodiment, the invention includes a diagnostic kit for use in screening serum containing antigens of the polypeptide of the invention. The diagnostic kit includes a substantially isolated antibody specifically immunoreactive with BLYS, and means for detecting the binding of BLYS to the antibody. In one embodiment, the antibody is attached to a solid support. In a specific embodiment, the antibody may be a monoclonal antibody. The detecting means of the kit may include a second, labeled monoclonal antibody. Alternatively, or in addition, the detecting means may include a labeled, competing antigen.

[0602] In one diagnostic configuration, test serum is reacted with a solid phase reagent having a surface-bound BLYS obtained by the methods of the present invention. After BLYS binds to a specific antibody, the unbound serum components are removed by washing, reporter-labeled anti-human antibody is added, unbound anti-human antibody is removed by washing, and a reagent is reacted with reporter-labeled anti-human antibody to bind reporter to the reagent in proportion to the amount of bound anti-BLYS antibody on the solid support. Typically, the reporter is an enzyme which is detected by incubating the solid phase in the presence of a suitable fluorometric, luminescent or colorimetric substrate.

[0603] The solid surface reagent in the above assay is prepared by known techniques for attaching protein material to solid support material, such as polymeric beads, dip sticks, 96-well plate or filter material. These attachment methods generally include non-specific adsorption of the protein to the support or covalent attachment of the protein, typically through a free amine group, to a chemically reactive group on the solid support, such as an activated carboxyl, hydroxyl, or aldehyde group. Alternatively, streptavidin coated plates can be used in conjunction with biotinylated antigen(s).

[0604] Thus, the invention provides an assay system or kit for carrying out this diagnostic method. The kit generally includes a support with surface-bound recombinant BLYS, and a reporter-labeled anti-human antibody for detecting surface-bound anti-BLYS antibody.

[0605] In specific embodiments, the present invention encompasses a single chain Fv (scFv) having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0606] In specific embodiments, the present invention encompasses a single chain Fv (scFv) having an amino acid sequence of one of SEQ ID NOS: 1 to 46, 321 to 329, 1563 to 1595, and 1881 to 1908.

[0607] In specific embodiments, the present invention encompasses a single chain Fv (scFv) having an amino acid sequence of one of SEQ ID NOS: 1563 to 1880.

[0608] In specific embodiments, the present invention encompasses a single chain Fv (scFv) having an amino acid sequence of one of SEQ ID NOS: 1881 to 2128.

[0609] In specific embodiments, the present invention encompasses a single chain Fv (scFv) having an amino acid sequence of one of SEQ ID NOS: 1 to 1562.

[0610] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLYS.

[0611] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 46, 321 to 329, 1563 to 1595, and 1881 to 1908.

[0612] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1881 to 2128, and in which said antibody or fragment thereof immunospecifically binds to the membrane-bound form of BLYS.

[0613] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1563 to 1880, and in which said antibody or fragment thereof immunospecifically binds to the soluble form of BLYS.

[0614] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLYS.

[0615] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 46, 321 to 329, 1563 to 1595, and 1881 to 1908.

[0616] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1881 to 2128, and in which said antibody or fragment thereof immunospecifically binds to the membrane-bound form of BLYS.

[0617] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1563 to 1880, and in which said antibody or fragment thereof immunospecifically binds to the soluble form of BLYS.

[0618] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLYS and which also comprises a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0619] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLYS and which also comprises a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, and in which said VL and said VH domains are derived from the same scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0620] In specific embodiments, the present invention encompasses an antibody or fragment thereof comprising an amino acid sequence of one of SEQ ID NOS: 2129 to 3227 wherein said antibody or fragment thereof immunospecifically binds BLYS.

[0621] In specific embodiments, the antibody or fragment thereof of the invention is a whole immunoglobulin molecule.

[0622] In specific embodiments, the antibody or fragment thereof of the invention is a Fab fragment.

[0623] In specific embodiments, the antibody or fragment thereof of the invention is a Fv fragment.

[0624] In specific embodiments, the present invention encompasses a chimeric protein comprising the antibody or fragment thereof of the invention covalently linked to a heterologous polypeptide.

[0625] In specific embodiments, the present invention encompasses a composition comprising two or more types of antibodies or fragments or variants thereof, each of which type immunospecifically binds to BLYS, and each of which type of antibody or fragment thereof comprises a VH domain from a different scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0626] In specific embodiments, the present invention encompasses a composition comprising two or more types of antibodies or fragments or variants thereof, each of which type immunospecifically binds to BLYS, and each of which type of antibody or fragment thereof comprises a VL domain from a different scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0627] In specific embodiments, the present invention encompasses a composition comprising two or more types of antibodies or fragments or variants thereof, each of which type immunospecifically binds to BLYS, and each of which type of antibody or fragment thereof comprises a VL domain from a different scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128 and wherein each type of antibody or fragment thereof further comprises a VH domain from a different scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0628] In specific embodiments, the present invention encompasses a composition comprising two or more types of antibodies or fragments or variants thereof, each of which type immunospecifically binds to BLYS, and each of which type of antibody or fragment thereof comprises a VH CDR3 having an amino acid sequence of one of SEQ ID NOS: 3129 to 3227.

[0629] In specific embodiments, the present invention encompasses a panel of two or more types of antibodies or fragments or variants thereof, each of which type immunospecifically binds to BLYS, and each of which type of antibody or fragment thereof comprises a VH domain from a different scFv having an amino acid sequence of one of SEQ ID NO: 1 to 2128.

[0630] In specific embodiments, the present invention encompasses a panel of two or more types of antibodies or fragments or variants thereof, each of which type immunospecifically binds to BLYS, and each of which type of antibody or fragment thereof comprises a VL domain from a different scFv having an amino acid sequence of one of SEQ ID NO: 1 to 2128.

[0631] In specific embodiments, the present invention encompasses a panel of two or more types of antibodies or fragments or variants thereof, each of which type immunospecifically binds to BLyS, and each of which type of antibody or fragment thereof comprises a VL domain from a different scFv having an amino acid sequence of one of SEQ ID NO: 1 to 2128 and wherein each type of antibody or fragment further comprises a VH domain from a different scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0632] In specific embodiments, the present invention encompasses a panel of two or more antibodies or fragments or variants thereof, each of which type immunospecifically binds to BLyS, and each of which type of antibody or fragment thereof comprises a VHCDR3 from a different scFv having an amino acid sequence of one of SEQ ID NOS: 2129 to 3227.

[0633] In specific embodiments, the antibodies or fragments thereof of the antibody panel of the invention, are each in a well of a 96 well plate.

[0634] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLyS.

[0635] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 46, 321 to 329, 1563 to 1595, and 1881 to 1908, wherein said antibody or fragment thereof immunospecifically binds BLyS.

[0636] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1881 to 1908, wherein the antibody or fragment thereof immunospecifically binds the membrane-bound form of BLyS.

[0637] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VH domain from an scFv having an amino acid sequence of one of SEQ ID

NOS: 1563 to 1569, wherein said antibody or fragment thereof immunospecifically binds the soluble form of BLYS. The present invention also encompasses vectors comprising the isolated nucleic acid molecule described above, including vectors comprising a nucleotide sequence which regulates the expression of the antibody or fragment thereof encoded by the above-described nucleic acid molecule. Additionally the present invention also encompasses host cells, including mammalian host cells, comprising the above-described nucleic acid molecule which is operably linked to a heterologous promoter, as well as host cells, including mammalian host cells, comprising the above-described vectors. Additionally, the present invention also provides a method for producing an antibody or fragment thereof comprising culturing the above-described host cells under conditions in which the nucleic acid molecule is expressed.

[0638] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLYS. The present invention also encompasses vectors comprising the isolated nucleic acid molecule described above, including vectors comprising a nucleotide sequence which regulates the expression of the antibody or fragment thereof encoded by the above-described nucleic acid molecule. Additionally the present invention also encompasses host cells, including mammalian host cells, comprising the above-described nucleic acid molecule which is operably linked to a heterologous promoter, as well as host cells, including mammalian host cells, comprising the above-described vectors. Additionally, the present invention also provides a method for producing an antibody or fragment thereof comprising culturing the above-described host cells under conditions in which the nucleic acid molecule is expressed.

[0639] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 46, 321 to 329, 1563 to 1595, and 1881 to 1908, wherein said antibody or fragment thereof immunospecifically binds BLYS. The present invention also encompasses vectors comprising the isolated nucleic acid molecule described above, including vectors comprising a nucleotide sequence which regulates the expression of the

antibody or fragment thereof encoded by the above-described nucleic acid molecule. Additionally the present invention also encompasses host cells, including mammalian host cells, comprising the above-described nucleic acid molecule which is operably linked to a heterologous promoter, as well as host cells, including mammalian host cells, comprising the above-described vectors. Additionally, the present invention also provides a method for producing an antibody or fragment thereof comprising culturing the above-described host cells under conditions in which the nucleic acid molecule is expressed.

[0640] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1881 to 2128, wherein the antibody or fragment thereof immunospecifically binds the membrane-bound form of BLyS. The present invention also encompasses vectors comprising the isolated nucleic acid molecule described above, including vectors comprising a nucleotide sequence which regulates the expression of the antibody or fragment thereof encoded by the above-described nucleic acid molecule. Additionally the present invention also encompasses host cells, including mammalian host cells, comprising the above-described nucleic acid molecule which is operably linked to a heterologous promoter, as well as host cells, including mammalian host cells, comprising the above-described vectors. Additionally, the present invention also provides a method for producing an antibody or fragment thereof comprising culturing the above-described host cells under conditions in which the nucleic acid molecule is expressed.

[0641] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1563 to 1880, wherein said antibody or fragment thereof immunospecifically binds the soluble form of BLyS. The present invention also encompasses vectors comprising the isolated nucleic acid molecule described above, including vectors comprising a nucleotide sequence which regulates the expression of the antibody or fragment thereof encoded by the above-described nucleic acid molecule. Additionally the present invention also encompasses host cells, including mammalian host cells, comprising the above-described nucleic acid molecule which is operably linked to a heterologous promoter, as well as host cells, including mammalian host cells, comprising the above-described vectors.

Additionally, the present invention also provides a method for producing an antibody or fragment thereof comprising culturing the above-described host cells under conditions in which the nucleic acid molecule is expressed.

[0642] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLYS and which also comprises a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128. The present invention also encompasses vectors comprising the isolated nucleic acid molecule described above, including vectors comprising a nucleotide sequence which regulates the expression of the antibody or fragment thereof encoded by the above-described nucleic acid molecule. Additionally the present invention also encompasses host cells, including mammalian host cells, comprising the above-described nucleic acid molecule which is operably linked to a heterologous promoter, as well as host cells, including mammalian host cells, comprising the above-described vectors. Additionally, the present invention also provides a method for producing an antibody or fragment thereof comprising culturing the above-described host cells under conditions in which the nucleic acid molecule is expressed.

[0643] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLYS and which also comprises a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128 and in which said VL domain and said VH domain are derived from the same scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128. The present invention also encompasses vectors comprising the isolated nucleic acid molecule described above, including vectors comprising a nucleotide sequence which regulates the expression of the antibody or fragment thereof encoded by the above-described nucleic acid molecule. Additionally the present invention also encompasses host cells, including mammalian host cells, comprising the above-described nucleic acid molecule which is operably linked to a heterologous promoter, as well as host cells, including mammalian host cells, comprising the above-described vectors.

Additionally, the present invention also provides a method for producing an antibody or fragment thereof comprising culturing the above-described host cells under conditions in which the nucleic acid molecule is expressed.

[0644] In specific embodiments, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence encoding an antibody or fragment thereof comprising a VHCDR3 from an scFv having an amino acid sequence of one of SEQ ID NOS: 2129 to 3227, wherein said antibody or fragment thereof immunospecifically binds BLYS. The present invention also encompasses vectors comprising the isolated nucleic acid molecule described above, including vectors comprising a nucleotide sequence which regulates the expression of the antibody or fragment thereof encoded by the above-described nucleic acid molecule. Additionally the present invention also encompasses host cells, including mammalian host cells, comprising the above-described nucleic acid molecule which is operably linked to a heterologous promoter, as well as host cells, including mammalian host cells, comprising the above-described vectors. Additionally, the present invention also provides a method for producing an antibody or fragment thereof comprising culturing the above-described host cells under conditions in which the nucleic acid molecule is expressed.

[0645] In specific embodiments, the present invention provides an antibody or fragment thereof that immunospecifically binds to BLYS, said antibody or fragment thereof comprising an amino acid sequence of a VH domain encoded by a nucleotide sequence that hybridizes under stringent conditions to a nucleotide sequence encoding a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0646] In specific embodiments, the present invention provides an antibody or fragment thereof that immunospecifically binds to BLYS, said antibody or fragment thereof comprising an amino acid sequence of a VL domain encoded by a nucleotide sequence that hybridizes under stringent conditions to a nucleotide sequence encoding a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0647] In specific embodiments, the present invention provides an antibody or fragment thereof that immunospecifically binds to BLYS, said antibody or fragment thereof comprising an amino acid sequence of a VH domain encoded by a nucleotide

sequence that hybridizes under highly stringent conditions to a nucleotide sequence encoding a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0648] In specific embodiments, the present invention provides an antibody or fragment thereof that immunospecifically binds to BLYS, said antibody or fragment thereof comprising an amino acid sequence of a VL domain encoded by a nucleotide sequence that hybridizes under highly stringent conditions to a nucleotide sequence encoding a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0649] In specific embodiments, the present invention provides an antibody or fragment thereof that immunospecifically binds to BLYS, said antibody or fragment thereof comprising an amino acid sequence of a CDR encoded by a nucleotide sequence that hybridizes under stringent conditions to a nucleotide sequence encoding a CDR from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0650] In specific embodiments, the present invention provides an antibody or fragment thereof that immunospecifically binds to BLYS, said antibody or fragment thereof comprising an amino acid sequence of a CDR encoded by a nucleotide sequence that hybridizes under highly stringent conditions to a nucleotide sequence encoding a CDR from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0651] In specific embodiments, the present invention provides an antibody or fragment thereof that immunospecifically binds to BLYS, said antibody or fragment thereof comprising an amino acid sequence of a VH CDR3 encoded by a nucleotide sequence that hybridizes under stringent conditions to a nucleotide sequence encoding a VH CDR3 having an amino acid sequence of one of SEQ ID NOS: 2129 to 3227.

[0652] In specific embodiments, the present invention provides an antibody or fragment thereof that immunospecifically binds to BLYS, said antibody or fragment thereof comprising an amino acid sequence of a VH CDR3 encoded by a nucleotide sequence that hybridizes under highly stringent conditions to a nucleotide sequence encoding a VH CDR3 having an amino acid sequence of one of SEQ ID NOS: 2129 to 3227.

[0653] In specific embodiments, the present invention provides a method for detecting of aberrant expression of BLYS, comprising:

[0654] assaying the level of BLyS expression in cells or a tissue sample of an individual using one or more antibodies or fragments or variants thereof that immunospecifically bind BLyS; and

[0655] comparing the level of BLyS assayed in the cells or a tissue sample with a standard level of BLyS or a level of BLyS in cells or a tissue sample from an individual without aberrant BLyS expression, wherein an increase or decrease in the assayed level of BLyS or level in cells or a tissue sample from an individual without aberrant BLyS expression compared to the standard level of BLyS is indicative of aberrant expression.

[0656] In specific embodiments, the present invention provides a method for diagnosing a disease or disorder associated with aberrant BLyS expression or activity, comprising:

[0657] administering to a subject an effective amount of a labeled antibody or fragment thereof that immunospecifically binds to BLyS;

[0658] waiting for a time interval following the administering for permitting the labeled antibody or fragment thereof to preferentially concentrate at sites in the subject where BLyS is expressed;

[0659] determining background level; and

[0660] detecting the labeled antibody or fragment thereof in the subject, such that detection of labeled antibody or fragment thereof above the background level indicates that the subject has a particular disease or disorder associated with aberrant expression of BLyS.

[0661] In specific embodiments, the antibody or fragment thereof utilized in the two methods described immediately above comprises a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0662] In specific embodiments, the antibody or fragment thereof utilized in the two methods described immediately above comprises a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128.

[0663] In specific embodiments, the antibody or fragment thereof utilized in the two methods described immediately above comprises a VH CDR3 having an amino acid sequence of one of SEQ ID NOS: 2129 to 3227.

[0664] In specific embodiments, the antibody or fragment thereof utilized in the two methods described immediately above is conjugated to a diagnostic agent.

[0665] In specific embodiments, the antibody or fragment thereof utilized in the two methods described immediately above is conjugated to a diagnostic agent wherein the diagnostic agent is horseradish peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase.

[0666] In specific embodiments, the antibody or fragment thereof utilized in the two methods described immediately above is conjugated to a diagnostic agent wherein the diagnostic agent is fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin.

[0667] In specific embodiments, the antibody or fragment thereof utilized in the two methods described immediately above is conjugated to a diagnostic agent wherein the diagnostic agent is ^{125}I , ^{131}I , ^{111}In , ^{90}Y or ^{99}Tc .

[0668] In specific embodiments, the antibody or fragment thereof utilized in the two methods described immediately above is conjugated to a diagnostic agent wherein the diagnostic agent is luciferase, luciferin or aequorin.

[0669] A pharmaceutical composition comprising at least one antibody or fragment thereof of comprising a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLYS and a pharmaceutically acceptable carrier.

[0670] A pharmaceutical composition comprising at least one antibody or fragment thereof of comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLYS and a pharmaceutically acceptable carrier.

[0671] A pharmaceutical composition comprising at least one antibody or fragment thereof of comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLYS and which also comprises a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128 and a pharmaceutically acceptable carrier.

[0672] A pharmaceutical composition comprising at least one antibody or fragment thereof of comprising an amino acid sequence of one of SEQ ID NOS: 2129 to 3227 wherein said antibody or fragment thereof immunospecifically binds BLYS and a pharmaceutically acceptable carrier.

[0673] A method of treating, preventing or ameliorating a disease or disorder associated with aberrant BLyS expression or activity, comprising administering to an animal in need thereof the pharmaceutical composition comprising at least one antibody or fragment thereof of comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLyS and which also comprises a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128 and a pharmaceutically acceptable carrier in an amount effective to treat, prevent or ameliorate the disease or disorder. This method may be used to treat an infectious disorder, cancer, and/or an autoimmune disease such as lupus or glomerular nephritis.

[0674] A method of treating, preventing or ameliorating a disease or disorder associated with aberrant BLyS expression or activity, comprising administering to an animal in need thereof the pharmaceutical composition comprising at least one antibody or fragment thereof of comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLyS and a pharmaceutically acceptable carrier in an amount effective to treat, prevent or ameliorate the disease or disorder. This method may be used to treat an infectious disorder, cancer, and/or an autoimmune disease such as lupus or glomerular nephritis.

[0675] A method of treating, preventing or ameliorating a disease or disorder associated with aberrant BLyS expression or activity, comprising administering to an animal in need thereof the pharmaceutical composition comprising at least one antibody or fragment thereof of comprising a VL domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128, wherein said antibody or fragment thereof immunospecifically binds BLyS and which also comprises a VH domain from an scFv having an amino acid sequence of one of SEQ ID NOS: 1 to 2128 and a pharmaceutically acceptable carrier in an amount effective to treat, prevent or ameliorate the disease or disorder. This method may be used to treat an infectious disorder, cancer, and/or an autoimmune disease such as lupus or glomerular nephritis.

[0676] A method of treating, preventing or ameliorating a disease or disorder associated with aberrant BLyS expression or activity, comprising administering to an animal in need thereof the pharmaceutical composition of comprising at least one antibody

or fragment thereof of comprising an amino acid sequence of one of SEQ ID NOS: 2129 to 3227 wherein said antibody or fragment thereof immunospecifically binds BlyS and a pharmaceutically acceptable carrier in an amount effective to treat, prevent or ameliorate the disease or disorder. This method may be used to treat an infectious disorder, cancer, and/or an autoimmune disease such as lupus or glomerular nephritis.

[0677] This method may be used to treat an infectious disorder, cancer, and/or an autoimmune disease such as lupus or glomerular nephritis.

EXAMPLES

Abbreviations

0.2 M Tris-HCl, 0.5 mM EDTA, 0.5 M sucrose (TES)

1-ethyl-3-[3-dimethylaminopropyl]carbo diimide hydrochloride (EDC)

2TY supplemented with 100 μ g/ml ampicillin and 2% glucose (2TYAG)

2TY supplemented with 100 μ g/ml ampicillin and 50 μ g/ml kanamycin (2TYAK)

3,3',5,5'-Tetramethyl Benzidine (TMB)

50% inhibitory concentration (IC₅₀)

6xPBS containing 18% Marvel blocking solution (6xMPBS)

Absorbance (A)

Bovine serum albumin (BSA)

Enzyme linked immunosorbent assay (ELISA)

Foetal calf serum (FCS)

Heavy chain variable (V_H)

Hepes buffered saline (HBS)

Horseradish peroxidase (HRP)

Immobilised Metal Affinity Chromatography (IMAC)

Isopropyl β -D-thiogalactopyranoside (IPTG)

Light chain variable(V_L)

Multiplicity of infection (MOI)

N-[2-hydroxyethyl]piperazine-N'-[2-ethanesulfonic acid] (Hepes)

Nanomolar (nM)

N-Hydroxysuccinimide (NHS)

PBS containing 3% Marvel (MPBS)

Phosphate Buffered Saline (PBS)

Phosphate Buffered Saline + 0.1% (v/v) Tween 20 (PBST)

Picomolar (pM)

Single chain fragment variable (scFv)

Tumour Necrosis Factor-alpha (TNF- α)

Tumour Necrosis Factor-beta (TNF- β)

TNF-related apoptosis inducing ligand (TRAIL)

Definitions:

[0678] In the following section “immobilized BLyS” refers to a soluble form of BLyS or biotinylated BLyS coated on a plastic assay plate (e.g., a 96 well plate), but does not refer to histidine tagged BLyS coated on a plastic assay plate.; “biotinylated BLyS” is a soluble form of BLyS except when used to coat an ELISA plate, in which case it would be “immobilized BLyS.” Membrane bound forms of BLyS include, but are not limited to, U937 and P388 plasma membranes. Antibodies of the present invention are defined as able to bind the membrane bound and/or soluble forms of BLyS according to the assays described in Examples 1 through 19.

Example 1: Antibodies Immunospecifically Binding to Soluble And Membrane-Bound BLyS

[0679] A library of phage was screened in an assay to identify those phage displaying scFvs that immunospecifically bind to the soluble and membrane-bound forms of BLyS. Phage displaying scFvs that bound to immobilized BLyS were identified after panning on immobilized BLyS and assessment by ELISA for binding to immobilized BLyS. The BLyS that was immobilized on plates for these assays was purified from supernatants of Sf9 cells infected with a baculovirus expression construct as described in Moore et al., Science 285:260-263 which is hereby incorporated by reference in its entirety. Each of the identified scFvs were then sequenced. Certain sequences were isolated multiple times, thus a panel (panel 1) containing one member of each unique sequences was generated and

further characterized for their ability to immunospecifically bind to the soluble and membrane-bound forms of BLyS.

[0680] The derived amino acid sequences of these scFvs are shown in Table 1 above. The individual V_H and V_L segments of the scFvs were aligned to the known human germline sequences in V-BASE (Tomlinson et al, www.mrc-cpe.cam.ac.uk) and the closest germline identified.

Example 2: Specificity of scFvs for BLyS and Membrane-Bound BLyS

[0681] The specificity of each of the scFvs for both BLyS and membrane-bound BLyS was determined by phage ELISA. BLyS was immobilised onto plastic as a purified soluble form of the protein or as a membrane-bound form present on plasma membrane preparations from the human macrophage-like cell line, U937.

Maintenance of U937 Cells

[0682] U937 cells are a human monocyte-like, histiocytic lymphoma cell line known to express BLyS on their plasma membranes. They were maintained in RPMI-1640 supplemented with 4mM L-glutamine, 10% FCS, 10 U penicillin, 100 g/ml streptomycin (all reagents from Sigma). The cells were thawed from frozen stock and are either used for plasma membrane preparation, or split 1:5, after 2 days in culture when the cell density reaches 1×10^6 /ml.

Preparation of U937 Plasma Membranes

[0683] To prepare plasma membranes, 1×10^9 U937 cells were harvested from their culture medium by centrifugation at 1000 rpm at 4°C for 5 minutes in a benchtop centrifuge. The cells were resuspended in 40 ml 12 mM Tris, pH 7.5, 250 mM sucrose and placed on ice. The cells are then lysed using a hand-held electric homogenizer (Labortechnik IKA Ultra-Turrax) for four, one minute, bursts. To check that cell lysis had occurred, 10 µl cell lysate was added to 10 µl Trypan blue and the cell lysate was examined under a microscope. After confirming lysis, the homogenate was centrifuged at $270 \times g$, for 10 minutes at 4°C to pellet the nuclear fraction and the supernatant was retained. The supernatant was centrifuged at $8000 \times g$, 10 mins, 4°C, to pellet the mitochondrial and lysosomal fractions and the supernatant was retained. The supernatant

was then centrifuged at 100000 x g, 60 mins, 4°C to pellet the plasma membrane enriched fraction. The supernatant was discarded and the plasma membrane pellet was resuspended in 1 ml PBS and stored at -70°C. The protein concentration of the plasma membrane fraction was determined using a protein quantification kit (Biorad). Typical yields were between 5 and 10 mg of plasma membranes.

Phage ELISA

[0684] To determine the specificity of each of the unique scFvs, a phage ELISA was performed for each scFv against human BLYS, U937 plasma membranes, TNF α (R&D Systems, Minneapolis, MN), BSA and uncoated well. Individual *E. coli* colonies containing a phagemid representing one of the unique scFvs from panel 1 were inoculated into 96-well plates containing 100 μ l 2TYAG medium per well. Plates were incubated at 37°C for 4 hours, shaking. M13KO7 helper phage was added to each well to a MOI of 10 and the plates were incubated for a further 1 hour at 37°C. The plates were centrifuged in a benchtop centrifuge at 2000 rpm for 10 minutes. The supernatant was removed and cell pellets were resuspended in 100 μ l 2TYAK and incubated at 30°C overnight, shaking. The next day, plates were centrifuged at 2000 rpm for 10 min and the 100 μ l phage-containing supernatant from each well carefully transferred into a fresh 96-well plate. Twenty μ l of 6xMPBS was added to each well, and incubated at room temperature for 1 hour to pre-block the phage prior to ELISA.

[0685] Flexible 96-well plates (Falcon) were coated overnight at 4°C with human BLYS (1 μ g/ml) in PBS, U937 plasma membranes (10 μ g/ml) in PBS, TNF α (1 μ g/ml) in PBS, BSA (1 μ g/ml) in PBS, or PBS. After coating, the solutions were removed from the wells, and the plates were blocked for 1 hour at room temperature in MPBS. The plates were washed 3 times with PBS and then 50 μ l of pre-blocked phage was added to each well. The plates were incubated at room temperature for 1 hour and then washed with 3 changes of PBST followed by 3 changes of PBS. To each well, 50 μ l of an anti-gene VIII-HRP conjugate (Pharmacia) at a 1 to 5000 dilution in MPBS was added and the plates incubated at room temperature for 1 hour. Each plate was washed three times with PBST followed by three times with PBS. Then 50 μ l of an HRP-labelled anti-mouse polymer (DAKO EnVision) diluted 1/50 in 3% MPBS was added and incubated for 1 hour at room temperature. Each plate was then washed three times with PBST followed by three times

with PBS. Fifty μ l of TMB substrate was then added to each well, and incubated at room temperature for 30 minutes or until colour development. The reaction was stopped by the addition of 25 μ l of 0.5 M H_2SO_4 . The signal generated was measured by reading the absorbance at 450nm (A_{450}) using a microtiter plate reader (Bio-Rad 3550).

[0686] The results for 3 clones (I006E07, I008D05 and I016F04) are shown in Figure 1. All 3 scFvs recognize immobilized BLyS and U937 plasma membranes but do not recognize $TNF\alpha$, BSA or an uncoated well (PBS only). These results indicate that these scFvs specifically recognize immobilized BLyS and membrane-bound BLyS.

Example 3: Inhibition in an In Vitro Receptor Binding Assay by Phage ScFvs

[0687] All of the unique phage scFvs in panel 1 were assessed for their ability to inhibit soluble BLyS binding to its cognate receptor on IM9 cells.

Biotinylation of BLyS

[0688] One hundred μ g of either human or mouse BLyS was dialysed overnight at 4° C against 50 mM sodium bicarbonate (sodium hydrogen carbonate) pH8.5 using a slide-a-lyzer cassette (Pierce). The next day, NHS-biotin (Pierce) was dissolved in DMSO to 13.3 mg/ml. This was then added to the BLyS at a molar ratio of 20:1 biotin:BLyS, mixed and incubated on ice for 2 hours. The biotinylated BLyS was then dialysed back into sterile PBS (Sigma) using a slide-a-lyzer cassette overnight at 4°C. The biological activity of the biotinylated BLyS was confirmed using the receptor binding inhibition assay (see below).

Maintenance of IM9 cells

[0689] IM9 cells are a human B lymphocyte cell line. They were maintained in RPMI-1640 supplemented with 4 mM L-glutamine, 10% FCS, 10 U penicillin, 100 g/ml streptomycin (all reagents from Sigma). The cells are thawed from frozen stock and can be used in assays after 5 days in culture when they reach a density of $4 - 8 \times 10^5$ /ml.

Receptor binding inhibition assay

[0690] Individual *E. coli* colonies containing a phagemid representing one of the unique scFvs from panel 1 were inoculated into 96-well plates containing 100 μ l 2TYAG medium per well. Plates were incubated at 37° C for 4 hours, shaking. M13KO7 helper

phage was added to each well to a MOI of 10 and the plates were incubated for a further 1 hour at 37°C. The plates were centrifuged in a benchtop centrifuge at 2000 rpm for 10 minutes. The supernatant was removed and cell pellets were resuspended in 100 µl 2TYAK and incubated at 30°C overnight, shaking. The next day, plates were centrifuged at 2000 rpm for 10 min and the 100 µl phage-containing supernatant from each well carefully transferred into a fresh 96-well plate. Phage were diluted 1 in 2 in MPBS prior to use.

[0691] Flat-bottomed 96-well plates (Costar) were coated with 100 µl per well of a 1:10 dilution of poly-L-lysine (Sigma) in PBS for 1 hour at room temperature. The plates were then washed twice with water, allowed to air-dry and placed at 4°C overnight. One hundred µl of IM9 cells (at 10⁶/ml in RPMI-1640 culture medium) were then added to each well. Plates were then centrifuged at 3200 rpm for 5 mins to pellet the cells. The media was carefully aspirated and 200 µl of MPBS added to each well. The plates were then allowed to block for 1 hour at room temperature.

[0692] To a separate 96-well plate 10 µl of biotinylated BLyS (at 162.5 ng/ml) in MPBS was added to each well to give a final concentration of 25 ng/ml. Fifty-five µl of each appropriate phage supernatant was added to each well and the final volume in each well was 65 µl. Plates were then incubated at room temperature for 30 minutes.

[0693] The IM9 coated plates were washed twice in PBS, tapped dry and immediately 50 µl of the phage/biotinylated-BLyS mix was added and incubated at room temperature for 1 hour. Plates were washed three times in PBST and three times in PBS, tapped dry and 50 µl of streptavidin-Delfia (Wallac) was added to each well at 1:1000 dilution in the Manufacturer's assay buffer. The plates were then incubated at room temperature for 1 hour and washed six times in Delfia wash solution (Wallac). After tapping the plates dry, 100 µl per well of Delfia enhancement solution (Wallac) was added. The plates were gently tapped to encourage micelle formation, incubated at room temperature for 10 minutes, and fluorescence read on a Wallac 1420 workstation at 6520 nM.

[0694] Results for 3 phage scFvs (I001C09, I018D07 and I016H07) that inhibited the binding of biotinylated BLyS are shown in Figure 2. Maximal binding of biotinylated BLyS to its receptor (bio-BLyS only), the background signal in the absence of biotinylated BLyS (no bio-BLyS), and results with an irrelevant (*i.e.*, does not recognize BLyS) phage antibody are also shown. All 3 phage scFvs inhibited biotinylated BLyS binding to its

receptor on IM9 cells, identifying these scFvs as scFvs that bind the soluble form of BLyS. These scFvs also bind to U937 membranes, thus they also bind the membrane bound form of BLyS.

[0695] Forty-eight of the scFvs from panel 1 that demonstrated the greatest inhibition as phage particles in this assay were chosen for further study. These 48 scFvs are listed in Table 3.

Table 3. scFvs that Inhibit the Binding of Biotinylated-BLyS to its Receptor

Antibody	Antibody	Antibody	Antibody	Antibody
I008C02	I029D07	I008C03	I008C12	I028A06
I022E02	I061E07	I007H08	I061H01	I031C03
I018C02	I006D07	I008A11	I006D08	I031F02
I008B01	I017D10	I061D02	I026E03	I031F09
I016F04	I007B03	I008A09	I027A07	I031G11
I016E05	I018C10	I007F11	I016H07	I050A07
I018H08	I001C09	I037E07	I021B05	I050A12
I018H09	I018D07	I037E12	I031G10	I050B11
	I029F11	I016F02	I031G08	I051C04
	I022D01		I031C07	I003F12
			I012A06	

Example 4: Specificity of Anti-BLyS Antibodies

[0696] The specificity of the 48 scFvs listed in Table 3 for human and murine BLyS was determined using phage ELISA.

Phage ELISA

[0697] To determine the specificity of the 48 scFvs, a phage ELISA was performed against human and mouse BLyS, and a panel of related and unrelated human antigens: Fas ligand, TRAIL, TNF α , TNF β , and PBS. The : Fas ligand, TRAIL, TNF α , and TNF β antigens were obtained from R&D Systems, Minneapolis, MN. Individual *E. coli* colonies

containing phagemid were inoculated into 5 ml 2YTAG and incubated at 37°C for 4 hours, shaking. M13KO7 helper phage (Pharmacia) was added to each tube to a MOI of 10 and incubated for 30 minutes at 37°C for 1 hour, the first 30 minutes static and the final 30 minutes with gentle shaking. Cells were pelleted by centrifugation at 3,500 rpm for 10 minutes and the supernatant discarded. Cell pellets were resuspended in 5 ml 2TYAK and incubated at 30°C overnight with shaking. The next day, the cells were pelleted by centrifugation at 3,500 rpm for 10 minutes. The phage-containing supernatant (5 ml) was carefully transferred to a fresh tube, 1 ml of 6MPBS was added, and the tube was incubated at room temperature for 1 hour to pre-block the phage prior to ELISA.

[0698] All antigens were coated at 1 μ g/ml. ELISAs were performed essentially as described in Example 2. The only exception to this being the detection of phage antibody binding to mouse BLyS where the step involving incubation with the HRP-labelled anti-mouse polymer was omitted. Binding to mouse BLyS was detected with TMB as in Example 2.

[0699] All 48 scFvs are specific for immobilized human BLyS and 43 out of the 48 scFvs cross-react with immobilized mouse BLyS but not with any other unrelated or related antigen tested. I008C03, I007F11, I037E07, I037E12, and I016H07 did not bind murine BLyS. Results for two scFvs, I022D01 and I031F02, are shown in Figure 3. Both these scFvs specifically recognize human and mouse BLyS but not any other unrelated or related antigen tested.

Example 5: Specificity for the Membrane-Bound Form of BLyS

[0700] The specificity of 48 scFvs for membrane-bound BLyS was determined by the phage ELISA described in Example 2. BLyS was immobilised onto plastic as a membrane-bound form present on plasma membranes preparations from the human macrophage-like cell line, U937. This cell line is known to express the membrane-bound form of human BLyS.

[0701] To demonstrate that this binding is specific for membrane-bound BLyS, a competition ELISA was developed to determine if the ELISA signal for an individual antibody on U937's could be competed out by pre-incubation with either BLyS or TNF α . An anti-BLyS antibody that also recognizes membrane-bound BLyS would be expected to demonstrate a signal reduction with free BLyS but not free TNF α .

Competition ELISA

[0702] Individual *E. coli* colonies containing phagemid for each of the 48 scFvs listed in Table 3 were inoculated into 5 ml 2YTAG and incubated at 37°C for 4 hours, shaking. M13KO7 helper phage (Pharmacia) was added to each tube to a MOI of 10 and incubated for 30 minutes at 37° C for 1 hour, the first 30 minutes static and the final 30 minutes with gentle shaking. Cells were pelleted by centrifugation at 3,500 rpm for 10 minutes and the supernatant discarded. Cell pellets were resuspended in 5 ml 2TYAK and incubated at 30°C overnight with shaking. The next day, the cells were pelleted by centrifugation at 3,500 rpm for 10 minutes. The phage-containing supernatants (5 ml) were carefully transferred to a fresh tube.

[0703] For each of the 48 scFvs listed in Table 3, two aliquots of 20 µl 6xMPBS were pipetted into separate wells of a 96-well plate (Greiner). The first aliquot was supplemented with BLyS to a final concentration of 0.5 µg/ml. The second aliquot was supplemented with TNF-α to a final concentration of 0.5 µg/ml. Each experiment was performed in triplicate. One hundred µl of each phage supernatant was then added to each aliquot and mixed by pipetting up and down. The phage were incubated (± competing antigen) at room temperature for 1 hour.

[0704] Flexible 96-well plates (Falcon) were coated overnight at 4°C with 50 µl of 10 µg/ml U937 plasma membranes. After coating, the plates were washed 3 times with PBS and blocked for 1 hour at room temperature with 200 µl MPBS. The plates were washed 3 times with PBS and 50 µl of phage (± competing antigen) was added to each appropriate well. The plates were incubated at room temperature for 1 hour and then washed with 3 changes of PBST followed by 3 changes of PBS. To each well, 50 µl of a mouse anti-gene VIII-HRP conjugate (Pharmacia) at a 1:5000 dilution in MPBS was added and the plates incubated at room temperature for 1 hour. Each plate was washed three times with PBST followed by three times with PBS. Then 50 µl of an HRP-labelled anti-mouse polymer (DAKO EnVision) diluted 1:50 in 3% MPBS was added and incubated for 1 hour at room temperature. Each plate was then washed three times with PBST followed by three times with PBS. Fifty µl of TMB substrate was then added to each well, and incubated at room temperature for 30 to 60 minutes or until color development. The reaction was stopped by the addition of 25 µl of 0.5 M H₂SO₄. The signal generated was

measured by reading the absorbance at 450nm (A_{450}) using a microtiter plate reader (Bio-Rad 3550).

[0705] All 48 scFvs bind to U937 plasma membrane preparations. This signal could be competed out by pre-incubation of the phage antibody with BLyS but not by pre-incubation with TNF- α . This indicates that the 48 scFvs specifically recognize membrane-bound BLyS as well as soluble BLyS. Typical results are exemplified by scFvs I031F09, I050A12 and I051C04 and are shown in Figure 4. All 3 scFvs demonstrate binding to U937 plasma membranes. This binding was specifically competed out with BLyS but did not compete with TNF- α , demonstrating specific recognition of membrane-bound BLyS.

Example 6: scFv Off-rate Determinations

[0706] All off-rate determinations were performed on BIAcore 2000 machines, using the BIAcore 2000 Control Software and evaluated using the BIAevaluation 3.0 software.

Preparation of a Low Density BLyS Surface

[0707] A 500RU surface was prepared for kinetic studies with purified scFvs. A low density BLyS surface (500 RU BLyS coupled) was prepared in flow cell 2 by amine coupling to a CM5 chip. A new CM5 chip was inserted into the BIAcore and a sensorgram initiated with HBS buffer at a flow rate of 5 μ l/min. The NHS and EDC coupling solutions (BIAcore) were mixed according to manufacturer's instructions and 30 μ l injected over the CM5 surface. Fifty μ l of BLyS at 1 μ g/ml in 10 mM sodium acetate buffer, pH4, was then injected followed by 30 μ l of ethanolamine-HCl solution (BIAcore). The flow rate was then adjusted to 20 μ l/min and 10 μ l of 4M guanidine hydrochloride in HBS injected over the surface. This strips the surface of non-covalently bound BLyS.

Measurement of scFv off-rate kinetics on the low density surfaces

[0708] The chip containing the low density BLyS surface was inserted in to the BIAcore. A dilution series of purified scFvs was prepared in HBS, typically 50 μ g/ml doubling dilutions down to 1.5 μ g/ml. The dilution series was then injected sequentially over the low density BLyS surface (and blank control) using the following program:

MAIN

FLOWCELL 1,2,3,4

APROG	genab	r1d1	ab1
APROG	genab	r1d2	ab2
APROG	genab	r1d3	ab3
APROG	genab	r1d4	ab4
APROG	genab	r1d5	ab5
APROG	genab	r1d6	ab6

APPEND CONTINUE

END

DEFINE APROG genab

PARAM %Abpos %AbId

FLOW 20

KINJECT %Abpos 200 80

INJECT r1c6 10!guanidine hydrochloride regeneration step

EXTRACLEAN

END

[0709] Bound scFvs were removed by injecting 10 μ l 4M GuHCl in HBS over the surface between scFv samples.

[0710] The binding curves for individual scFvs were analyzed using the BIAevaluation software to determine antibody off-rates. Kinetic analysis for a typical scFv antibody, I003C02, is shown in Figure 5. I003C02 has a $K_{\text{off}} = 6 \times 10^{-3} \text{ s}^{-1}$.

Example 7: Inhibition in an In Vitro Receptor Binding Assay by scFv Antibodies

[0711] The 48 scFvs listed in Table 3 were purified and assessed for their ability to inhibit BLyS binding to its receptor on IM9 cells.

Purification of scFv

[0712] To determine the inhibitory potency of anti-BLyS scFv, scFv's were first prepared by IMAC. 2TYAG (5 ml) was inoculated with a single colony and grown overnight at 30°C, shaking. This overnight culture was then used to inoculate 500 ml of 2TY containing 100 µg/ml ampicillin and 0.1% Glucose, and grown at 30° C, shaking, until an A₆₀₀ of 1.0 was attained. IPTG was added to 1 mM and the culture was grown for a further 3.5 hours at 30°C.

[0713] Cells were harvested by centrifugation at 5,000rpm, and resuspended in 10 ml of TES. A further 15 ml of a 1:5 dilution (in water) of TES was added, and the cell suspension incubated on a turning wheel at 4°C for 30 minutes. This causes osmotic shock and yields a periplasmic extract containing the scFv. Residual cells and debris were pelleted by centrifugation at 9,000 rpm for 20 minutes at 4°C. The supernatant was transferred to a new tube, and 50 µl of 1 M MgCl₂ added. Two ml of a Ni-NTA agarose (Qiagen), pre-washed with buffer (50 mM sodium phosphate, pH 8, 300 mM NaCl) together with a protease inhibitor tablet (Boehringer Mannheim) were then added to the periplasmic extract. The preparation was incubated, rotating, overnight at 4°C. The Ni-NTA was pelleted by centrifugation at 2,000 rpm for 5 minutes, and the supernatant was aspirated. The agarose beads were washed 3 times with 50 ml wash buffer, centrifuging to collect the agarose in between each wash. Ten ml of wash buffer was added after the final wash, and the slurry was loaded on to a polyprep column (BioRad). Two ml elution buffer (50 mM NaPi (sodium phosphate), pH 8, 300 mM NaCl, 250 mM imidazole) was added to the drained agarose, and the eluate was collected. IMAC purified scFv was buffer exchanged in to PBS by use of a Nap 5 column (Pharmacia) according to the manufacturer's instructions. The A₂₈₀ was read and the protein concentration determined using a molar extinction coefficient of 1 mg/ml protein = A₂₈₀ 1.4. Purified scFv was stored in 500 µl aliquots at -70°C.

Receptor Binding Inhibition Assay

[0714] Flat-bottomed 96-well plates (Costar) were coated with 100 µl per well of a 1:10 dilution of poly-L-lysine (Sigma) in PBS for 1 hour at room temperature. The plates were then washed twice with water, allowed to air-dry and placed at 4 °C overnight. One hundred µl of IM9 cells (at 10⁶/ml in RPMI-1640) were then added to each well. Plates

were then centrifuged at 3200 rpm for 5 mins to pellet the cells. The media was carefully aspirated and 200 μ l of MPBS added to each well. The plates were then left to block for 1 hour at room temperature.

[0715] To a separate 96-well plate, titrate test scFvs in MPBS, in triplicate, over a concentration range from 10 μ g/ml down to 0.001 μ g/ml were added. The final volume of test scFv in each well was 55 μ l. Competition with unlabelled BLYS was also included in every assay as a control. Unlabelled BLYS, in MPBS, was typically titrated in triplicate, over a concentration range from 1 μ g/ml down to 0.001 μ g/ml. 10 μ l of biotinylated-BLYS (at 162.5 ng/ml) in MPBS was added to each well to give a final concentration of 25 ng/ml. Plates were then incubated at room temperature for 30 minutes.

[0716] The IM9 coated plates was washed twice in PBS, tapped dry and immediately 50 μ l of the scFv/biotinylated-BLYS mix was added and incubated at room temperature for 1 hour. Plates were washed three times in PBST and three times in PBS, tapped dry and 50 μ l per well added of streptavidin-Delfia (Wallac) at 1:1000 dilution in the Manufacturer's assay buffer. The plates were then incubated at room temperature for 1 hour and washed six times in Delfia wash solution (Wallac). After tapping the plates dry, 100 μ l per well of Delfia enhancement solution (Wallac) was added. The plates were gently tapped to encourage micelle formation, incubated at room temperature for 10 minutes, and fluorescence read on a Wallac 1420 workstation at 6520 nM.

[0717] Typical titration curves for two scFv antibodies, I007F11 and I050A07, are shown in Figure 6. Unlabelled BLYS competed for binding to its receptor with an IC₅₀ value of 0.8 nM. The IC₅₀ values for I007F11 and I050A07 are 7.9 nM and 17.1 nM, respectively. The assay was performed in triplicate and standard error bars are shown. The 9 scFvs that demonstrated the greatest inhibition as scFv are listed in Table 4. This data also confirms that these 9 scFvs recognize the soluble form of BLYS.

Table 4: 9 ScFvs that demonstrated greatest potency in BLYS Receptor Binding Inhibition Assay

ScFv Antibody
I017D10

I022D01
I008A11
I006D08
I031F02
I050A12
I050B11
I051C04
I003F12S

Example 8: Antibodies recognizing a soluble form of BLyS

[0718] A library of phage was screened in an assay to identify those phage displaying scFvs that immunospecifically bind to the soluble but not the membrane-bound forms of BLyS.

[0719] A phage library was screened for the ability to bind to biotinylated BLyS. The phage were exposed to biotinylated BLyS, allowed an interval of time to bind the biotinylated BLyS. Phage binding bio-BLyS were then isolated by capture on streptavidin coated magnetic beads.

[0720] The phage identified in the screen above (capture of Bio-BLyS from solution) were then screened by ELISA for their ability to bind immobilized BLyS. The scFv expressed by phage that bound immobilized BLyS were then cloned and sequenced. Again, several sequences were identified multiple times, thus a panel (panel 2) consisting of on example of each phage expressing a unique scFv was then characterized further.

[0721] The derived amino acid sequences of these scFvs are shown in Table 1 above. The individual V_H and V_L segments of the scFvs were aligned to the known human germline sequences in V-BASE (Tomlinson et al, www.mrc-cpe.cam.ac.uk) and the closest germline identified.

Example 9: Specificity For Soluble BLyS

[0722] The scFvs were isolated from a library of phage based on their ability to bind a soluble form of BLyS. Briefly, phage were preincubated with biotinylated BLyS in solution. Phage that bound to this biotinylated BLyS were then isolated using streptavidin coated magnetic beads.

[0723] The specificity of each of the unique scFvs for BLyS and for the membrane-bound form of BLyS, was determined by phage ELISA. BLyS was immobilised onto plastic as a purified soluble form of the protein or as a membrane-bound form present on plasma membrane preparations from the human macrophage-like cell line, U937. Maintenance of U937 cells and plasma membrane preparations were performed as detailed in Example 2.

Phage ELISA

[0724] To determine the specificity of each of the scFvs, a phage ELISA was performed for each antibody against human BLyS, U937 plasma membranes, TNF α , BSA and an uncoated well. Antigen coating conditions were as described in Example 2, apart from human BLyS. BLyS was first biotinylated (as described in Example 3) and coated at 1 μ g/ml onto streptavidin coated plates (Reacti-Bind, Pierce) for 30 mins at room temperature. The plates were then washed, blocked and the phage ELISA performed as detailed in Example 2.

[0725] The results for 3 clones (I074B12, I075F12 and I075A02) that bind the soluble but not the membrane-bound form of BLyS are shown in Figure 7. As a control, a phage antibody that recognizes TNF α , is also shown in Figure 7. There is a small non-specific background signal on the U937 plasma membranes that is evident with both the anti-BLyS scFvs as well as the anti-TNF α control. All 3 anti-BLyS scFvs recognize BLyS but not U937 plasma membranes, TNF α , BSA or an uncoated well (PBS only). This indicates that the scFvs do not bind the membrane-bound form of BLyS. Further, The fact that these scFvs were isolated on the basis of their ability to bind soluble biotinylated BLyS indicates that they bind the soluble form of BLyS. Further confirmation of these scFvs' specificity for BLyS is provided in Example 10.

Example 10: Inhibition in an in vitro receptor binding assay by phage scFvs

[0726] All of the unique phage scFvs from panel 2 were assessed for their ability to inhibit BLyS binding to its cognate receptor on IM9 cells. The biotinylation of BLyS, maintenance of IM9 cells and receptor binding inhibition assay were performed as described in Example 3.

[0727] Results for two phage scFvs, I0025B09 and I026C04 are shown in Figure 8. Maximal binding of biotinylated BLyS to its receptor (bio-BLyS only), the background signal in the absence of biotinylated BLyS (no bio-BLyS), and results with an irrelevant (i.e. does not recognize BLyS) phage antibody are also shown. Both phage scFvs inhibited biotinylated BLyS binding to its receptor on IM9 cells. 33 of the unique scFvs from panel 2 were identified for further study. These 33 scFvs demonstrated the greatest inhibition as phage particles in this assay and are listed in Table 5.

Table 5: Identification of 33 phage scFvs to free BLyS that demonstrate the most significant inhibition of biotinylated-BLyS binding to its receptor

Antibody	Antibody'	Antibody	Antibody
I026C04	I074B12	I073F04	I065D04
I003C06	I075A02	I078D08	I068C08
I025B09	I068B08	I078D02	I068F03
I027B12	I068B04	I075G01	I069B07
I025B06	I068C06	I071B03	
I030A10	I075F12	I072B09	
I002A01R	I065D08	I078H08	
I002A01K	I065F08	I064C04	
I026C04R	I067B10	I064C07	
I026C04K	I067F05		

Example 11: Specificity of anti-BLyS scFvs

[0728] The specificity of the 33 scFvs (listed in Table 5) for immobilized human and murine BLyS was determined using phage ELISA.

Phage ELISA

[0729] To determine the specificity of the 33 scFvs, a phage ELISA was performed as described in Example 4 against human and mouse BLyS, and a panel of related human antigens: TRAIL, LIGHT, TNF α , TNF β , and an uncoated well (PBS only).

[0730] Typical results for two scFvs, I067F05 and I078D02 are shown in Figure 9. A control antibody that specifically recognizes TNF α is also shown. Both anti-BLyS scFvs specifically recognize immobilized human and mouse BLyS but not any other antigen tested.

[0731] All 33 scFvs are specific for human BLyS. 14/33 cross-react with mouse BLyS but not with any other unrelated or related antigen tested.

Example 12: scFv Off-Rate Determinations

[0732] Off-rate determinations, preparation of a low density BLyS surface and kinetic measurements were as detailed in Example 6.

[0733] The binding curves for individual scFvs were analysed using the BIAevaluation software to determine antibody off-rates. Kinetic analysis for a typical scFv antibody, I002A01, is shown in Figure 10. I002A01 has a $K_{\text{off}} = 9 \times 10^{-4} \text{ s}^{-1}$.

Example 13: Inhibition in an in vitro receptor binding assay by scFv antibodies

[0734] The 33 scFvs identified in Table 5 were prepared as purified scFvs and assessed for their ability to inhibit BLyS binding to its receptor on IM9 cells. The scFvs were purified and analysed in the receptor binding inhibition assay as described in Example 6.1.8.

[0735] Typical titration curves for two scFvs, I0068C06 and I074B12, are shown in Figure 11. Unlabelled BLyS competed for binding to its receptor with an inhibitory constant 50 (IC_{50}) value of 0.66 nM. The IC_{50} values for I0068C06 and I074B12 are 61 nM and 13 nM, respectively. The assay was performed in triplicate and standard error bars are shown. The 7 scFvs that demonstrated the greatest inhibition as scFv are listed in Table 6.

Table 6: Identification of 7 scFvs to free BLyS that demonstrate the most significant inhibition of biotinylated-BLyS binding to its receptor as purified scFv's.

Antibody
I002A01-R
I002A01-K
I026C04-R
I026C04-K
I068C06
I075F12
I067B10

Example 14: ScFvs Recognizing Membrane-bound BLyS

[0736] A library of phage was screened in an assay to identify those phage displaying scFvs that immunospecifically bind to the membrane-bound but not the soluble form of BLyS.

[0737] As a starting point, a library of phage expressing scFv antibodies were panned on immobilized HIS-tagged BLyS. Phage isolated by panning were then screened for the ability to bind to HIS-tagged BLyS. HIS-tagged BLyS was obtained by expressing amino acids 71-285 of SEQ ID NO:3228 using the pQE9 vector (Qiagen Inc., Valencia, CA) in *E. coli* and purifying the expressed protein. This phage clones identified by this screen were then sequenced. After sequencing, A panel (panel 3) of phage each expressing a unique scFv that bound HIS-tagged BLyS was generated and further characterized.

[0738] The derived amino acid sequences of the unique scFvs from panel 3 are shown in Table 1 above. The individual V_H and V_L segments of the scFvs were aligned to the known human germline sequences in V-BASE (Tomlinson et al, www.mrc-cpe.cam.ac.uk) and the closest germline identified.

Example 15: Recognition of Membrane-bound BLyS

[0739] The specificity of each of the unique scFvs for both the membrane-bound form of BLyS as well as for the soluble form of BLyS, was determined by phage ELISA.

[0740] BLyS was immobilised onto plastic either directly as a purified soluble form of the protein or biotinylated and coated on a streptavidin plate as in Example 9. Binding to HIS-tagged BLyS was used as a primary screen for scFv's that would bind the membrane-bound form of BLyS (see below). The membrane-bound form of BLyS was presented as plasma membranes preparations from the human macrophage-like cell line, U937 or the murine cell line P388.

[0741] Mouse monoclonal antibodies have been raised against His-tagged BLyS according to standard procedures. Characterization of these mouse monoclonal antibodies revealed that they specifically recognized both His-tagged BLyS and the membrane-bound form of BLyS on U937 cells, but not soluble BLyS. Therefore, specific recognition of His-tagged BLyS was used as supporting evidence for the recognition of the membrane-bound form of BLyS by phage and scFv antibodies.

Phage ELISA

[0742] To determine the specificity of each of the scFvs, a phage ELISA was performed for each antibody against His-tagged human BLyS, U937 plasma membranes, TNF α , BSA and an uncoated well. Antigen coating conditions were as described in 2. apart from human BLyS. BLyS was first biotinylated (as described in Example 3) and coated at 1 μ g/ml onto streptavidin coated plates (Reacti-Bind, Pierce) for 30 mins at room temperature. The plates were then washed, blocked and the phage ELISA performed as detailed in Example 2.

[0743] The results for 3 clones, I079C01, I081C10 and I082A02, and a control phage antibody that recognizes TNF α , are shown in Figure 12. All 3 scFvs recognize U937 plasma membranes (U937) and His-tagged BLyS (HIS-BLyS) but not, biotinylated BLyS (bio-BLyS) or an uncoated well (PBS). This indicates that the scFvs recognize the membrane-bound form of BLyS.

Example 16: Specificity for Membrane-bound BLyS

[0744] The specificity of the scFvs for only the membrane-bound form of BLyS, and not for the soluble form, was confirmed using a competition ELISA. This assay assesses the ability of test phage scFvs to bind to the membrane-bound form of BLyS on U937 plasma membranes in the presence of different forms of competing BLyS. Competing BLyS was either the His-tagged form of BLyS or soluble BLyS. ScFvs specific for the membrane-bound BLyS would be expected to be competed out by pre-incubation with His-tagged BLyS but not by pre-incubation with soluble BLyS.

[0745] Maintenance of U937 cells and plasma membrane preparations were performed as detailed in Example 2.

Competition ELISA

[0746] U937 plasma membranes (50 μ l per well) were coated at 10 μ g/ml in PBS onto Falcon 96-well plates overnight at 4°C.

[0747] Individual E. coli colonies containing a phagemid representing one of the unique scFvs from the panel 3 were inoculated into 50 ml tubes (Falcon) containing 5 ml 2TYAG medium. Tubes were incubated at 37°C for 4 hours, shaking. M13KO7 helper

phage was added to each tube to an MOI of 10 and the tubes were incubated for a further 1 hour at 37°C. The tubes were centrifuged in a benchtop centrifuge at 3500 rpm for 10 minutes. The supernatant was removed and cell pellets were resuspended in 5 ml 2TYAK and incubated at 30°C overnight, shaking. The next day, tubes were centrifuged at 3500 rpm for 10 min and the phage-containing supernatant carefully transferred into a fresh tube.

[0748] For each test phage antibody, 3 aliquots of 20µl 18% marvel/6xPBS were transferred into separate wells of a 96-well plate. The first aliquot was supplemented with His-tagged BLyS to a final concentration of 60 µg/ml. The second aliquot was supplemented with soluble BLyS to a final concentration of 60 µg/ml. The third aliquot was not supplemented with any competing antigen. One hundred µl of phage supernatant was then added to each aliquot and left to block at room temperature for 1 hour.

[0749] The antigen-coated plates were washed once with PBS before the addition of 200 µl/well 3% marvel/PBS. These plates were left to block at 37°C for 1 hour and were then washed once with PBS. Duplicate samples of 50 µl pre-blocked phage (above) were added to the antigen-coated plates and left at room temperature for 1 hour. Plates were washed 3x with PBS/0.1%Tween 20, then 3x with PBS. Fifty µl/well mouse anti-M13 HRP (Pharmacia) at 1/5000 in 3% Marvel/PBS was added and left for 1 hour at room temperature. Plates were washed 3 times with PBS/0.1%Tween 20, then 3 times with PBS. Fifty µl/well HRP-labelled anti-mouse Envision polymer (DAKO) at 1/50 in 3% marvel/PBS was added and left for 1 hour at RT. Plates were washed 3 times with PBS/0.1% Tween 20, then 3 times with PBS. Next, 50µl/well of TMB (Sigma) was added and plates left to develop for 30 to 60 minutes. When sufficient color has developed, 25µl/well 0.5M H₂SO₄ was added to stop the reaction. The plates were read at 450nm on a microtiter plate reader (Bio-Rad 3550).

[0750] The results for 3 clones, I079B04, I079F08 and I080B01, and a control phage antibody that recognizes TNFα, are shown in Figure 13. All 3 scFvs recognize U937 plasma membranes (U937). This binding is competed out to background levels (i.e. comparable to the signal observed with the anti-TNFα phage antibody) in the presence of His-tagged BLyS (HIS-BLyS) but not biotinylated BLyS (bio-BLyS). This confirms that

the scFvs specifically recognize the membrane-bound form but not the soluble form of BLyS.

Example 17: High Throughput BIAcore Screen to identify high affinity scFvs

[0751] This is a 96-well screen where the test samples (scFvs) are derived from 1 ml periplasmic extracts of individual antibody expressing clones. Potentially higher affinity scFvs are then identified principally as those giving a large number of total RU's bound to a HIS-BLyS surface in BIAcore. This method of ranking does assume approximately equal yields of scFv from each clone. Since this is not always the case, some scFvs may also be identified that simply express high levels of scFv. These can be discriminated from those of higher affinity by further characterization of the scFvs (see Example 18).

Preparation of ScFv from 1ml E.coli Cultures

[0752] Individual E.coli colonies containing a phagemid representing one of the unique scFvs from panel 3 were inoculated into 96-well plates containing 100 μ l 2TYAG medium per well. Eight wells on each plate were reserved for positive and negative control samples. The plate was grown overnight at 30°C with shaking at 120 rpm.

[0753] Next day, 1ml of 2TYAG + 345 mM sucrose was added to each well of an autoclaved 96 deep well plate (Beckman). Twenty μ l of each overnight culture was resuspended and transferred to the appropriate well of the deep well plate. The plate was grown for approximately 3.5 hours at 30°C with shaking at 250 rpm (or until the OD₆₀₀ = 0.6). Fifty μ l of 1M IPTG was added to 5ml 2TY and 10 μ l of this was added to each well. The plate was grown overnight at 30°C with shaking at 250rpm.

[0754] Plates were kept at 4°C for the remainder of the procedure. The overnight plate (above) was centrifuged at 3500 rpm for 10 minutes at 4°C to pellet the cells. The supernatant was decanted and each pellet resuspended in 100 μ l TES (0.2M Tris HCl pH8.0, 0.5mM EDTA, 0.5M sucrose) and transferred to a fresh 96 well plate. This plate was incubated on ice for 30 minutes and then centrifuged for 10 minutes at 3500 rpm at 4°C to pellet the cell debris. During centrifugation, 15 μ l of freshly made protease inhibitors cocktail (Roche, 1 tablet dissolved in 1.5 ml water) was added to each well of a fresh 96 well plate. Supernatants from the centrifuged plate were then transferred to the plate containing the protease inhibitors. The plate was centrifuged at 3500 rpm for 10

minutes at 4°C and the supernatant was transferred to a further 96-well plate. This step was repeated at least once more or until there was no sign of any cell debris following centrifugation. Finally, the plate was covered in foil to prevent evaporation of samples during the BIAcore run.

Generation of a high density HIS-BLyS surface

[0755] All BIAcore analysis was performed on BIAcore 2000 machines, using the BIAcore 2000 control software and evaluated using the BIAevaluation 3.0 software. A high density His-tagged BLyS surface (>1000 RU HIS-BLyS coupled) was prepared in flow cell 2 by amine coupling to a CM5 chip. A new CM5 chip was inserted into the BIAcore and a sensorgram started over flow cell 2 with HBS buffer at a flow rate of 5µl/min. The NHS and EDC solution were mixed 1:1 before injecting 30µl over the CM5 surface. Fifty µl HIS-BLyS (at 10µg/ml in Sodium acetate buffer, pH4) was injected and allowed to couple to the surface. Thirty µl of ethanolamine-HCl solution was then injected to block free NHS esters. Prior to using the chip, 10µl of 4M Guanidine hydrochloride in HBS was injected over the surface to strip the surface of non-covalently bound BLyS. A blank surface (no HIS-BLyS) was also prepared over flow cell 1 so that non-specific binding effects can be subtracted from the HIS-BLyS binding curves.

[0756] Typically, a 5000 RU His-tagged BLyS surface was generated in this way and used for 96-well analysis of scFvs isolated from the periplasm of E.coli.

BIAcore Analysis

[0757] The 96-well plate containing periplasmic scFvs was secured inside the BIAcore. Two ml of 4M Guanidine hydrochloride in HBS was placed in a rack inside the BIAcore for regeneration of the HIS-BLyS surface between samples. The sensorgram was run over flow cells 1 and 2 at a flow rate of 20µl/minute. The following method was run:

MAIN

FLOWCELL 1,2,3,4

LOOP cycle STEP

```
APROG inj %pos
ENDLOOP
APPEND CONTINUE
END
```

```
DEFINE LOOP cycle
LPARAM %pos
```

```
r1a1
r1b1
r1c1
r1d1
r1e1
r1f1 etc (all wells listed until r1h12)
```

```
END
DEFINE APROG inj
PARAM %pos
FLOW 20
KINJECT %pos 35 30 !scfv injection
QUICKINJECT r2f3 10 !regeneration
EXTRACLEAN
END
```

[0758] When the run had finished, the sensorgram data for flow cell 1 was subtracted from the data for flow cell 2 for each sample using the BIAevaluation software. The clones were compared with one another principally by overall RU change as the scFv dissociates from the surface. In addition a few scFvs were identified as having potentially slower off-rates. An example of the dissociation section of a typical sensorgram for 8 scFvs is shown in Figure 14. An anti-TNF α antibody that does not recognize BLyS was included as a control. Of the 8 scFvs exemplified, I079F06 was identified for further study due to the relatively high numbers of RU's bound to the surface.

[0759] ScFvs were identified principally if they demonstrated a RU change of over 1200, a few were also identified as having potentially slower than typical off-rates. A total of 28 clones were chosen on these criteria and are listed in Table 7.

Table 7: Identification of 28 antibodies to membrane-bound BLYS that demonstrate the most significant RU changes by BIAcore

Antibody	Antibody
I079C01	I084C04
I082H08	I080E05
I079E02	I083B12
I079B05	I082G01
I079F06	I082G02
I079F08	I082C03
I079F11	I082A05
I079B12	I082D07
I080B01	I082B08
I080G09	I084A01
I099D03	I084B02
I080D03	I080A08
I080A03	I084C11
I083G03	
I080G07	

Example 18: scFv Affinity Determinations

[0760] The affinity (K_D) of the 28 scFvs was determined using the BIAcore.

Low Density HIS-BLYS Surface for Kinetic Studies

[0761] 500RU surfaces were used for kinetic studies of purified scFv binding to HIS-BLYS. The method to prepare these surfaces was identical to the method described in Example 17, only smaller volumes of HIS-BLYS were injected.

Measurement of scFv Binding Kinetics

[0762] The chip containing the low density HIS-BLYS surface was inserted into the BIAcore. A dilution series for each of the 28 purified scFvs (prepared as in Example 6) were diluted in HBS (typically starting with 50 μ g/ml scFv and double diluting down to

1.5 µg/ml). The dilution series was then injected sequentially over the blank control (flow cell 1) and low density HIS-BLyS surface (flow cell 2) using the following program:

MAIN

FLOWCELL 1,2,3,4

APROG	genab	r1d1	ab1
APROG	genab	r1d2	ab2
APROG	genab	r1d3	ab3
APROG	genab	r1d4	ab4
APROG	genab	r1d5	ab5
APROG	genab	r1d6	ab6

APPEND CONTINUE

END

DEFINE APROG genab

PARAM %Abpos %AbId

FLOW 20

KINJECT %Abpos 200 80

INJECT r2f3 10

EXTRACLEAN

END

[0763] Bound scFv were removed by injecting 10 µl of 4M Guanidine hydrochloride in HBS (location r2f3 in the above program) over the surface between samples. Binding curves for individual scFv were analysed using the BIAevaluation software to determine antibody on- and off-rates.

[0764] A typical example of the binding curves generated for the scFv antibody I082C03 is shown in Figure 15. The off-rate for this clone was calculated as $2 \times 10^{-3} \text{ s}^{-1}$. The affinity of I082C03 was calculated as 20 nM, assuming 100% activity of the scFv. The 5 scFvs with the highest affinities as scFvs are given in Table 8.

Table 8: Identification of 5 antibodies to membrane-bound BLyS that have the highest affinities as scFvs

Antibody	Affinity (K _D)
I079F11	5nM
I079E02	10nM
I082G02	6nM
I082H08	1nM
I099D03	4nM

Example 19: Recognition of mouse membrane-bound BLyS

[0765] The ability of the 5 scFvs listed in Table 8 to also recognize murine membrane-bound BLyS was determined using a competition ELISA. This assay assesses the ability of test phage scFvs to bind to the membrane-bound form of BLyS on the murine cell line, P388, plasma membranes in the presence of different forms of competing human BLyS. Competing BLyS was either presented as the His-tagged form of BLyS, or soluble BLyS. ScFvs that recognize mouse membrane-bound BLyS would give an ELISA signal on the P388 plasma membranes that is competed out by pre-incubation with HIS-tagged BLyS but not by pre-incubation with soluble BLyS.

Maintenance of P388.D1 cells and preparation of plasma membranes

[0766] P388.D1 cells are a mouse monocyte-macrophage like cell line. They were cultured in L-15 medium supplemented with 2mM L-glutamine, 10% CS, 10U penicillin, 100g/ml streptomycin (all reagents from Sigma). Cells were split 1:4 every 3-4 days to maintain a cell density of $2-8 \times 10^5$ per ml. A fresh aliquot of cells was thawed from liquid nitrogen every 6 weeks. Plasma membrane fractions were prepared as described in Example 2.

Competition ELISA

[0767] P388 plasma membranes (50μl per well) were coated at 10μg/ml in PBS onto Falcon 96-well plates overnight at 4°C. The method is otherwise essentially as described Example 16.

[0768] The results for 3 clones, I079E02, I082H08 and I099D03 are shown in Figure 16. All 3 scFvs recognize P388 plasma membranes. This binding is competed out in the presence of HIS-tagged BLyS (HIS-BLyS) but not in the presence of biotinylated BLyS (bio-BLyS). This confirms that these scFvs also recognize the membrane-bound form but not the soluble form of mouse BLyS.

Example 20 : Conversion of scFvs to IgG1 format

[0769] The VH domain and the VL domains of scFvs that we wished to convert into IgG molecules were cloned into vectors containing the nucleotide sequences of the appropriate heavy (human IgG1) or light chain (human kappa or human lambda) constant regions such that a complete heavy or light chain molecule could be expressed from these vectors when transfected into an appropriate host cell. Further, when cloned heavy and light chains are both expressed in one cell line (from either one or two vectors), they can assemble into a complete functional antibody molecule that is secreted into the cell culture medium. Methods for converting scFvs into conventional antibody molecules are well known within the art.

Generation of NS0 cell lines expressing anti-BLyS antibodies (IgG1)

[0770] Plasmids containing the heavy and light chains were separately linearized using the Pvu I restriction enzyme. The linearized DNAs were purified by phenol-chloroform extraction followed by ethanol precipitation and then resuspended in H₂O. NS0 cells (10^7) from a growing culture were electroporated (0.25kV and 975 μ F) in PBS with 12.5 μ g linearized heavy chain plasmid DNA and 37.5 μ g linearized light chain DNA. The cells were washed in 20 ml non-selective medium (10% FCS in DMEM supplemented with 6mM glutamine, amino acids and penicillin/streptomycin) and then transferred in 12.5 ml medium into a T75cm² flask and incubated overnight at 37°C, 5% CO₂/air. The day after transfection the cells were resuspended in selective medium containing 1mg/ml geneticin and dispensed into 5 x 96-well plates at 200 μ l/well. After 18 days at 37°C (5% CO₂/air) the colony supernatants were screened by an ELISA that detects assembled human IgG in order to identify colonies expressing IgG. Approximately twenty positive colonies were expanded and adapted to growth in serum-free, selective medium. Duplicate T25cm² flasks were set up. Cells from one flask were frozen down as a stock and cells in the

second flask were grown to saturation. The productivity of the saturated cultures was assessed by ELISA. The highest producing cell lines were then selected for large-scale antibody production.

[0771] The above procedure is exemplified for the I006D08 anti-BLyS antibody constructs. Following electroporation and selection of NS0 cells, supernatants from ninety-three wells each containing a single colony were screened by ELISA to detect assembled IgG1, antibody. Twenty-seven of the supernatants were identified as containing IgG. The colonies from 24 of the positive wells were transferred to 1ml selective medium in a 24-well plate and allowed to grow for 2 days. The 1ml cultures of cells were then added to 4ml selective medium containing reduced serum (0.5% FCS) in a T25cm² flask. When the cultures reached confluency 1 ml cells were diluted in 4ml selective, serum-free medium in a T25cm² flask. At confluency this subculture regime was repeated again. Finally 1ml cells from the culture containing 0.1% FCS was diluted with 9 ml serum-free, selective medium and divided into 2 x T25cm² to form the saturated and stock cultures. The stock cultures were frozen down and stored in liquid nitrogen once the cultures were confluent. The saturation culture was grown until the viability of the culture was < 10%. Twenty-three out of the 24 colonies originally expanded were successfully adapted to growth in serum-free medium. The productivity of these serum-free adapted cell lines ranged from 0.3 to 17 µg/ml by ELISA quantification of the saturated, 5ml serum-free cultures. The I006D08-32 cell line produced 17 µg/ml.

Large-scale IgG production

[0772] The highest-producing cell lines were revived from frozen stocks and then expanded to 400ml in selective, serum-free medium in 2 liter roller bottles. The cells were grown at 37°C and rolled at 4 rpm with the headspace being re-equilibrated with 5% CO₂/air every 2-3 days. Finally the culture was expanded to a 4 liter volume by the addition of serum-free medium without selection (400 ml per 2 liter roller bottle). The cultures were then grown to saturation.

[0773] This procedure is exemplified by the production of I006D08 antibody from the I006D08-32 cell line. The frozen stock of I006D08-32 was revived into a T25 cm² containing 5 ml serum-free medium containing 1mg/ml geneticin and grown at 37°C in 5% CO₂/air incubator. After two days growth the culture was diluted with 7.5 ml fresh

medium and transferred to a T75cm² flask. After a further three days in the incubator the cells were transferred to 130 ml selective medium and transferred to a 2 liter roller bottle. After three days growth the cells were diluted with 500 ml selective medium and split into 2 x 2 liter roller bottles. After another 2 days 100 ml fresh selective medium was added to each roller. Finally the next day the culture was expanded to a total volume of 4 liters with non-selective medium and divided into 10 x 2 liter roller bottles. After three days the medium was supplemented with 6mM glutamine. The cells were grown for 17 days from the final subculture into a 4 liter volume. The cells grew up to 3×10^6 cells/ml before viability declined to $< 0.2 \times 10^6$ cells/ml. At this low viability the culture supernatants were harvested. ELISA analysis indicated that the culture supernatant contained 33 μ g/ml IgG. Hence, the 4 liter culture contained 132 mg IgG.

IgG Purification

[0774] The purification of the IgG from the fermentation broth is performed using a combination of conventional techniques commonly used for antibody production. Typically the culture harvest is clarified to remove cells and cellular debris prior to starting the purification scheme. This would normally be achieved using either centrifugation or filtration of the harvest. Following clarification, the antibody would typically be captured and significantly purified using affinity chromatography on Protein A Sepharose. The antibody is bound to Protein A Sepharose at basic pH and, following washing of the matrix, is eluted by a reduction of the pH. Further purification of the antibody is then achieved by gel filtration. As well as removing components with different molecular weights from the antibody this step can also be used to buffer exchange into the desired final formulation buffer.

Purification of I006D08 IgG1

[0775] The harvest was clarified by sequential filtration through 0.5 μ m and 0.22 μ m filters. Clarified harvest was then applied to a column of recombinant Protein A Sepharose equilibrated at pH 8.0 and washed with the equilibration buffer. I006D08 antibody was eluted from the Protein A Sepharose by application of a buffer at pH3.5. The collected antibody containing eluate was then neutralized to pH 7.4 by the addition of pH 8.0 buffer. The neutralized eluate was concentrated by ultrafiltration using a 30 KDa cut off

membrane. Concentrated material was then purified by Sephacryl S300HR gel filtration using phosphate buffered saline as the mobile phase. The final monomeric IgG1 fraction from the gel filtration column was then concentrated to the desired formulation concentration by ultrafiltration using a 30 KDa cut off membrane. The final product was filtered through a 0.22 μ m filter.

Example 21: Antibody neutralization of murine splenocyte proliferation as measured by 3HdT incorporation

[0776] To determine if an antibody inhibited BLYS mediated B cell proliferation, a splenocyte proliferation assay was performed. Briefly, murine splenocytes were isolated by flushing spleen using a 25g needle and 10 ml of complete medium (RPMI 1640 with 10% FBS containing 100U/ml penicillin, 100 μ g/ml streptomycin, 4mM glutamine, 5x10⁻⁵M β -mercaptoethanol). The cells were passed through a 100 micron nylon filter to remove cell clumps. The cell suspension was then ficolled at 400 x g for 25 minutes at room temperature (one 15 ml conical tube/spleen; 3 ml ficol, 10 ml cell suspension/spleen; Ficoll 1083 from Sigma). The recovered cells were washed 3 times in complete medium and counted. Recovered cells were then diluted to a concentration of 3x10⁶/ml in complete medium containing a 3X concentration of SAC (3X = 1:33,333 dilution of stock; stock is a 10% suspension of Staph. aureus (Cowan I strain) available from Calbiochem).

[0777] For each antibody, 50 microliters of antibody dilutions at 30 μ g/ml, 3.0 μ g/ml, and 0.3 μ g/ml concentrations were aliquotted into individual wells of a 96 well plate in triplicate. Suitable positive controls, such as, for example monoclonal antibody 15C10, were also used. Antibody 15C10 is described in Moore et al., (1999), *Science* 285: 260-263 and WO0050597; 15C10 has also been deposited with the ATCC on February 1, 2000 as ATCC Deposit No. PTA-1158. Medium containing no antibody (and human isotype controls (purchased commercially) when necessary) were used as negative controls.

[0778] BLYS protein was diluted in complete medium to concentrations of 300ng/ml, 90ng/ml and 30ng/ml. 50 microliters of each of the BLYS dilutions were then added to the antibody dilution series in the plates. The plate containing the antibody and BLYS dilutions are then incubated for 30 minutes at 37°C, 5% CO₂, after which 50 microliters of the splenocyte cell suspension containing SAC was added to all wells. The plates were then incubated for 72 hours (37°C, 5% CO₂).

[0779] After 72 hours, each well was supplemented with 50 μ l of complete medium containing 0.5 μ Ci of 3H-thymidine (6.7 Ci/mM; Amersham) and cells were incubated for an additional 20-24 hours at (37°C, 5% CO₂). Following incubation cells were harvested using a Tomtec Cell Harvester and filters counted in a TopCount Scintillation counter (Packard).

Example 22: Human B cell proliferation assay for in vitro screening of BLyS antagonist molecules

[0780] The bioassay for assessing the effects of putative BLyS antagonists was performed in triplicate in 96 well format by mixing equal volumes of BLyS, responder cells, and putative antagonist each of which is prepared as a 3X stock reagent.

[0781] B-lymphocytes were purified from human tonsil by MACS (anti-CD3 depletion), washed, and resuspended in complete medium (CM) (RPMI 1640 with 10% FBS containing 100U/ml penicillin, 100 μ g/ml streptomycin, 4mM glutamine, 5x10E-5 M beta-mercaptoethanol) at a concentration of 3 x 10e6 cells/mL. *Staphylococcus aureus*, Cowan I (SAC, CalBiochem) was added to cells at 3X concentration (3X = 1:33,333 dilution of stock)

[0782] Meanwhile, eight serial dilutions (3-fold) of potential antagonist were prepared in CM such that the diluted antagonists are at 3X the final concentrations to be tested in the assay. Antibodies are routinely tested starting at a final concentration of 10ug/mL and going down to about 1.5 ng/mL.

[0783] Human rBLyS was prepared in CM to 3X concentration (3X = 300 ng/mL, 30 ng/mL, and 3 ng/mL) in CM. Potential inhibitors were routinely tested at several concentrations of BLyS to avoid false negatives due to unexpectedly low affinity or antagonist concentration.

[0784] Fifty microliters of diluted antagonist and 50uL of diluted BLyS were added to the putative antagonist dilution series.

[0785] Cells were then incubated for 72 hours (37°C, 5% CO₂) in a fully humidified chamber. After 72 hrs., the cells were supplemented with 0.5 μ Ci/well 3H-thymidine (6.7 Ci/mmol) and incubated for an additional 24 hours. Plates were harvested using a Tomtec Cell Harvester and filters counted in a TopCount Scintillation counter (Packard).

Example 23: Characterization of I006D08 and I116A01

[0786] I116A01 (SEQ ID NO:327) is a CDR3 mutant of the I006D08 (SEQ ID NO:2). The I116A01 scFv was subsequently isolated from a single chain phage display library containing a repertoire of I006D08 mutations generated by randomization of the last 6 amino acids of the heavy chain CDR3 region of I006D08. The I116A01 scFv contains 7 amino acid differences from the parental I006D08 sequence, 1 change in the VH framework 3 region, 5 changes in the VH CDR3, and 1 change in the VLCDR3. Each of the assays described herein were performed using whole IgG1 molecules comprising the VH and VL regions of I006D08 and I116A01.

Binding studies of I006D08 and I116A01

[0787] Equilibrium dissociation constants (K_d) for I116A01 and I006D08 binding to BLYS were assessed using BIAcore technology (BIAcore, Uppsala, Sweden). Briefly, antibodies were captured on low-density Protein A surfaces and BLYS was passed over at various flow rates. The binding of BLYS to immobilized antibody was detected by changes in surface charge that were proportional to the amount of bound BLYS. Binding values were calculated using software provided by the manufacturer.

[0788] I116A01 was determined to have an equilibrium dissociation constant, K_d , of 267 ± 70 pM (mean \pm SD, $n=3$). The K_d value of I006D08, the parental antibody, was determined to be 498 ± 151 pM (mean \pm SD, $n=3$). This was approximately 2-fold higher than the K_d obtained for I116A01. The difference in affinity can be attributed to a 2-fold higher off rate (k_d , 1/s) of I006D08 compared with I116A01, the on rates (k_a , 1/Ms) being essentially equal (Table 9).

Table 9 Kinetic parameters for I116A01 and I006D08 binding to BLYS

<u>Mab</u>	<u>k_a, 1/Ms</u> <u>Mean \pm SD</u>	<u>k_d, 1/s</u> <u>Mean \pm SD</u>	<u>K_d, pM</u> <u>Mean \pm SD</u>
I116A01	$1.26 \pm 0.14 \times 10^6$	$3.32 \pm 0.63 \times 10^{-4}$	267 ± 70
I006D08	$1.43 \pm 0.13 \times 10^6$	$5.8 \pm 0.24 \times 10^{-4}$	498 ± 151

[0789] The K_d values obtained for the BLYS antibodies indicate that these antibodies bind to BLYS with high affinity and possess a slow dissociation or off rate.

[0790] The binding characteristics of I116A01 and I006D08 were investigated further using a competitive binding ELISA in which BLyS was immobilized directly on the surface of the well to compare epitopes. Biotinylated I006D08 binding was inhibited in a dose-dependent manner by the addition of unlabeled I006D08 or I116A01 suggesting that these antibodies recognize overlapping or identical epitopes on BLyS.

Ability of I006D08 and I116A01 to inhibit BLyS-induced splenocyte proliferation

[0791] The ability of I006D08 and I116A01 to inhibit BLyS-induced splenocyte proliferation was tested using the assay described in Example 21 with slight modifications. In particular, the assay was modified such that the final concentration of BLyS in the assay was 3ng/ml and the final dilution factor of SAC was 1:100,000. Using this assay it was shown that both antibodies I006D08 and I116A01 were each found to inhibit murine splenocyte proliferation induced by both human (aa134-285 of SEQ ID NO:2) and murine soluble BLyS. The IC₅₀ values for the inhibition of human BLyS induced-proliferation of murine B cells was 0.09 nM ± 0.01 nM and 0.06 nM ± 0.01 nM, respectively.

Additional characterization of I006D08 and I116A01

[0792] I006D08 and I116A01 were identified herein as antibodies that bind both the membrane bound and soluble forms of BLyS. The ability to bind the membrane bound form of BLyS was determined according to the assays described above, e.g., ability to bind HIS-tagged BLyS and ability to bind U937 and/or P388 membrane preparations in an ELISA assay. Further characterization of antibodies I006D08 and I116A01 reveals that these antibodies bind recombinant BLyS polypeptides expressed on the surface of a 293T cell. On the other hand, these antibodies are not able to bind naturally occurring BLyS (non-recombinant) expressed on the surface of a cell, e.g., K-562 cells (ATCC #CCL-243) or U-937 cells (ATCC #CRL-1593.2). Thus, I006D08 and I116A01 bind the soluble form of BLyS. I006D08 and I116A01 also bind the membrane bound form of BLyS (as determined by their ability to bind HIS-tagged BLyS and their ability to bind U937 and/or P388 membrane preparations in an ELISA assay). I006D08 and I116A01 also bind recombinant BLyS expressed on the surface of a 293T transfected fibroblast cell line, but do not bind naturally occurring BLyS protein on the surface of a K-562 or U-937 cell.

Example 24: In Vivo studies of Anti-BLyS antibodies

[0793] Overexpression of BLyS in transgenic animals results in an autoimmune phenotype including increased numbers of mature B cells (leading to enlarged spleens), increased levels of serum immunoglobulins, as well as increased levels of autoantibodies (e.g., anti-dsDNA antibodies) (McKay et al., (1999), The Journal of Experimental Medicine 190:1697-1710 and Gross et al., (2000) Nature 404:995-999, both of which are hereby incorporated by reference in their entireties.) Similar effects are observed when recombinant BLyS is administered to animals such as mice and monkeys. The ability of anti-BLyS antibodies of the invention to reduce or prevent these BLyS induced effects may be tested through either co-administration or sequential administration of soluble BLyS and anti-BLyS antibodies of the invention in an animal. An anti-BLyS antibody of the invention would be considered neutralizing if it prevented or reduced BLyS-induced increases in B cell numbers (resulting in lack of, or less, enlargement of spleen), and serum immunoglobulins, and in particular serum autoantibodies.

Example 25: Antibody Production and Purification

[0794] The following example describes a large scale antibody production and purification methods that can be used to make antibodies of the present invention. One of skill in the art will be aware of routine modifications to the protocol described below, for example, as regards column choice, column, loading, wash, and elution buffers, and pH.

Cell Culture Scale-up and Antibody Production

[0001] A serum-free and animal source-free growth medium is used from thawing cells through scale-up to the production bioreactor. The growth medium is prepared by adding 1 kilogram AGT powder granules preformulated with GS supplement to water for injection (WFI) quality water making a total of 51 kilograms CD hybridoma medium. To the CD hybridoma medium, 1 mL/kg cholesterol (synthetic) lipid concentrate (1000X). The AGT powder granules preformulated with GS supplement for preparing the CD hybridoma medium and the synthetic cholesterol lipid concentrate and are available from Invitrogen Corp., Carlsbad, CA. The medium, hereinafter referred to as INV-CDH medium, is stored at 2-8°C until use.

Thawing cells from into Spinner Flask

[0795] Approximately 48×10^6 NS0 cells engineered to express an antibody of the invention, preferably in whole IgG1 format, are thawed at 37°C in a water bath. The cells are transferred into a 250 mL spinner flask to yield approximately a 150 mL working volume with an inoculation density of approximately 3.2×10^5 cells/mL. The spinner flask(s) is then placed on magnetic stirrers in a humidified CO₂ incubator at 37°C with 5% CO₂ for 4 days. The agitation rate for the spinner flask is 80 rpm.

First Expansion(s) of Culture in Spinner Flask

[0796] The culture is aseptically expanded into a 1000 mL spinner flask to give approximately 600 mL working volume, at an inoculation cell density of approximately 2.5×10^5 cells/mL. The spinner flask is then placed on magnetic stirrers in a humidified CO₂ incubator at 37°C with 5% CO₂ for 3 days. The agitation rate for the spinner flask is 80 rpm.

[0797] The culture is again expanded aseptically into two 3000 mL spinner flasks to give approximately 2×2000 mL working volume, at an inoculation cell density of approximately 3.0×10^5 cells/mL. The spinner flask is then placed on magnetic stirrers in a humidified CO₂ incubator at 37°C with 5% CO₂ for 3 days. The agitation rate for the spinner flasks is 80 rpm. At the same time, a reserve culture is created in a fresh 250 mL spinner flask. The reserve culture may be used as the seed for another lot as needed.

Seed Culture (25 Liters)

[0798] The 25 liter seed bioreactor is equipped with one impeller for mixing, a dissolved oxygen probe, a temperature probe, a pH probe, aseptic sampling and additional systems. The first step of the cell cultivation process is the addition of INV-CDH medium into the bioreactor. After the medium temperature reaches $37 \pm 0.5^\circ\text{C}$, the dissolved oxygen (DO) and pH levels are stabilized by addition of N₂ and CO₂ to decrease dissolved oxygen concentration to 25 to 75% air saturation, and obtain a pH of 7.20 ± 0.2 . The agitation rate is 70 rpm. The pooled cell culture is transferred aseptically to the 25 liter seed bioreactor containing 21 liters of sterile INV-CDH medium. During the cultivation process the temperature is maintained via a plant stem and chilled glycol, which regulate

the temperature of the circulating jacket. The oxygen concentration is maintained via oxygen and nitrogen sparging and surface aeration, and pH is controlled by addition of CO₂ gas to lower the pH. The cultivation period is 4 days. The bioreactor air/gas inlets and vent lines are protected by hydrophobic 0.2 µm filters.

Seed Culture (200 Liters)

[0799] The 200 L seed bioreactor is equipped with 1 impeller for mixing, a dissolved oxygen probe, a temperature probe, a pH probe, aseptic sampling and additional systems. The first step of the cell cultivation process is the addition of INV-CDH medium into the bioreactor. After the medium temperature reaches 37 ± 0.5 °C, the DO and pH levels are stabilized by addition of N₂ and CO₂ to decrease dissolved oxygen concentration to 25 to 75% air saturation, and obtain a pH of 7.20 ± 0.2 . The agitation rate is 35 rpm. The 25 L seed culture is transferred aseptically to the 200 L seed bioreactor containing 175 L sterile medium. During the cultivation process the temperature is maintained via plant steam and chilled glycol which regulate the temperature of the circulating jacket. The oxygen concentration is maintained via oxygen and nitrogen sparging and surface aeration, and pH is controlled by addition of CO₂ gas to lower the pH. The cultivation period is 4 days. The bioreactor air/gas inlet and vent lines are protected by hydrophobic 0.2 µm filters.

Production Culture (1600 Liters)

[0800] The production bioreactor is equipped with 2 impellers for mixing, a dissolved oxygen probe, a temperature probe, a pH probe, aseptic sampling and additional systems. 600 L of INV-CDH medium is aseptically transferred into the 1600 L production bioreactor. After the medium temperature reaches 37 ± 0.5 °C, the DO and pH levels are stabilized by addition of N₂ and CO₂ to decrease dissolved oxygen concentration to 25 to 75% air saturation, and obtain a pH of 7.20 ± 0.2 . The agitation rate is 17 rpm. The 200 L seed culture is aseptically transferred into the production bioreactor. During the cultivation process the temperature is maintained via plant steam and chilled glycol which regulate the temperature of the circulating jacket, the oxygen concentration is maintained via oxygen and nitrogen sparging and surface aeration, and pH is controlled by addition of CO₂ gas to lower the pH. The bioreactor air/gas inlet and vent lines are protected by hydrophobic 0.2 µm filters. After 48 hours, 800 Liters of INV-CDH medium is

transferred into the production bioreactor in order to obtain the final volume. The culture is cultivated in the production bioreactor 43 additional days.

Recovery and Purification

Harvest of Cell Supernatant

[0801] Cell supernatant, (e.g., culture supernatant from NSO cells expressing antibodies of the invention) is harvested on day 5 or 6 post final feeding in the final production bioreactor. Cell culture broth temperature is cooled down to 15°C in the recovery vessel at the time of harvest and maintained at that temperature during the recovery. Centrifugation followed by depth filtration is used for cell removal and antibody recovery. The filtration process train consists of 0.1 µm nominal rated depth filter and 0.2 µm membrane filters connected in series. A constant flow rate of 13 ± 1 L/min is maintained during the operation. The 0.2 µm filtered culture supernatant is collected in a process vessel, warmed to 20°C and transferred to purification. The purification process is conducted at 22 to 26°C.

Chromatography on rProtein A sepharose FF Column

[0802] The culture supernatant is loaded onto rProtein-A Sepharose FF column (affinity chromatography, Amersham Pharmacia) or equivalent column that is equilibrated in 50 mM Tris-HCl, 0.5 M NaCl, pH 7.5. The rProtein-A Sepharose FF column is washed with 0.05 M sodium citrate, 0.15 M sodium chloride, pH 5.2 and eluted with 0.05 M sodium citrate, 0.15 M sodium chloride, pH 3.2. The elution is monitored by ultraviolet (UV) absorbance at 280 nm. The elution peak is collected, and analyzed by A₂₈₀ and SDS-PAGE.

Virus Inactivation

[0803] The eluate from the rProtein-A Sepharose FF column is adjusted with 1 M citric acid to pH 3.4 ± 0.2 and allowed to stand for 45-60 minutes for viral inactivation. The solution is then readjusted to pH 5.4 with 1 M Tris base. The pH adjusted material is 0.2 µm filtered and stored at 20°C up to 20 hours.

Chromatography on SP Sepharose FF Column

[0804] The inactivated material from the rProtein-A Sepharose FF column is diluted with water for injection (WFI) to a conductivity of 7 mS, and loaded onto a SP Sepharose FF column (cation exchanger, Amersham-Pharmacia), or equivalent column equilibrated with 50 mM sodium acetate, 30mM sodium chloride, pH 5.4. The antibody is eluted from the SP column with 50 mM sodium acetate, 100 mM sodium chloride, pH 6.0. The elution is monitored by ultraviolet (UV) absorbance at 280 nm. The elution peak is collected and analyzed by A₂₈₀ and SDS-PAGE.

Virus Removal Filtration, Diafiltration and Concentration

[0805] The eluate from the SP Sepharose FF column is filtered through a sequentially connected 0.2 µm filter and a virus removal filter (Pall DV50 Ultipor® VF Filter System). The DV50 filtrate is stored at 20°C up to 8 hours.

[0806] The DV50 filtrate is placed into a 30kD molecular weight cut-off membrane device (Millipore Pellicon) to concentrate to a target concentration of 35-40 mg/mL. The concentrated material is diafiltered against 10 mM sodium citrate, 1.9% glycine, 0.5% sucrose, pH 6.5. The diafiltered material is monitored by A₂₈₀. The diafiltered bulk is 0.2 µm filtered and stored at 20°C up to 8 hours.

Chromatography on Q Sepharose FF Column

[0807] The diafiltered antibody solution is passed over a Q Sepharose FF column (anion exchanger, Amersham-Pharmacia) or equivalent column equilibrated with 10 mM sodium citrate, 1.9% glycine, 0.5% sucrose, pH 6.5. The antibody is collected in the flow-through and monitored by A₂₈₀. The elution peak is collected and analyzed by A₂₈₀.

Bulk Formulation, Filtration and Bulk Drug Substance Fill

[0808] Polysorbate 80 (1% stock solution in 10mM sodium citrate, 1.9% glycine and 0.5% sucrose) is pre-filtered through a 0.2 µm filter and added to the antibody solution to a final concentration of 0.01%. The purified antibody is aseptically filtered under a laminar flow hood through a 0.2 µm filter and filled into polypropylene containers.

Storage of Bulk Drug Substance

[0809] The bulk drug substance is stored at 2-8 °C (short-term storage) or at or below -65 °C (long-term storage).

In Process Testing

[0810] In-process testing of bioreactor culture at harvest for each batch and in-process testing during the purification process are performed. The bioreactor is sampled aseptically and the culture is tested at various times throughout cultivation for cell density, viability and nutrient determination to ensure consistency of material being supplied for purification. The purification process is monitored at each step. Appearance is checked by visual inspection. The protein concentration is determined by Absorbance at 280nm. The pH of the material is checked. Purity is checked, for example, by SDS-PAGE and size exclusion chromatography. An ELISA may be performed to check the ability of the antibody to bind its antigen. The biological activity of the antibody is also monitored. Residual DNA content, Endotoxin levels, and the bioburden (the number of viable organisms present in the antibody preparation) are all monitored and kept at or below standard acceptable levels. Additionally the oligosaccharide content may be analyzed; the peptide sequence of the antibody chains may also be analyzed using N-terminal sequencing and peptide mapping. Short and long-term studies of antibody stability may also be performed.

[0811] It will be clear that the invention may be practiced otherwise than as particularly described in the foregoing description and examples. Numerous modifications and variations of the present invention are possible in light of the above teachings and, therefore, are within the scope of the appended claims.

[0812] The entire disclosure of each document cited (including patents, patent applications, journal articles, abstracts, laboratory manuals, books, or other disclosures) in this application is incorporated in their entireties herein by reference. Further, the sequences disclosed herein are also disclosed in the Sequence Listings of U.S. Provisional Application 60/212,210 filed June 16, 2000 and U.S. Nonprovisional Application 09/880,748 filed June 15, 2001 the contents of which are herein incorporated in their entireties by reference.

[0813] Further, the Sequence Listing submitted herewith in both computer and paper forms are hereby incorporated by reference in their entireties. Additionally, the entire disclosure (including the specification, sequence listing, and drawings) of each of the following U.S. Provisional and Non-Provisional Patent Applications and International Patent Applications are herein incorporated by reference in their entireties: U.S. Provisional Application Serial Nos.: 60/331,469 filed November 16, 2001; 60/340,817 filed December 19, 2001; 60/212,210 filed June 16, 2000; 60/240,816 filed October 17 2000; 60/276,248 filed March 16, 2001; 60/277,379 filed March 21 2001; 60/293,499 filed May 25, 2001; and U.S. Nonprovisional Application Serial No. 09/880,748 filed June 15, 2001; and International Patent Application Serial No. PCT/US01/19110 filed June 15, 2001.

Table 1: scFvs that Immunospecifically Bind to BLyS

Clone ID	scFv SEQ ID NO	AAs of VL	AAs of VL CDR1	AAs of VL CDR2	AAs of VL CDR3	AAs of VH	AAs of VH CDR1	AAs of VH CDR2	AAs of VH CDR3	VH CDR3 Sequence (SEQ ID NO)
I003F12S	1	138-248	160-173	189-195	228-237	1-122	26-35	50-66	99-111	HDDDLVLTGYFFES (SEQ ID NO: 2130)
I006D08	2	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFFHYGMDV (SEQ ID NO: 2133)
I008A11	3	144-254	166-179	195-201	234-243	1-128	26-37	52-69	102-117	DRYDILTGYYYYGMDV (SEQ ID NO: 2129)
I017D10	4	148-255	169-179	195-201	234-244	1-132	26-35	50-66	99-121	VQMDSEYYDLTGINVGPIYFDY (SEQ ID NO: 2132)
I022D01	5	142-249	163-173	189-195	228-238	1-126	26-35	50-66	99-115	DGYDILTGYSYYGMDV (SEQ ID NO: 2135)
I031F02	6	137-251	160-173	189-195	228-240	1-121	26-35	50-66	99-110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I050A12	7	140-250	164-174	190-196	229-239	1-124	26-35	50-66	99-113	APYDLLTHYFYFDY (SEQ ID NO: 2134)
I051C04	8	145-256	168-181	197-203	236-245	1-129	26-35	50-66	99-118	AATTSQKHNYAYFYGMDV (SEQ ID NO: 2131)
I050B11	9	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTSYVFQYFDH (SEQ ID NO: 2137)
I050B11-01	10	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTSYVFQVWVA (SEQ ID NO: 2143)
I050B11-02	11	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTSYVFQVWVA (SEQ ID NO: 2143)
I050B11-03	12	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2144)
I050B11-04	13	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2141)
I050B11-05	14	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQVWVA (SEQ ID NO: 2142)
I050B11-06	15	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQVWVA (SEQ ID NO: 2140)
I050B11-07	16	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2144)
I050B11-08	17	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQVWVA (SEQ ID NO: 2142)
I050B11-09	18	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQVWVA (SEQ ID NO: 2142)
I050B11-10	19	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQVWVA (SEQ ID NO: 2140)
I050B11-11	20	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQVWVA (SEQ ID NO: 2140)
I050B11-12	21	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2137)
I050B11-13	22	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2137)
I050B11-14	23	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2143)
I050B11-15	24	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQVWVA (SEQ ID NO: 2143)
I050B11-16	25	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2144)
I050B11-17	26	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2144)
I050B11-18	27	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2139)
I050B11-19	28	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2139)
I050B11-20	29	141-251	166-177	193-199	232-240	1-125	26-35	50-66	99-114	PFYDILTRVVFQYFDH (SEQ ID NO: 2139)

I050B11-21	30	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2138)
I050B11-22	31	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2138)
I050B11-23	32	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2138)
I050B11-24	33	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2139)
I050B11-25	34	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2144)
I050B11-26	35	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2139)
I050B11-27	36	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2138)
I050B11-28	37	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2137)
I093D03	38	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2145)
I093D09	39	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2137)
I093G08	40	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2143)
I097D11	41	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2139)
I101A04	42	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2137)
I101B01	43	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2137)
I102A02	44	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2137)
I102E01	45	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2144)
I102G06	46	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2141)
I087A07	47	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2227)
I087A08	48	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2238)
I087A09	49	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2272)
I087B02	50	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2281)
I087B03	51	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2305)
I087B04	52	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2292)
I087B05	53	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2270)
I087B06	54	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2282)
I087B08	55	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2261)
I087B09	56	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2240)
I087C02	57	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2224)
I087C05	58	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2234)
I087C06	59	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2271)
I087C07	60	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2319)
I087C08	61	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2277)
I087D01	62	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2275)
I087D02	63	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTRYVQYFDH (SEQ ID NO: 2213)
I087D03	64	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2263)
I087D05	65	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTRYVQYFDH (SEQ ID NO: 2266)

I087D07	66	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVPTSTT (SEQ ID NO: 2269)
I087D09	67	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVISCWA (SEQ ID NO: 2299)
I087E04	68	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVSALPPP (SEQ ID NO: 2274)
I087E05	69	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVCRHLF (SEQ ID NO: 2236)
I087E10	70	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVSFSL (SEQ ID NO: 2307)
I087F02	71	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVMGVTPS (SEQ ID NO: 2322)
I087F04	72	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLRPVL (SEQ ID NO: 2326)
I087F05	73	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVPSVGG (SEQ ID NO: 2267)
I087F07	74	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVPPTRH (SEQ ID NO: 2286)
I087F08	75	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVLRSD (SEQ ID NO: 2243)
I087F09	76	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVPLLP (SEQ ID NO: 2310)
I087G05	77	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVLRCLV (SEQ ID NO: 2239)
I087G06	78	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVHPSRS (SEQ ID NO: 2285)
I087G07	79	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLRPQ (SEQ ID NO: 2241)
I087G09	80	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVGPYGT (SEQ ID NO: 2284)
I087H10	81	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVTPCT (SEQ ID NO: 2276)
I087H02	82	137 - 244	160 - 170	186 - 192	225 - 233	1 - 121	26 - 35	50 - 66	99 - 110	ASYLSTSSLDN (SEQ ID NO: 2265)
I088A01	83	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFQYFDH (SEQ ID NO: 2137)
I088A03	84	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVIFLPL (SEQ ID NO: 2290)
I088A04	85	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLHIYPH (SEQ ID NO: 2335)
I088A08	86	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFEYYAS (SEQ ID NO: 2323)
I088A09	87	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVILYYLH (SEQ ID NO: 2295)
I088A10	88	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFQYFDH (SEQ ID NO: 2137)
I088A11	89	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLMYFPH (SEQ ID NO: 2220)
I088A12	90	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLFYPL (SEQ ID NO: 2325)
I088B01	91	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFQYFDH (SEQ ID NO: 2137)
I088B02	92	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFDYYAS (SEQ ID NO: 2244)
I088B03	93	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVIFLPL (SEQ ID NO: 2290)
I088B05	94	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFQYFDH (SEQ ID NO: 2137)
I088B06	95	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFEYYSL (SEQ ID NO: 2324)
I088B07	96	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFQYFDH (SEQ ID NO: 2137)
I088B08	97	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFQYFDH (SEQ ID NO: 2137)
I088B09	98	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFYLL (SEQ ID NO: 2303)
I088B10	99	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFQYFDH (SEQ ID NO: 2137)
I088B12	100	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVPLDLS (SEQ ID NO: 2223)
I088C01	101	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLYFYP (SEQ ID NO: 2317)

I088C03	102	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088C09	103	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088C12	104	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088D01	105	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088D03	106	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVLHYAL (SEQ ID NO: 2215)
I088D04	107	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTSYVLPSPV (SEQ ID NO: 2225)
I088D07	108	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088D08	109	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088D11	110	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088E01	111	138 - 248	163 - 174	190 - 196	229 - 237	1 - 122	23 - 32	47 - 63	96 - 111	PFYDILTSYVVLHYLY (SEQ ID NO: 2216)
I088E02	112	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088E03	113	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088E04	114	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088E08	115	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088E10	116	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088E11	117	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088F07	118	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088G02	119	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088G03	120	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088G07	121	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFHYPL (SEQ ID NO: 2260)
I088G09	122	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVFPVYPL (SEQ ID NO: 2264)
I088G10	123	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVLFHFDH (SEQ ID NO: 2301)
I088H05	124	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I088H07	125	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I092A03	126	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I092A05	127	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I092A06	128	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I092A08	129	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFHYDV (SEQ ID NO: 2258)
I092A10	130	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I092A11	131	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVHEFFSL (SEQ ID NO: 2283)
I092B01	132	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I092B02	133	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I092B04	134	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I092B05	135	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I092B10	136	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I092B12	137	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)

I092C01	138	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092C02	139	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092C07	140	140 - 250	165 - 176	192 - 198	231 - 239	1 - 124	26 - 35	50 - 66	99 - 113	PFYDILTTSYVFLALDL (SEQ ID NO: 2328)
I092C08	141	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFGYYS (SEQ ID NO: 2254)
I092C12	142	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092D01	143	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFLKYTD (SEQ ID NO: 2226)
I092D07	144	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092D09	145	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFMHAYPL (SEQ ID NO: 2255)
I092D10	146	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFMHAYPL (SEQ ID NO: 2256)
I092D11	147	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092E01	148	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092E03	149	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092E04	150	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVAFQYFDH (SEQ ID NO: 2230)
I092E07	151	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFEYFSV (SEQ ID NO: 2248)
I092E10	152	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092E11	153	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLFYYP (SEQ ID NO: 2327)
I092F01	154	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092F02	155	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092F05	156	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092F07	157	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092F08	158	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092F11	159	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092F12	160	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLAAYPD (SEQ ID NO: 2306)
I092G01	161	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092G05	162	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092G10	163	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I092H01	164	137 - 244	160 - 170	186 - 192	225 - 233	1 - 121	26 - 35	50 - 66	99 - 110	ASYLSTSSLDN (SEQ ID NO: 2265)
I093A06	165	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLPVYDH (SEQ ID NO: 2334)
I093A09	166	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFAH (SEQ ID NO: 2268)
I093A11	167	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I093A12	168	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I093B02	169	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I093B05	170	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVIFYPT (SEQ ID NO: 2289)
I093B06	171	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I093B09	172	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEVYHP (SEQ ID NO: 2318)
I093B12	173	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFAPLVT (SEQ ID NO: 2242)

I093C02	174	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVLHAYAF (SEQ ID NO: 2332)
I093C03	175	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I093C05	176	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVLYYLH (SEQ ID NO: 2295)
I093D05	177	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVFEFLPL (SEQ ID NO: 2245)
I093D08	178	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVRPFYAH (SEQ ID NO: 2273)
I093D10	179	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I093D12	180	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVLFHFRV (SEQ ID NO: 2302)
I093E01	181	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I093E02	182	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVIQYFDH (SEQ ID NO: 2297)
I093E05	183	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVHEFFSL (SEQ ID NO: 2283)
I093E08	184	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVMQFFPT (SEQ ID NO: 2321)
I093E10	185	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVLSFPV (SEQ ID NO: 2246)
I093F01	186	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVLYYAF (SEQ ID NO: 2251)
I093F03	187	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I093F05	188	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I093F08	189	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I093F11	190	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I093G07	191	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVLFHYPL (SEQ ID NO: 2333)
I093G11	192	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVLYYVL (SEQ ID NO: 2237)
I093G12	193	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I093H06	194	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I094A08	195	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDY (SEQ ID NO: 2280)
I094B07	196	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVLPVWVS (SEQ ID NO: 2228)
I094B08	197	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I094B12	198	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I094C11	199	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I094C12	200	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I094D06	201	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVIEYYPV (SEQ ID NO: 2288)
I094D07	202	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I094D08	203	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVLFHYPL (SEQ ID NO: 2314)
I094D09	204	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I094D10	205	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I094D11	206	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFHFYPV (SEQ ID NO: 2218)
I094E04	207	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVVFQYFDH (SEQ ID NO: 2137)
I094E08	208	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVLEAFSL (SEQ ID NO: 2311)
I094F04	209	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTSYVFGFYPF (SEQ ID NO: 2252)

I094F05	210	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I094F10	211	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2278)
I094F11	212	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVLWYYQD (SEQ ID NO: 2249)
I094F12	213	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVPFYPL (SEQ ID NO: 2296)
I094G06	214	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I094G10	215	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I095A04	216	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVVFQYFDH (SEQ ID NO: 2137)
I095A12	217	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2320)
I095B04	218	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPA (SEQ ID NO: 2312)
I095B09	219	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095B10	220	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095C02	221	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095C05	222	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095C07	223	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095C08	224	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095C09	225	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095D01	226	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095D02	227	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095D03	228	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095D05	229	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095D09	230	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFFPL (SEQ ID NO: 2287)
I095E01	231	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2221)
I095E05	232	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2137)
I095E12	233	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2137)
I095F06	234	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2262)
I095F09	235	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2291)
I095G06	236	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2137)
I095G09	237	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2137)
I095G11	238	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2137)
I096A01	239	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2137)
I096A10	240	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2222)
I096B01	241	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2137)
I096B03	242	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2137)
I096C01	243	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2137)
I096C06	244	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2229)
I096C09	245	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDALTTSYVVFQYFDH (SEQ ID NO: 2137)

1096D01	246	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1096D02	247	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1096D05	248	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1096D06	249	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1096D09	250	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVLFQYFDH	(SEQ ID NO: 2329)
1096E02	251	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVLFQYFDH	(SEQ ID NO: 2336)
1096E06	252	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1096E11	253	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVHFPL	(SEQ ID NO: 2330)
1096F02	254	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFPFL	(SEQ ID NO: 2290)
1096G01	255	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1096G02	256	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1096G05	257	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1096G07	258	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1096G09	259	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVMHYLP	(SEQ ID NO: 2257)
1096G12	260	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVLEFFSH	(SEQ ID NO: 2315)
1096H01	261	137 - 244	160 - 170	186 - 192	225 - 233	1 - 121	26 - 35	50 - 66	99 - 110	ASYLSTSSLDN	(SEQ ID NO: 2265)	
1097A04	262	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVLPYYTL	(SEQ ID NO: 2231)
1097A06	263	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVLFHYPI	(SEQ ID NO: 2298)
1097A09	264	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVLFWYFPL	(SEQ ID NO: 2247)
1097B02	265	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1097B09	266	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1097B10	267	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1097B11	268	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVLFHYTH	(SEQ ID NO: 2219)
1097C05	269	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVLFHYAY	(SEQ ID NO: 2316)
1097C09	270	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1097C11	271	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVHFYSL	(SEQ ID NO: 2293)
1097D05	272	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2300)
1097D06	273	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1097E01	274	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1097E04	275	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1097E08	276	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1097E09	277	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1097F09	278	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)
1097G10	279	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFAH	(SEQ ID NO: 2268)
1097H02	280	137 - 244	160 - 170	186 - 192	225 - 233	1 - 121	26 - 35	50 - 66	99 - 110	ASYLSTSSLDN	(SEQ ID NO: 2265)	
1098A04	281	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILT	TSYVFQYFDH	(SEQ ID NO: 2137)

I098A05	282	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I098B08	283	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLDIFYSV (SEQ ID NO: 2308)
I098C01	284	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2278)
I098C04	285	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLYYAF (SEQ ID NO: 2251)
I098F11	286	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I098F12	287	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVFFYPF (SEQ ID NO: 2250)
I098G02	288	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I098G12	289	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I098H05	290	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I101A01	291	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I101B04	292	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I101B06	293	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVPELTH (SEQ ID NO: 2304)
I101D04	294	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLEFPD (SEQ ID NO: 2313)
I101D07	295	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I101B09	296	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDR (SEQ ID NO: 2279)
I101E12	297	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I101G02	298	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I101G11	299	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I102C03	300	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I102E09	301	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I102F02	302	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I102G08	303	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I102G09	304	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I106A09	305	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVLFHYAH (SEQ ID NO: 2214)
I106B02	306	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I106B06	307	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I106C07	308	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I106E05	309	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I106E12	310	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I106G01	311	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I106G03	312	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I109B06	313	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I109D12	314	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I109E12	315	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I109G06	316	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)
I109H04	317	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDILTTSYVRFQYFDH (SEQ ID NO: 2137)

I110B03	318	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDTLTSYVFQYFDH (SEQ ID NO: 2137)
I112D09	319	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDTLTSYGFQYFDH (SEQ ID NO: 2232)
I112F10	320	141 - 251	166 - 177	193 - 199	232 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PFYDTLTSYVFQYFDH (SEQ ID NO: 2137)
I085F12	321	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDS (SEQ ID NO: 2146)
I105E12	322	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDS (SEQ ID NO: 2147)
I108D08	323	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPLAPLYP (SEQ ID NO: 2148)
I108E06	324	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDV (SEQ ID NO: 2151)
I113E07	325	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2152)
I114G05	326	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2147)
I116A01	327	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2149)
I116A09	328	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2150)
I116C11	329	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2147)
I085A01	330	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2150)
I085A02	331	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2147)
I085A03	332	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2602)
I085A04	333	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2639)
I085A05	334	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2561)
I085A06	335	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2550)
I085A07	336	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2659)
I085A09	337	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	SRDLLLLFPHHGLDL (SEQ ID NO: 2611)
I085A10	338	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2390)
I085A11	339	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	SRDLLLLFPHHGLDL (SEQ ID NO: 2632)
I085B01	340	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2609)
I085B02	341	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 111	SRDLLLLFPHHGLDL (SEQ ID NO: 2363)
I085B03	342	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2466)
I085B04	343	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2392)
I085B05	344	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2638)
I085B06	345	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2589)
I085B07	346	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2573)
I085B10	347	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2574)
I085B12	348	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 111	SRDLLLLFPHHGLDL (SEQ ID NO: 2433)
I085C02	349	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2470)
I085C03	350	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2372)
I085C05	351	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2430)
I085C06	352	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2400)
I085C07	353	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGLDL (SEQ ID NO: 2491)
										SRDLLLLFPHHGLDL (SEQ ID NO: 2341)
										SRDLLLLFPHHGLDL (SEQ ID NO: 2375)

I085C09	354	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	SRDLLLLFPHSPLT (SEQ ID NO: 2468)
I085C10	355	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSPSLLF (SEQ ID NO: 2471)
I085C12	356	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSPHPLFF (SEQ ID NO: 2680)
I085D01	357	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRPLLLF (SEQ ID NO: 2548)
I085D02	358	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSPQYLD (SEQ ID NO: 2523)
I085D03	359	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSPSLLF (SEQ ID NO: 2713)
I085D04	360	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFYPFPLVF (SEQ ID NO: 2646)
I085D06	361	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSGSPLLD (SEQ ID NO: 2488)
I085D07	362	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFQAPLLF (SEQ ID NO: 2694)
I085D08	363	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSYLSP (SEQ ID NO: 2477)
I085D09	364	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFQTPLPF (SEQ ID NO: 2467)
I085D10	365	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSPLHP (SEQ ID NO: 2563)
I085D11	366	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFHAPLAP (SEQ ID NO: 2510)
I085D12	367	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFHTTLRF (SEQ ID NO: 2495)
I085E01	368	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFYAVLHF (SEQ ID NO: 2620)
I085E02	369	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTSPLRL (SEQ ID NO: 2575)
I085E07	370	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSDALSF (SEQ ID NO: 2568)
I085E08	371	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNAPLDP (SEQ ID NO: 2603)
I085E09	372	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHDPPRF (SEQ ID NO: 2628)
I085E10	373	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSEPLWP (SEQ ID NO: 2668)
I085E11	374	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSPSPLSN (SEQ ID NO: 2716)
I085E12	375	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHPLPLTP (SEQ ID NO: 2431)
I085F01	376	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRSPLLF (SEQ ID NO: 2551)
I085F02	377	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTSPLQL (SEQ ID NO: 2376)
I085F03	378	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTYTPLL (SEQ ID NO: 2682)
I085F04	379	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSPSPLAF (SEQ ID NO: 2707)
I085F05	380	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHDPL YF (SEQ ID NO: 2706)
I085F06	381	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSAHL LF (SEQ ID NO: 2586)
I085F07	382	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPAGPLRF (SEQ ID NO: 2410)
I085F09	383	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFDPDHAFV (SEQ ID NO: 2439)
I085F10	384	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSDSGFA (SEQ ID NO: 2662)
I085F11	385	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSPSYLEF (SEQ ID NO: 2339)
I085F12	386	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRDPLII (SEQ ID NO: 2558)
I085G01	387	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSAPLHP (SEQ ID NO: 2605)
I085G02	388	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNAPLLL (SEQ ID NO: 2613)
I085G03	389	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPAAPLLF (SEQ ID NO: 2403)

I085G04	390	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSAPLDP (SEQ ID NO: 2601)
I085G07	391	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNAVLDI (SEQ ID NO: 2629)
I085G08	392	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSEPLFF (SEQ ID NO: 2664)
I085G09	393	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSSVLWP (SEQ ID NO: 2338)
I085G10	394	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	SRDLLLLFPHAPLQ (SEQ ID NO: 2554)
I085G11	395	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPDSPLAP (SEQ ID NO: 2445)
I085G12	396	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSSPLHP (SEQ ID NO: 2576)
I085H10	397	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSYYGMDV (SEQ ID NO: 2135)
I086A03	398	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSMPLTF (SEQ ID NO: 2695)
I086A04	399	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSLHP (SEQ ID NO: 2438)
I086A05	400	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHAPLSH (SEQ ID NO: 2569)
I086A07	401	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPDAALRF (SEQ ID NO: 2421)
I086A09	402	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSSHLRF (SEQ ID NO: 2704)
I086A10	403	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSAPLSS (SEQ ID NO: 2624)
I086A11	404	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHAPLTP (SEQ ID NO: 2577)
I086A12	405	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYDPLHS (SEQ ID NO: 2635)
I086B02	406	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHFPLHP (SEQ ID NO: 2348)
I086B03	407	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPAHPLLF (SEQ ID NO: 2412)
I086B05	408	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPEPLII (SEQ ID NO: 2457)
I086B06	409	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPASPLNP (SEQ ID NO: 2364)
I086B07	410	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSSPLYF (SEQ ID NO: 2720)
I086B09	411	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTSPLSF (SEQ ID NO: 2579)
I086B10	412	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPDDGLSS (SEQ ID NO: 2428)
I086B11	413	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPISPLCF (SEQ ID NO: 2530)
I086C03	414	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTAPLYG (SEQ ID NO: 2535)
I086C05	415	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSLFF (SEQ ID NO: 2427)
I086C07	416	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQGPLRF (SEQ ID NO: 2440)
I086C08	417	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPAAPLAF (SEQ ID NO: 2401)
I086C09	418	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHLPLLF (SEQ ID NO: 2350)
I086C10	419	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTFPLIF (SEQ ID NO: 2541)
I086C11	420	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPDDPLSF (SEQ ID NO: 2432)
I086C12	421	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTDPLLF (SEQ ID NO: 2622)
I086D01	422	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSAPLTP (SEQ ID NO: 2630)
I086D04	423	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYAPLYD (SEQ ID NO: 2697)
I086D05	424	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSPLSF (SEQ ID NO: 2461)
I086D06	425	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTAPLDDL (SEQ ID NO: 2379)

I086D07	426	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHTLTF (SEQ ID NO: 2365)
I086D08	427	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSSLDL (SEQ ID NO: 2473)
I086D09	428	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNHPMFP (SEQ ID NO: 2665)
I086D10	429	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPLSSLEF (SEQ ID NO: 2587)
I086D11	430	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNAPLHP (SEQ ID NO: 2610)
I086D12	431	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRAHLRF (SEQ ID NO: 2469)
I086E02	432	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYDPLHF (SEQ ID NO: 2621)
I086E03	433	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHDALQS (SEQ ID NO: 2598)
I086E05	434	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRTPLTF (SEQ ID NO: 2567)
I086E07	435	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPAHLSF (SEQ ID NO: 2398)
I086E08	436	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRAPLLF (SEQ ID NO: 2490)
I086E09	437	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPFSLAP (SEQ ID NO: 2464)
I086E10	438	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRAPLDF (SEQ ID NO: 2367)
I086E12	439	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTAPLRF (SEQ ID NO: 2522)
I086F02	440	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSPRLI (SEQ ID NO: 2714)
I086F05	441	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTPLQF (SEQ ID NO: 2540)
I086F08	442	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFSDPLSA (SEQ ID NO: 2643)
I086F09	443	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYNPPF (SEQ ID NO: 2653)
I086F11	444	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHTPLF (SEQ ID NO: 2489)
I086G03	445	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHAPLDL (SEQ ID NO: 2513)
I086G04	446	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPDPLLI (SEQ ID NO: 2454)
I086G05	447	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTDALRI (SEQ ID NO: 2537)
I086G06	448	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPAAPLTP (SEQ ID NO: 2407)
I086G07	449	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPEGPLLF (SEQ ID NO: 2448)
I086G09	450	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYAPLSF (SEQ ID NO: 2385)
I086G10	451	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPADSLF (SEQ ID NO: 2391)
I086H05	452	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYSPLTH (SEQ ID NO: 2679)
I089A01	453	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	SRDLLLLFPHDPLI (SEQ ID NO: 2612)
I089A03	454	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPLTPLLI (SEQ ID NO: 2590)
I089A06	455	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHTPLHF (SEQ ID NO: 2485)
I089A07	456	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFTDALYF (SEQ ID NO: 2539)
I089A08	457	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFYTPLLF (SEQ ID NO: 2682)
I089A10	458	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHQPLTF (SEQ ID NO: 2436)
I089A11	459	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRTYLDL (SEQ ID NO: 2572)
I089B01	460	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSPLHS (SEQ ID NO: 2450)
I089B02	461	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDL (SEQ ID NO: 2147)

1089B03	462	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFTSPLOP (SEQ ID NO: 2528)
1089B04	463	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFTTHPLIF (SEQ ID NO: 2556)
1089B05	464	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFTSSPLIF (SEQ ID NO: 2712)
1089B06	465	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFMAPLSP (SEQ ID NO: 2596)
1089B07	466	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPYGLDA (SEQ ID NO: 2374)
1089B08	467	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPAAPLSP (SEQ ID NO: 2405)
1089B09	468	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFKSPILF (SEQ ID NO: 2384)
1089B10	469	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFTSPILF (SEQ ID NO: 2571)
1089B11	470	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPNSPLFP (SEQ ID NO: 2388)
1089C01	471	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPHYGMDV (SEQ ID NO: 2133)
1089C02	472	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPRSPILF (SEQ ID NO: 2551)
1089C03	473	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPYHPLIF (SEQ ID NO: 2532)
1089C05	474	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPSSALRF (SEQ ID NO: 2722)
1089C06	475	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFSPYLSF (SEQ ID NO: 2701)
1089C07	476	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPQAPLFD (SEQ ID NO: 2683)
1089C09	477	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFHAPFTF (SEQ ID NO: 2507)
1089D01	478	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFHAPLVL (SEQ ID NO: 2581)
1089D02	479	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPHYGMDV (SEQ ID NO: 2133)
1089D03	480	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPHYPLLF (SEQ ID NO: 2344)
1089D04	481	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPSSPLSP (SEQ ID NO: 2717)
1089D05	482	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFHAPLFT (SEQ ID NO: 2546)
1089D07	483	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPNDPLLI (SEQ ID NO: 2634)
1089D08	484	138-248	162-172	188-194	227-237	1-122	26-35	50-66	99-111	SRDLLLLFHAPLQ (SEQ ID NO: 2554)
1089D09	485	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPHAFHE (SEQ ID NO: 2677)
1089D11	486	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPNHPLYP (SEQ ID NO: 2663)
1089E01	487	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPYSPILF (SEQ ID NO: 2657)
1089E02	488	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPQDPLHP (SEQ ID NO: 2346)
1089E03	489	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPDAPLFP (SEQ ID NO: 2423)
1089E04	490	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPHSPLLI (SEQ ID NO: 2453)
1089E06	491	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFGSPLLF (SEQ ID NO: 2491)
1089E09	492	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPSSPLTF (SEQ ID NO: 2718)
1089E10	493	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFTQPLSF (SEQ ID NO: 2566)
1089E11	494	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPLSPLWP (SEQ ID NO: 2578)
1089F01	495	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFTFPLLF (SEQ ID NO: 2380)
1089F03	496	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPHDPLLI (SEQ ID NO: 2580)
1089F04	497	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLLFPYSPILF (SEQ ID NO: 2670)

I089F05	498	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPHPRLI (SEQ ID NO: 2459)
I089F06	499	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPAPLIF (SEQ ID NO: 2490)
I089F08	500	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPRTPLTF (SEQ ID NO: 2567)
I089F09	501	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPAPLSF (SEQ ID NO: 2555)
I089F10	502	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPNQPLSF (SEQ ID NO: 2667)
I089F11	503	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPLEPMHF (SEQ ID NO: 2565)
I089G01	504	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPAPLTF (SEQ ID NO: 2626)
I089G02	505	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPHPPLTF (SEQ ID NO: 2687)
I089G03	506	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPRTPLVF (SEQ ID NO: 2721)
I089G05	507	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPGLTF (SEQ ID NO: 2389)
I089G06	508	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPAPLTF (SEQ ID NO: 2514)
I089G07	509	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPAPLDF (SEQ ID NO: 2597)
I089G08	510	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPHPPLSF (SEQ ID NO: 2688)
I089G11	511	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPSPPLTF (SEQ ID NO: 2671)
I089H10	512	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSYGMV (SEQ ID NO: 2135)
I090A02	513	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPAPLTF (SEQ ID NO: 2416)
I090A03	514	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPNSTLSF (SEQ ID NO: 2678)
I090A04	515	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPDAPLTF (SEQ ID NO: 2426)
I090A05	516	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPHEPLLI (SEQ ID NO: 2648)
I090A06	517	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPYPLSF (SEQ ID NO: 2600)
I090A07	518	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPTEPLVL (SEQ ID NO: 2479)
I090A08	519	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPYPLHF (SEQ ID NO: 2584)
I090B01	520	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPDPLTF (SEQ ID NO: 2627)
I090B03	521	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPQAPLTN (SEQ ID NO: 2705)
I090B04	522	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPHPLEA (SEQ ID NO: 2520)
I090B05	523	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPDHPPLF (SEQ ID NO: 2442)
I090B06	524	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPAPLSF (SEQ ID NO: 2496)
I090B08	525	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPGRPLRF (SEQ ID NO: 2542)
I090B11	526	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPFTPLTF (SEQ ID NO: 2474)
I090B12	527	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPQHPPLSP (SEQ ID NO: 2452)
I090C01	528	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPAPIVF (SEQ ID NO: 2591)
I090C02	529	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPQAPLTF (SEQ ID NO: 2702)
I090C03	530	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPAPLRF (SEQ ID NO: 2493)
I090C05	531	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPRTPLTF (SEQ ID NO: 2567)
I090C06	532	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPHPPLDF (SEQ ID NO: 2538)
I090C07	533	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLFPHAGFDS (SEQ ID NO: 2498)

I090C08	534	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPYSPLSF (SEQ ID NO: 2676)
I090C10	535	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPGRPLTF (SEQ ID NO: 2358)
I090D02	536	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAEHLF (SEQ ID NO: 2408)
I090D03	537	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFTAPLHP (SEQ ID NO: 2351)
I090D04	538	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHEPLTA (SEQ ID NO: 2654)
I090D05	539	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHAPLFE (SEQ ID NO: 2529)
I090D06	540	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPRAPLDF (SEQ ID NO: 2367)
I090D07	541	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPFGTLRF (SEQ ID NO: 2462)
I090D08	542	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPSSPLVF (SEQ ID NO: 2723)
I090D09	543	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPRDPLAF (SEQ ID NO: 2505)
I090D12	544	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFTSPLSF (SEQ ID NO: 2579)
I090E04	545	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPL (SEQ ID NO: 2588)
I090E05	546	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPQPLSF (SEQ ID NO: 2443)
I090E06	547	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPGLHP (SEQ ID NO: 2484)
I090E07	548	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPDPLSF (SEQ ID NO: 2647)
I090E09	549	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPDGLAP (SEQ ID NO: 2700)
I090E11	550	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFTSPLTF (SEQ ID NO: 2582)
I090E12	551	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPNGPLHP (SEQ ID NO: 2649)
I090F01	552	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPQAPLSF (SEQ ID NO: 2696)
I090F02	553	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFTAPLSF (SEQ ID NO: 2526)
I090F03	554	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPFPLQF (SEQ ID NO: 2460)
I090F04	555	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPDPLHP (SEQ ID NO: 2359)
I090F05	556	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPSEPLQL (SEQ ID NO: 2666)
I090F06	557	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPFAPLRF (SEQ ID NO: 2451)
I090F07	558	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPLHPLF (SEQ ID NO: 2570)
I090F08	559	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHYPLLF (SEQ ID NO: 2344)
I090F09	560	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPRDPLRI (SEQ ID NO: 2527)
I090F10	561	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPSNPLTF (SEQ ID NO: 2698)
I090F11	562	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFTAPLEI (SEQ ID NO: 2347)
I090G01	563	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPRDPLQF (SEQ ID NO: 2395)
I090G02	564	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHEPLAF (SEQ ID NO: 2633)
I090G04	565	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPRAPLAF (SEQ ID NO: 2472)
I090G05	566	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPYSPLAF (SEQ ID NO: 2656)
I090G06	567	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHTPLDS (SEQ ID NO: 2480)
I090G07	568	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHTPLTF (SEQ ID NO: 2492)
I090G08	569	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	

I090G09	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSEPLRI (SEQ ID NO: 2356)
I090G10	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFTAPLDF (SEQ ID NO: 2343)
I090G12	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNRGLDL (SEQ ID NO: 2669)
I091A02	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYDPLFM (SEQ ID NO: 2724)
I091A03	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHPALYP (SEQ ID NO: 2592)
I091A06	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSAPLAF (SEQ ID NO: 2594)
I091A11	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSPITF (SEQ ID NO: 2441)
I091B01	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYPLFF (SEQ ID NO: 2585)
I091B02	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYAPLDF (SEQ ID NO: 2361)
I091B04	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLPRDPLQF (SEQ ID NO: 2395)
I091B05	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHPLEL (SEQ ID NO: 2475)
I091B07	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSAPLTF (SEQ ID NO: 2626)
I091B10	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFTAPLAF (SEQ ID NO: 2342)
I091B11	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSPLDF (SEQ ID NO: 2444)
I091B12	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSPLTF (SEQ ID NO: 2690)
I091C02	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPAHPLVI (SEQ ID NO: 2414)
I091C03	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQAPLYP (SEQ ID NO: 2378)
I091C04	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFTAPLTF (SEQ ID NO: 2531)
I091C05	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFTTTLHF (SEQ ID NO: 2583)
I091C06	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYPLLF (SEQ ID NO: 2344)
I091C09	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHPLSF (SEQ ID NO: 2415)
I091C11	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYHSYDI (SEQ ID NO: 2650)
I091C12	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYATLSF (SEQ ID NO: 2618)
I091D01	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNSPLAP (SEQ ID NO: 2672)
I091D02	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYSPLQP (SEQ ID NO: 2673)
I091D04	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQPLSF (SEQ ID NO: 2443)
I091D05	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHDPLAP (SEQ ID NO: 2606)
I091D06	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	SRDLLLLFPHSPLL (SEQ ID NO: 2456)
I091D07	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNGALRF (SEQ ID NO: 2645)
I091D09	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYSPLRF (SEQ ID NO: 2719)
I091E01	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPDAPLHP (SEQ ID NO: 2425)
I091E02	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQAPLFP (SEQ ID NO: 2689)
I091E03	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSAPLWP (SEQ ID NO: 2352)
I091E04	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPKSPLAF (SEQ ID NO: 2547)
I091E06	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSSPLHP (SEQ ID NO: 2576)
I091E07	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNHPLTF (SEQ ID NO: 2661)

I091E08	606	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNAPLDS (SEQ ID NO: 2607)
I091E09	607	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYAPLDF (SEQ ID NO: 2361)
I091E10	608	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSSPLEF (SEQ ID NO: 2711)
I091F01	609	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPAPLFF (SEQ ID NO: 2486)
I091F03	610	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPAPLVG (SEQ ID NO: 2599)
I091F05	611	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPLAPLHP (SEQ ID NO: 2553)
I091F06	612	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHDPLGF (SEQ ID NO: 2353)
I091F07	613	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYGMDV (SEQ ID NO: 2133)
I091F08	614	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQSPLLF (SEQ ID NO: 2458)
I091F09	615	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHEHLSF (SEQ ID NO: 2354)
I091F10	616	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSPLDF (SEQ ID NO: 2444)
I091F11	617	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSPLSP (SEQ ID NO: 2549)
I091F12	618	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYGMDV (SEQ ID NO: 2133)
I091G01	619	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNAALYP (SEQ ID NO: 2386)
I091G03	620	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNDPLFG (SEQ ID NO: 2355)
I091G04	621	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPGAPLSP (SEQ ID NO: 2478)
I091G05	622	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	ARDLLLLFAAPLWP (SEQ ID NO: 2397)
I091G06	623	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	SRDLLLLFPNDPLR (SEQ ID NO: 2637)
I091G07	624	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTAPLDP (SEQ ID NO: 2345)
I091G09	625	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTAPLFP (SEQ ID NO: 2349)
I091G10	626	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSDPLVF (SEQ ID NO: 2660)
I091G11	627	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFGSPLTF (SEQ ID NO: 2389)
I091G12	628	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYSHLEF (SEQ ID NO: 2655)
I104A01	629	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQSPLHP (SEQ ID NO: 2455)
I104A07	630	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQAPLFP (SEQ ID NO: 2689)
I104A08	631	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYAPLTF (SEQ ID NO: 2617)
I104A09	632	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQNPLHP (SEQ ID NO: 2506)
I104A10	633	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHEPLCF (SEQ ID NO: 2636)
I104A11	634	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFAPSAPLSF (SEQ ID NO: 2611)
I104A12	635	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPMAPLRF (SEQ ID NO: 2593)
I104B02	636	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRSPLSF (SEQ ID NO: 2557)
I104B04	637	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSAPLYP (SEQ ID NO: 2387)
I104B09	638	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRDPLQF (SEQ ID NO: 2395)
I104B11	639	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTAPLTF (SEQ ID NO: 2531)
I104C01	640	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYSPLYP (SEQ ID NO: 2710)
I104C04	641	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPASPLIF (SEQ ID NO: 2417)

I104C05	642	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRHPLLF (SEQ ID NO: 2543)
I104C06	643	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	SRDLLLLFPHAPLE (SEQ ID NO: 2524)
I104C07	644	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHAPLHP (SEQ ID NO: 2370)
I104C09	645	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHFPLF (SEQ ID NO: 2399)
I104C11	646	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHFPLF (SEQ ID NO: 2644)
I104D01	647	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNHAFL (SEQ ID NO: 2652)
I104D02	648	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHTILYP (SEQ ID NO: 2497)
I104D03	649	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPDWPLYP (SEQ ID NO: 2483)
I104D04	650	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYPLFL (SEQ ID NO: 2511)
I104D07	651	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQAPLHP (SEQ ID NO: 2691)
I104D08	652	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHAPMDP (SEQ ID NO: 2595)
I104D09	653	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRAPLTF (SEQ ID NO: 2500)
I104E01	654	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRATLEF (SEQ ID NO: 2502)
I104E02	655	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHSPLFP (SEQ ID NO: 2447)
I104E03	656	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNDPLVL (SEQ ID NO: 2641)
I104E05	657	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHDPLXI (SEQ ID NO: 2463)
I104E11	658	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPYAPLSF (SEQ ID NO: 2385)
I104E12	659	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPASPLNP (SEQ ID NO: 2364)
I104F02	660	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHDPLSP (SEQ ID NO: 2616)
I104F03	661	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRDPLRF (SEQ ID NO: 2360)
I104F04	662	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPGDPLDF (SEQ ID NO: 2481)
I104F05	663	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHGPLTF (SEQ ID NO: 2402)
I104F06	664	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHAPLSP (SEQ ID NO: 2573)
I104F07	665	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPSSPLIL (SEQ ID NO: 2465)
I104F10	666	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPNSPLSP (SEQ ID NO: 2362)
I104F11	667	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQDPLVF (SEQ ID NO: 2708)
I104F12	668	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPKAPLVP (SEQ ID NO: 2544)
I104G04	669	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHAPLRF (SEQ ID NO: 2559)
I104G05	670	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRAPLAP (SEQ ID NO: 2476)
I104G09	671	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPTAPLNF (SEQ ID NO: 2518)
I104G11	672	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRHLLLLFPGPLSF (SEQ ID NO: 2482)
I105A02	673	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHLPLNP (SEQ ID NO: 2494)
I105A03	674	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDL (SEQ ID NO: 2147)
I105A04	675	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPGAPLAP (SEQ ID NO: 2487)
I105A08	676	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQAPLYT (SEQ ID NO: 2378)
I105A09	677	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPRSPLSF (SEQ ID NO: 2557)

I105A11	678	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPSSHFDI (SEQ ID NO: 2692)
I105B04	679	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPYSPLHP (SEQ ID NO: 2658)
I105B05	680	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPYSPLSF (SEQ ID NO: 2676)
I105B07	681	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHHSDI (SEQ ID NO: 2147)
I105B08	682	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHHSDI (SEQ ID NO: 2147)
I105B10	683	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPASPLNP (SEQ ID NO: 2364)
I105B11	684	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHEPLSP (SEQ ID NO: 2651)
I105B12	685	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPDPLII (SEQ ID NO: 2560)
I105C02	686	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPLAF (SEQ ID NO: 2472)
I105C03	687	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPSSPLSF (SEQ ID NO: 2715)
I105C05	688	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHYGMDV (SEQ ID NO: 2133)
I105C06	689	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPLDF (SEQ ID NO: 2367)
I105C08	690	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPSPITF (SEQ ID NO: 2562)
I105C12	691	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPQHGFDA (SEQ ID NO: 2446)
I105D04	692	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPDPLRF (SEQ ID NO: 2360)
I105D06	693	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPDPLSF (SEQ ID NO: 2368)
I105D08	694	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPYAPLAF (SEQ ID NO: 2608)
I105D09	695	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAAFDV (SEQ ID NO: 2619)
I105D10	696	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHEPLF (SEQ ID NO: 2640)
I105D11	697	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPASALTF (SEQ ID NO: 2519)
I105E01	698	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHSDS (SEQ ID NO: 2422)
I105E06	699	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHYGMDV (SEQ ID NO: 2133)
I105E11	700	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPNSPLHP (SEQ ID NO: 2675)
I105F03	701	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHPHPLDS (SEQ ID NO: 2409)
I105F06	702	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPQAPLHP (SEQ ID NO: 2691)
I105F07	703	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPSPWPLTF (SEQ ID NO: 2340)
I105F09	704	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHYPLLF (SEQ ID NO: 2344)
I105F12	705	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPYTYPLVF (SEQ ID NO: 2604)
I105G03	706	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPLHP (SEQ ID NO: 2370)
I105G08	707	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPPLVF (SEQ ID NO: 2366)
I105G09	708	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPASPLNP (SEQ ID NO: 2364)
I105G10	709	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHSDA (SEQ ID NO: 2419)
I105G11	710	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPDPLLF (SEQ ID NO: 2614)
I107A01	711	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPRHPLVF (SEQ ID NO: 2545)
I107A03	712	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPLVP (SEQ ID NO: 2501)
I107A06	713	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPLDP (SEQ ID NO: 2369)

I107A07	714	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPNAPLSP (SEQ ID NO: 2371)
I107A09	715	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPQAPLSP (SEQ ID NO: 2699)
I107A12	716	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHPAPLSF (SEQ ID NO: 2564)
I107B02	717	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHPAPLFP (SEQ ID NO: 2533)
I107B04	718	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPASPLTF (SEQ ID NO: 2420)
I107B05	719	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHYGMDV (SEQ ID NO: 2133)
I107C01	720	137 - 247	161 - 171	187 - 193	226 - 236	1 - 121	24 - 33	48 - 64	97 - 110	SRDLLFPHYPLLF (SEQ ID NO: 2344)
I107C02	721	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHYGMYV (SEQ ID NO: 2504)
I107C04	722	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHYPLHP (SEQ ID NO: 2357)
I107C06	723	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHPAPLAP (SEQ ID NO: 2510)
I107C08	724	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPQAPLEP (SEQ ID NO: 2681)
I107C10	725	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHPAPL (SEQ ID NO: 2674)
I107D01	726	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPYAPLDF (SEQ ID NO: 2361)
I107D04	727	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPNAPLSF (SEQ ID NO: 2625)
I107D07	728	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPSSHFDV (SEQ ID NO: 2693)
I107D12	729	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHHFDT (SEQ ID NO: 2424)
I107E01	730	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPMGLDL (SEQ ID NO: 2499)
I107E05	731	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPLDF (SEQ ID NO: 2367)
I107E07	732	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPSPPLF (SEQ ID NO: 2551)
I107E09	733	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKAPLTF (SEQ ID NO: 2382)
I107F01	734	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPNAPLSP (SEQ ID NO: 2623)
I107F05	735	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPLAP (SEQ ID NO: 2510)
I107F09	736	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPSPAPLAP (SEQ ID NO: 2394)
I107F10	737	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPRTPLLF (SEQ ID NO: 2373)
I107G01	738	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPNAPLSP (SEQ ID NO: 2371)
I107G05	739	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPLYP (SEQ ID NO: 2387)
I107H02	740	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHHSFDL (SEQ ID NO: 2147)
I107H06	741	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPLSF (SEQ ID NO: 2496)
I107H09	742	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPAPLSF (SEQ ID NO: 2536)
I107H10	743	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHYPLEM (SEQ ID NO: 2510)
I108A12	744	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHPAPLAP (SEQ ID NO: 2147)
I108B03	745	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHPHSDL (SEQ ID NO: 2515)
I108B04	746	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPPLVP (SEQ ID NO: 2396)
I108C09	747	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHPDPLGF (SEQ ID NO: 2353)
I108C11	748	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHHSLLF (SEQ ID NO: 2429)
I108D10	749	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPASPLNP (SEQ ID NO: 2364)

I108D11	750	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPASPLNP (SEQ ID NO: 2364)
I108D12	751	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPASPLNP (SEQ ID NO: 2709)
I108E01	752	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPFHHSFDL (SEQ ID NO: 2147)
I108E03	753	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2393)
I108E05	754	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2533)
I108E07	755	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2369)
I108E08	756	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2344)
I108E09	757	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2623)
I108E10	758	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2509)
I108E11	759	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2516)
I108F10	760	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2371)
I108F12	761	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2508)
I108G01	762	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2360)
I108G02	763	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2381)
I108G07	764	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2476)
I108G10	765	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2429)
I108G11	766	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2377)
I108G12	767	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2377)
I108H01	768	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2512)
I108H02	769	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2615)
I108H06	770	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2147)
I108H08	771	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2364)
I111A06	772	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2691)
I111B12	773	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2147)
I111C01	774	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2449)
I111D06	775	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2515)
I111E04	776	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2147)
I111E10	777	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2691)
I111E11	778	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2344)
I111E12	779	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2150)
I111F07	780	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2501)
I111G02	781	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2534)
I111H10	782	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2703)
I113A04	783	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2352)
I113A12	784	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2434)
I113B06	785	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPKHPLRF (SEQ ID NO: 2411)

I113C06	786	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGFDA (SEQ ID NO: 2406)
I113G04	787	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYPLLF (SEQ ID NO: 2344)
I113G05	788	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYSLLL (SEQ ID NO: 2517)
I113G10	789	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHPPLQF (SEQ ID NO: 2413)
I113G11	790	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYPLLF (SEQ ID NO: 2344)
I113H06	791	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYPLLF (SEQ ID NO: 2344)
I113H07	792	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDL (SEQ ID NO: 2147)
I113H09	793	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYTLLF (SEQ ID NO: 2525)
I114C04	794	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHGFDA (SEQ ID NO: 2406)
I114C12	795	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQAPLHP (SEQ ID NO: 2691)
I114D04	796	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYGMDV (SEQ ID NO: 2133)
I114D06	797	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDL (SEQ ID NO: 2147)
I114D10	798	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYSLVL (SEQ ID NO: 2521)
I114E01	799	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQEPLSP (SEQ ID NO: 2435)
I114E02	800	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPQESFSL (SEQ ID NO: 2437)
I114E03	801	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPKAPLTF (SEQ ID NO: 2382)
I114E11	802	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPDHSFFL (SEQ ID NO: 2383)
I114H01	803	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDL (SEQ ID NO: 2147)
I114H06	804	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHALDV (SEQ ID NO: 2404)
I114H09	805	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDL (SEQ ID NO: 2147)
I115A02	806	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPDHSFDL (SEQ ID NO: 2684)
I115A07	807	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYPLLF (SEQ ID NO: 2344)
I115B10	808	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDL (SEQ ID NO: 2147)
I115C05	809	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPAPL YP (SEQ ID NO: 2501)
I115C06	810	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDL (SEQ ID NO: 2150)
I115C08	811	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDL (SEQ ID NO: 2147)
I115C12	812	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDT (SEQ ID NO: 2424)
I115D07	813	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYPLLF (SEQ ID NO: 2344)
I115E09	814	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHRFDL (SEQ ID NO: 2418)
I115F06	815	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYGMDV (SEQ ID NO: 2685)
I115F07	816	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYPLLF (SEQ ID NO: 2686)
I115F12	817	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHSFDL (SEQ ID NO: 2150)
I115G04	818	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHHRFDL (SEQ ID NO: 2418)
I115G05	819	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHYPLLF (SEQ ID NO: 2344)
I115G08	820	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPDHSFDL (SEQ ID NO: 2631)
I115H04	821	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLLFPHANLSP (SEQ ID NO: 2503)

I115H07	822	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPHPYPLLF (SEQ ID NO: 2344)
I115H09	823	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPHHRFDL (SEQ ID NO: 2418)
I116A07	824	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPYEPPLRF (SEQ ID NO: 2642)
I116B01	825	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPHHSFDL (SEQ ID NO: 2147)
I116B12	826	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPHHSFDL (SEQ ID NO: 2147)
I116C06	827	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPHPYPLLF (SEQ ID NO: 2344)
I116D07	828	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPHHSFDL (SEQ ID NO: 2147)
I116E02	829	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPHHRFDL (SEQ ID NO: 2418)
I116E04	830	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPHHSFDL (SEQ ID NO: 2147)
I116F02	831	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPHHSFDL (SEQ ID NO: 2150)
I116F11	832	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPHPYPLLF (SEQ ID NO: 2344)
I116G05	833	139-249	163-173	189-195	228-238	1-123	26-35	50-66	99-112	SRDLLLFPQAPLSP (SEQ ID NO: 2699)
I001C09	834	143-250	164-174	190-196	229-239	1-127	26-35	50-66	99-116	DGSYDILTGYIDNYMDV (SEQ ID NO: 2154)
I006D07	835	141-248	162-172	188-194	227-237	1-125	26-35	50-66	99-114	SHYDILTGLNYWYFDL (SEQ ID NO: 2166)
I007B03	836	143-253	163-178	194-200	233-242	1-127	26-35	50-66	99-116	DGSYDILTGYIDNYMDV (SEQ ID NO: 2154)
I007F11	837	140-250	162-175	191-197	230-239	1-124	26-35	50-66	99-113	DGIDILLVPAALMDV (SEQ ID NO: 2160)
I007H08	838	144-254	166-179	195-201	234-243	1-128	26-37	52-69	102-117	DRYDILTGYYYGMDV (SEQ ID NO: 2129)
I008A09	839	146-256	168-181	197-203	236-245	1-130	26-35	50-66	99-119	DREAYDILTGYLYYYMDV (SEQ ID NO: 2172)
I008B01	840	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008C02	841	145-255	167-180	196-202	235-244	1-129	26-37	52-67	100-118	HVRDYDILTGYRGRHYFDY (SEQ ID NO: 2167)
I008C03	842	143-250	164-174	190-196	229-239	1-127	26-35	50-65	98-116	EGSYDILTGYVGVGRMDV (SEQ ID NO: 2171)
I008C12	843	146-256	168-181	197-203	236-245	1-130	26-35	50-68	101-119	FNPTYDILTGYIGGYFQH (SEQ ID NO: 2155)
I012A06	844	145-254	169-179	195-201	234-243	1-129	26-37	52-67	100-118	GRWDYDILTGEHLGYFYDY (SEQ ID NO: 2162)
I016E05	845	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I016F02	846	135-245	157-170	186-192	225-234	1-119	26-35	50-66	99-108	GMGDHYGMDV (SEQ ID NO: 2161)
I016F04	847	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I016H07	848	141-248	162-172	188-194	227-237	1-125	26-35	50-66	99-114	GYHDPLTSYNNWFDP (SEQ ID NO: 2163)
I018C02	849	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018C10	850	143-250	164-174	190-196	229-239	1-127	26-35	50-66	99-116	DGSYDILTGYIDNYMDV (SEQ ID NO: 2154)
I018D07	851	143-250	164-174	190-196	229-239	1-127	26-35	50-66	99-116	DGSYDILTGYIDNYMDV (SEQ ID NO: 2154)
I018H08	852	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018H09	853	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I021B05	854	143-253	165-178	194-200	233-242	1-127	24-33	48-64	97-116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I022E02	855	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2157)
I026E03	856	141-251	165-175	191-197	230-240	1-125	26-35	50-66	99-114	TDYDILTGYPMGYFDP (SEQ ID NO: 2173)

I027A07	857	144-255	167-179	195-201	234-244	1-128	26-35	50-66	99-117	GGEYDILTGYVFLGVYDY (SEQ ID NO: 2170)
I028A06	858	142-253	164-176	192-198	231-242	1-126	26-35	50-66	99-115	GGDYDILTGLYYGMDV (SEQ ID NO: 2156)
I029D07	859	141-250	163-176	192-198	231-239	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I029F11	860	143-253	165-177	193-199	232-242	1-127	26-35	50-66	99-116	DGSYDILTGYIDNYMDV (SEQ ID NO: 2154)
I031C03	861	137-248	160-172	188-194	227-237	1-121	26-35	50-66	99-110	GYPDSSAFRAFDI (SEQ ID NO: 2136)
I031C07	862	147-258	170-183	199-205	238-247	1-131	26-35	50-66	99-120	SSPPRWYDALTGSSYHSAMDV (SEQ ID NO: 2169)
I031F09	863	143-255	167-179	195-201	234-244	1-127	26-35	50-66	99-116	DEGRDILTGYWPNFFDS (SEQ ID NO: 2168)
I031G08	864	147-259	170-182	198-204	237-248	1-131	26-35	50-66	99-120	SSPPKWDALTGSSYHSAMDV (SEQ ID NO: 2159)
I031G10	865	147-258	170-182	198-204	237-247	1-131	26-35	50-66	99-120	SSPPKWDALTGSSYHSAMDV (SEQ ID NO: 2165)
I031G11	866	143-255	167-179	195-201	234-244	1-127	26-35	50-66	99-116	DEGRDILTGYWPNFFDS (SEQ ID NO: 2168)
I037E07	867	140-250	162-175	191-197	230-239	1-124	26-35	50-66	99-113	DGIDILLVPAALMDV (SEQ ID NO: 2160)
I037E12	868	140-250	162-175	191-197	230-239	1-124	26-35	50-66	99-113	DGIDILLVPAALMDV (SEQ ID NO: 2160)
I050A07	869	145-257	168-181	197-203	236-246	1-129	26-40	55-71	104-118	QNDPLTGYKLGFDY (SEQ ID NO: 2164)
I061D02	870	144-254	166-179	195-201	234-243	1-128	26-37	52-69	102-117	QNDPLTGYKLGFDY (SEQ ID NO: 2129)
I061E07	871	141-251	163-175	191-197	230-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I061H01	872	146-256	168-181	197-203	236-245	1-130	26-35	50-68	101-119	FNPTYDILTGYIGGYFQH (SEQ ID NO: 2155)
I001A03	873	144-254	166-179	195-201	234-243	1-128	26-35	50-66	99-117	ERHYDILTGYQTYGMDV (SEQ ID NO: 2784)
I001A07	874	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I001A08	875	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I001A10	876	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I001A12	877	141-248	162-172	188-194	227-237	1-125	26-35	50-66	99-110	DRETKVGYGMDV (SEQ ID NO: 2945)
I001B02	878	137-247	159-171	187-193	226-236	1-121	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I001B07	879	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	EGGNYDILTGYIYNGAFDI (SEQ ID NO: 2158)
I001C06	880	143-253	165-178	194-200	233-242	1-127	24-33	48-64	97-116	EGSYDILTGYVGVGRMDV (SEQ ID NO: 2171)
I001C08	881	144-254	166-179	195-201	234-243	1-128	26-35	50-66	99-117	EGSYDILTGYVGVGRMDV (SEQ ID NO: 2171)
I001C12	882	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I001D08	883	140-250	162-175	191-197	230-239	1-124	26-35	50-65	98-113	DSYDILTGYRGYFYDY (SEQ ID NO: 2745)
I001D12	884	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I001E05	885	143-253	165-178	194-200	233-242	1-127	24-33	48-64	97-116	EGGNYDILTGYIYNGAFDI (SEQ ID NO: 2158)
I001E07	886	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I001G09	887	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I001H05	888	144-254	166-179	195-201	234-243	1-128	26-35	50-66	99-117	ERHYDILTGYQTYGMDV (SEQ ID NO: 2784)
I001H08	889	141-251	163-176	192-198	231-240	1-125	26-35	50-66	99-114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I003A01	890	140-251	163-176	192-198	231-240	1-124	26-34	49-65	98-113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
I003A06	891	140-251	163-176	192-198	231-240	1-124	26-34	49-65	98-113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
I003A07	892	142-249	163-173	189-195	228-238	1-126	26-35	50-66	99-115	DGYDILTGYSYGYGMDV (SEQ ID NO: 2135)

I003A10	893	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I003B03	894	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
I003B04	895	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	25 - 34	49 - 65	98 - 111	RYGDPFYYYMMNV (SEQ ID NO: 2755)
I003B09	896	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSYYGMDV (SEQ ID NO: 2135)
I003C01	897	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I003C02	898	141 - 252	164 - 176	192 - 198	231 - 241	1 - 125	26 - 35	50 - 66	99 - 114	GDYDILTGPAECFQI (SEQ ID NO: 2854)
I003C03	899	141 - 250	164 - 174	190 - 196	229 - 239	1 - 125	26 - 35	50 - 66	99 - 114	GDYDILTGPAECFQI (SEQ ID NO: 2854)
I003C12	900	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I003D04	901	139 - 250	162 - 174	190 - 196	229 - 239	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
I003E05	902	141 - 253	164 - 176	192 - 198	231 - 242	1 - 125	26 - 35	50 - 66	99 - 114	GDYDILTGPAECFQI (SEQ ID NO: 2854)
I003F01	903	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
I003F02	904	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
I003G01	905	143 - 254	168 - 179	195 - 201	234 - 243	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDILTGYYMGSAFDQ (SEQ ID NO: 2800)
I003G05	906	143 - 255	166 - 179	195 - 201	234 - 244	1 - 127	26 - 35	50 - 66	99 - 116	GSYDILLTGYFTGSPLDY (SEQ ID NO: 2766)
I003G06	907	145 - 256	168 - 181	197 - 203	236 - 245	1 - 129	26 - 35	50 - 66	99 - 118	DRGGNYDILTGYYHHGV DV (SEQ ID NO: 2914)
I003G11	908	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 66	99 - 117	DAQSYDILTGYSYAFDI (SEQ ID NO: 2183)
I003H02	909	140 - 253	164 - 176	192 - 198	233 - 242	1 - 124	26 - 35	50 - 66	99 - 113	DNYYDILTGYSRRFPD (SEQ ID NO: 2942)
I003H05	910	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
I003H08	911	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSYYGMDV (SEQ ID NO: 2135)
I005A01	912	141 - 249	162 - 172	188 - 194	227 - 238	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTGLNYWYFDL (SEQ ID NO: 2166)
I005A02	913	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	EGRDILTGYYYYGLDV (SEQ ID NO: 2893)
I005B01	914	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTGLNYWYFDL (SEQ ID NO: 2166)
I005B09	915	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 65	98 - 110	TYDILTGRFFDI (SEQ ID NO: 2866)
I005C01	916	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTGLNYWYFDL (SEQ ID NO: 2166)
I005D02	917	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	DLRYDILTGYYHDAFDI (SEQ ID NO: 2890)
I005D03	918	142 - 249	165 - 175	191 - 197	230 - 238	1 - 126	26 - 35	50 - 66	99 - 115	GAYYDILTGYYPYGMDV (SEQ ID NO: 2860)
I005E01	919	142 - 249	165 - 175	191 - 197	230 - 238	1 - 126	26 - 35	50 - 66	99 - 115	GTYYDILTGYYHYGMDV (SEQ ID NO: 2774)
I005E08	920	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTGLNYWYFDL (SEQ ID NO: 2166)
I005F01	921	140 - 248	164 - 174	190 - 196	229 - 238	1 - 124	26 - 35	50 - 66	99 - 113	DQHDILTGYYHYGMDV (SEQ ID NO: 2921)
I005F02	922	144 - 251	167 - 177	193 - 199	232 - 240	1 - 128	26 - 35	50 - 66	99 - 117	VSPSYDILTGYYLPHAFDV (SEQ ID NO: 2849)
I005F04	923	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 65	98 - 110	TYDILTGRFFDI (SEQ ID NO: 2866)
I005F08	924	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	PSYDILTGLYYFDY (SEQ ID NO: 2850)
I005G01	925	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	DLRYDILTGYYHDAFDI (SEQ ID NO: 2890)
I005G08	926	142 - 249	165 - 175	191 - 197	230 - 238	1 - 126	26 - 35	50 - 66	99 - 115	GAYYDILTGYYPYGMDV (SEQ ID NO: 2860)
I005H02	927	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	GQYYDILTGYNWFDP (SEQ ID NO: 2857)
I006B01	928	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	SRDILLPHYGMDV (SEQ ID NO: 2133)

I006C09	929	143 - 253	165 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GGYSSGWL RGGPYNWFDP (SEQ ID NO: 2967)
I006D09	930	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	GDYDILTGY YPLRDY (SEQ ID NO: 2792)
I006E01	931	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 68	101 - 116	NLFDVWTL PYYPMYMDV (SEQ ID NO: 2965)
I006E07	932	143 - 250	166 - 176	192 - 198	231 - 239	1 - 127	26 - 35	50 - 66	99 - 116	ADYDILTGY SPLYTGMVDV (SEQ ID NO: 2762)
I006F01	933	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 68	101 - 113	MYDILTGHNFYD (SEQ ID NO: 2879)
I006F02	934	142 - 253	164 - 176	192 - 198	231 - 242	1 - 126	26 - 35	50 - 66	99 - 115	VSRDILTGN YYYGMDV (SEQ ID NO: 2817)
I006F07	935	143 - 253	165 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GGYSSGWL RGGPYNWFDP (SEQ ID NO: 2967)
I006G01	936	146 - 253	169 - 179	195 - 201	234 - 242	1 - 130	26 - 35	50 - 68	101 - 119	AGGYDILTGR DYYYGMDV (SEQ ID NO: 2877)
I006G04	937	132 - 239	153 - 163	179 - 185	218 - 228	1 - 116	26 - 35	50 - 66	99 - 105	RRYALDY (SEQ ID NO: 2920)
I006H01	938	146 - 253	167 - 177	193 - 199	232 - 242	1 - 130	26 - 35	50 - 65	98 - 119	DRGSYDILTGY YTPHYGMDV (SEQ ID NO: 2761)
I006H02	939	143 - 253	165 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GGYSSGWL RGGPYNWFDP (SEQ ID NO: 2967)
I007A01	940	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGY SFDGFDI (SEQ ID NO: 2153)
I007A08	941	139 - 249	161 - 174	190 - 196	229 - 238	1 - 123	26 - 35	50 - 66	99 - 114	SHYDILTGL NYYWYFDY (SEQ ID NO: 2746)
I007A11	942	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ENYDILTGY YGAFDI (SEQ ID NO: 2772)
I007A12	943	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 68	101 - 117	GIYDILTGY HWDGAFDI (SEQ ID NO: 2892)
I007B04	944	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGY SFDGFDI (SEQ ID NO: 2153)
I007C04	945	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGY SFDGFDI (SEQ ID NO: 2153)
I007C08	946	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 65	98 - 115	IRLYCYSLTGY YPYGMDV (SEQ ID NO: 2810)
I007C12	947	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	TNYDILTGY YQGVDY (SEQ ID NO: 2782)
I007D07	948	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	GQYDILTGY NWFDP (SEQ ID NO: 2857)
I007D08	949	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 68	101 - 117	GIYDILTGY HWDGAFDI (SEQ ID NO: 2872)
I007E03	950	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGY SFDGFDI (SEQ ID NO: 2153)
I007E10	951	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	DFYDILTGY PLGGMDV (SEQ ID NO: 2741)
I007E11	952	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 66	99 - 117	DLPPYDILTGY SLTSGMDV (SEQ ID NO: 2923)
I007F06	953	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGY SFDGFDI (SEQ ID NO: 2153)
I007F08	954	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 65	98 - 116	GRYDILTGY YHHGMDV (SEQ ID NO: 2811)
I007G07	955	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTGL NYYWYFDL (SEQ ID NO: 2166)
I007G09	956	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	DSGGDILTGY YMPYFDY (SEQ ID NO: 2847)
I007G10	957	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 65	98 - 115	VGLYYDILTGY YPSGMDV (SEQ ID NO: 2805)
I007H07	958	147 - 257	169 - 182	198 - 204	237 - 246	1 - 131	26 - 35	50 - 68	101 - 120	SQAHYDILTGY LWSYGMDV (SEQ ID NO: 2875)
I007H11	959	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ESYDILTGY RHYGMDL (SEQ ID NO: 2891)
I008A02	960	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGY SFDGFDI (SEQ ID NO: 2153)
I008A05	961	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGY SFDGFDI (SEQ ID NO: 2153)
I008A06	962	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGY SFDGFDI (SEQ ID NO: 2153)
I008A07	963	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DREYDILTGY LHAFLDM (SEQ ID NO: 2960)
I008A12	964	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ENYDILTGY YGAFDI (SEQ ID NO: 2772)

I008B02	965	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008B04	966	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DGSDILTGYYDNVMDV (SEQ ID NO: 2154)
I008B05	967	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	DHYDILTGLYYGMDV (SEQ ID NO: 2760)
I008B06	968	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008B07	969	140 - 247	163 - 173	189 - 195	228 - 236	1 - 124	24 - 33	48 - 64	97 - 113	GRRYDILTGYYKGPLDY (SEQ ID NO: 2902)
I008B10	970	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	AYDNLTGFLPYGMGV (SEQ ID NO: 2947)
I008B11	971	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EGYDILTGVELDYHGMVDV (SEQ ID NO: 2753)
I008C06	972	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008C08	973	149 - 259	171 - 183	199 - 205	238 - 248	1 - 133	26 - 35	50 - 66	99 - 122	GPRGGPYDILTGYYLSLDAFDI (SEQ ID NO: 2729)
I008C09	974	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	EYDILTGYPYGMVDV (SEQ ID NO: 2973)
I008D01	975	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008D02	976	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008D03	977	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EVRYDILLTRSYLAGPLDN (SEQ ID NO: 2751)
I008D04	978	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008D05	979	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008D06	980	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008D07	981	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DRGYDILTGYYRGHGMVDV (SEQ ID NO: 2837)
I008D08	982	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 66	99 - 117	DLPYDILTGYSLSGMDV (SEQ ID NO: 2923)
I008D12	983	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EEGFYDILTGYYGPGYFDY (SEQ ID NO: 2974)
I008E01	984	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008E02	985	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	20 - 31	46 - 63	96 - 110	EGYDILTGYSKFLDY (SEQ ID NO: 2906)
I008E03	986	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008E04	987	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008E08	988	141 - 252	163 - 175	191 - 197	230 - 241	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTGLNYWYFDL (SEQ ID NO: 2166)
I008E09	989	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	ERADYDILTGYYFYDMDV (SEQ ID NO: 2833)
I008E12	990	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 37	52 - 67	100 - 114	FRYDILTSYYGMDV (SEQ ID NO: 2734)
I008F03	991	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008F06	992	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008F07	993	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 65	98 - 116	GRRYDILTGYYHHGMVDV (SEQ ID NO: 2811)
I008F08	994	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GHYDILTGYYGMDV (SEQ ID NO: 2904)
I008F09	995	133 - 243	155 - 168	184 - 190	223 - 232	1 - 117	26 - 35	50 - 65	98 - 106	HDILTGFDFY (SEQ ID NO: 2934)
I008F10	996	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	SGYDILTGYYGMDV (SEQ ID NO: 2968)
I008F11	997	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 68	101 - 117	APYDILTGYSFDFDI (SEQ ID NO: 2153)
I008G02	998	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I008G03	999	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	GDYDPLTGYSFDFDI (SEQ ID NO: 2941)

I008G04	1000	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 65	98 - 116	EGSYDILTGYYVGVGRMDV (SEQ ID NO: 2171)
I008G05	1001	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DGYDILTGFFYYGYGMDV (SEQ ID NO: 2899)
I008G11	1002	136 - 246	158 - 171	187 - 193	226 - 235	1 - 120	26 - 35	50 - 66	99 - 109	AYQDILTGIDY (SEQ ID NO: 2966)
I008G12	1003	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DQYDILTGYYHYGMDV (SEQ ID NO: 2964)
I008H02	1004	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	DQVLLMLMDHNYMDV (SEQ ID NO: 2918)
I008H03	1005	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSDFGDI (SEQ ID NO: 2153)
I008H06	1006	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 65	98 - 116	EGSYDILTGYYVGVGRMDV (SEQ ID NO: 2171)
I008H09	1007	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DQYDILTGYYHYGMDV (SEQ ID NO: 2964)
I008H11	1008	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	TKYDILTGYYHYMDV (SEQ ID NO: 2856)
I012B03	1009	140 - 249	163 - 175	191 - 197	230 - 238	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I012B06	1010	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I012B10	1011	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I012C03	1012	142 - 255	165 - 178	194 - 200	233 - 244	1 - 126	26 - 35	50 - 66	99 - 115	TRFGAKDVTSRWGMDV (SEQ ID NO: 2814)
I012C06	1013	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I012C09	1014	140 - 250	164 - 174	190 - 196	229 - 239	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I012D12	1015	145 - 256	168 - 180	196 - 202	235 - 245	1 - 129	26 - 35	50 - 66	99 - 118	DRGNNYDILTGYYFHHGVDV (SEQ ID NO: 2914)
I012E07	1016	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I012E08	1017	139 - 250	162 - 174	190 - 196	229 - 239	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMYMNV (SEQ ID NO: 2755)
I012E09	1018	140 - 247	163 - 173	189 - 195	228 - 236	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I012F05	1019	140 - 249	163 - 173	189 - 195	228 - 238	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I012F12	1020	140 - 251	164 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I012G03	1021	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I012G05	1022	139 - 250	163 - 173	189 - 195	228 - 239	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMYMNV (SEQ ID NO: 2755)
I012G10	1023	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMYMNV (SEQ ID NO: 2755)
I012H09	1024	140 - 249	163 - 173	189 - 195	228 - 238	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I013A10	1025	147 - 259	170 - 182	198 - 204	237 - 248	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGHSYHSAMDV (SEQ ID NO: 2159)
I013A12	1026	147 - 256	171 - 181	197 - 203	236 - 245	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGHSYHSAMDV (SEQ ID NO: 2165)
I013B04	1027	147 - 256	172 - 182	198 - 204	237 - 245	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGHSYHSAMDV (SEQ ID NO: 2159)
I013B09	1028	147 - 257	171 - 181	197 - 203	236 - 246	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGSSYSAMDV (SEQ ID NO: 2818)
I013C02	1029	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGSSYSAMDV (SEQ ID NO: 2136)
I013C04	1030	137 - 249	161 - 173	189 - 195	228 - 238	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I013D02	1031	137 - 248	160 - 173	189 - 195	228 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I013D03	1032	147 - 259	170 - 183	199 - 205	238 - 248	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGSSYHSAMDV (SEQ ID NO: 2165)
I013D10	1033	145 - 257	168 - 181	197 - 203	236 - 246	1 - 129	26 - 35	50 - 66	99 - 118	GLRHVTLFGTGRGHFYMDV (SEQ ID NO: 2789)
I013E02	1034	147 - 259	170 - 183	199 - 205	238 - 248	1 - 131	26 - 35	50 - 66	99 - 120	GREDTDKVPWDRYYHYMDV (SEQ ID NO: 2809)

I013E05	1035	137 - 249	162 - 173	189 - 195	228 - 238	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I013E09	1036	147 - 260	170 - 183	199 - 205	238 - 249	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWDYDALTGDSYHSAMDV (SEQ ID NO: 2165)
I013F03	1037	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I013F04	1038	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWDYDALTGHSYHSAMDV (SEQ ID NO: 2159)
I013F07	1039	145 - 260	170 - 185	201 - 207	240 - 249	1 - 129	26 - 35	50 - 66	99 - 118	AATYSQKHNYAYFYGMVDV (SEQ ID NO: 2131)
I013F09	1040	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I013F10	1041	147 - 259	170 - 183	199 - 205	238 - 248	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWDYDALTGHSYHSAMDV (SEQ ID NO: 2159)
I013H04	1042	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWDYDALTGHSYHSAMDV (SEQ ID NO: 2159)
I013H07	1043	147 - 259	170 - 183	199 - 205	238 - 248	1 - 131	26 - 35	50 - 66	99 - 120	GRETDKVKPWDRYHYHYMDV (SEQ ID NO: 2809)
I014A12	1044	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDLTGYIGNGAFDI (SEQ ID NO: 2158)
I014C06	1045	141 - 254	164 - 177	193 - 200	233 - 243	1 - 125	26 - 35	50 - 66	99 - 114	GDYDILTGYPAECFQI (SEQ ID NO: 2854)
I014C10	1046	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I014C12	1047	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I014E06	1048	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I014F02	1049	141 - 251	166 - 176	192 - 198	231 - 240	1 - 125	26 - 37	52 - 67	100 - 114	AGYDLLTGYPFYFDS (SEQ ID NO: 2757)
I016A08	1050	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 66	99 - 117	EVARNYDLITRSYLAGPLDN (SEQ ID NO: 2751)
I016A09	1051	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016C02	1052	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016C03	1053	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016C05	1054	148 - 255	169 - 179	195 - 201	234 - 244	1 - 132	26 - 35	50 - 66	99 - 121	VQMDSEYYDLLTGINVGPYYFDY (SEQ ID NO: 2132)
I016C09	1055	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016C11	1056	148 - 255	169 - 179	195 - 201	234 - 244	1 - 132	26 - 35	50 - 66	99 - 121	VQMDSEYYDLLTGINVGPYYFDY (SEQ ID NO: 2132)
I016D10	1057	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016D11	1058	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016E03	1059	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016E04	1060	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016F03	1061	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016F11	1062	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016G01	1063	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016G06	1064	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I016G12	1065	148 - 255	169 - 179	195 - 201	234 - 244	1 - 132	26 - 35	50 - 66	99 - 121	VQMDSEYYDLLTGINVGPYYFDY (SEQ ID NO: 2132)
I016H10	1066	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)

I017A06	1067	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I017A07	1068	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I017A11	1069	140 - 253	162 - 175	191 - 197	233 - 242	1 - 124	25 - 34	49 - 65	98 - 113	ATYDPLTGYSFDFDI (SEQ ID NO: 2157)
I017E12	1070	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I017G03	1071	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I017G07	1072	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I017H01	1073	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018A02	1074	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018A04	1075	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EGSYDILTGYVGVGRMDV (SEQ ID NO: 2171)
I018A05	1076	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018A11	1077	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018B02	1078	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018B08	1079	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018C04	1080	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018D02	1081	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018E06	1082	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018E08	1083	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018F04	1084	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018G06	1085	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I018H07	1086	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I019E05	1087	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	ERHYYDILTGYQTGYGMDV (SEQ ID NO: 2784)
I019F06	1088	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	ERHYYDILTGYQTGYGMDV (SEQ ID NO: 2784)
I019G12	1089	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I020D01	1090	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	DRETKVGYGMDV (SEQ ID NO: 2945)
I020D05	1091	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I020E10	1092	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I020G12	1093	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I020H06	1094	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I020H10	1095	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I021A11	1096	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I021B01	1097	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I021C11	1098	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I021D12	1099	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	DRETKVGYGMDV (SEQ ID NO: 2945)
I021E10	1100	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I021G02	1101	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYIYGNAGAFDI (SEQ ID NO: 2158)
I022A08	1102	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSYGYGMDV (SEQ ID NO: 2135)

I022B01	1103	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I022B10	1104	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYSGGYFDY (SEQ ID NO: 2179)
I022C02	1105	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSGGYGMDV (SEQ ID NO: 2135)
I022C04	1106	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I022C08	1107	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I022D06	1108	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSGGYGMDV (SEQ ID NO: 2135)
I022E08	1109	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	ASYDILTGYKGAFDI (SEQ ID NO: 2855)
I022F01	1110	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSGGYGMDV (SEQ ID NO: 2135)
I022F04	1111	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSGGYGMDV (SEQ ID NO: 2135)
I022F12	1112	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	GDYDILTGYTYIDV (SEQ ID NO: 2859)
I022G11	1113	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGLNYWYFDL (SEQ ID NO: 2166)
I023D01	1114	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTGLNYWYFDL (SEQ ID NO: 2166)
I023D04	1115	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSGGYGMDV (SEQ ID NO: 2135)
I024B04	1116	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	VYDILTGYNLFFDY (SEQ ID NO: 2177)
I024D01	1117	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSGGYGMDV (SEQ ID NO: 2135)
I024F06	1118	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSGGYGMDV (SEQ ID NO: 2135)
I024H01	1119	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSGGYGMDV (SEQ ID NO: 2135)
I024H07	1120	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSGGYGMDV (SEQ ID NO: 2135)
I025A01	1121	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
I025A04	1122	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I025A07	1123	140 - 249	163 - 173	189 - 195	228 - 238	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I025B01	1124	133 - 244	156 - 168	184 - 190	223 - 233	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
I025B10	1125	140 - 253	164 - 176	192 - 198	233 - 242	1 - 124	26 - 35	50 - 66	99 - 113	DNYDILTGYRRFDP (SEQ ID NO: 2942)
I025B12	1126	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
I025C07	1127	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2174)
I025D11	1128	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I025E04	1129	142 - 252	164 - 176	192 - 198	231 - 241	1 - 126	26 - 35	50 - 66	99 - 115	PLGTAVRGAKTDAFGI (SEQ ID NO: 2929)
I025E05	1130	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I025E07	1131	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I025E10	1132	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I025F01	1133	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYTYMYMNV (SEQ ID NO: 2755)
I025F08	1134	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GGSSQNFYGMV (SEQ ID NO: 2884)
I025G03	1135	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I025G08	1136	140 - 254	163 - 176	192 - 198	231 - 243	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I025H02	1137	144 - 255	167 - 179	195 - 201	234 - 244	1 - 128	26 - 35	50 - 65	98 - 117	AGSGFHDLTGYKGGYFDY (SEQ ID NO: 2961)
I026A01	1138	141 - 249	165 - 175	191 - 197	230 - 238	1 - 125	26 - 35	50 - 66	99 - 114	GDYDILTGYPAECTQI (SEQ ID NO: 2854)

1026B01	1139	143 - 254	166 - 178	194 - 200	233 - 243	1 - 127	26 - 35	50 - 66	99 - 116	GSVYDILTGTYKSGMGV (SEQ ID NO: 2733)
1026B06	1140	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1026C06	1141	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1026C10	1142	138 - 249	161 - 174	190 - 196	229 - 238	1 - 122	26 - 34	49 - 65	98 - 111	RYGDPFYYYMMNV (SEQ ID NO: 2755)
1026C11	1143	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
1026D09	1144	139 - 252	162 - 175	191 - 197	230 - 241	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
1026E04	1145	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1026E06	1146	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 35	50 - 66	99 - 113	GYDDLTGYMALDY (SEQ ID NO: 2821)
1026E09	1147	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1026F01	1148	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1026F09	1149	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1026F12	1150	140 - 256	163 - 176	192 - 202	237 - 245	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1026G08	1151	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1026G10	1152	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1026G11	1153	143 - 255	166 - 179	195 - 201	234 - 244	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDILTGYYMGSFQDQ (SEQ ID NO: 2800)
1026H02	1154	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
1026H06	1155	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1026H10	1156	144 - 255	167 - 179	195 - 201	234 - 244	1 - 128	26 - 35	50 - 66	99 - 117	GGEYDILTGYYFGLGVYDY (SEQ ID NO: 2170)
1027A09	1157	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1027B02	1158	139 - 250	162 - 174	190 - 196	229 - 239	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
1027B05	1159	140 - 250	163 - 176	192 - 198	230 - 239	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1027C08	1160	138 - 249	161 - 174	190 - 196	229 - 238	1 - 122	26 - 34	49 - 63	96 - 111	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1027D02	1161	141 - 250	164 - 174	190 - 196	229 - 239	1 - 125	26 - 35	50 - 66	99 - 114	DPFGAVPGYYYYAMDV (SEQ ID NO: 2826)
1027E03	1162	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1027E05	1163	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1027F04	1164	144 - 252	167 - 176	192 - 198	231 - 241	1 - 128	26 - 35	50 - 66	99 - 117	GPWYDPLFPSSGRHYGLDV (SEQ ID NO: 2793)
1027F05	1165	140 - 254	163 - 176	192 - 198	231 - 243	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1027F11	1166	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
1027G06	1167	140 - 253	164 - 176	192 - 198	233 - 242	1 - 124	26 - 35	50 - 66	99 - 113	DNYDILTGYSRRFDP (SEQ ID NO: 2942)
1027G07	1168	140 - 250	164 - 174	190 - 196	229 - 239	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1027H03	1169	141 - 252	164 - 176	192 - 198	231 - 241	1 - 125	26 - 35	50 - 66	99 - 114	GDYDILTGPAECFQI (SEQ ID NO: 2854)
1028A04	1170	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	DMYYDILTGYYTGLAFDM (SEQ ID NO: 2880)
1028A07	1171	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	VLNYDILTGYYGMDV (SEQ ID NO: 2832)
1028B08	1172	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
1028B10	1173	148 - 258	170 - 183	199 - 205	238 - 247	1 - 132	26 - 35	50 - 68	101 - 121	DFGYDILTGYYIGAFYAFDI (SEQ ID NO: 2861)
1028C01	1174	142 - 250	165 - 175	191 - 197	230 - 239	1 - 126	26 - 37	52 - 69	102 - 115	GGHTCIPICTHMG (SEQ ID NO: 2796)

1028C04	1175	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DMYYDLTGYTGLAFDM (SEQ ID NO: 2880)
1028C08	1176	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFDI (SEQ ID NO: 2153)
1028D04	1177	140 - 247	163 - 173	189 - 195	228 - 236	1 - 124	26 - 35	50 - 65	98 - 113	ATQDILTGYLYSGMDV (SEQ ID NO: 2977)
1028D05	1178	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	EHYDILTGSYLLGMDV (SEQ ID NO: 2907)
1028D12	1179	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	DGYDILTGSYVYGMVDV (SEQ ID NO: 2938)
1028E06	1180	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 65	98 - 116	EGSYDILTGYVGVGRMDV (SEQ ID NO: 2171)
1028E07	1181	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFDI (SEQ ID NO: 2153)
1028E08	1182	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFDI (SEQ ID NO: 2153)
1028F06	1183	146 - 256	168 - 180	196 - 202	235 - 245	1 - 130	26 - 35	50 - 66	99 - 119	DDRRGYDILTGYRFGSFDI (SEQ ID NO: 2901)
1028F08	1184	134 - 244	156 - 169	185 - 191	224 - 233	1 - 118	26 - 35	50 - 66	99 - 107	DIDIGDDDS (SEQ ID NO: 2954)
1028G08	1185	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	VSGYNSGYFESYDMDV (SEQ ID NO: 2732)
1028G09	1186	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EVARNYDILLTRSYLAGPLDN (SEQ ID NO: 2751)
1028G10	1187	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFDI (SEQ ID NO: 2153)
1028H02	1188	142 - 249	165 - 175	191 - 197	230 - 238	1 - 126	26 - 37	52 - 69	102 - 115	SGEPCITLACNLGG (SEQ ID NO: 2797)
1028H03	1189	148 - 256	169 - 179	195 - 201	234 - 245	1 - 132	26 - 35	50 - 66	99 - 121	DASEYYDILTGYLATGRNWFDP (SEQ ID NO: 2888)
1028H06	1190	145 - 255	167 - 180	196 - 202	235 - 244	1 - 129	26 - 35	50 - 66	99 - 118	DPSYYDILTGYFLPYMDV (SEQ ID NO: 2843)
1028H09	1191	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 68	101 - 113	EIDDILTGYMDV (SEQ ID NO: 2905)
1029A10	1192	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 65	98 - 112	MNYDILTGLVNWFDP (SEQ ID NO: 2786)
1029A12	1193	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 68	101 - 110	RDILTGFYDS (SEQ ID NO: 2933)
1029B11	1194	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFDI (SEQ ID NO: 2153)
1029C08	1195	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EGSYDILTGYVGVGRMDV (SEQ ID NO: 2171)
1029E10	1196	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EVARNYDILLTRSYLAGPLDN (SEQ ID NO: 2751)
1029F08	1197	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EVARNYDILLTRSYLAGPLDN (SEQ ID NO: 2751)
1029G08	1198	141 - 248	162 - 172	188 - 194	227 - 237	1 - 128	26 - 35	50 - 66	99 - 114	GYDILTGYQSDAFDI (SEQ ID NO: 2927)
1030A02	1199	142 - 253	165 - 177	193 - 199	232 - 242	1 - 126	26 - 35	50 - 66	99 - 115	TERFGAKDVTARWGMDV (SEQ ID NO: 2874)
1030A03	1200	140 - 253	163 - 175	191 - 197	230 - 242	1 - 124	26 - 35	50 - 66	99 - 113	ENYDILTGYNGFFDY (SEQ ID NO: 2737)
1030A04	1201	140 - 252	163 - 176	192 - 198	231 - 241	1 - 124	26 - 35	50 - 66	99 - 113	RQYDILTGYGGFFDY (SEQ ID NO: 2958)
1030A05	1202	140 - 249	163 - 175	191 - 197	230 - 238	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1030A09	1203	139 - 250	162 - 174	190 - 196	229 - 239	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
1030A12	1204	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
1030B06	1205	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
1030B08	1206	140 - 247	163 - 173	189 - 195	228 - 236	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1030B10	1207	141 - 251	165 - 175	191 - 197	230 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ELGHRGGYWYSPYNV (SEQ ID NO: 2838)
1030C03	1208	139 - 252	162 - 175	191 - 197	230 - 241	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
1030C06	1209	146 - 256	169 - 182	198 - 204	237 - 245	1 - 130	26 - 35	50 - 68	101 - 119	DPGNYDILTGYYYGYMDV (SEQ ID NO: 2935)

I030C08	1210	133 - 244	156 - 168	184 - 190	223 - 233	1 - 117	26 - 35	50 - 66	99 - 106	SCPGWFDP (SEQ ID NO: 2870)
I030C09	1211	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030C10	1212	140 - 250	163 - 175	191 - 197	230 - 239	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030C11	1213	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
I030C12	1214	133 - 244	156 - 168	184 - 190	223 - 233	1 - 117	26 - 35	50 - 66	99 - 106	SCPGWFDP (SEQ ID NO: 2870)
I030D07	1215	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
I030D12	1216	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030E02	1217	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
I030E05	1218	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030E07	1219	140 - 251	165 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030E08	1220	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030E09	1221	140 - 252	163 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030E10	1222	139 - 250	162 - 174	190 - 196	229 - 239	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
I030F02	1223	141 - 252	164 - 176	192 - 198	231 - 241	1 - 125	26 - 37	52 - 67	100 - 114	AGYDLLTGPFFYFDS (SEQ ID NO: 2757)
I030F05	1224	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030F06	1225	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
I030F08	1226	140 - 254	163 - 176	192 - 198	231 - 243	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030F09	1227	140 - 253	164 - 176	192 - 198	231 - 242	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030F11	1228	139 - 250	162 - 174	190 - 196	229 - 239	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
I030F12	1229	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 35	50 - 66	99 - 113	DNYDLTGYRRFDP (SEQ ID NO: 2942)
I030G03	1230	140 - 256	163 - 176	192 - 202	237 - 245	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030G07	1231	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMMNV (SEQ ID NO: 2755)
I030G09	1232	140 - 251	164 - 174	190 - 196	229 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I030H05	1233	145 - 255	168 - 181	197 - 203	236 - 244	1 - 129	26 - 35	50 - 66	99 - 118	DRGGNYDLTGYFFHHGVDV (SEQ ID NO: 2914)
I030H06	1234	146 - 258	170 - 182	198 - 204	239 - 247	1 - 130	26 - 37	52 - 69	102 - 119	ATKSYDLTRMYYYHMDV (SEQ ID NO: 2748)
I030H10	1235	140 - 253	163 - 176	192 - 198	231 - 242	1 - 124	26 - 35	50 - 66	99 - 113	DNYDLTGYRRFDP (SEQ ID NO: 2942)
I030H11	1236	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I031A01	1237	137 - 248	160 - 173	189 - 195	228 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I031A03	1238	141 - 251	166 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	PYYDPLTAYTFQYFGN (SEQ ID NO: 2806)
I031A08	1239	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	GREDIDKVPWDRYYHYHMDV (SEQ ID NO: 2809)
I031A12	1240	146 - 257	169 - 181	197 - 203	236 - 246	1 - 130	26 - 35	50 - 66	99 - 119	GREDIDKVPWDRYYHYHMDV (SEQ ID NO: 2972)
I031B03	1241	136 - 246	159 - 172	188 - 194	227 - 235	1 - 120	26 - 35	50 - 66	101 - 109	GLGHTDSDS (SEQ ID NO: 2959)
I031B06	1242	142 - 253	165 - 177	193 - 199	232 - 242	1 - 126	26 - 35	50 - 66	99 - 115	AKGYYDSSGASDVFDV (SEQ ID NO: 2871)
I031B07	1243	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	GREDIDKVPWDRYYHYHMDV (SEQ ID NO: 2809)

I031B08	1244	147 - 260	171 - 183	199 - 205	238 - 249	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGHSSYHSAMDV (SEQ ID NO: 2159)
I031B09	1245	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	SNPPKWYDALTGHSSYHSAMDV (SEQ ID NO: 2840)
I031B11	1246	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I031B12	1247	147 - 259	170 - 183	199 - 205	238 - 248	1 - 131	26 - 35	50 - 66	99 - 120	GREDTDKVKPWDRYYHYYYMDV (SEQ ID NO: 2809)
I031C01	1248	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I031C02	1249	141 - 253	164 - 177	193 - 199	232 - 242	1 - 125	26 - 35	50 - 66	99 - 114	PFYDTLTSYVFQYFDH (SEQ ID NO: 2137)
I031C04	1250	147 - 260	171 - 183	199 - 205	238 - 249	1 - 131	26 - 35	50 - 66	99 - 120	GRKDTDKVKPWDRYYHYYYMDV (SEQ ID NO: 2813)
I031C08	1251	137 - 248	161 - 171	187 - 193	226 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I031C11	1252	147 - 257	171 - 181	197 - 203	236 - 246	1 - 131	26 - 35	50 - 66	99 - 120	GREDTDKVKPWDRYYHYYYMDV (SEQ ID NO: 2809)
I031D01	1253	145 - 256	168 - 180	196 - 202	235 - 245	1 - 129	26 - 35	50 - 66	99 - 118	AATTSQKHNKYAYFYFGMDV (SEQ ID NO: 2131)
I031D04	1254	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I031D06	1255	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	GREDTDKVKLWDRYYHYYYMDV (SEQ ID NO: 2807)
I031D08	1256	144 - 257	167 - 180	196 - 202	235 - 246	1 - 128	26 - 35	50 - 66	99 - 117	VRPKLRYFDWLRSRDAFDL (SEQ ID NO: 2820)
I031D09	1257	137 - 247	161 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I031D11	1258	147 - 256	171 - 181	197 - 203	236 - 245	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGDSSYHSAMDV (SEQ ID NO: 2165)
I031D12	1259	144 - 254	168 - 178	194 - 200	233 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DKAHGEYGRDYYYGYGMDV (SEQ ID NO: 2735)
I031E01	1260	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGHSSYHSAMDV (SEQ ID NO: 2159)
I031E05	1261	147 - 257	171 - 181	197 - 203	236 - 246	1 - 131	26 - 35	50 - 66	99 - 120	SGPPKWYDALTGHSSYHSAMDV (SEQ ID NO: 2848)
I031E07	1262	147 - 259	170 - 182	198 - 204	237 - 248	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGHSSYHSAMDV (SEQ ID NO: 2159)
I031E08	1263	147 - 259	170 - 183	199 - 205	238 - 248	1 - 131	26 - 35	50 - 66	99 - 120	GREDTDKVKPWDRYYHYYYMDV (SEQ ID NO: 2809)
I031E09	1264	137 - 246	162 - 173	189 - 195	228 - 235	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I031E10	1265	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGDSSYHSAMDV (SEQ ID NO: 2165)
I031E11	1266	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGHSSYHSAMDV (SEQ ID NO: 2159)
I031F01	1267	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I031F04	1268	137 - 246	162 - 172	188 - 194	227 - 235	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I031F06	1269	135 - 247	159 - 171	187 - 193	226 - 236	1 - 119	26 - 35	50 - 66	99 - 108	DTVRSGGMDV (SEQ ID NO: 2804)
I031F10	1270	147 - 259	170 - 183	199 - 205	238 - 248	1 - 131	26 - 35	50 - 66	99 - 120	GREDTDKVKPWDRYYHYYYMDV (SEQ ID NO: 2809)
I031F11	1271	144 - 255	167 - 179	195 - 201	234 - 244	1 - 128	26 - 35	50 - 66	99 - 117	DKAHGEYGRDYYYGYGMDV (SEQ ID NO: 2735)
I031F12	1272	137 - 249	160 - 172	188 - 194	227 - 238	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)
I031G01	1273	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GYDSSAFRAFDI (SEQ ID NO: 2136)

I031G03	1274	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGHSSTHSAMDV (SEQ ID NO: 2159)
I031G05	1275	147 - 259	170 - 183	199 - 205	238 - 248	1 - 131	26 - 35	50 - 66	99 - 120	GREDDTKVKPWDRYYHYHYMDV (SEQ ID NO: 2809)
I031G06	1276	147 - 258	170 - 182	198 - 204	237 - 247	1 - 131	26 - 35	50 - 66	99 - 120	GREDDTKVKPWDRYYHYHYMDV (SEQ ID NO: 2809)
I031G07	1277	147 - 259	171 - 183	199 - 205	238 - 248	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGDSSTHSAMGV (SEQ ID NO: 2816)
I031G09	1278	147 - 263	170 - 183	199 - 209	244 - 252	1 - 131	26 - 35	50 - 66	99 - 120	GREDDTKVKPWDRYYHYHYMDV (SEQ ID NO: 2809)
I031G12	1279	145 - 256	168 - 180	196 - 202	235 - 245	1 - 129	26 - 35	50 - 66	99 - 118	AATTSQKHKNYAYFYGMVDV (SEQ ID NO: 2131)
I031H01	1280	137 - 250	160 - 173	189 - 195	228 - 239	1 - 121	26 - 35	50 - 66	99 - 110	GYSASAFAFI (SEQ ID NO: 2136)
I031H02	1281	142 - 255	165 - 178	194 - 200	233 - 244	1 - 126	26 - 35	50 - 66	99 - 115	AKGYDDSSGASDVFDV (SEQ ID NO: 2871)
I031H03	1282	147 - 260	170 - 183	199 - 205	238 - 249	1 - 131	26 - 35	50 - 66	99 - 120	GREDDTKVKPWDRYYHYHYMDV (SEQ ID NO: 2809)
I031H06	1283	144 - 257	167 - 179	195 - 201	234 - 246	1 - 128	26 - 35	50 - 66	99 - 117	DKAHGEYGRDYYYYGMVDV (SEQ ID NO: 2735)
I031H09	1284	144 - 255	167 - 179	195 - 201	234 - 244	1 - 128	26 - 35	50 - 66	99 - 117	DKAHGEYGRDYYYYGMVDV (SEQ ID NO: 2735)
I031H10	1285	143 - 256	166 - 179	195 - 201	234 - 245	1 - 127	26 - 35	50 - 66	99 - 116	DRGYTGDRLVGGYFDF (SEQ ID NO: 2931)
I031H11	1286	135 - 246	158 - 170	186 - 192	225 - 235	1 - 119	26 - 35	50 - 66	99 - 108	DTVRSGGMVDV (SEQ ID NO: 2804)
I033A08	1287	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 37	52 - 69	102 - 117	DRYDILTGYYYGMVDV (SEQ ID NO: 2129)
I033B11	1288	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 37	52 - 69	102 - 117	DRYDILTGYYYGMVDV (SEQ ID NO: 2129)
I033C01	1289	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EVRYDILTRSYLAGPLDN (SEQ ID NO: 2751)
I033C08	1290	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	EMGYDILTGYYLNYMDV (SEQ ID NO: 2862)
I033D02	1291	138 - 245	161 - 171	187 - 193	226 - 234	1 - 122	26 - 35	50 - 66	99 - 111	GDYDILTGYYMDV (SEQ ID NO: 2781)
I033D03	1292	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I033D05	1293	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I033D11	1294	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	VKRDILTGYYVEGMVDV (SEQ ID NO: 2869)
I033D12	1295	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	GGPHYDILTGYYMAVGFDI (SEQ ID NO: 2962)
I033E01	1296	139 - 249	161 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	DIDARLAALDAFI (SEQ ID NO: 2794)
I033E06	1297	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATHDPLTGYSFDFDI (SEQ ID NO: 2780)
I033E11	1298	143 - 253	165 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	HRSRCSSTSCRNDAFDI (SEQ ID NO: 2770)
I033E12	1299	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	EMGYDILTGYYLNYMDV (SEQ ID NO: 2862)
I033F03	1300	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	EGAADYLNQYFQD (SEQ ID NO: 2768)
I033F08	1301	145 - 256	167 - 179	195 - 201	234 - 245	1 - 129	26 - 35	50 - 66	99 - 118	QKVYDILTGNYYYYGMVDV (SEQ ID NO: 2767)
I033F10	1302	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EVRYDILTRSYLAGPLDN (SEQ ID NO: 2751)
I033F12	1303	134 - 241	155 - 165	181 - 187	220 - 230	1 - 118	26 - 35	50 - 66	99 - 107	DIDIGGDDS (SEQ ID NO: 2954)
I033G01	1304	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDILTGYYIGNGAFDI (SEQ ID NO: 2158)
I033G03	1305	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	PQGVTLVRGAETDAFI (SEQ ID NO: 2925)

I033G08	1306	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSEDGFDI (SEQ ID NO: 2153)
I033H04	1307	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	25 - 34	49 - 65	98 - 113	ATYDPLTGYSEDGFDI (SEQ ID NO: 2153)
I037A05	1308	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHYGMDV (SEQ ID NO: 2133)
I037B03	1309	141 - 251	163 - 175	191 - 197	230 - 240	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTRLNYYWYFDL (SEQ ID NO: 2950)
I037B04	1310	144 - 251	167 - 177	193 - 199	232 - 240	1 - 128	26 - 35	50 - 66	99 - 117	DPGYDILTGYYHRYGMDV (SEQ ID NO: 2922)
I037C04	1311	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 65	98 - 115	ENGDDILTGQIFYGMDV (SEQ ID NO: 2752)
I037C06	1312	141 - 249	163 - 173	189 - 195	228 - 238	1 - 125	26 - 35	50 - 66	99 - 114	LYYDILTGYHWDADF (SEQ ID NO: 2882)
I037C08	1313	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	DGIDILLVPAALMDV (SEQ ID NO: 2160)
I037D11	1314	136 - 246	158 - 171	187 - 193	226 - 235	1 - 120	26 - 35	50 - 66	99 - 109	SQWLEHVDVFDI (SEQ ID NO: 2864)
I037E06	1315	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 66	99 - 117	DRRDYDILLTRYYYGYGMDV (SEQ ID NO: 2928)
I037F04	1316	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 65	98 - 117	KQRGDYDILTGQQLGYAFDI (SEQ ID NO: 2808)
I037G01	1317	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTRLNYYWYFDL (SEQ ID NO: 2950)
I037G03	1318	146 - 256	168 - 181	197 - 203	236 - 245	1 - 130	26 - 35	50 - 66	99 - 119	DLGSFYDILTALRLNYYGMDV (SEQ ID NO: 2963)
I037G10	1319	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	DYYDILTKLPYGMDV (SEQ ID NO: 2975)
I042A07	1320	144 - 251	167 - 177	193 - 199	232 - 240	1 - 128	26 - 35	50 - 66	99 - 117	VSPSYDILTGYYLPHAFDV (SEQ ID NO: 2849)
I042A10	1321	142 - 249	165 - 175	191 - 197	230 - 238	1 - 126	26 - 35	50 - 65	98 - 115	GPRYYDILTGYYRWNWFD (SEQ ID NO: 2801)
I042B03	1322	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	DIDDLTGYYLGMVDV (SEQ ID NO: 2924)
I042B12	1323	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTGLNYYWYFDL (SEQ ID NO: 2166)
I042D01	1324	136 - 246	158 - 171	187 - 193	226 - 235	1 - 120	26 - 35	50 - 68	99 - 109	QQWLPYDAFDI (SEQ ID NO: 2839)
I042D03	1325	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 65	101 - 113	AYYDILTGYYFDI (SEQ ID NO: 2873)
I042D10	1326	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 65	98 - 115	ERADYDILTGYYFYGMDV (SEQ ID NO: 2802)
I042E10	1327	147 - 257	169 - 182	198 - 204	237 - 246	1 - 131	26 - 37	52 - 69	102 - 120	ERPYYDILTGYYTVTYGMDV (SEQ ID NO: 2798)
I042E11	1328	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	DEYDILTGLLQGMVDV (SEQ ID NO: 2883)
I042F08	1329	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 37	52 - 67	100 - 115	GDYDILTGYYLPHAFDI (SEQ ID NO: 2738)
I042F12	1330	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	DGYDILTGYYFGMDV (SEQ ID NO: 2976)
I042G08	1331	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	EHYDILTGYSLLGMDV (SEQ ID NO: 2907)
I042G10	1332	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	SHYDILTGLNYYWYFDL (SEQ ID NO: 2166)
I042H03	1333	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 65	98 - 116	GSYYDILTGYYIGNAFDI (SEQ ID NO: 2759)
I043A03	1334	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DGYDILTGYYFYGMDV (SEQ ID NO: 2899)
I043B02	1335	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 65	98 - 115	GGYYDILTGYYVYGMVDV (SEQ ID NO: 2744)
I043B03	1336	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSEDGFDI (SEQ ID NO: 2153)
I043B06	1337	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DQYDILTGYYHYYMDV (SEQ ID NO: 2828)
I043B07	1338	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSEDGFDI (SEQ ID NO: 2153)
I043B09	1339	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 65	98 - 116	HVRDYDILTGYYRGHHFDY (SEQ ID NO: 2727)
I043D11	1340	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EVRYDILTRSYLAGPLDN (SEQ ID NO: 2751)
I043E05	1341	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	TESNYDILTGYYWPSMDV (SEQ ID NO: 2940)

I043F01	1342	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I043F04	1343	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I043F12	1344	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	TESNYDLTGYYWFSMDV (SEQ ID NO: 2940)
I043H07	1345	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I044A11	1346	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 68	101 - 117	APYDILTGYSFYGMDV (SEQ ID NO: 2968)
I044B11	1347	139 - 249	161 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	DS DARLAALDAFDI (SEQ ID NO: 2978)
I044C09	1348	140 - 250	162 - 174	190 - 196	229 - 239	1 - 124	26 - 35	50 - 66	99 - 113	GQFGLPNYYHYHMDV (SEQ ID NO: 2943)
I044C10	1349	143 - 253	165 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DIKRYNSNWPYYDYMDV (SEQ ID NO: 2726)
I044D03	1350	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DKQYYDILTGDPVEGMDV (SEQ ID NO: 2889)
I044D09	1351	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I044E07	1352	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSSLVITYGTDV (SEQ ID NO: 2825)
I044E11	1353	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	SDDYDILTGNYVGSLLDY (SEQ ID NO: 2758)
I044F07	1354	147 - 257	169 - 182	198 - 204	237 - 246	1 - 131	26 - 35	50 - 66	99 - 120	DGRLSYDILTGYARDYYGMDV (SEQ ID NO: 2912)
I044G02	1355	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I044G07	1356	149 - 259	171 - 184	200 - 206	239 - 248	1 - 133	26 - 35	50 - 66	99 - 122	DQNHPIYDILTGYYVPTGPLELKN (SEQ ID NO: 2845)
I044H01	1357	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 66	99 - 117	EVRYNDLLTRSYLAGPLDN (SEQ ID NO: 2751)
I050A01	1358	141 - 253	164 - 177	193 - 199	232 - 242	1 - 125	26 - 35	50 - 66	99 - 114	DMGYDILTGYYGAFDI (SEQ ID NO: 2946)
I050B12	1359	141 - 253	164 - 177	193 - 199	232 - 242	1 - 125	26 - 35	50 - 66	99 - 114	DYYDVLTFSLDGMMDV (SEQ ID NO: 2829)
I050C06	1360	140 - 248	165 - 175	191 - 197	230 - 237	1 - 124	26 - 35	50 - 65	98 - 113	DHYDVLTGSLYLAQAFDV (SEQ ID NO: 2728)
I050C08	1361	141 - 253	164 - 177	193 - 199	232 - 242	1 - 125	26 - 37	52 - 67	100 - 114	GRYDFLTGRLNFDY (SEQ ID NO: 2731)
I050E01	1362	140 - 252	163 - 176	192 - 198	231 - 241	1 - 124	26 - 35	50 - 66	99 - 113	GHYDILTGYYFGFDY (SEQ ID NO: 2886)
I050E10	1363	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	DMKVYYKYALDV (SEQ ID NO: 2823)
I050H08	1364	141 - 253	164 - 177	193 - 199	232 - 242	1 - 125	26 - 35	50 - 66	99 - 114	DLRYDILTGHDADFID (SEQ ID NO: 2890)
I051A04	1365	147 - 258	170 - 183	199 - 205	238 - 247	1 - 131	26 - 35	50 - 66	99 - 120	SSPKWYDALTGHSYHSAMDV (SEQ ID NO: 2159)
I051A08	1366	141 - 252	164 - 176	192 - 198	231 - 241	1 - 125	26 - 35	50 - 66	99 - 114	HRRARVVVPVPGAMDV (SEQ ID NO: 2930)
I051A12	1367	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	DGSYDILTGYYDNYMDV (SEQ ID NO: 2154)
I051B08	1368	142 - 253	165 - 177	193 - 199	232 - 242	1 - 126	26 - 36	51 - 67	100 - 115	RSMVVTTAPYDAFDL (SEQ ID NO: 2785)
I051C06	1369	135 - 246	158 - 170	186 - 192	225 - 235	1 - 119	26 - 35	50 - 66	99 - 108	DTVRSGLMDV (SEQ ID NO: 2804)
I051G12	1370	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	DGSYDILTGYYDNYMDV (SEQ ID NO: 2154)
I055A05	1371	133 - 244	156 - 169	185 - 191	224 - 233	1 - 117	26 - 35	50 - 66	99 - 106	SGPGWFDP (SEQ ID NO: 2870)
I055A11	1372	133 - 244	156 - 169	185 - 191	224 - 233	1 - 117	26 - 35	50 - 66	99 - 106	SGPGWFDP (SEQ ID NO: 2870)
I061A03	1373	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGSSIVGATTGALDM (SEQ ID NO: 2852)
I061A04	1374	141 - 251	165 - 175	191 - 197	230 - 240	1 - 125	26 - 35	50 - 66	99 - 114	GDYDILTGYPAEFCFI (SEQ ID NO: 2854)
I061A08	1375	140 - 253	164 - 176	192 - 198	233 - 242	1 - 124	26 - 35	50 - 66	99 - 113	DNYDILTGYSRRFDP (SEQ ID NO: 2942)

I061A09.	1376	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I061A10	1377	140 - 249	163 - 173	189 - 195	228 - 238	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I061B07	1378	140 - 252	163 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I061B09	1379	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	24 - 33	48 - 64	97 - 116	EGGNYDLTGYYIGNGAFDI (SEQ ID NO: 2158)
I061B12	1380	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I061C12	1381	138 - 248	160 - 173	189 - 195	228 - 237	1 - 122	26 - 35	50 - 66	99 - 111	TYDYDLTGYYHFDY (SEQ ID NO: 2788)
I061D01	1382	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 68	101 - 110	GPVIGNYDY (SEQ ID NO: 2749)
I061D03	1383	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I061D04	1384	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	AVLRSAGLQGAFFDI (SEQ ID NO: 2970)
I061D07	1385	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	VSGYNSGYFESYDMDV (SEQ ID NO: 2732)
I061D09	1386	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	LNLEKTVVRGFGYFDL (SEQ ID NO: 2952)
I061D10	1387	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	DHYDILTGLYYYGMDV (SEQ ID NO: 2760)
I061E01	1388	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	LNLEKTVVRGFGYFDL (SEQ ID NO: 2952)
I061E05	1389	142 - 251	163 - 175	191 - 197	230 - 240	1 - 126	26 - 35	50 - 66	99 - 115	GGELVWFGESEDYVGMDV (SEQ ID NO: 2787)
I061E09	1390	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I061E12	1391	133 - 240	154 - 164	180 - 186	219 - 229	1 - 117	26 - 35	50 - 66	99 - 106	SQRLFDS (SEQ ID NO: 2842)
I061F01	1392	146 - 256	168 - 181	197 - 203	236 - 245	1 - 130	26 - 35	50 - 66	99 - 119	DRYYDILTGYYPGLDDAFDI (SEQ ID NO: 2887)
I061F09	1393	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	DSDLAALDAFDI (SEQ ID NO: 2978)
I061F10	1394	145 - 252	166 - 176	192 - 198	231 - 241	1 - 129	26 - 35	50 - 66	99 - 118	EESYYDILTGYVHYVGMDV (SEQ ID NO: 2743)
I061F11	1395	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYYFDGFDI (SEQ ID NO: 2949)
I061G01	1396	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I061G03	1397	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	AYYDILTGLPYDMDL (SEQ ID NO: 2771)
I061G09	1398	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EVRNYDLTSLYLAGPLDN (SEQ ID NO: 2751)
I061G10	1399	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 65	98 - 116	EGSYDILTGYVVGVRMDV (SEQ ID NO: 2171)
I061G11	1400	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 68	101 - 110	RDILTGFYDS (SEQ ID NO: 2933)
I061H05	1401	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 37	52 - 67	100 - 115	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I064A05	1402	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 68	101 - 115	DFYDILTGYQHGMVDV (SEQ ID NO: 2919)
I064A11	1403	138 - 248	160 - 173	189 - 195	228 - 237	1 - 122	26 - 35	50 - 66	99 - 111	HSKEYNWNALDY (SEQ ID NO: 2754)
I064B01	1404	138 - 248	160 - 173	189 - 195	228 - 237	1 - 122	26 - 35	50 - 66	99 - 111	TRMDVLTTRYSDY (SEQ ID NO: 2750)
I064B02	1405	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	AFEDYDILTGYHHDAFDI (SEQ ID NO: 2911)
I064B12	1406	133 - 243	155 - 168	184 - 190	223 - 232	1 - 117	26 - 35	50 - 66	99 - 106	PSYHYMDV (SEQ ID NO: 2740)
I064C06	1407	145 - 255	167 - 180	196 - 202	235 - 244	1 - 129	26 - 35	50 - 66	99 - 118	VNADYDILTGYPRDYGMVDV (SEQ ID NO: 2819)
I064D01	1408	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I064D02	1409	146 - 256	168 - 181	197 - 203	236 - 245	1 - 130	26 - 35	50 - 66	99 - 119	EDATYYDILTGYMGSGMDV (SEQ ID NO: 2763)
I064E01	1410	143 - 250	166 - 176	192 - 198	231 - 239	1 - 127	26 - 35	50 - 66	99 - 116	ETRKYTSSPPNYYYMDV (SEQ ID NO: 2736)
I064E02	1411	140 - 251	162 - 174	190 - 196	229 - 240	1 - 124	26 - 35	50 - 66	99 - 113	RDYDILTGYSRGFDP (SEQ ID NO: 2725)

I064E03	1412	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DGIYDILTTLVSYNGMDV (SEQ ID NO: 2775)
I064E07	1413	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 65	98 - 113	GERDILTYVLDGMDV (SEQ ID NO: 2948)
I064E08	1414	140 - 250	162 - 174	190 - 196	229 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ERGSYSGYGAFDV (SEQ ID NO: 2898)
I064F05	1415	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	ESGGYSYSGRDYYGMDV (SEQ ID NO: 2836)
I064F08	1416	145 - 252	166 - 176	192 - 198	231 - 241	1 - 129	26 - 35	50 - 66	99 - 118	DRGVGYDILTGRTYYGMDV (SEQ ID NO: 2900)
I064G06	1417	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I065A12	1418	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DVSGHDILTYSYRYFDV (SEQ ID NO: 2795)
I065C04	1419	139 - 249	161 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	GQKNYESSGYLEH (SEQ ID NO: 2916)
I065C09	1420	140 - 250	162 - 174	190 - 196	229 - 239	1 - 124	26 - 35	50 - 66	99 - 113	GDYDILTYYSHFY (SEQ ID NO: 2908)
I065E02	1421	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	AYDYDILTGYSYFY (SEQ ID NO: 2895)
I065E04	1422	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I065F03	1423	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSMLTYGTDV (SEQ ID NO: 2773)
I065G06	1424	135 - 242	156 - 166	182 - 188	221 - 231	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I065G07	1425	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	GGNYDILTGYYGAFDI (SEQ ID NO: 2824)
I065G08	1426	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFPHYGMDV (SEQ ID NO: 2133)
I065H06	1427	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	GYEYDILTYGYNELGAFDI (SEQ ID NO: 2851)
I066A03	1428	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DGTYDILTYGYNQYGMVDV (SEQ ID NO: 2915)
I066A08	1429	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSMLTYGTDV (SEQ ID NO: 2773)
I066A09	1430	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I066A10	1431	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	DRGYDILTYYYGMDV (SEQ ID NO: 2876)
I066A11	1432	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	EVRYDILTYYYISYMDV (SEQ ID NO: 2778)
I066B02	1433	135 - 242	156 - 166	182 - 188	221 - 231	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I066B08	1434	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSMLTYGTDV (SEQ ID NO: 2773)
I066B10	1435	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	GLYFEDTNYRHGDAFDI (SEQ ID NO: 2790)
I066C02	1436	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I066C11	1437	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I066C12	1438	135 - 242	156 - 166	182 - 188	221 - 231	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I066D06	1439	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ENYDPLTGYYGAFDI (SEQ ID NO: 2772)
I066D08	1440	138 - 248	160 - 173	189 - 195	228 - 237	1 - 122	26 - 35	50 - 66	99 - 111	HSKEYWNWYALDY (SEQ ID NO: 2754)
I066D11	1441	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	ERSQDFLTGVDRYHFMDV (SEQ ID NO: 2956)
I066D12	1442	139 - 249	161 - 174	190 - 196	229 - 238	1 - 123	26 - 35	50 - 66	99 - 112	EGAADYLNQYFQH (SEQ ID NO: 2815)
I066E06	1443	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSMLTYGTDV (SEQ ID NO: 2773)
I066E12	1444	135 - 242	156 - 166	182 - 188	221 - 231	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I066G05	1445	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	GLYFEDTNYRHGDAFDI (SEQ ID NO: 2790)
I066G08	1446	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	VYYDILTGHTYGMVDV (SEQ ID NO: 2791)
I066G10	1447	144 - 254	166 - 178	194 - 200	233 - 243	1 - 128	26 - 35	50 - 68	101 - 117	GIYDILTYHWDDAFDI (SEQ ID NO: 2872)

I066G12	1448	143 - 254	165 - 177	193 - 199	232 - 243	1 - 127	26 - 35	50 - 66	99 - 116	ESTYDILTGSYHDYGLDV (SEQ ID NO: 2822)
I066H04	1449	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 65	98 - 116	DRLHYDILTGHQTDADFID (SEQ ID NO: 2885)
I067A07	1450	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	VLTYNDILTGYYREDAFDM (SEQ ID NO: 2939)
I067A11	1451	135 - 245	157 - 170	186 - 192	225 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I067B08	1452	149 - 259	171 - 184	200 - 206	239 - 248	1 - 133	26 - 35	50 - 66	99 - 122	DRGASNYDILTGYYAPAQGVAFDI (SEQ ID NO: 2969)
I067C08	1453	148 - 258	170 - 183	199 - 205	238 - 247	1 - 132	26 - 37	52 - 69	102 - 121	EGAHYDILTGHNYHYHYGMDV (SEQ ID NO: 2747)
I067C09	1454	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	ETRKYTSSPPYNYHYMDV (SEQ ID NO: 2736)
I067D07	1455	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSLMTYGTIDV (SEQ ID NO: 2773)
I067E01	1456	140 - 248	164 - 174	190 - 196	229 - 238	1 - 124	26 - 35	50 - 66	99 - 113	DQHDILTGYYGMDV (SEQ ID NO: 2921)
I067E06	1457	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I067E07	1458	150 - 260	172 - 184	200 - 206	239 - 249	1 - 134	26 - 35	50 - 67	100 - 123	DYPGEYDILTGILFLGYYGMDV (SEQ ID NO: 2926)
I067E11	1459	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I067G03	1460	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ARRVGLGKNAFEI (SEQ ID NO: 2765)
I067G05	1461	140 - 250	162 - 174	190 - 196	229 - 239	1 - 124	26 - 35	50 - 66	99 - 113	DQHDILTGYYGMDV (SEQ ID NO: 2894)
I067G12	1462	141 - 252	163 - 176	192 - 198	231 - 241	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I067H05	1463	146 - 256	168 - 180	196 - 202	235 - 245	1 - 130	26 - 35	50 - 68	101 - 119	EGTYDILTGYYPLGYFDY (SEQ ID NO: 2936)
I067H06	1464	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I068C09	1465	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	GGSSQNFYGMDV (SEQ ID NO: 2884)
I068G03	1466	143 - 254	166 - 178	194 - 200	233 - 243	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDILTGYYMGSAFDQ (SEQ ID NO: 2800)
I068G04	1467	142 - 252	165 - 178	194 - 200	233 - 241	1 - 126	26 - 35	50 - 66	99 - 115	GVVWVAYGDVGYGFDV (SEQ ID NO: 2937)
I068G07	1468	140 - 251	164 - 174	190 - 196	229 - 240	1 - 124	26 - 35	50 - 66	99 - 113	HDYYMTAAHYYYDS (SEQ ID NO: 2909)
I068G08	1469	143 - 254	166 - 178	194 - 200	233 - 243	1 - 127	26 - 35	50 - 66	99 - 116	GIGYDILLTGFTGSPLDY (SEQ ID NO: 2846)
I070F07	1470	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	DFYDILTGYPDAFDI (SEQ ID NO: 2910)
I070G05	1471	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 68	101 - 113	DVDDILTGYSWDY (SEQ ID NO: 2867)
I070H02	1472	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYSYGGYFDY (SEQ ID NO: 2179)
I071A01	1473	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	AAVDPLTGYSFDFGDI (SEQ ID NO: 2783)
I071A03	1474	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	DMHYDILTGYYTGLAFDM (SEQ ID NO: 2917)
I071B08	1475	142 - 252	166 - 176	192 - 198	231 - 241	1 - 126	27 - 36	51 - 67	100 - 115	GGYDILTQYPAEHHFHP (SEQ ID NO: 2764)
I071E01	1476	138 - 248	160 - 173	189 - 195	228 - 237	1 - 122	26 - 35	50 - 66	99 - 111	DFGVIGDYRPFYD (SEQ ID NO: 2777)
I071F11	1477	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	SSNPVYGLDV (SEQ ID NO: 2957)
I071G11	1478	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I071H08	1479	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I074A02	1480	141 - 250	164 - 174	190 - 196	229 - 239	1 - 125	26 - 35	50 - 66	99 - 114	DDRDILTNYYLEYFQH (SEQ ID NO: 2868)
I074A08	1481	147 - 259	170 - 182	198 - 204	237 - 248	1 - 131	26 - 35	50 - 66	99 - 120	SSPPKWYDALTGDSYHSAMDV (SEQ ID NO: 2165)

1074D10	1482	144 - 253	168 - 178	194 - 200	233 - 242	1 - 128	26 - 35	50 - 66	99 - 117	DKTLGDQLVEAAYYYDGMV (SEQ ID NO: 2776)
1074E01	1483	144 - 255	168 - 178	194 - 200	233 - 244	1 - 128	26 - 35	50 - 66	99 - 117	LGRTSRDLTGYHFYNMVDV (SEQ ID NO: 2944)
1074E02	1484	140 - 250	164 - 174	190 - 196	229 - 239	1 - 124	26 - 35	50 - 66	99 - 113	DDYDLTGSYYFDS (SEQ ID NO: 2803)
1074E08	1485	143 - 259	166 - 179	195 - 205	240 - 248	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDLTGYMGSADFQ (SEQ ID NO: 2800)
1074F12	1486	140 - 250	164 - 174	190 - 196	229 - 239	1 - 124	26 - 35	50 - 66	99 - 113	DRADLTGYNDAFDI (SEQ ID NO: 2739)
1074H06	1487	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMNV (SEQ ID NO: 2755)
1074H07	1488	143 - 253	167 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDLTGYMGSADFQ (SEQ ID NO: 2800)
1074H08	1489	142 - 254	165 - 178	194 - 200	233 - 243	1 - 126	26 - 35	50 - 66	99 - 115	VSNDLTGWGGYNWFDP (SEQ ID NO: 2955)
1075A07	1490	143 - 253	167 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDLTGYMGSADFQ (SEQ ID NO: 2800)
1075B01	1491	133 - 244	156 - 168	184 - 190	223 - 233	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
1075B04	1492	133 - 247	156 - 169	185 - 191	224 - 236	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
1075B06	1493	140 - 252	163 - 175	191 - 197	230 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1075B08	1494	143 - 257	166 - 179	195 - 201	234 - 246	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDLTGYMGSADFQ (SEQ ID NO: 2800)
1075B09	1495	141 - 252	164 - 176	192 - 198	231 - 241	1 - 125	26 - 35	50 - 66	99 - 114	TYYDLTGYAYFQH (SEQ ID NO: 2932)
1075B12	1496	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 35	50 - 66	99 - 113	SDYDLTGYWVPAV (SEQ ID NO: 2812)
1075C01	1497	147 - 259	170 - 183	199 - 205	238 - 248	1 - 131	26 - 35	50 - 66	99 - 120	GRBDTKVKPWPDRYFHYVMDV (SEQ ID NO: 2835)
1075C05	1498	133 - 244	156 - 168	184 - 190	223 - 233	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
1075D05	1499	143 - 253	168 - 179	195 - 201	234 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDLTGYMGSVDFP (SEQ ID NO: 2897)
1075D07	1500	141 - 252	164 - 176	192 - 198	231 - 241	1 - 125	26 - 35	50 - 66	99 - 114	SYYDLTGYHTPLDY (SEQ ID NO: 2853)
1075D08	1501	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1075E01	1502	143 - 253	167 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDLTGYMGSADFQ (SEQ ID NO: 2800)
1075E03	1503	148 - 261	172 - 184	200 - 206	239 - 250	1 - 132	28 - 37	52 - 68	101 - 121	GGYDLTGYSPYLYGLDV (SEQ ID NO: 2865)
1075E04	1504	143 - 255	166 - 179	195 - 201	234 - 244	1 - 127	26 - 35	50 - 66	99 - 116	GRGYDLTGYFTGSPLDY (SEQ ID NO: 2881)
1075E05	1505	140 - 252	163 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1075E10	1506	140 - 252	163 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1075E11	1507	133 - 244	156 - 168	184 - 190	223 - 233	1 - 117	26 - 35	50 - 66	99 - 106	SGPGWFDP (SEQ ID NO: 2870)
1075E12	1508	142 - 254	165 - 178	194 - 200	233 - 243	1 - 126	26 - 35	50 - 66	99 - 115	TDRFGAKDVTARWGMV (SEQ ID NO: 2979)
1075F02	1509	144 - 253	168 - 178	194 - 200	233 - 242	1 - 128	26 - 35	50 - 66	99 - 117	EQGYDLTGYPEGGFDP (SEQ ID NO: 2834)
1075F04	1510	141 - 251	164 - 176	192 - 198	231 - 240	1 - 125	26 - 37	52 - 67	100 - 114	AGYDLTGYPFYFDS (SEQ ID NO: 2757)
1075F06	1511	144 - 254	168 - 178	194 - 200	233 - 243	1 - 128	26 - 35	50 - 66	99 - 117	GRNYDFLTGFNFNLGLDY (SEQ ID NO: 2830)
1075F07	1512	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 35	50 - 66	99 - 113	ENYDSLTYGNYFDY (SEQ ID NO: 2971)
1075F08	1513	133 - 244	156 - 168	184 - 190	223 - 233	1 - 117	26 - 35	50 - 66	99 - 106	DQRKAQDI (SEQ ID NO: 2779)
1075F09	1514	145 - 257	169 - 181	197 - 203	236 - 246	1 - 129	26 - 35	50 - 66	99 - 118	LKAPYDILLTGYHLPKFDT (SEQ ID NO: 2953)
1075F10	1515	133 - 243	157 - 167	183 - 189	222 - 232	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
1075F11	1516	133 - 245	156 - 169	185 - 191	224 - 234	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)

I075G05	1517	140-252	163-175	191-197	230-241	1-124	26-34	49-65	98-113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I075G07	1518	140-252	163-175	191-197	230-241	1-124	26-35	50-66	99-113	GRYYDMLTRGGYFDY (SEQ ID NO: 2858)
I075G08	1519	140-252	163-176	192-198	231-241	1-124	26-35	50-66	99-113	RQYDILTGYGGYFDY (SEQ ID NO: 2958)
I075G11	1520	141-253	164-177	193-199	232-242	1-125	26-35	50-66	99-114	TDYDILTGYPMGYFDP (SEQ ID NO: 2173)
I075G12	1521	133-245	156-169	185-191	224-234	1-117	26-35	50-66	99-106	DQGRYLDL (SEQ ID NO: 2175)
I075H02	1522	143-254	166-178	194-200	233-243	1-127	26-35	50-66	99-116	GTGYDILTGYMGSAFDQ (SEQ ID NO: 2800)
I075H03	1523	133-245	156-169	185-191	224-234	1-117	26-35	50-66	99-106	DQGRYLDL (SEQ ID NO: 2175)
I075H06	1524	133-244	156-168	184-190	223-233	1-117	26-35	50-66	99-106	DQGRYLDL (SEQ ID NO: 2175)
I075H08	1525	143-254	166-179	195-201	234-243	1-127	26-35	50-66	99-116	GSGYDILTGYFTGSPLDY (SEQ ID NO: 2766)
I076A01	1526	142-253	166-176	192-198	231-242	1-126	26-35	50-66	99-115	DRRDDLTGYLYDAFDS (SEQ ID NO: 2878)
I076A03	1527	135-247	159-171	187-193	226-236	1-119	26-35	50-68	101-108	GYDTAMQY (SEQ ID NO: 2951)
I076A06	1528	133-245	156-168	184-190	223-234	1-117	26-35	50-66	99-106	DQGRYLDL (SEQ ID NO: 2175)
I076A07	1529	139-250	162-174	190-196	229-239	1-123	26-35	50-66	99-112	DRRDILTGSNFGQD (SEQ ID NO: 2913)
I076A08	1530	142-253	166-176	192-198	231-242	1-126	26-35	50-66	99-115	MGHYDILTGYRHYGMDV (SEQ ID NO: 2831)
I076B01	1531	143-257	167-179	195-201	236-246	1-127	26-35	50-66	99-116	GSGYDILTGYFTGSPLDY (SEQ ID NO: 2766)
I076B03	1532	133-245	156-169	185-191	224-234	1-117	26-35	50-66	99-106	DQGRYLDL (SEQ ID NO: 2175)
I076B07	1533	133-243	157-167	183-189	222-232	1-117	26-35	50-66	99-106	DQGRYLDL (SEQ ID NO: 2175)
I076B08	1534	141-252	166-177	193-199	232-241	1-125	26-35	50-66	99-114	PYYDPLTAYTFQYFGN (SEQ ID NO: 2806)
I076C04	1535	140-250	164-174	190-196	229-239	1-124	26-34	49-65	98-113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I076C10	1536	140-251	163-175	191-197	230-240	1-124	26-35	50-66	99-113	GRYYDMLTRGGYFDY (SEQ ID NO: 2858)
I076D01	1537	141-252	164-176	192-198	231-241	1-124	26-35	50-66	99-114	LDYDILTGYPSGFDY (SEQ ID NO: 2799)
I076D08	1538	140-251	163-175	191-197	230-240	1-124	26-37	52-67	100-113	RFYDILTGYSAFDS (SEQ ID NO: 2756)
I076D11	1539	143-255	166-179	195-201	234-244	1-127	26-35	50-66	99-116	GTGYDILTGYMGSAFDQ (SEQ ID NO: 2800)
I076D12	1540	140-250	164-174	190-196	229-239	1-124	26-34	49-65	98-113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I076E04	1541	143-252	167-177	193-199	232-241	1-127	26-35	50-66	99-116	GTGYDILTGYMGSAFDQ (SEQ ID NO: 2800)
I076E07	1542	140-251	163-175	191-197	230-240	1-124	26-35	50-66	99-113	EYDVLTLGLFYMDV (SEQ ID NO: 2841)
I076E09	1543	141-253	164-177	193-199	232-242	1-125	26-35	50-66	99-114	DRDILTNYLEYFQH (SEQ ID NO: 2868)
I076E11	1544	143-254	166-179	195-201	234-243	1-127	26-35	50-66	99-116	GTGYDILTGYMGSAFDQ (SEQ ID NO: 2800)
I076F01	1545	143-253	166-178	194-199	232-242	1-127	26-35	50-66	99-116	GTGYDILTGYMGSAFDQ (SEQ ID NO: 2800)
I076F03	1546	140-251	163-175	191-197	230-240	1-124	26-36	51-66	99-113	GDYDVLTYLRKLDY (SEQ ID NO: 2742)
I076F04	1547	133-245	157-169	185-191	224-234	1-117	26-35	50-66	99-106	DQGRYLDL (SEQ ID NO: 2175)
I076F08	1548	140-250	164-174	190-196	229-239	1-124	26-36	51-66	99-113	VHYDILTGYLWAFDI (SEQ ID NO: 2730)
I076F10	1549	140-252	163-175	191-197	230-241	1-124	26-34	49-65	98-113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I076G09	1550	133-245	156-168	184-190	223-234	1-117	26-35	50-66	99-106	DQGRYLDL (SEQ ID NO: 2175)
I076G10	1551	140-251	163-175	191-197	230-240	1-124	26-35	50-66	99-113	GRYYDMLTRGGYFDY (SEQ ID NO: 2858)
I076G11	1552	143-259	166-179	195-205	240-248	1-127	26-35	50-66	99-116	GTGYDILTGYMGSAFDQ (SEQ ID NO: 2800)

1076G12	1553	146 - 257	169 - 181	197 - 203	236 - 246	1 - 130	26 - 35	50 - 66	99 - 119	NGYYDLTGYLWDYYYGMDV (SEQ ID NO: 2769)
1076H02	1554	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 35	50 - 66	99 - 113	ENYDLTGYNYFDY (SEQ ID NO: 2971)
1076H04	1555	141 - 251	165 - 175	191 - 197	230 - 240	1 - 125	26 - 35	50 - 66	99 - 114	THYDLTGYSHPLDY (SEQ ID NO: 2863)
1076H05	1556	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1076H06	1557	140 - 252	163 - 176	192 - 198	231 - 241	1 - 124	26 - 35	50 - 66	99 - 113	VPYDLTGYWGAFDV (SEQ ID NO: 2827)
1076H09	1558	143 - 256	166 - 179	195 - 201	234 - 245	1 - 127	26 - 35	50 - 66	99 - 116	GSYDLTGYFTGSPDY (SEQ ID NO: 2766)
1076H10	1559	143 - 256	166 - 179	195 - 201	234 - 245	1 - 127	26 - 35	50 - 66	99 - 116	GSYDLTGYFTGSPDY (SEQ ID NO: 2766)
1077D06	1560	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	VYYDLTGYNLFFDY (SEQ ID NO: 2177)
1078B04	1561	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	VYYDLTGYNLFFDY (SEQ ID NO: 2177)
1078E10	1562	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	MEYDLTGYGGYFDY (SEQ ID NO: 2179)
1002A01-K	1563	141 - 250	164 - 174	190 - 196	229 - 239	1 - 125	26 - 35	50 - 66	99 - 114	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1002A01-R	1564	141 - 250	164 - 174	190 - 196	229 - 239	1 - 125	26 - 35	50 - 66	99 - 114	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1026C04-K	1565	141 - 250	164 - 176	192 - 198	231 - 239	1 - 125	26 - 35	50 - 66	99 - 114	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1026C04-R	1566	141 - 250	164 - 176	192 - 198	231 - 239	1 - 125	26 - 35	50 - 66	99 - 114	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1067B10	1567	149 - 259	171 - 183	199 - 205	238 - 248	1 - 133	26 - 35	50 - 66	99 - 122	DRGAPNYDLTGYYPAAQGVAFDI (SEQ ID NO: 2176)
1068C06	1568	133 - 244	156 - 169	185 - 191	224 - 233	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
1075F12	1569	133 - 244	156 - 168	184 - 190	223 - 233	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
1003C06	1570	140 - 249	163 - 173	189 - 195	228 - 238	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1025B06	1571	140 - 249	163 - 175	191 - 197	230 - 238	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1025B09	1572	140 - 249	163 - 175	191 - 197	230 - 238	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1026C04	1573	140 - 249	163 - 175	191 - 197	230 - 238	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1027B12	1574	141 - 250	164 - 174	190 - 196	229 - 239	1 - 125	26 - 34	49 - 65	99 - 114	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1030A10	1575	140 - 252	163 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1064C04	1576	147 - 257	169 - 182	198 - 204	237 - 246	1 - 131	26 - 35	50 - 66	99 - 120	DGRSLYDLTGYARDYYGMDD (SEQ ID NO: 2188)
1064C07	1577	134 - 241	157 - 167	183 - 189	222 - 230	1 - 118	26 - 35	50 - 66	99 - 107	SEGTFGV (SEQ ID NO: 2178)
1065D04	1578	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 36	51 - 66	99 - 117	GKGYDLTGYRDNWFD (SEQ ID NO: 2181)
1065D08	1579	147 - 257	169 - 182	198 - 204	237 - 246	1 - 131	26 - 35	50 - 66	99 - 120	TPSSVYDLTGYHYFYSYM (SEQ ID NO: 2189)
1065F08	1580	135 - 242	158 - 168	184 - 190	223 - 231	1 - 119	26 - 35	50 - 66	99 - 108	EKSAAGYFDY (SEQ ID NO: 2190)
1067F05	1581	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ENYDLTGYGAFDI (SEQ ID NO: 2185)
1068B04	1582	133 - 244	156 - 168	184 - 190	223 - 233	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
1068B08	1583	140 - 252	163 - 175	191 - 197	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	KLGLSIVGATTGALDM (SEQ ID NO: 2186)
1068C08	1584	142 - 254	165 - 178	194 - 200	233 - 243	1 - 126	26 - 35	50 - 66	99 - 115	EGMNDFINSHHYTM (SEQ ID NO: 2182)
1068F03	1585	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	AGNEYGHTERP (SEQ ID NO: 2180)
1069B07	1586	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	MEYDLTGYGGYFDY (SEQ ID NO: 2179)

I071B03	1587	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I072B09	1588	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I073F04	1589	136 - 246	158 - 171	187 - 193	226 - 235	1 - 120	26 - 35	50 - 66	99 - 109	SLATRPLGMDV (SEQ ID NO: 2184)
I074B12	1590	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I075A02	1591	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I075G01	1592	140 - 251	164 - 174	190 - 196	229 - 240	1 - 124	26 - 35	50 - 66	99 - 113	DHFDILTGYFRRLLS (SEQ ID NO: 2187)
I078D02	1593	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	VYYDILTGVNLFDDY (SEQ ID NO: 2177)
I078D08	1594	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 66	99 - 117	DAQSYDILTGYQSYAFDI (SEQ ID NO: 2183)
I078H08	1595	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	VYYDILTGVNLFDDY (SEQ ID NO: 2177)
I064A03	1596	150 - 257	171 - 181	197 - 203	236 - 246	1 - 134	26 - 35	50 - 66	99 - 123	GPSTTYDILTGYTPPYYYMDV (SEQ ID NO: 3014)
I064B03	1597	145 - 255	167 - 179	195 - 201	234 - 244	1 - 129	26 - 37	52 - 67	100 - 118	HVRDYDILTGYRGHYFDY (SEQ ID NO: 2167)
I064B05	1598	140 - 250	162 - 174	190 - 196	229 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ERGVVTAYGGDSFDL (SEQ ID NO: 2985)
I064B11	1599	138 - 248	160 - 173	189 - 195	228 - 237	1 - 122	26 - 35	50 - 66	99 - 111	DRPGLLSFFES (SEQ ID NO: 3033)
I064C02	1600	146 - 256	168 - 180	196 - 202	235 - 245	1 - 130	26 - 35	50 - 66	99 - 119	DEYDILTGYQAPYYYYGMDV (SEQ ID NO: 3068)
I064C03	1601	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ERGVVTAYGGDSFDL (SEQ ID NO: 2985)
I064C11	1602	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 65	98 - 116	DVTYHDLTGYAGHEAFDI (SEQ ID NO: 3055)
I064C12	1603	148 - 255	171 - 181	197 - 203	236 - 244	1 - 132	26 - 37	52 - 69	102 - 121	ESGRYDILTGYSGGGGMDV (SEQ ID NO: 3012)
I064D03	1604	146 - 256	168 - 181	197 - 203	236 - 245	1 - 130	26 - 35	50 - 66	99 - 119	DGANYDILTGYTTTYYGMDV (SEQ ID NO: 3072)
I064D04	1605	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	RSYDILTGYTYTYGMDV (SEQ ID NO: 3090)
I064D06	1606	134 - 244	156 - 169	185 - 191	224 - 233	1 - 118	26 - 35	50 - 66	99 - 107	EGSSGYLVG (SEQ ID NO: 2981)
I064E05	1607	146 - 256	168 - 180	196 - 202	235 - 245	1 - 130	26 - 37	52 - 67	100 - 119	KQRGDYDILTGYQLGYAFDI (SEQ ID NO: 2808)
I064E06	1608	145 - 255	167 - 180	196 - 202	235 - 244	1 - 129	26 - 35	50 - 66	99 - 118	ERPGYDILTGYPSIYGMDV (SEQ ID NO: 3053)
I064F07	1609	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFDI (SEQ ID NO: 2153)
I064F09	1610	147 - 257	169 - 181	197 - 203	236 - 246	1 - 131	26 - 35	50 - 66	99 - 120	DTLGYDILTGYPPPPYYMDV (SEQ ID NO: 2988)
I064F10	1611	143 - 253	165 - 177	193 - 199	232 - 242	1 - 127	22 - 31	46 - 62	95 - 116	DTLGYDILTGYPPPPYYMDV (SEQ ID NO: 2988)
I064F11	1612	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 65	98 - 115	GRHYDILTGYNEAFDI (SEQ ID NO: 3031)
I064G01	1613	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	NYDVLITQSYTYGMDV (SEQ ID NO: 3077)
I064G04	1614	133 - 243	155 - 167	183 - 189	222 - 232	1 - 117	26 - 35	50 - 66	99 - 106	DNSGTYYG (SEQ ID NO: 3084)
I064G08	1615	138 - 245	159 - 169	185 - 191	224 - 234	1 - 122	26 - 35	50 - 66	99 - 111	GGVTAGRSVYFDS (SEQ ID NO: 2990)
I064G10	1616	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	SPNGDYSGYAWGLE (SEQ ID NO: 3085)
I064G11	1617	138 - 248	160 - 173	189 - 195	228 - 237	1 - 122	26 - 35	50 - 65	98 - 111	YFDGSGYYPVVSFSY (SEQ ID NO: 3064)
I064G12	1618	139 - 249	161 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 65	98 - 112	VNYDILTGLYYFEDY (SEQ ID NO: 3049)
I064H03	1619	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 37	52 - 67	100 - 116	SYDILTGRPYTDAFDI (SEQ ID NO: 2989)
I064H04	1620	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	PLGITAVRGAKTDAFGI (SEQ ID NO: 2929)

I064H06	1621	149 - 256	170 - 180	196 - 202	235 - 245	1 - 133	26 - 35	50 - 66	99 - 122	DRGASNYDILTGYYAPAQGVAFDI (SEQ ID NO: 2969)
I065A02	1622	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I065A04	1623	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I065A06	1624	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I065A07	1625	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DGGYDILTGYYGMDV (SEQ ID NO: 2987)
I065B01	1626	145 - 255	167 - 180	196 - 202	235 - 244	1 - 129	26 - 35	50 - 65	98 - 118	WATYDILTGYYKDHAGFDI (SEQ ID NO: 3017)
I065B05	1627	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	SPGDDILTGYYKYFFDY (SEQ ID NO: 3032)
I065B09	1628	146 - 253	167 - 177	193 - 199	232 - 242	1 - 130	26 - 35	50 - 66	99 - 119	DAGESYDILTGYYVIEGYMDV (SEQ ID NO: 2986)
I065B12	1629	139 - 249	161 - 174	190 - 196	229 - 238	1 - 123	26 - 35	50 - 66	99 - 112	EGAADYLNQYFQH (SEQ ID NO: 2815)
I065C02	1630	136 - 246	158 - 170	186 - 192	225 - 235	1 - 120	26 - 35	50 - 66	99 - 109	EGSWSGLDLDY (SEQ ID NO: 3007)
I065C06	1631	141 - 253	163 - 175	191 - 197	230 - 242	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I065C08	1632	141 - 250	163 - 176	192 - 198	231 - 239	1 - 125	26 - 35	50 - 66	99 - 114	VSGYNSGYFESYDMDV (SEQ ID NO: 2732)
I065C10	1633	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	QGGQYDSPPLDV (SEQ ID NO: 3002)
I065D01	1634	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	DRDYDILTDYSNYGMDV (SEQ ID NO: 3074)
I065D03	1635	142 - 249	165 - 175	191 - 197	230 - 238	1 - 126	26 - 35	50 - 66	99 - 115	APLYDILTGYYGGNDY (SEQ ID NO: 3028)
I065D05	1636	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DKDYDILTGYYWRDELDDY (SEQ ID NO: 3040)
I065D06	1637	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	DPNYDILTGYYYYAMDV (SEQ ID NO: 3062)
I065E01	1638	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	EFQQLARGHGMDV (SEQ ID NO: 3027)
I065E05	1639	137 - 244	158 - 168	184 - 190	223 - 233	1 - 121	26 - 35	50 - 66	99 - 110	AGSLMTYGTDV (SEQ ID NO: 2773)
I065E06	1640	146 - 256	168 - 181	197 - 203	236 - 245	1 - 130	26 - 35	50 - 66	99 - 119	ARGSYDILTGYYRPGDGYFFDY (SEQ ID NO: 3043)
I065E08	1641	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	GLYPEDTNYRHGDAFDI (SEQ ID NO: 2790)
I065E09	1642	145 - 255	167 - 179	195 - 201	234 - 244	1 - 129	26 - 35	50 - 65	98 - 118	ERSYYDILTGYSRSPKGYMDV (SEQ ID NO: 3021)
I065E12	1643	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I065F04	1644	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ERGVTAYGGDSFDL (SEQ ID NO: 2985)
I065F05	1645	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 65	98 - 113	RYSDALTGYSLGAFDV (SEQ ID NO: 3018)
I065F07	1646	145 - 252	166 - 176	192 - 198	231 - 241	1 - 129	26 - 38	53 - 69	102 - 118	GAYYDILTGYYGMDV (SEQ ID NO: 2860)
I065F09	1647	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	DYPIDVLTGRRTKNWFDP (SEQ ID NO: 3013)
I065F12	1648	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	DQVDRLLMQNYNMDA (SEQ ID NO: 3047)
I065G01	1649	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I065G09	1650	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 68	101 - 116	DAYYDILTGWVYGMDV (SEQ ID NO: 3030)
I065G10	1651	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 36	51 - 66	99 - 113	FRYDILTGYYGMDV (SEQ ID NO: 2983)
I065H05	1652	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	EYYDILTGYSGAFDI (SEQ ID NO: 2984)
I065H07	1653	138 - 248	160 - 173	189 - 195	228 - 237	1 - 122	26 - 35	50 - 66	99 - 111	TRMDVLTTRYYSDF (SEQ ID NO: 2750)
I066A05	1654	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSLMTYGTDV (SEQ ID NO: 2773)

I066A06	1655	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	EGAADYLNQYFQH (SEQ ID NO: 2815)
I066A12	1656	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	DTRVIGIQLWERGAADM (SEQ ID NO: 3080)
I066B05	1657	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFGDI (SEQ ID NO: 2153)
I066B11	1658	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	PLGITAVRGAKTDAFGI (SEQ ID NO: 2929)
I066C06	1659	144 - 254	166 - 178	194 - 200	233 - 243	1 - 128	26 - 35	50 - 65	98 - 117	GRRYYDILTGYSLGRGMDV (SEQ ID NO: 3009)
I066C10	1660	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFGDI (SEQ ID NO: 2153)
I066D02	1661	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGTSLMNYGTDV (SEQ ID NO: 3048)
I066D07	1662	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	GPYDVLGTGLSGNFDY (SEQ ID NO: 2992)
I066E01	1663	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	QGGQYDSPPFDV (SEQ ID NO: 3001)
I066E03	1664	149 - 259	171 - 184	200 - 206	239 - 248	1 - 133	26 - 35	50 - 66	99 - 122	GEKARYYDILTGYYSAWGGYYMDV (SEQ ID NO: 3045)
I066E04	1665	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	LNLEKTVIRGFGYFDL (SEQ ID NO: 3081)
I066E05	1666	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	VGGYDILTGYYLRGMDV (SEQ ID NO: 2997)
I066E07	1667	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFGDI (SEQ ID NO: 2153)
I066E09	1668	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFGDI (SEQ ID NO: 2153)
I066F01	1669	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	SPYDPLTGYYVNGVDV (SEQ ID NO: 3058)
I066F03	1670	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFGDI (SEQ ID NO: 2153)
I066F04	1671	141 - 251	163 - 175	191 - 197	230 - 240	1 - 125	26 - 35	50 - 66	99 - 114	VAAAGARTLGYFGMDV (SEQ ID NO: 3071)
I066F07	1672	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DVSGHDILTGYSRYFDV (SEQ ID NO: 2795)
I066F08	1673	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	SPMYDRLTGYPYSGYFDS (SEQ ID NO: 3036)
I066F11	1674	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	GAYYDILTGYPYSGYFDS (SEQ ID NO: 2860)
I066F12	1675	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	GPSSAGTTIGLSFDP (SEQ ID NO: 3005)
I066G06	1676	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	ETRKYTSSPPNYYYMDV (SEQ ID NO: 2736)
I066G07	1677	133 - 243	155 - 168	184 - 190	223 - 232	1 - 119	26 - 35	45 - 61	94 - 106	DQFSVGGRAHFDL (SEQ ID NO: 3054)
I066H02	1678	135 - 242	156 - 166	182 - 188	221 - 231	1 - 125	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I067A02	1679	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFGDI (SEQ ID NO: 2153)
I067A03	1680	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSSLMTYGTDV (SEQ ID NO: 2773)
I067A06	1681	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSGDFGDI (SEQ ID NO: 2153)
I067A08	1682	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSSLMTYGTDV (SEQ ID NO: 2773)
I067A10	1683	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ERGVVTAYGGDSFDL (SEQ ID NO: 2985)
I067B03	1684	142 - 253	164 - 177	193 - 199	232 - 242	1 - 126	26 - 35	50 - 66	99 - 115	PLGITAVRGAKTDAFGI (SEQ ID NO: 2929)
I067B04	1685	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSSLMTYGTDV (SEQ ID NO: 2773)
I067C03	1686	133 - 244	156 - 169	185 - 191	224 - 233	1 - 117	26 - 35	50 - 66	99 - 106	DWGHWFDP (SEQ ID NO: 2982)
I067C05	1687	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	SGSSLMTYGTDV (SEQ ID NO: 3015)
I067C07	1688	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	EPYDILTGYYGSYFDY (SEQ ID NO: 3041)
I067C10	1689	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSSLMTYGTDV (SEQ ID NO: 2773)

1067C12	1690	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	TYYDILTGSGGAFDY (SEQ ID NO: 3024)
1067D01	1691	136 - 246	158 - 171	187 - 193	226 - 235	1 - 120	26 - 35	50 - 66	99 - 109	GSRVGVTPDL (SEQ ID NO: 3020)
1067D03	1692	137 - 244	158 - 168	184 - 190	223 - 233	1 - 121	26 - 35	50 - 66	99 - 110	AGSLMTYGTDV (SEQ ID NO: 2773)
1067D05	1693	146 - 256	168 - 180	196 - 202	235 - 245	1 - 130	26 - 35	50 - 66	99 - 119	ECSSGSCPARQPPYYQYMDV (SEQ ID NO: 2993)
1067D06	1694	137 - 244	158 - 168	184 - 190	223 - 233	1 - 121	26 - 35	50 - 66	99 - 110	AGSLMTYGTDV (SEQ ID NO: 2773)
1067D09	1695	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	GAYYDILTGYPYGMVDV (SEQ ID NO: 2860)
1067D12	1696	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	QGGQYDSPLDV (SEQ ID NO: 3002)
1067E02	1697	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSLMTYGTDV (SEQ ID NO: 2773)
1067E04	1698	142 - 252	164 - 176	192 - 198	231 - 241	1 - 126	26 - 35	50 - 66	99 - 115	GAYYDILTGYPYGMVDV (SEQ ID NO: 2860)
1067E05	1699	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DYRNYDILTGHPYYGMVDV (SEQ ID NO: 2996)
1067F01	1700	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	QHYDILTGYSQEPDI (SEQ ID NO: 3022)
1067F03	1701	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DQYYDILTGHPYYGMVDV (SEQ ID NO: 2815)
1067F04	1702	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	EGAADYLNQYFQH (SEQ ID NO: 3029)
1067F08	1703	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	LGYYDILTGYSRDDY (SEQ ID NO: 3029)
1067F10	1704	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSLMAYGTDV (SEQ ID NO: 3016)
1067F11	1705	140 - 248	161 - 171	187 - 193	226 - 237	1 - 124	26 - 35	50 - 66	99 - 113	ENYDFLTGYYGAFDI (SEQ ID NO: 2772)
1067G01	1706	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFGGDI (SEQ ID NO: 2153)
1067G09	1707	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSLMTYGTDV (SEQ ID NO: 2773)
1067H07	1708	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 66	99 - 117	GGLYDILTGRPATDDAFDI (SEQ ID NO: 3035)
1068A07	1709	142 - 254	165 - 178	194 - 200	233 - 243	1 - 126	26 - 35	50 - 66	99 - 115	TDRFGAKDVTARWGMDV (SEQ ID NO: 2979)
1068E05	1710	147 - 257	170 - 183	199 - 205	238 - 246	1 - 131	26 - 35	50 - 66	99 - 120	GREDTDKVPWDRYYHYMDV (SEQ ID NO: 2809)
1068E08	1711	133 - 247	157 - 169	185 - 193	226 - 236	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
1068E11	1712	140 - 251	163 - 176	192 - 198	231 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
1068F04	1713	141 - 252	164 - 176	192 - 198	231 - 241	1 - 125	26 - 35	50 - 66	99 - 114	ELGHRREGGYWYSPYNV (SEQ ID NO: 2838)
1068G05	1714	135 - 245	159 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	98 - 108	KNMGASAAADF (SEQ ID NO: 3042)
1068G06	1715	139 - 250	162 - 174	190 - 196	229 - 239	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMYMNV (SEQ ID NO: 2755)
1068G11	1716	146 - 258	169 - 182	198 - 204	237 - 247	1 - 130	26 - 35	50 - 66	99 - 119	ESGSHYDILLTGLLVAANGFDV (SEQ ID NO: 3044)
1069A09	1717	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
1069A10	1718	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
1069B06	1719	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
1069B09	1720	139 - 249	161 - 174	190 - 196	229 - 238	1 - 123	26 - 35	50 - 66	99 - 112	PYYDILTGYYGAFDI (SEQ ID NO: 3026)
1069B12	1721	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
1069C06	1722	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	VLPHYDILTGYSQNWFDV (SEQ ID NO: 3000)
1069C09	1723	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	VLPHYDILTGYSQNWFDV (SEQ ID NO: 3000)
1069D03	1724	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSYGMVDV (SEQ ID NO: 2135)

I069E09	1725	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSYYGMDV (SEQ ID NO: 2135)
I069E11	1726	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	VYDILTGYNLFHDY (SEQ ID NO: 2177)
I069F05	1727	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I069F07	1728	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I069F12	1729	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	GYYDILTGYYDAFDI (SEQ ID NO: 3051)
I069G06	1730	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	DGYDILTGYSYYGMDV (SEQ ID NO: 3059)
I069G08	1731	145 - 252	166 - 176	192 - 198	231 - 241	1 - 129	26 - 35	50 - 66	99 - 118	DRLEYDILTGYYYYGMDV (SEQ ID NO: 3039)
I069G11	1732	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I070A03	1733	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I070A09	1734	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I070B01	1735	144 - 254	166 - 176	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 3038)
I070B05	1736	141 - 251	163 - 173	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	SQSDYDILTGYYGGYFDY (SEQ ID NO: 2179)
I070D03	1737	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I070D04	1738	141 - 251	163 - 173	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 3034)
I070E01	1739	144 - 254	166 - 176	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	SQSDYDILTGYYGGYFDY (SEQ ID NO: 3038)
I070F01	1740	144 - 251	165 - 175	191 - 197	230 - 240	1 - 128	26 - 35	50 - 66	99 - 117	SQSDYDILTGYYGGYFDY (SEQ ID NO: 3067)
I070G10	1741	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I071A06	1742	135 - 242	156 - 166	182 - 188	221 - 231	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I071B02	1743	135 - 245	157 - 170	186 - 192	225 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I071D02	1744	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGTSLMNYGTDV (SEQ ID NO: 3048)
I071D08	1745	146 - 256	168 - 181	197 - 203	236 - 245	1 - 130	26 - 37	52 - 66	99 - 110	VPYYDTSGGYLGYYGMDV (SEQ ID NO: 3010)
I071F01	1746	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGTSLMNYGTDV (SEQ ID NO: 3048)
I071G09	1747	141 - 251	163 - 173	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I072A01	1748	139 - 249	161 - 174	190 - 196	229 - 238	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLLPHYGMDV (SEQ ID NO: 2133)
I072A09	1749	141 - 251	163 - 173	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I072B02	1750	135 - 245	157 - 170	186 - 192	225 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I072B10	1751	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGSSLMTYGTDV (SEQ ID NO: 2773)
I072B11	1752	141 - 251	163 - 173	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I072B12	1753	140 - 249	162 - 173	189 - 195	228 - 238	1 - 124	26 - 35	50 - 66	99 - 113	ENYDYLTYGYYGAFDI (SEQ ID NO: 2995)
I072C05	1754	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I072C10	1755	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I072D01	1756	141 - 251	163 - 173	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I072D05	1757	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I072E01	1758	141 - 251	163 - 173	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)
I072E04	1759	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EGSYDILTGYYVGVGRMDV (SEQ ID NO: 2171)
I072E05	1760	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFDI (SEQ ID NO: 2153)

I072E06	1761	135 - 242	156 - 166	182 - 188	221 - 231	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I072F03	1762	135 - 242	156 - 166	182 - 188	221 - 231	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)
I072F07	1763	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I072F11	1764	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	DEYDILTGLLQGMVDV (SEQ ID NO: 2883)
I072G03	1765	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I072G04	1766	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 68	101 - 110	RDILTGFYDS (SEQ ID NO: 2933)
I072G05	1767	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	GYRNDWYGAFEI (SEQ ID NO: 3079)
I072G09	1768	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I072H03	1769	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I072H07	1770	137 - 247	159 - 172	188 - 194	227 - 236	1 - 121	26 - 35	50 - 66	99 - 110	AGTSLMNYGMDV (SEQ ID NO: 3070)
I073A02	1771	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	GPYDILTGYRRDAFDI (SEQ ID NO: 2998)
I073A03	1772	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	THYDILTGYTTADAFDI (SEQ ID NO: 3019)
I073A04	1773	148 - 258	170 - 183	199 - 205	238 - 247	1 - 132	26 - 35	50 - 66	99 - 121	VQMDSEYYDILLTGINVGPPYFDY (SEQ ID NO: 2132)
I073A05	1774	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I073A06	1775	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I073A09	1776	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I073A10	1777	146 - 253	167 - 177	193 - 199	232 - 242	1 - 130	26 - 35	50 - 66	99 - 119	GDGFDYDILTGYPYVYGMVDV (SEQ ID NO: 3082)
I073A11	1778	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	SYDILTGYPPFGMDV (SEQ ID NO: 3004)
I073B02	1779	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DLWYYDILTGYLLDDAFDI (SEQ ID NO: 2999)
I073B05	1780	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	DLWYYDILTGYLLDDAFDI (SEQ ID NO: 2999)
I073B06	1781	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	SRDILLFPHYGMDV (SEQ ID NO: 2133)
I073B07	1782	138 - 248	160 - 173	189 - 195	228 - 237	1 - 122	26 - 35	50 - 66	99 - 111	TRMDVLTRYYSDF (SEQ ID NO: 2750)
I073B08	1783	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I073B11	1784	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I073C01	1785	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	GYHDTLTSYNNWFDV (SEQ ID NO: 3006)
I073C02	1786	148 - 255	169 - 179	195 - 201	234 - 244	1 - 132	26 - 35	50 - 66	99 - 121	AQMDSEYYDILLTGINVGPPYFDY (SEQ ID NO: 3076)
I073C04	1787	141 - 252	164 - 177	193 - 199	232 - 241	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I073C07	1788	134 - 241	155 - 165	181 - 187	220 - 230	1 - 118	26 - 35	50 - 66	99 - 107	GMGDHYMDV (SEQ ID NO: 3008)
I073C08	1789	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	EMGYDILTGYYLNYMDV (SEQ ID NO: 2862)
I073C09	1790	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	QHYDILTGYSQEPFDI (SEQ ID NO: 3022)
I073C11	1791	146 - 256	168 - 181	197 - 203	236 - 245	1 - 130	26 - 35	50 - 68	101 - 119	FNPTYDILTGYIGGYFQH (SEQ ID NO: 2155)
I073C12	1792	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I073D01	1793	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFDFGDI (SEQ ID NO: 2153)
I073D03	1794	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMDV (SEQ ID NO: 2161)

I073D06	1795	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073D08	1796	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EVRYDILLTRSYLAGPLDN (SEQ ID NO: 2751)
I073D10	1797	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 68	101 - 113	QYYDILTGVELDI (SEQ ID NO: 3073)
I073D11	1798	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073E01	1799	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 37	52 - 69	102 - 121	EGAHYDILTGHNYYHYGMDV (SEQ ID NO: 2747)
I073E02	1800	148 - 258	170 - 183	199 - 205	238 - 247	1 - 132	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073E03	1801	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 3003)
I073E05	1802	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	QHYDILTGYSQEPFDI (SEQ ID NO: 3022)
I073E06	1803	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073E08	1804	140 - 250	162 - 175	191 - 197	230 - 239	1 - 124	26 - 35	50 - 66	99 - 113	ENYDPLTGYSFSGFDI (SEQ ID NO: 2772)
I073F01	1805	141 - 251	163 - 175	191 - 197	230 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073F02	1806	141 - 251	163 - 175	191 - 197	230 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073F03	1807	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073F05	1808	141 - 251	163 - 175	191 - 197	230 - 240	1 - 125	26 - 35	50 - 66	99 - 114	GEYDILTGYPYWFYDL (SEQ ID NO: 3023)
I073F07	1809	141 - 251	163 - 175	191 - 197	230 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073F09	1810	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073F11	1811	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073F12	1812	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073G03	1813	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DGSYDILTGYYIDNYMDV (SEQ ID NO: 2154)
I073G04	1814	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 65	98 - 116	GEGGYDILTGRLRGYGMVDV (SEQ ID NO: 3037)
I073G05	1815	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GMGDHYGMVDV (SEQ ID NO: 2161)
I073G06	1816	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073G07	1817	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	GSYYDILTGISLGMVDV (SEQ ID NO: 3063)
I073G08	1818	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	SRDLLFFPHYGMVDV (SEQ ID NO: 2133)
I073G09	1819	145 - 255	167 - 180	196 - 202	235 - 244	1 - 129	26 - 35	50 - 66	99 - 118	DRGHYDILTGYYIEPSGFDY (SEQ ID NO: 3061)
I073G10	1820	135 - 245	157 - 170	186 - 192	225 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GPVGIGNYDY (SEQ ID NO: 2749)
I073G12	1821	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 68	101 - 115	GGMIRAREDYYIMVDV (SEQ ID NO: 3083)
I073H01	1822	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073H03	1823	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073H05	1824	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073H06	1825	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I073H07	1826	138 - 245	159 - 169	185 - 191	224 - 234	1 - 122	26 - 35	50 - 66	99 - 111	TYDILTGYYFEDY (SEQ ID NO: 3056)
I073H08	1827	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	ATYDPLTGYSFSGFDI (SEQ ID NO: 2153)
I074A05	1828	143 - 255	166 - 179	195 - 201	234 - 244	1 - 127	26 - 35	50 - 66	99 - 116	LPPYDMLTGYYVGGGMVDV (SEQ ID NO: 3050)
I074A06	1829	143 - 253	167 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	AKPYTDFRSGSDADAFDV (SEQ ID NO: 3065)
I074B03	1830	133 - 242	156 - 166	182 - 188	221 - 231	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)

I074B11	1831	139 - 251	162 - 175	191 - 197	230 - 240	1 - 123	26 - 35	50 - 66	99 - 112	RYGDPFYYYMNV (SEQ ID NO: 2755)
I074C07	1832	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I074D03	1833	141 - 251	165 - 175	191 - 197	230 - 240	1 - 125	26 - 35	50 - 66	99 - 114	GGYDILTQYPAEFFHP (SEQ ID NO: 2764)
I074D04	1834	133 - 246	156 - 169	185 - 191	224 - 235	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
I074D05	1835	143 - 253	167 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	DRYYDILTGDYYYGMDV (SEQ ID NO: 3060)
I074D07	1836	150 - 262	173 - 186	202 - 208	241 - 251	1 - 134	26 - 35	50 - 66	99 - 123	VQGETYYDILTGYPGWGPKRDLYGMDV (SEQ ID NO: 3069)
I074D08	1837	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVVATTGALDM (SEQ ID NO: 2980)
I074D11	1838	138 - 249	161 - 174	190 - 196	229 - 238	1 - 122	26 - 35	50 - 66	99 - 111	ESEGGDYTNPFY (SEQ ID NO: 2991)
I074E05	1839	133 - 245	156 - 169	185 - 191	224 - 234	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
I074E07	1840	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I074E09	1841	146 - 258	169 - 182	198 - 204	237 - 247	1 - 130	26 - 35	50 - 68	101 - 119	DPGNYDILTGYYYYGMDV (SEQ ID NO: 2935)
I074E11	1842	137 - 244	160 - 170	186 - 192	225 - 233	1 - 121	26 - 35	50 - 66	99 - 110	VRLPHHHYFMAV (SEQ ID NO: 3075)
I074H05	1843	142 - 254	166 - 178	194 - 200	233 - 243	1 - 126	26 - 35	50 - 66	99 - 115	ESSITVNPYPYFYGMDV (SEQ ID NO: 3025)
I075A03	1844	133 - 242	158 - 168	184 - 190	223 - 231	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
I075A10	1845	133 - 244	157 - 169	185 - 191	224 - 233	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
I075B07	1846	143 - 254	166 - 178	194 - 200	233 - 243	1 - 127	26 - 35	50 - 66	99 - 116	SPEGDYQLSSNNWLDLP (SEQ ID NO: 3011)
I075D11	1847	133 - 246	156 - 169	185 - 191	224 - 235	1 - 117	26 - 36	51 - 66	99 - 106	GKEGYNDN (SEQ ID NO: 3089)
I075D12	1848	143 - 253	167 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GSYDILTGFTGSPLDY (SEQ ID NO: 2766)
I075G02	1849	143 - 255	166 - 179	195 - 201	234 - 244	1 - 127	26 - 35	50 - 66	99 - 116	SPEGDYQLSSNNWLDLP (SEQ ID NO: 3011)
I075G09	1850	142 - 253	165 - 177	193 - 199	232 - 242	1 - 126	26 - 35	50 - 66	99 - 115	MGHYDILTGRRHYGMDV (SEQ ID NO: 2831)
I075G10	1851	138 - 250	162 - 174	190 - 196	229 - 239	1 - 122	26 - 35	50 - 66	99 - 111	GNYDILTGYPHDL (SEQ ID NO: 3086)
I075H05	1852	141 - 252	164 - 176	192 - 198	231 - 241	1 - 125	26 - 35	50 - 66	99 - 114	SYDILTGYYHTPLDY (SEQ ID NO: 2853)
I075H07	1853	143 - 253	167 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GSYDILTGFTGSPLDY (SEQ ID NO: 2766)
I076A11	1854	141 - 254	164 - 177	193 - 199	232 - 243	1 - 125	26 - 35	50 - 66	99 - 114	DDRDILTNYLYEYFQH (SEQ ID NO: 2868)
I076A12	1855	143 - 256	166 - 178	194 - 200	233 - 245	1 - 127	26 - 35	50 - 66	99 - 116	GSYDVLTGFTGSPLDY (SEQ ID NO: 3057)
I076B06	1856	140 - 249	164 - 174	190 - 196	229 - 238	1 - 124	26 - 35	50 - 66	99 - 113	GRYDILTGFTSFY (SEQ ID NO: 3066)
I076B10	1857	141 - 254	164 - 177	193 - 199	232 - 243	1 - 125	26 - 35	50 - 66	99 - 114	DDRDILTNYLYEYFQH (SEQ ID NO: 2868)
I076B12	1858	143 - 253	167 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDILTGYYMGSAFDQ (SEQ ID NO: 2800)
I076C06	1859	142 - 253	165 - 177	193 - 199	232 - 242	1 - 126	26 - 35	50 - 66	99 - 115	MGHYDILTGRRHYGMDV (SEQ ID NO: 2831)
I076C11	1860	133 - 245	156 - 168	184 - 190	223 - 234	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
I076D06	1861	140 - 252	163 - 176	192 - 198	231 - 241	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSIVGATTGALDM (SEQ ID NO: 2174)
I076E05	1862	143 - 255	166 - 179	195 - 201	234 - 244	1 - 127	26 - 35	50 - 66	99 - 116	GTGYDILTGYYMGSAFDQ (SEQ ID NO: 2800)
I076E08	1863	133 - 243	157 - 167	183 - 189	222 - 232	1 - 117	26 - 35	50 - 66	99 - 106	DQGRYLDL (SEQ ID NO: 2175)
I076F06	1864	133 - 245	156 - 169	185 - 191	224 - 234	1 - 117	26 - 36	51 - 66	99 - 106	RDVQGAPY (SEQ ID NO: 3088)
I076G01	1865	143 - 254	166 - 178	194 - 200	233 - 243	1 - 127	26 - 35	50 - 66	99 - 116	VEGYDILTGYSFDAFDI (SEQ ID NO: 3078)

I076H01	1866	144 - 254	168 - 178	194 - 200	233 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EQYDILTGYYPEGWFDP (SEQ ID NO: 2834)
I076H03	1867	140 - 250	164 - 174	190 - 196	229 - 239	1 - 124	26 - 34	49 - 65	98 - 113	ELGLSVGATTGALDM (SEQ ID NO: 2174)
I077B05	1868	147 - 257	169 - 182	198 - 204	237 - 246	1 - 131	26 - 37	52 - 69	102 - 120	DKSYDILTGYYGGMDV (SEQ ID NO: 3052)
I077C10	1869	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I077D01	1870	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I077D04	1871	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I077D11	1872	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I077D12	1873	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	EKYDILTGYYDAFDI (SEQ ID NO: 3046)
I077E01	1874	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	EMGYDILTGYYLNMDV (SEQ ID NO: 2862)
I077E03	1875	142 - 252	164 - 177	193 - 199	232 - 241	1 - 126	26 - 35	50 - 66	99 - 115	EMGYDILTGYYLNMDV (SEQ ID NO: 2862)
I077E08	1876	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I077F05	1877	141 - 248	162 - 172	188 - 194	227 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I077G06	1878	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I077H02	1879	141 - 248	164 - 174	190 - 196	229 - 237	1 - 125	26 - 35	50 - 66	99 - 114	MEYDILTGYYGGYFDY (SEQ ID NO: 2179)
I078B05	1880	143 - 253	165 - 178	194 - 200	233 - 242	1 - 127	26 - 35	50 - 66	99 - 116	ESHYDILTGYYSNFSDI (SEQ ID NO: 2994)
I079E02	1881	137 - 244	160 - 170	186 - 192	225 - 233	1 - 121	26 - 35	50 - 66	99 - 110	DSGSYYDAFDI (SEQ ID NO: 2194)
I079F11	1882	132 - 239	155 - 165	181 - 187	220 - 228	1 - 116	26 - 35	50 - 66	99 - 105	TGSGFDY (SEQ ID NO: 2192)
I082G02	1883	136 - 243	159 - 169	185 - 191	224 - 232	1 - 120	26 - 35	50 - 66	99 - 109	DGYRTNDALDI (SEQ ID NO: 2191)
I082H08	1884	131 - 242	154 - 167	183 - 189	222 - 231	1 - 115	26 - 35	50 - 66	99 - 104	DWDMDV (SEQ ID NO: 2193)
I099D03	1885	136 - 247	159 - 172	188 - 194	227 - 236	1 - 120	26 - 35	50 - 66	99 - 109	DNGGGTIGFDY (SEQ ID NO: 2195)
I079B05	1886	130 - 240	152 - 165	181 - 187	220 - 229	1 - 114	26 - 35	50 - 66	99 - 103	FVLDY (SEQ ID NO: 2210)
I079B12	1887	134 - 241	157 - 167	183 - 189	222 - 230	1 - 118	26 - 35	50 - 66	99 - 107	WTSSGAFDI (SEQ ID NO: 2205)
I079C01	1888	131 - 241	153 - 166	182 - 188	221 - 230	1 - 115	26 - 35	50 - 66	99 - 104	DWDMDV (SEQ ID NO: 2193)
I079F06	1889	134 - 241	157 - 167	183 - 189	222 - 230	1 - 118	26 - 35	50 - 66	99 - 107	DNLHAAFDI (SEQ ID NO: 2202)
I079F08	1890	138 - 248	160 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	YYHSSGSDAFDI (SEQ ID NO: 2206)
I080A03	1891	138 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 35	50 - 66	99 - 111	VGKAAA VDNFEY (SEQ ID NO: 2197)
I080A08	1892	135 - 247	158 - 171	187 - 193	226 - 236	1 - 119	26 - 35	50 - 66	99 - 108	VHSTGYAFEN (SEQ ID NO: 2200)
I080B01	1893	142 - 254	166 - 178	194 - 200	233 - 243	1 - 126	26 - 35	50 - 66	99 - 115	EYSGYHYVEGGYAMDV (SEQ ID NO: 2201)
I080D03	1894	138 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 35	50 - 66	99 - 114	VGKAAA VDNFEY (SEQ ID NO: 2197)
I080E05	1895	141 - 253	164 - 177	193 - 199	232 - 242	1 - 125	26 - 35	50 - 66	99 - 114	EGGGDAYDVAPYFDY (SEQ ID NO: 2204)
I080G07	1896	136 - 245	161 - 172	188 - 194	227 - 234	1 - 120	26 - 35	50 - 66	99 - 109	EGPGYYGMDV (SEQ ID NO: 2209)
I080G09	1897	136 - 249	159 - 172	188 - 194	227 - 238	1 - 120	26 - 35	50 - 66	99 - 109	DNGGTIGFDY (SEQ ID NO: 2195)
I082A05	1898	131 - 240	153 - 165	181 - 187	220 - 229	1 - 115	26 - 35	50 - 66	99 - 104	DLDFDY (SEQ ID NO: 2208)
I082B08	1899	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	DLGIAGTIFYDY (SEQ ID NO: 2207)
I082C03	1900	138 - 245	161 - 171	187 - 193	226 - 234	1 - 122	26 - 35	50 - 66	99 - 111	DASRDIVVLPLAI (SEQ ID NO: 2198)
I082D07	1901	134 - 241	157 - 167	183 - 189	222 - 230	1 - 118	26 - 35	50 - 66	99 - 107	WTSSGAFDI (SEQ ID NO: 2205)

I082G01	1902	138 - 245	161 - 171	187 - 193	226 - 234	1 - 122	26 - 35	50 - 66	99 - 111	DRSGWPNWYFDL (SEQ ID NO: 2212)
I083B12	1903	137 - 247	161 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	ESGAGGYYYDDY (SEQ ID NO: 2196)
I083G03	1904	138 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 35	50 - 66	99 - 111	VGKAAAVDNFEY (SEQ ID NO: 2197)
I084A01	1905	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTIDY (SEQ ID NO: 2203)
I084B02	1906	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTIDY (SEQ ID NO: 2203)
I084C04	1907	131 - 238	152 - 162	178 - 184	217 - 227	1 - 115	25 - 34	49 - 65	98 - 104	NLWGLDY (SEQ ID NO: 2199)
I084C11	1908	134 - 244	156 - 169	185 - 191	224 - 233	1 - 118	26 - 35	50 - 66	99 - 107	GNAWGAFDI (SEQ ID NO: 2211)
I079A01	1909	134 - 243	156 - 168	184 - 190	223 - 232	1 - 118	26 - 35	50 - 66	99 - 107	EGVAAAGEDY (SEQ ID NO: 3123)
I079A03	1910	134 - 244	156 - 169	185 - 191	224 - 233	1 - 118	26 - 35	50 - 66	99 - 107	GGMDWDFDY (SEQ ID NO: 3183)
I079A04	1911	134 - 241	155 - 165	181 - 187	220 - 230	1 - 118	26 - 35	50 - 66	99 - 107	VDSSGYAYY (SEQ ID NO: 3213)
I079A06	1912	133 - 240	154 - 164	180 - 186	219 - 229	1 - 117	26 - 35	50 - 66	99 - 106	DAAVTAEG (SEQ ID NO: 3142)
I079A07	1913	136 - 246	158 - 170	186 - 192	225 - 235	1 - 120	26 - 35	50 - 66	99 - 109	GSNYSPDAFDI (SEQ ID NO: 3112)
I079A10	1914	148 - 255	169 - 179	195 - 201	234 - 244	1 - 132	26 - 35	50 - 68	101 - 121	LPPDLRYCDGGICPGFDWLGP (SEQ ID NO: 3163)
I079A11	1915	135 - 242	158 - 168	184 - 190	223 - 231	1 - 119	26 - 35	50 - 66	99 - 108	GPSYYYMAV (SEQ ID NO: 3114)
I079B02	1916	134 - 243	156 - 168	184 - 190	223 - 232	1 - 118	26 - 35	50 - 66	99 - 107	EGVAAAGEDY (SEQ ID NO: 3123)
I079B03	1917	136 - 246	158 - 170	186 - 192	225 - 235	1 - 120	26 - 35	50 - 66	99 - 109	GSNYSPDAFDI (SEQ ID NO: 3112)
I079B04	1918	130 - 240	152 - 165	181 - 187	220 - 229	1 - 114	26 - 35	50 - 66	99 - 103	LLSDY (SEQ ID NO: 3168)
I079B07	1919	138 - 245	159 - 169	185 - 191	224 - 234	1 - 122	26 - 35	50 - 66	99 - 111	DLGSYFSRYFDY (SEQ ID NO: 3193)
I079B09	1920	139 - 246	162 - 172	188 - 194	227 - 235	1 - 123	26 - 35	50 - 66	99 - 112	VEWEDIVVGSADF (SEQ ID NO: 3128)
I079C02	1921	144 - 251	167 - 177	193 - 199	232 - 240	1 - 128	26 - 35	50 - 66	99 - 117	VTSLYSSSSGGYYGYGMDV (SEQ ID NO: 3145)
I079C04	1922	132 - 239	155 - 165	181 - 187	220 - 228	1 - 116	26 - 35	50 - 66	99 - 105	GWRGVYD (SEQ ID NO: 3195)
I079C05	1923	140 - 247	163 - 173	189 - 195	228 - 236	1 - 124	26 - 35	50 - 66	99 - 113	AGGNPRSGSLVYFDY (SEQ ID NO: 3225)
I079C07	1924	137 - 244	158 - 168	184 - 190	223 - 233	1 - 121	26 - 35	50 - 66	99 - 110	GLDVYAYYGLDV (SEQ ID NO: 3176)
I079D01	1925	144 - 254	166 - 179	195 - 201	234 - 243	1 - 128	26 - 35	50 - 66	99 - 117	EVRYDILLTRSYLAGPLDN (SEQ ID NO: 2751)
I079D02	1926	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 66	99 - 108	EIGWEGAFDI (SEQ ID NO: 3178)
I079D04	1927	133 - 243	155 - 167	183 - 189	222 - 232	1 - 117	26 - 35	50 - 66	99 - 106	VRPGLMDV (SEQ ID NO: 3132)
I079D06	1928	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	EAYTSSWAEFDF (SEQ ID NO: 3190)
I079D07	1929	136 - 243	157 - 167	183 - 189	222 - 232	1 - 120	26 - 35	50 - 66	99 - 109	NITPLAMVGDF (SEQ ID NO: 3146)
I079D08	1930	130 - 240	152 - 165	181 - 187	220 - 229	1 - 114	26 - 35	50 - 66	99 - 103	LIEDF (SEQ ID NO: 3161)
I079D09	1931	131 - 238	152 - 162	178 - 184	217 - 227	1 - 115	26 - 35	50 - 66	99 - 104	DSGSPD (SEQ ID NO: 3108)
I079D11	1932	134 - 241	157 - 167	183 - 189	222 - 230	1 - 118	26 - 35	50 - 66	99 - 107	EGVAAAGEDY (SEQ ID NO: 3123)
I079E06	1933	136 - 244	158 - 168	184 - 190	223 - 233	1 - 120	26 - 35	50 - 66	99 - 109	EKRGSRRVFDI (SEQ ID NO: 3093)
I079E08	1934	137 - 247	159 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	EAYASSWAEFDF (SEQ ID NO: 3189)
I079E11	1935	136 - 243	159 - 169	185 - 191	224 - 232	1 - 120	26 - 35	50 - 66	99 - 109	PYSGSYAFDI (SEQ ID NO: 3185)
I079E12	1936	143 - 253	165 - 177	193 - 199	232 - 242	1 - 127	26 - 35	50 - 66	99 - 116	ARDYYDSSGGYVPDAFDI (SEQ ID NO: 3107)
I079F01	1937	133 - 241	154 - 164	180 - 186	219 - 230	1 - 117	26 - 35	50 - 66	99 - 106	GHPYGMVDV (SEQ ID NO: 3098)

I079F02	1938	148 - 253	169 - 179	195 - 201	234 - 242	1 - 132	26 - 35	50 - 68	101 - 121	LPPDLRYCDGGMCSGFDWLGP (SEQ ID NO: 3219)
I079F03	1939	140 - 247	161 - 171	187 - 193	226 - 236	1 - 124	26 - 35	50 - 66	99 - 113	ESLLTHEYCGSDCYS (SEQ ID NO: 3115)
I079F04	1940	136 - 243	157 - 167	183 - 189	222 - 232	1 - 120	26 - 35	50 - 66	99 - 109	NSAPPAPSMVDV (SEQ ID NO: 3099)
I079F09	1941	130 - 237	151 - 161	177 - 183	216 - 226	1 - 114	26 - 35	50 - 66	99 - 103	RYDY (SEQ ID NO: 3139)
I079F10	1942	136 - 243	157 - 167	183 - 189	222 - 232	1 - 120	26 - 35	50 - 66	99 - 109	NITPLAMVGDF (SEQ ID NO: 3146)
I079F12	1943	136 - 243	159 - 169	185 - 191	224 - 232	1 - 120	26 - 35	50 - 66	99 - 109	ADYSNDYYMDV (SEQ ID NO: 3166)
I079G02	1944	136 - 243	157 - 167	183 - 189	222 - 232	1 - 120	26 - 35	50 - 66	99 - 109	NITPLAMVGDF (SEQ ID NO: 3146)
I079G05	1945	136 - 243	159 - 169	185 - 191	224 - 232	1 - 120	26 - 35	50 - 66	99 - 109	FPLESYYYMDV (SEQ ID NO: 3124)
I079G06	1946	135 - 245	157 - 170	186 - 192	225 - 234	1 - 119	26 - 35	50 - 66	99 - 108	GNSFGRTLDY (SEQ ID NO: 3158)
I079H05	1947	136 - 243	157 - 167	183 - 189	222 - 232	1 - 120	26 - 35	50 - 66	99 - 109	DVPPPDGYLEV (SEQ ID NO: 3192)
I079H06	1948	134 - 241	157 - 167	183 - 189	222 - 230	1 - 118	26 - 35	50 - 66	99 - 107	ASYPVPFDY (SEQ ID NO: 3171)
I080A01	1949	131 - 242	154 - 166	182 - 188	221 - 231	1 - 115	26 - 35	50 - 66	99 - 104	GGWLDD (SEQ ID NO: 3210)
I080A02	1950	133 - 245	156 - 169	185 - 191	224 - 234	1 - 117	26 - 35	50 - 66	99 - 106	EHSSSFDY (SEQ ID NO: 3111)
I080A05	1951	141 - 253	164 - 177	193 - 199	232 - 242	1 - 125	26 - 35	50 - 66	99 - 114	EGEGDGYNVAPYYFDY (SEQ ID NO: 3160)
I080A06	1952	141 - 250	166 - 176	192 - 198	231 - 239	1 - 125	26 - 35	50 - 66	99 - 114	EAGGSGSYHFSFFDY (SEQ ID NO: 3188)
I080A07	1953	135 - 247	158 - 171	187 - 193	226 - 236	1 - 119	26 - 35	50 - 66	99 - 108	TGIWGYFDY (SEQ ID NO: 3175)
I080A10	1954	141 - 252	164 - 176	192 - 198	231 - 241	1 - 125	26 - 35	50 - 66	99 - 114	DGNLNYDGSTDYGMDV (SEQ ID NO: 3140)
I080B02	1955	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	LGRNYSWSDY (SEQ ID NO: 3181)
I080B03	1956	138 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 35	50 - 66	99 - 111	VVGYSSTLGTDV (SEQ ID NO: 3096)
I080B05	1957	137 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 35	50 - 66	99 - 110	LGVARGREAFDL (SEQ ID NO: 3206)
I080B06	1958	142 - 254	165 - 177	193 - 199	232 - 243	1 - 126	26 - 37	52 - 69	102 - 115	AVRSPGYYYMDV (SEQ ID NO: 3125)
I080B07	1959	133 - 243	157 - 167	183 - 189	222 - 232	1 - 117	26 - 35	50 - 66	99 - 106	GRKPLFDY (SEQ ID NO: 3141)
I080B08	1960	136 - 248	159 - 172	188 - 194	227 - 237	1 - 120	26 - 37	52 - 67	100 - 109	KORREKYFDY (SEQ ID NO: 3100)
I080B09	1961	142 - 254	165 - 178	194 - 200	233 - 243	1 - 126	26 - 35	50 - 66	99 - 115	EKAUETTSGEADPDI (SEQ ID NO: 3151)
I080B10	1962	138 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 37	52 - 67	100 - 111	RPALRSLWYFDL (SEQ ID NO: 3102)
I080B11	1963	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 68	101 - 110	LHCTGGSCGF (SEQ ID NO: 3186)
I080B12	1964	139 - 253	164 - 179	195 - 201	234 - 242	1 - 123	26 - 35	50 - 66	99 - 112	NPYYDSSEGFY (SEQ ID NO: 3109)
I080C03	1965	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	SGRQAYYYGMDV (SEQ ID NO: 3091)
I080C06	1966	144 - 254	168 - 178	194 - 200	233 - 243	1 - 128	26 - 36	51 - 66	99 - 117	DYDGGSSYSSGDYYMDV (SEQ ID NO: 3227)
I080C07	1967	144 - 256	167 - 180	196 - 202	235 - 245	1 - 128	26 - 35	50 - 66	99 - 117	DSDLVVIPTAIQGRYYFDN (SEQ ID NO: 3113)
I080C08	1968	137 - 249	160 - 173	189 - 195	228 - 238	1 - 121	26 - 35	50 - 66	99 - 110	GKRYSGWYFDI (SEQ ID NO: 3130)
I080C10	1969	131 - 243	154 - 167	183 - 189	222 - 232	1 - 115	26 - 35	50 - 66	99 - 104	DTPLDP (SEQ ID NO: 3094)
I080C11	1970	137 - 249	160 - 173	189 - 195	228 - 238	1 - 121	26 - 35	50 - 66	99 - 110	EGDPTDNDADFV (SEQ ID NO: 3155)
I080C12	1971	138 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 35	50 - 66	99 - 111	DGPTYARPYLDH (SEQ ID NO: 3153)
I080D01	1972	136 - 245	161 - 171	187 - 193	226 - 234	1 - 120	26 - 35	50 - 66	99 - 109	DGTYKDWGFDY (SEQ ID NO: 3220)
I080D02	1973	141 - 254	164 - 177	193 - 199	232 - 243	1 - 125	26 - 35	50 - 66	99 - 114	ETFSHCSGGSCYPFDY (SEQ ID NO: 3212)

I080D04	1974	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	SRQAYYYGMDV (SEQ ID NO: 3091)
I080D05	1975	136 - 246	160 - 170	186 - 192	225 - 235	1 - 120	26 - 35	50 - 66	99 - 109	EFFGYVYLTIDY (SEQ ID NO: 3165)
I080D08	1976	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 68	101 - 110	LHCTGGSCGF (SEQ ID NO: 3186)
I080D09	1977	138 - 250	161 - 174	190 - 196	229 - 239	1 - 122	26 - 35	50 - 66	99 - 111	VDYTDYEMGAFEI (SEQ ID NO: 3187)
I080D11	1978	135 - 247	158 - 171	187 - 193	226 - 236	1 - 119	26 - 35	50 - 66	99 - 108	VGNFGYYFEY (SEQ ID NO: 3196)
I080D12	1979	135 - 245	159 - 169	185 - 191	224 - 234	1 - 119	26 - 35	50 - 68	101 - 108	SSRNGGDY (SEQ ID NO: 3214)
I080E01	1980	136 - 246	160 - 170	186 - 192	225 - 235	1 - 120	26 - 35	50 - 66	99 - 109	DLRVAGRFDY (SEQ ID NO: 3164)
I080E04	1981	136 - 247	159 - 171	187 - 193	226 - 236	1 - 120	26 - 37	52 - 67	100 - 109	HDVYGDLFY (SEQ ID NO: 3211)
I080E06	1982	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 68	101 - 110	LHCSGGSCGF (SEQ ID NO: 3221)
I080E07	1983	142 - 254	165 - 178	194 - 200	233 - 243	1 - 126	26 - 35	50 - 66	99 - 115	EGSIVGATLTINDAFDI (SEQ ID NO: 3150)
I080E08	1984	137 - 249	160 - 173	189 - 195	228 - 238	1 - 121	26 - 35	50 - 66	99 - 110	GKRYSGWYFDI (SEQ ID NO: 3130)
I080E12	1985	130 - 242	154 - 166	182 - 188	221 - 231	1 - 114	26 - 35	50 - 66	99 - 103	DPFDY (SEQ ID NO: 3134)
I080F04	1986	138 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 35	50 - 66	99 - 111	DGTYARPYLDH (SEQ ID NO: 3153)
I080F05	1987	142 - 253	165 - 177	193 - 199	232 - 242	1 - 126	26 - 35	50 - 66	99 - 115	ESSGTLGFSLELPFDY (SEQ ID NO: 3203)
I080F06	1988	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	LGRNYTSSWSLDY (SEQ ID NO: 3181)
I080F08	1989	130 - 240	154 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	NAFDY (SEQ ID NO: 3121)
I080G03	1990	140 - 250	164 - 174	190 - 196	229 - 239	1 - 124	26 - 36	51 - 66	99 - 113	GRGYSSSSVYGMDI (SEQ ID NO: 3095)
I080G04	1991	131 - 244	156 - 171	187 - 193	226 - 233	1 - 115	26 - 35	50 - 66	99 - 104	VHSSGS (SEQ ID NO: 3216)
I080G10	1992	143 - 252	167 - 177	193 - 199	232 - 241	1 - 127	26 - 35	50 - 66	99 - 116	KRGDFGVIRLHHYYGMDV (SEQ ID NO: 3136)
I080G11	1993	136 - 247	159 - 171	187 - 193	226 - 236	1 - 120	26 - 37	52 - 67	100 - 109	HDVYGDLFDS (SEQ ID NO: 3205)
I080H01	1994	140 - 252	164 - 176	192 - 198	231 - 241	1 - 124	26 - 37	52 - 67	100 - 113	LRPDADYGDYGFY (SEQ ID NO: 3218)
I080H02	1995	139 - 248	162 - 172	188 - 194	227 - 237	1 - 123	26 - 35	50 - 66	99 - 112	TSERGTYRQWDFDN (SEQ ID NO: 3204)
I080H03	1996	135 - 246	158 - 170	186 - 192	225 - 235	1 - 119	26 - 35	50 - 66	99 - 108	EAGEVAADY (SEQ ID NO: 3180)
I080H04	1997	137 - 249	160 - 173	189 - 195	228 - 238	1 - 121	26 - 35	50 - 66	99 - 110	GKRYSGWYFDI (SEQ ID NO: 3130)
I080H05	1998	136 - 247	159 - 171	187 - 193	226 - 236	1 - 120	26 - 37	52 - 67	100 - 109	HDVYGDLFDS (SEQ ID NO: 3205)
I080H06	1999	137 - 249	160 - 173	189 - 195	228 - 238	1 - 121	26 - 35	50 - 66	99 - 110	GKRYSGWYFDV (SEQ ID NO: 3217)
I080H07	2000	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 68	101 - 110	LHCTGGSCGF (SEQ ID NO: 3186)
I080H08	2001	138 - 251	162 - 175	191 - 197	230 - 240	1 - 122	26 - 35	50 - 66	99 - 111	ERGGRDGDYALDF (SEQ ID NO: 3148)
I080H09	2002	139 - 249	163 - 173	189 - 195	228 - 238	1 - 123	26 - 36	51 - 66	99 - 112	RTPDHNGDSGPPDY (SEQ ID NO: 3215)
I081A01	2003	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081A03	2004	135 - 245	157 - 170	186 - 192	225 - 234	1 - 119	26 - 35	50 - 66	99 - 108	ESLTGGAFDI (SEQ ID NO: 3117)
I081A04	2005	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081A06	2006	130 - 237	151 - 161	177 - 183	216 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081A08	2007	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081A09	2008	134 - 241	155 - 165	181 - 187	220 - 230	1 - 118	26 - 35	50 - 66	99 - 107	GAGSRYFDL (SEQ ID NO: 3118)
I081A10	2009	133 - 243	155 - 168	184 - 190	223 - 232	1 - 117	26 - 35	50 - 66	99 - 106	GGDRAFDI (SEQ ID NO: 3119)

I081B01	2010	130 - 236	151 - 161	177 - 183	216 - 225	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081B04	2011	134 - 244	156 - 169	185 - 191	224 - 233	1 - 118	26 - 35	50 - 66	99 - 107	GNWGAFFI (SEQ ID NO: 2211)
I081B05	2012	133 - 243	155 - 168	184 - 190	223 - 232	1 - 117	26 - 35	50 - 66	99 - 106	GGDRAFFI (SEQ ID NO: 3119)
I081B06	2013	133 - 240	154 - 164	180 - 186	219 - 229	1 - 117	26 - 35	50 - 66	99 - 106	VKRYFFDY (SEQ ID NO: 3179)
I081B07	2014	136 - 243	157 - 167	183 - 189	222 - 232	1 - 120	26 - 35	50 - 66	99 - 109	ELTGANDAFDI (SEQ ID NO: 3104)
I081B08	2015	132 - 239	153 - 163	179 - 185	218 - 228	1 - 116	26 - 35	50 - 66	99 - 105	RRYALDY (SEQ ID NO: 2920)
I081B09	2016	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081B10	2017	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081B11	2018	132 - 239	153 - 163	179 - 185	218 - 228	1 - 116	26 - 35	50 - 66	99 - 105	GFALYKD (SEQ ID NO: 3169)
I081C07	2019	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081C08	2020	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081D04	2021	135 - 242	156 - 166	182 - 188	221 - 231	1 - 119	26 - 35	50 - 66	99 - 108	EDLTGDAFFI (SEQ ID NO: 3103)
I081D06	2022	132 - 239	153 - 163	179 - 185	218 - 228	1 - 116	26 - 35	50 - 66	99 - 105	GDAYFDY (SEQ ID NO: 3147)
I081D08	2023	132 - 239	153 - 163	179 - 185	218 - 228	1 - 116	26 - 35	50 - 66	99 - 105	GDAYFDY (SEQ ID NO: 3147)
I081D09	2024	130 - 238	152 - 162	178 - 184	217 - 227	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081D10	2025	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081D11	2026	134 - 244	156 - 169	185 - 191	224 - 233	1 - 118	26 - 35	50 - 66	99 - 107	EGLLDFAFI (SEQ ID NO: 3200)
I081D12	2027	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081E02	2028	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081E03	2029	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081E05	2030	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081E06	2031	134 - 241	155 - 165	181 - 187	220 - 230	1 - 118	26 - 35	50 - 66	99 - 107	VGYGKGDI (SEQ ID NO: 3137)
I081E07	2032	134 - 241	155 - 165	181 - 187	220 - 230	1 - 118	26 - 35	50 - 66	99 - 107	GAGSRYFDL (SEQ ID NO: 3118)
I081E10	2033	142 - 249	163 - 173	189 - 195	228 - 238	1 - 126	26 - 35	50 - 66	99 - 115	GLAPIVDGGMTNDAFI (SEQ ID NO: 3184)
I081F01	2034	130 - 239	152 - 164	180 - 186	219 - 228	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081F04	2035	132 - 239	153 - 163	179 - 185	218 - 228	1 - 116	26 - 35	50 - 66	99 - 105	RLRKAR (SEQ ID NO: 3170)
I081F05	2036	130 - 237	151 - 161	177 - 183	216 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081F06	2037	134 - 244	156 - 169	185 - 191	224 - 233	1 - 118	26 - 35	50 - 66	99 - 107	ERGNQAFDI (SEQ ID NO: 3156)
I081F07	2038	132 - 239	153 - 163	179 - 185	218 - 228	1 - 116	26 - 35	50 - 66	99 - 105	RRYALDY (SEQ ID NO: 2920)
I081F11	2039	130 - 237	151 - 161	177 - 183	216 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081G01	2040	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081G04	2041	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081G06	2042	135 - 245	157 - 170	186 - 192	225 - 234	1 - 119	26 - 35	50 - 66	99 - 108	SRSPYDAFI (SEQ ID NO: 3097)
I081G10	2043	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081H02	2044	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I081H03	2045	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)

I081H04	2046	135 - 242	156 - 166	182 - 188	221 - 231	1 - 119	26 - 35	50 - 66	99 - 108	SNWGGDAFDI (SEQ ID NO: 3202)
I081H06	2047	130 - 240	152 - 165	181 - 187	220 - 229	1 - 114	26 - 35	50 - 66	99 - 103	LAFDI (SEQ ID NO: 3174)
I081H08	2048	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I082A02	2049	139 - 249	161 - 173	189 - 195	228 - 238	1 - 123	26 - 35	50 - 66	99 - 112	PAASSRGPKDAFDI (SEQ ID NO: 3129)
I082A04	2050	130 - 240	152 - 165	181 - 187	220 - 229	1 - 114	26 - 35	50 - 66	99 - 103	LSGDS (SEQ ID NO: 3122)
I082A08	2051	134 - 243	156 - 168	184 - 190	223 - 232	1 - 118	26 - 35	50 - 66	99 - 107	EGVAAGEDY (SEQ ID NO: 3123)
I082A11	2052	130 - 240	152 - 165	181 - 187	220 - 229	1 - 114	26 - 35	50 - 66	99 - 103	FVLDDY (SEQ ID NO: 2210)
I082B06	2053	131 - 238	154 - 164	180 - 186	219 - 227	1 - 115	26 - 35	50 - 66	99 - 104	GNKDY (SEQ ID NO: 3135)
I082B09	2054	134 - 241	157 - 167	183 - 189	222 - 230	1 - 118	26 - 35	50 - 66	99 - 107	EGVAAGEDY (SEQ ID NO: 3123)
I082B12	2055	131 - 241	153 - 166	182 - 188	221 - 230	1 - 115	26 - 35	50 - 66	99 - 104	DLDFDY (SEQ ID NO: 2208)
I082C01	2056	136 - 243	157 - 167	183 - 189	222 - 232	1 - 120	26 - 35	50 - 66	99 - 109	VNDIVVDMV (SEQ ID NO: 3143)
I082C05	2057	136 - 243	157 - 167	183 - 189	222 - 232	1 - 120	26 - 35	50 - 66	99 - 109	EKRGSRVFDI (SEQ ID NO: 3093)
I082C08	2058	137 - 244	158 - 168	184 - 190	223 - 233	1 - 121	26 - 35	50 - 66	99 - 110	LSNRNDNRLDY (SEQ ID NO: 3106)
I082D02	2059	130 - 240	152 - 165	181 - 187	220 - 229	1 - 114	26 - 35	50 - 66	99 - 103	FVLDDY (SEQ ID NO: 2210)
I082E05	2060	134 - 241	155 - 165	181 - 187	220 - 230	1 - 118	26 - 35	50 - 66	99 - 107	TWATNTPDM (SEQ ID NO: 3152)
I082E06	2061	130 - 240	152 - 165	181 - 187	220 - 229	1 - 114	26 - 35	50 - 66	99 - 103	FDLDDY (SEQ ID NO: 3167)
I082E07	2062	139 - 246	162 - 172	188 - 194	227 - 235	1 - 123	26 - 35	50 - 66	99 - 112	VEWEDIVVGSADF (SEQ ID NO: 3128)
I082F11	2063	136 - 243	159 - 169	185 - 191	224 - 232	1 - 120	26 - 35	50 - 66	99 - 109	GGDMTIVTIDY (SEQ ID NO: 3177)
I082G07	2064	136 - 243	159 - 169	185 - 191	224 - 232	1 - 120	26 - 35	50 - 66	99 - 109	ADYSNDYVMDV (SEQ ID NO: 3166)
I082G10	2065	134 - 249	160 - 173	189 - 195	228 - 238	1 - 118	26 - 35	50 - 66	99 - 107	EGVAAGEDY (SEQ ID NO: 3123)
I082G11	2066	143 - 250	164 - 174	190 - 196	229 - 239	1 - 127	26 - 35	50 - 66	99 - 116	GPIYFDGSAYEGYFDY (SEQ ID NO: 3222)
I082H04	2067	132 - 238	153 - 163	179 - 185	218 - 227	1 - 116	26 - 35	50 - 65	98 - 105	MNADAFEI (SEQ ID NO: 3223)
I082H09	2068	139 - 246	160 - 170	186 - 192	225 - 235	1 - 123	26 - 35	50 - 66	99 - 112	PAASSRGPKDAFDI (SEQ ID NO: 3129)
I083A06	2069	136 - 244	159 - 169	185 - 191	224 - 233	1 - 120	26 - 35	50 - 66	99 - 109	DSRPTNRAFHY (SEQ ID NO: 3110)
I083A09	2070	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 68	101 - 110	LHCTGGSCGF (SEQ ID NO: 3186)
I083A11	2071	135 - 248	158 - 171	187 - 193	226 - 237	1 - 119	26 - 35	50 - 66	99 - 108	VRDSSAGFDY (SEQ ID NO: 3173)
I083B03	2072	137 - 247	161 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	VLVRGQYRGM DL (SEQ ID NO: 3138)
I083B05	2073	138 - 250	161 - 174	190 - 196	229 - 239	1 - 122	26 - 35	50 - 66	99 - 111	VDYTDYEMGAFDL (SEQ ID NO: 3172)
I083B06	2074	138 - 250	161 - 174	190 - 196	229 - 239	1 - 122	26 - 35	50 - 66	99 - 111	DRIAAAGDAFDI (SEQ ID NO: 3194)
I083B10	2075	137 - 246	162 - 172	188 - 194	227 - 235	1 - 121	26 - 35	50 - 66	99 - 110	DLYKNGYALFDS (SEQ ID NO: 3197)
I083C01	2076	135 - 247	158 - 171	187 - 193	226 - 236	1 - 119	26 - 35	50 - 66	99 - 108	DEYSSLYMDV (SEQ ID NO: 3201)
I083C02	2077	135 - 246	158 - 171	187 - 193	226 - 235	1 - 119	26 - 35	50 - 66	99 - 108	FGAGRLYDDY (SEQ ID NO: 3224)
I083C07	2078	136 - 249	159 - 172	188 - 194	227 - 238	1 - 120	26 - 35	50 - 66	99 - 109	DNGGTTIGFDY (SEQ ID NO: 2195)
I083C12	2079	135 - 246	158 - 171	187 - 193	226 - 235	1 - 119	26 - 35	50 - 66	99 - 108	DQGETTANDY (SEQ ID NO: 3207)
I083D04	2080	145 - 256	168 - 181	197 - 203	236 - 245	1 - 129	26 - 35	50 - 66	99 - 118	DILPDYDFWPNEDASSLDT (SEQ ID NO: 3133)

I083D07	2081	148 - 262	173 - 188	204 - 210	243 - 251	1 - 132	26 - 35	50 - 66	99 - 121	DFQMVRGVFIANPPIYNYGMDV (SEQ ID NO: 3154)
I083D08	2082	142 - 254	165 - 178	194 - 200	233 - 243	1 - 126	26 - 35	50 - 66	99 - 115	DADEGLVEAETTNWFDS (SEQ ID NO: 3126)
I083D10	2083	146 - 258	169 - 181	197 - 203	236 - 247	1 - 130	26 - 37	52 - 69	102 - 119	ATKSYDILTRMYYYHMDV (SEQ ID NO: 2748)
I083D12	2084	132 - 242	156 - 166	182 - 188	221 - 231	1 - 116	26 - 35	50 - 66	99 - 105	DRTRMDV (SEQ ID NO: 3182)
I083E02	2085	138 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 35	50 - 66	99 - 111	VGIKAAAVDNFEY (SEQ ID NO: 2197)
I083E03	2086	135 - 248	158 - 171	187 - 193	226 - 237	1 - 119	26 - 35	50 - 66	99 - 108	DEIYNDAFDY (SEQ ID NO: 3105)
I083E04	2087	143 - 255	166 - 179	195 - 201	234 - 244	1 - 127	26 - 35	50 - 66	99 - 116	DGDISDPINNQNAYAMDI (SEQ ID NO: 3101)
I083E08	2088	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	RGTSSENYSGMDV (SEQ ID NO: 3209)
I083F02	2089	134 - 245	157 - 170	186 - 192	225 - 234	1 - 118	26 - 35	50 - 66	99 - 107	DYPHNAFDI (SEQ ID NO: 3127)
I083F04	2090	145 - 258	168 - 181	197 - 203	236 - 247	1 - 129	26 - 35	50 - 66	99 - 118	DVRSDFWGGYFHYSGMDV (SEQ ID NO: 3131)
I083F06	2091	137 - 248	160 - 172	188 - 194	227 - 237	1 - 121	26 - 35	50 - 66	99 - 110	STLEVGATDFDY (SEQ ID NO: 3199)
I083F08	2092	134 - 247	157 - 170	186 - 192	225 - 236	1 - 118	26 - 35	50 - 66	99 - 107	SDDWGAYHI (SEQ ID NO: 3198)
I083F11	2093	138 - 250	161 - 174	190 - 196	229 - 239	1 - 122	26 - 35	50 - 66	99 - 111	ERGRDGDYALDF (SEQ ID NO: 3148)
I083G04	2094	136 - 248	159 - 172	188 - 194	227 - 237	1 - 120	26 - 35	50 - 66	99 - 109	ELVGAPGGFDP (SEQ ID NO: 3191)
I083G05	2095	138 - 250	161 - 174	190 - 196	229 - 239	1 - 122	26 - 35	50 - 66	99 - 111	VDYTDYEMGAFDL (SEQ ID NO: 3172)
I083G06	2096	137 - 249	161 - 173	189 - 195	228 - 238	1 - 121	26 - 35	50 - 66	101 - 110	SVAGRNFDY (SEQ ID NO: 3208)
I083G08	2097	138 - 250	161 - 174	190 - 196	229 - 239	1 - 122	26 - 35	50 - 66	99 - 111	ERGRDGDYALDF (SEQ ID NO: 3148)
I083G09	2098	141 - 253	164 - 177	193 - 199	232 - 242	1 - 125	26 - 35	50 - 66	99 - 114	EGGDAYDVAPYYFDY (SEQ ID NO: 2204)
I083G11	2099	130 - 242	154 - 166	182 - 188	221 - 231	1 - 114	26 - 35	50 - 66	99 - 103	DPFDY (SEQ ID NO: 3134)
I083H04	2100	140 - 252	163 - 176	192 - 198	231 - 241	1 - 124	26 - 35	50 - 66	99 - 113	ALLGLPSDFSYYVDV (SEQ ID NO: 3159)
I083H05	2101	141 - 253	164 - 177	193 - 199	232 - 242	1 - 125	26 - 35	50 - 66	99 - 114	EGEGDGYNVAPYYFDY (SEQ ID NO: 3160)
I083H07	2102	133 - 243	157 - 167	183 - 189	222 - 232	1 - 117	26 - 35	50 - 66	99 - 106	TDYGGFDY (SEQ ID NO: 3092)
I084A03	2103	137 - 247	161 - 171	187 - 193	226 - 236	1 - 121	26 - 35	50 - 66	99 - 110	GGVDSRSGVFDP (SEQ ID NO: 3162)
I084A08	2104	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I084B08	2105	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I084C02	2106	135 - 242	156 - 166	182 - 188	221 - 231	1 - 119	26 - 35	50 - 66	99 - 108	ESLTGDAFDI (SEQ ID NO: 3116)
I084D03	2107	136 - 243	157 - 167	183 - 189	222 - 232	1 - 120	26 - 35	50 - 66	99 - 109	SPLHFSDAFDI (SEQ ID NO: 3120)
I084D05	2108	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I084E01	2109	133 - 243	155 - 168	184 - 190	223 - 232	1 - 117	26 - 35	50 - 66	99 - 106	EVGGAFDI (SEQ ID NO: 3157)
I084E06	2110	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I084E10	2111	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I084E12	2112	130 - 237	151 - 161	177 - 183	216 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I084F04	2113	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
	2114	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)

I084F07	2115	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I084F12	2116	135 - 245	157 - 170	186 - 192	225 - 234	1 - 119	26 - 35	50 - 66	99 - 108	ESLTGDAFDI (SEQ ID NO: 3116)
I084G12	2117	130 - 240	152 - 164	180 - 186	219 - 229	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I084H02	2118	130 - 237	153 - 163	179 - 185	218 - 226	1 - 114	26 - 35	50 - 66	99 - 103	DTTDY (SEQ ID NO: 2203)
I099B05	2119	145 - 256	168 - 180	196 - 202	235 - 245	1 - 129	26 - 35	50 - 66	99 - 118	GAHYDRSPSHLKSYYFDL (SEQ ID NO: 3149)
I099G09	2120	138 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 35	50 - 66	99 - 111	VGIKAAAVDNFEY (SEQ ID NO: 2197)
I099H01	2121	138 - 248	162 - 172	188 - 194	227 - 237	1 - 122	26 - 35	50 - 66	99 - 111	LGRNYTSSWSLDY (SEQ ID NO: 3181)
I099H06	2122	138 - 249	161 - 173	189 - 195	228 - 238	1 - 122	26 - 35	50 - 66	99 - 111	VGIKAAAVDNFEY (SEQ ID NO: 2197)
I099H08	2123	144 - 255	167 - 179	195 - 201	234 - 244	1 - 128	26 - 35	50 - 66	99 - 117	GGRYGYYDGTGYVDAFDI (SEQ ID NO: 3226)
I100A01	2124	136 - 247	159 - 172	188 - 194	227 - 236	1 - 124	26 - 35	50 - 66	99 - 109	DNGGGTIGFDY (SEQ ID NO: 2195)
I100A10	2125	140 - 251	163 - 175	191 - 197	230 - 240	1 - 120	26 - 35	50 - 66	99 - 113	VRQIADPPRSFFDP (SEQ ID NO: 3144)
I100B03	2126	136 - 247	159 - 172	188 - 194	227 - 236	1 - 120	26 - 35	50 - 66	99 - 109	DNGGGTIGFDY (SEQ ID NO: 2195)
I100B04	2127	136 - 247	159 - 172	188 - 194	227 - 236	1 - 120	26 - 35	50 - 66	99 - 109	DNGGGTIGFDY (SEQ ID NO: 2195)
I100C03	2128	140 - 251	163 - 175	191 - 197	230 - 240	1 - 124	26 - 35	50 - 66	99 - 113	VRQIADPPRSFFDP (SEQ ID NO: 3144)
BAB2001	3240	140 - 247	163 - 173	189 - 195	228 - 236	1 - 124	31 - 35	50 - 65	99 - 113	EQYDTLTGSPYGMVDV
BAB2080	3241	135 - 245	157 - 169	185 - 191	224 - 234	1 - 119	31 - 35	50 - 66	99 - 108	LNSLRGGHDY
BAB2015	3242	140 - 247	163 - 173	189 - 195	228 - 236	1 - 124	31 - 35	50 - 65	99 - 113	GASSGWYDYYYMVDV
BAB2019	3243	141 - 251	163 - 176	192 - 198	231 - 240	1 - 125	31 - 35	50 - 66	99 - 114	DSYDILTDYNNMMDV
BAB2087	3244	144 - 253	167 - 177	193 - 199	232 - 242	1 - 128	31 - 35	50 - 66	99 - 117	GFTGYDILTDYYSVDYFDS
BAB2016	3245	141 - 251	163 - 176	192 - 198	231 - 246	1 - 125	31 - 35	50 - 66	99 - 114	DPRYDILTGYLYGMVDV
BAB2034	3246	146 - 258	170 - 183	199 - 205	238 - 247	1 - 132	31 - 37	52 - 69	102 - 121	EGAHYDILTGHNYHYGMVDV
BAB2065	3247	141 - 250	162 - 175	191 - 197	230 - 239	1 - 125	31 - 35	50 - 66	99 - 114	ATYDPLTGYSFDGFD

Applicant's File	International Application
Reference Number: PF523PCT2	Number: Unassigned

INDICATIONS RELATING TO DEPOSITED BIOLOGICAL MATERIAL

(PCT Rule 13bis)

A. The indications made below relate to the deposited biological material referred to on page 155 in Table 2, on page 24, paragraph 63, and on page 24, paragraph 64 of the description.

B. **IDENTIFICATION OF DEPOSIT:**

Further deposits are identified
on an additional sheet: ☐

Name of Depository: **American Type Culture Collection**
Address of Depository: **10801 University Boulevard**
Manassas, Virginia 20110-2209
United States of America

	Accession Number	Date of Deposit		Accession Number	Date of Deposit
1	PTA-3238	27-Mar-2001	2	PTA-3239	27-Mar-2001
3	PTA-3240	27-Mar-2001	4	PTA-3241	27-Mar-2001
5	PTA-3242	27-Mar-2001	6	PTA-3243	27-Mar-2001
7	97768	22-Oct-1996	8	203518	10-Dec-1998

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

WHAT IS CLAIMED IS:

1. An antibody that immunospecifically binds to a protein consisting of amino acid residues 134-285 of SEQ ID NO:3228 and a protein consisting of amino acid residues 105-250 of SEQ ID NO:3239 comprising a first amino acid sequence at least 95% identical to a second amino acid sequence selected from the group consisting of:
 - (a) an amino acid sequence comprising the amino acid sequence of a VHCDR of any one of the scFvs of SEQ ID NOS:3240 through 3247; and
 - (b) an amino acid sequence comprising the amino acid sequence of a VLCDR of any one of the scFvs of SEQ ID NOS: 3240 through 3247.
2. The antibody of claim 1, wherein the second amino acid sequence consists of the amino acid sequence of a VH domain of any one of the scFvs of SEQ ID NOS: 3240 through 3247.
3. The antibody of claim 1, wherein the second amino acid sequence consists of the amino acid sequence of a VL domain of any one of the scFvs of SEQ ID NOS: 3240 through 3247.
4. The antibody of claim 2, which also comprises an amino acid sequence at least 95% identical to the amino acid sequence of a VL domain of any one of the scFvs of SEQ ID NOS:3240 through 3247.
5. The antibody of claim 4, wherein the VH and VL domains are from the same scFv.
6. The antibody of claim 1 wherein the first amino acid sequence is identical to the second amino acid sequence.
7. The antibody of claim 6 wherein the second amino acid sequence consists of the amino acid sequence of a VH domain of any one of the scFvs of SEQ ID NOS:3240 through 3247.

8. The antibody of claim 6 wherein the second amino acid sequence consists of the amino acid sequence of a VL domain of any one of the scFvs of SEQ ID NOS:3240 through 3247.

9. The antibody of claim 8 which also comprises an amino acid sequence 100% identical to the amino acid sequence of a VL domain of any one of the scFvs of SEQ ID NOS:3240 through 3247.

10. The antibody of claim 1, wherein the antibody is selected from the group consisting of:

- (a) a whole immunoglobulin molecule;
- (b) an scFv;
- (c) a monoclonal antibody;
- (d) a human antibody;
- (e) a chimeric antibody;
- (f) a humanized antibody;
- (g) a Fab fragment;
- (h) an Fab' fragment;
- (i) an F(ab')₂;
- (j) an Fv; and
- (k) a disulfide linked Fv.

11. The antibody of claim 1, wherein the antibody has a dissociation constant (K_D) selected from the group consisting of:

- (a) a dissociation constant (K_D) between 10^{-7} M and 10^{-8} M;
- (b) a dissociation constant (K_D) between 10^{-8} M and 10^{-9} M;
- (c) a dissociation constant (K_D) between 10^{-9} M and 10^{-10} M;
- (d) a dissociation constant (K_D) between 10^{-10} M and 10^{-11} M;
- (e) a dissociation constant (K_D) between 10^{-11} M and 10^{-12} M; and
- (f) a dissociation constant (K_D) between 10^{-12} M and 10^{-13} M.


12. The antibody of claim 1, wherein the antibody is labeled.

13. The antibody of claim 12, which is labeled with a radiolabel.
 14. The antibody of claim 13, wherein the radiolabel is ^{125}I , ^{131}I , ^{111}In , ^{90}Y , ^{99}Tc , ^{177}Lu , ^{166}Ho , or ^{153}Sm , ^{215}Bi , or ^{225}Ac .
 15. The antibody of claim 12, which is labeled with an enzyme, a fluorescent label, a luminescent label, or a bioluminescent label.
 16. The antibody of claim 1, wherein the antibody is biotinylated.
- The antibody of claim 1, wherein the antibody is conjugated to a therapeutic or cytotoxic agent.
17. The antibody of claim 1 in a pharmaceutically acceptable carrier.
 18. A kit comprising the antibody of claim 1.
 19. An isolated nucleic acid molecule encoding the antibody of claim 1.
 20. A vector comprising the isolated nucleic acid molecule of claim 19.
 21. The vector of claim 20 which also comprises a nucleotide sequence which regulates the expression of the antibody encoded by the nucleic acid molecule.
 22. A host cell comprising the nucleic acid molecule of claim 19.
 23. A cell line engineered to express the antibody of claim 1.
 24. An antibody that competes with the antibody of claim 1 for binding to a protein consisting of amino acid residues 134-285 of SEQ ID NO:3228 and a protein consisting of amino acid residues 105-250 of SEQ ID NO:3239.


1/16





FIG. 2




3/16









7/16






FIG. 7

8/16


FIG. 8



9/16




10/16



11/16

FIG. 11
Scfvs to soluble BLyS only



12/16






FIG. 12

13/16




14/16

FIG. 14
Plate I079 Sensorgram - 8 Clones



15/16

FIG. 15
I082C03 Sensorgram



16/16

P388 Competition ELISA




FIG. 16

SEQUENCE LISTING

<110> Human Genome Sciences, Inc.

<120> Antibodies that Immunospecifically Bind BLyS

<130> PF523PCT2

<140> Not yet assigned

<141> 2002-11-14

<150> 60/331,469

<151> 2001-11-16

<150> 60/340,817

<151> 2001-12-19

<160> 3247

<210> 1

<211> 248

<212> PRT

<213> Homo sapiens

<400> 1

Gln Val Gln Leu Leu Gln Ser Ala Ala Glu Leu Lys Lys Pro Gly Gln
1 5 10 15

Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Phe Thr Phe Thr Thr Tyr
20 25 30

Trp Ile Gly Trp Val Arg Gln Leu Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

Gly Ile Ile Tyr Pro Gly Asp Ser His Thr Thr Tyr Ser Pro Ser Phe
50 55 60

Glu Gly His Val Asn Ile Ser Val Asp Lys Ser Ile Asn Thr Ala Tyr


```
<210> 2
<211> 249
<212> PRT
<213> Homo sapiens
```

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro His Tyr Gly Met Asp Val
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 3
 <211> 254
 <212> PRT

<213> Homo sapiens

<400> 3

Gln Val Gln Leu Gln Gln Ser Gly Pro Gly Leu Val Lys Pro Ser Gln
 1 5 10 15

Ile Leu Ser Leu Thr Cys Ala Ile Ser Gly Asp Ser Val Ala Ser Asn
 20 25 30

Gly Ala Ala Trp Asn Trp Ile Arg Gln Ser Pro Ser Arg Gly Leu Glu
 35 40 45

Trp Leu Gly Arg Thr Tyr Tyr Arg Ser Lys Trp Tyr Val Asp Tyr Ala
 50 55 60

Val Ser Val Lys Ser Arg Ile Thr Ile Asn Pro Asp Thr Ser Lys Asn
 65 70 75 80

Gln Phe Ser Leu Gln Leu Asn Ser Val Thr Pro Glu Asp Thr Ala Val
 85 90 95

Tyr Tyr Cys Ala Arg Asp Arg Tyr Asp Ile Leu Thr Gly Tyr Tyr Tyr
 100 105 110

Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gln
 130 135 140

Ser Ala Leu Thr Gln Pro Ala Ser Val Ser Gly Ser Arg Gly Gln Ser
 145 150 155 160

Ile Thr Ile Ser Cys Thr Gly Thr Thr Gly Asp Val Gly Gly Tyr Asp
 165 170 175

Tyr Val Ser Trp Tyr Gln Gln His Pro Gly Lys Ala Pro Lys Leu Leu
 180 185 190

Ile Tyr Gly Asn Ser Asn Arg Pro Ser Gly Val Pro Asp Arg Phe Ser
 195 200 205

Ala Ser Lys Ser Gly Asn Thr Ala Ser Leu Thr Ile Ser Gly Leu Gln
 210 215 220

Ala Glu Asp Glu Ala Asp Tyr Phe Cys Ser Thr Tyr Ala Pro Pro Gly

225 230 235 240

Ile Ile Met Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
245 250

<210> 4
<211> 255
<212> PRT
<213> Homo sapiens

<400> 4
Arg Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Asp
20 25 30

His Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Trp Ile Ser Pro His His Gly Lys Thr Asn Tyr Ala Gln Lys Leu
50 55 60

Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Val Gln Met Asp Ser Glu Tyr Tyr Asp Leu Leu Thr Gly Ile
100 105 110

Asn Val Gly Pro Tyr Tyr Phe Asp Tyr Trp Gly Lys Gly Thr Leu Val
115 120 125

Thr Val Ser Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly
130 135 140

Gly Gly Ser Ser Glu Leu Thr Gln Asp Pro Ala Val Ser Val Ala Leu
145 150 155 160

Gly Gln Thr Val Arg Ile Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr
165 170 175

Tyr Ala Ser Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Val Leu Val
180 185 190

Ile Tyr Gly Lys Asn Asn Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser
 195 200 205

Gly Ser Ser Ser Gly Asn Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln
 210 215 220

Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly
 225 230 235 240

Asn His Val Val Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly
 245 250 255

<210> 5
 <211> 249
 <212> PRT
 <213> Homo sapiens

<400> 5
 Glu Val Asn Leu Arg Glu Ser Gly Gly Gly Val Asp Gln Pro Gly Arg
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 20 25 30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Val Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Lys Asp Gly Tyr Tyr Asp Ile Leu Thr Gly Tyr Ser Tyr Tyr Gly
 100 105 110

Met Asp Val Trp Gly Gln Gly Pro Met Val Ala Val Ser Ser Gly Gly
 115 120 125

Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Ile

145 150 155 160
 Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Thr Asn Trp Phe Gln
 165 170 175
 Gln Lys Pro Gly Gln Ala Pro Leu Leu Val Val Tyr Ala Lys Asn Lys
 180 185 190
 Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205
 Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220
 Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Val Val Phe Gly
 225 230 235 240
 Gly Gly Thr Lys Leu Thr Val Leu Gly
 245

 <210> 6
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 6
 Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Arg Lys Pro Gly Ser
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Gly Ser Phe Ser Ser His
 20 25 30
 Val Phe Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Gly Ile Thr Pro Lys Phe Ala Thr Pro Asn Tyr Ala Gln Lys Phe
 50 55 60
 Gln His Arg Val Thr Ile Thr Ala Asp Glu Leu Thr Arg Thr Val Phe
 65 70 75 80
 Met Asp Leu Ser Gly Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Gly Tyr Asp Ser Ser Ala Phe Arg Ala Phe Asp Ile Trp Gly
 100 105 110

Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser Gly Gly
115 120 125

Gly Gly Ser Gly Gly Gly Gly Ser Ala Gln Ser Val Leu Thr Gln Pro
130 135 140

Pro Ser Val Ser Gly Ala Pro Gly Gln Arg Val Thr Ile Ser Cys Thr
145 150 155 160

Gly Ser Ser Ser Asn Ile Gly Ala Gly Tyr Asp Val Gln Trp Tyr Gln
165 170 175

Gln Leu Pro Gly Thr Ala Pro Lys Leu Leu Ile His Gly Asn Asn Asn
180 185 190

Arg Pro Ser Gly Val Pro Asp Arg Phe Ser Gly Ser Lys Ser Gly Thr
195 200 205

Ser Ala Ser Leu Ala Ile Thr Gly Leu Gln Asp Glu Asp Glu Ala Asp
210 215 220

Tyr Tyr Cys Gln Ser Tyr Asp Ser Ser Leu Ser Phe Ser Gly Tyr Val
225 230 235 240

Phe Gly Thr Gly Thr Lys Val Thr Val Leu Gly
245 250

<210> 7
<211> 250
<212> PRT
<213> Homo sapiens

<400> 7
Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Asp Thr Phe Ser His Tyr
20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Gly Ile Ile Pro Thr Phe Asn Ala Val Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Ala Thr Ile Thr Ala Asp Gly Ser Thr Ser Thr Ala Tyr

9

Gly Leu Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Val Ile Pro Ile Ser Ser Thr Ile Lys Tyr Gly Gln Lys Phe
 50 55 60

Gln Asp Arg Leu Thr Ile Ala Ala Asp Asp Leu Thr Asn Thr Thr Phe
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ala Ala Thr Thr Ser Gln Lys His Asn Lys Tyr Ala Tyr Tyr
 100 105 110

Phe Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Met Val Thr Val Ser
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser
 130 135 140

Ala Gln Ser Ala Leu Thr Gln Pro Ala Ser Val Ser Gly Ser Pro Gly
 145 150 155 160

Gln Ser Ile Thr Ile Ser Cys Thr Gly Thr Ser Ser Asp Val Gly Gly
 165 170 175

Tyr Asn Tyr Val Ser Trp Tyr Gln Gln His Pro Gly Lys Ala Pro Lys
 180 185 190

Leu Met Ile Tyr Glu Val Ser Asn Arg Pro Ser Gly Val Ser Asn Arg
 195 200 205

Phe Ser Gly Ser Lys Ser Gly Asn Thr Ala Ser Leu Thr Ile Ser Gly
 210 215 220

Leu Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Ser Ser Tyr Thr Ser
 225 230 235 240

Ser Ser Thr Leu Val Phe Gly Gly Gly Thr Lys Val Thr Val Leu Gly
 245 250 255

<210> 9
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 9

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 10
<211> 251
<212> PRT
<213> Homo sapiens

<400> 10
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Val Trp
 100 105 110

Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 11
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 11
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Val Trp
 100 105 110

Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Lys Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 12
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 12
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Arg Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 13

<211> 251

<212> PRT

<213> Homo sapiens

<400> 13

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 15

· 16

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Arg Tyr Val Phe Gln Val Trp
 100 105 110

Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 15
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 15

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Gly Tyr Val Phe Gln Val Trp
 100 105 110

Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

19

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Lys Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 17

<211> 251

<212> PRT

<213> Homo sapiens

<400> 17

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Gly Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 20

145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 18
<211> 251
<212> PRT
<213> Homo sapiens

<400> 18
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Arg Tyr Val Phe Gln Val Trp
100 105 110

Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser-Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Lys Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 19
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 19
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Arg Tyr Val Phe Gln Val Trp
100 105 110

Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 20
<211> 251
<212> PRT
<213> Homo sapiens

<400> 20
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Gly Tyr Val Phe Gln Val Trp
 100 105 110

Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Lys Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 21
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 21

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Gly Tyr Val Phe Gln Val Trp
 100 105 110

Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 22
<211> 251
<212> PRT
<213> Homo sapiens

<400> 22
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Ala Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 23
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 23
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Lys Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Ala Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 24
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 24
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Val Trp
 100 105 110

Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Ala Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 25
<211> 251
<212> PRT
<213> Homo sapiens

<400> 25
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65	70	75	80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys	85	90	95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Val Trp	100	105	110
Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly	115	120	125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr	130	135	140
Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Lys Arg	145	150	155
Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val	165	170	175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr	180	185	190
Gly Ala Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser	195	200	205
Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu	210	215	220
Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr	225	230	235
Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg	245	250	

```
<210> 26
<211> 251
<212> PRT
<213> Homo sapiens
```

<400> 26
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 . 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Arg Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Ala Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 27

<211> 251

<212> PRT

<213> Homo sapiens

<400> 27

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Arg Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Lys Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Ala Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

33

Gly Ala Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 29

<211> 251

<212> PRT

<213> Homo sapiens

<400> 29

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Ile Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Lys Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Ala Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250
 <210> 30
 <211> 251
 <212> PRT
 <213> Homo sapiens
 <400> 30
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Ile Leu Thr Arg Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Ala Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 31
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 31
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

37

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Ile Leu Thr Arg Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 33
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 33

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Ile Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 34
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 34
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Arg Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Lys Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 35
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 35
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Ile Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Lys Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 36
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 36
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Ile Leu Thr Arg Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Lys Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 37
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 37
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Gly Tyr Tyr
 100 105 110

Leu Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 39
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 39

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Ala Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 40
<211> 251
<212> PRT
<213> Homo sapiens

<400> 40
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Val Trp
 100 105 110

Val Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 41

<211> 251

<212> PRT

<213> Homo sapiens

<400> 41

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Ile Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 42
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 42
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Lys Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 43
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 43
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 50

```
<210> 44
<211> 251
<212> PRT
<213> Homo sapiens
```

<400> 44
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Lys Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 45
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 45

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Arg Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 46
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 46
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Gly Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 47

<211> 251

<212> PRT

<213> Homo sapiens

<400> 47

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Pro Arg Val
 100 105 110

Ile Pro Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 48
 <211> 250
 <212> PRT
 <213> Homo sapiens

 <400> 48
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Cys Arg Pro His
 100 105 110

Phe Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 49
 <211> 250
 <212> PRT
 <213> Homo sapiens

<400> 49
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr


```
<210> 50
<211> 250
<212> PRT
<213> Homo sapiens
```

<400> 50
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Arg Pro Asp
 100 105 110

Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 51

<211> 250

<212> PRT

<213> Homo sapiens

<400> 51

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Lys Ser Met Pro
 100 105 110

Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe

225 230 235 240
 Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 52
 <211> 250
 <212> PRT
 <213> Homo sapiens

 <400> 52
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Pro Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Thr Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Pro Phe Leu Tyr
 100 105 110

 Cys Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

 Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

 Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

 Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

 Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 53

<211> 250

<212> PRT

<213> Homo sapiens

<400> 53

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Pro Val Pro Ser
 100 105 110

Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Ala Leu Ser Leu Ser Pro Gly Glu Arg Ala

145 150 155 160
 Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175
 Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190
 Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205
 Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220
 Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240
 Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 54
 <211> 250
 <212> PRT
 <213> Homo sapiens

 <400> 54
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Gly Ile His Gly
 100 105 110

Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 55
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 55
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Cys Tyr Pro Pro
 100 105 110

Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 57
 <211> 250
 <212> PRT

<213> Homo sapiens

<400> 57

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Pro Leu Leu
 100 105 110

Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe

225 230 235 240
 Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 58
 <211> 250
 <212> PRT
 <213> Homo sapiens

 <400> 58
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ala Leu Tyr Arg
 100 105 110

 Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

 Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

 Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

 Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

 Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 59

<211> 250

<212> PRT

<213> Homo sapiens

<400> 59

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Arg Ala Ser Phe
 100 105 110

Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala

145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 60
<211> 250
<212> PRT
<213> Homo sapiens

<400> 60
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Cys Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Cys Thr Pro Val
100 105 110

Pro Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Ala Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 61
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 61
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Thr Pro Arg Gly
 100 105 110

Tyr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 63
 <211> 250
 <212> PRT

<213> Homo sapiens

<400> 63

Gln Val Gln Leu Val Gln Ser Val Val Glu Val Arg Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ser Ser Leu Leu
 100 105 110

Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe

225 230 235 240
 Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 64
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 64
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Pro Leu Leu Pro
 100 105 110

 Leu Cys Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 65

<211> 251

<212> PRT

<213> Homo sapiens

<400> 65

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Pro Pro Pro Ser
100 105 110

Phe Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

Ala	Thr	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Thr	Arg	Gly	Trp	Val
				165					170					175	
Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu	Met	Tyr
			180					185					190		
Gly	Thr	Ser	Arg	Arg	Ala	Thr	Gly	Val	Pro	Asp	Arg	Phe	Ser	Gly	Ser
		195					200					205			
Glu	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Arg	Leu	Glu	Pro	Glu
	210					215					220				
Asp	Phe	Ala	Val	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ala	Thr	Ser	Pro	Arg	Thr
225					230					235					240
Phe	Gly	Gln	Gly	Thr	Arg	Leu	Glu	Ile	Lys	Arg					
				245					250						
<210>	66														
<211>	250														
<212>	PRT														
<213>	Homo sapiens														
<400>	66														
Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Val	Glu	Val	Lys	Lys	Pro	Gly	Ala
1				5					10					15	
Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Ser	Asn	His
			20					25					30		
Gly	Ile	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Val
		35					40					45			
Gly	Trp	Ile	Ser	Gly	His	Asp	Asp	Ser	Thr	Lys	Tyr	Ala	Gln	Lys	Phe
	50					55					60				
Gln	Gly	Arg	Val	Thr	Met	Thr	Ala	Asp	Thr	Ser	Thr	Ser	Thr	Ala	Tyr
65					70					75					80
Ile	Glu	Leu	Arg	Ser	Leu	Lys	Ser	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85					90					95	
Ala	Arg	Pro	Phe	Tyr	Asp	Thr	Leu	Thr	Ser	Tyr	Val	Pro	Thr	Ser	Thr
			100					105					110		

Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Thr
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 67
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 67
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 78

65	70	75	80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys			
	85	90	95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Ser Cys Ser			
	100	105	110
Trp Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly			
	115	120	125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr			
	130	135	140
Thr Leu Thr Gln Ser Leu Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg			
	145	150	155
Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val			
	165	170	175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr			
	180	185	190
Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser			
	195	200	205
Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu			
	210	215	220
Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr			
	225	230	235
Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg			
	245	250	
<210> 68			
<211> 251			
<212> PRT			
<213> Homo sapiens			
<400> 68			
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala			
1	5	10	15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His			
	20	25	30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ser Ala Leu Pro
 100 105 110

Pro Pro Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 69
 <211> 250
 <212> PRT

<213> Homo sapiens

<400> 69

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Cys Arg His Leu
 100 105 110

Phe Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe

225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 70
<211> 251
<212> PRT
<213> Homo sapiens

<400> 70
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asp His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Val Ser Phe Pro
 100 105 110

Ser Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 71

<211> 251

<212> PRT

<213> Homo sapiens

<400> 71

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Val Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Met Gly Val Thr
100 105 110

Pro Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
83

145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Arg Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 72
<211> 251
<212> PRT
<213> Homo sapiens

<400> 72
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
.1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Phe Arg Pro
 100 105 110

Val Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Ser Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 73
 <211> 250
 <212> PRT
 <213> Homo sapiens

<400> 73
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65. 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Pro Ser Val Gly
100 105 110

Gly Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 74
<211> 250
<212> PRT
<213> Homo sapiens

<400> 74
Gln Val Gln Leu Val Gln Pro Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Pro Pro Thr Arg
 100 105 110

His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 75
 <211> 250
 <212> PRT

<213> Homo sapiens

<400> 75

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Arg Ser Arg
 100 105 110

Asp Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe

225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 76
<211> 250
<212> PRT
<213> Homo sapiens

<400> 76
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30
Gly Ile Ser Arg Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45
Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60
Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Pro Leu Leu Pro
100 105 110
Pro Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
115 120 125
Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
130 135 140
Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
145 150 155 160
Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
165 170 175
Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 77
 <211> 250
 <212> PRT
 <213> Homo sapiens

<400> 77
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Arg Cys Val
 100 105 110

Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 90

145 150 155 160
 Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175
 Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190
 Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205
 Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220
 Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240
 Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 78
 <211> 250
 <212> PRT
 <213> Homo sapiens

 <400> 78
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val His Pro Ser Arg
 100 105 110

Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 79

<211> 251

<212> PRT

<213> Homo sapiens

<400> 79

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Gly Pro Tyr Gly
 100 105 110

Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Lys
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 81
 <211> 250
 <212> PRT

<213> Homo sapiens

<400> 81

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Thr Thr Pro Cys
 100 105 110

Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe

96

Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr
 195 200 205

Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Val Ala Thr Tyr Tyr Cys
 210 215 220

Gln Lys Tyr Asn Ser Ala Pro Tyr Ala Phe Gly Gln Gly Thr Lys Val
 225 230 235 240

Glu Ile Lys Arg

<210> 83
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 83
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asp His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Thr Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 84
<211> 251
<212> PRT
<213> Homo sapiens

<400> 84
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Gly Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Pro Phe Leu
100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 85
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 85
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Ile Tyr
100 105 110

Pro His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 86
<211> 251
<212> PRT
<213> Homo sapiens

<400> 86
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15
Ser Val Lys Val Ser Cys Lys Val Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Asn Tyr Val Phe Glu Tyr Tyr
 100 105 110

Ala Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 87
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 87

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Leu Tyr Tyr
 100 105 110

Leu His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

103

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Pro Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 89

<211> 251

<212> PRT

<213> Homo. sapiens

<400> 89

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Met Tyr Phe
100 105 110

Pro His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 90
<211> 251
<212> PRT
<213> Homo sapiens

<400> 90
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Phe Phe Tyr
100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 91

<211> 251

<212> PRT

<213> Homo sapiens

<400> 91

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 106

107

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Asp Tyr Tyr
 100 105 110

Ala Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 93
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 93

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Gly Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Pro Phe Leu
 100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Ser Arg
 245 250

<210> 94
<211> 251
<212> PRT
<213> Homo sapiens

<400> 94
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Ser Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 95
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 95
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Val Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Glu Tyr Tyr
 100 105 110

Ser Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 96
<211> 251
<212> PRT
<213> Homo sapiens

<400> 96

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 97

<211> 251

<212> PRT

<213> Homo sapiens

<400> 97

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Ala Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Ala Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 98
<211> 251
<212> PRT
<213> Homo sapiens

<400> 98
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly Tyr Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Glu Phe Tyr
 100 105 110

Leu Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 99
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 99

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Lys Arg
 145 150 155 160

Ala Thr Leu Pro Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 100
<211> 250
<212> PRT
<213> Homo sapiens

<400> 100
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Pro Leu Asp
 100 105 110

Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 101
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 101
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Glu Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Tyr Phe Tyr
 100 105 110

Pro Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 118

145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 102
<211> 251
<212> PRT
<213> Homo sapiens

<400> 102
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Asn Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 103
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 103
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 120

121

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Thr Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 105
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 105

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Glu Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Val Lys Arg
 245 250

 <210> 106
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 106
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Tyr Tyr
 100 105 110

 Ala Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 107

<211> 250

<212> PRT

<213> Homo sapiens

<400> 107

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Pro Pro Ser
 100 105 110

Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 125

145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 108
<211> 251
<212> PRT
<213> Homo sapiens

<400> 108
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Pro Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 109
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 109
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Arg Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 127

128

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 111
 <211> 248
 <212> PRT

<213> Homo sapiens

<400> 111

Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala Ser Val Lys
 1 5 10 15

Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His Gly Ile Ser
 20 25 30

Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val Gly Trp Ile
 35 40 45

Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe Gln Gly Arg
 50 55 60

Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr Ile Glu Leu
 65 70 75 80

Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys Ala Arg Pro
 85 90 95

Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe Asp His Trp
 100 105 110

Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser Gly
 115 120 125

Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr Leu Thr
 130 135 140

Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala Thr Leu
 145 150 155 160

Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala Trp Tyr
 165 170 175

Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly Thr Ser
 180 185 190

Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu Ser Gly
 195 200 205

Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp Phe Ala
 210 215 220

Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe Gly Gln

225 230 235 240

Gly Thr Arg Leu Glu Ile Lys Arg
245

<210> 112
<211> 251
<212> PRT
<213> Homo sapiens

<400> 112
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Tyr Tyr
100 105 110

Leu Tyr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 113

<211> 251

<212> PRT

<213> Homo sapiens

<400> 113

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Ile Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 114
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 114
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Ile Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asp Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 115
<211> 251
<212> PRT
<213> Homo sapiens

<400> 115
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
134

65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 116
<211> 251
<212> PRT
<213> Homo sapiens

<400> 116
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Ala Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 117

<211> 251

<212> PRT

<213> Homo sapiens

<400> 117

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Asp Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Arg Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Ala Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Cys Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 118
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 118
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Ser Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 119

<211> 251

<212> PRT

<213> Homo sapiens

<400> 119

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Asn Arg
245 250

<210> 120
<211> 251
<212> PRT
<213> Homo sapiens

<400> 120
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Val Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 121
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 121
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe His Tyr Tyr
100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 122
<211> 251
<212> PRT
<213> Homo sapiens

<400> 122
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Pro Val Tyr
 100 105 110

Tyr Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 123
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 123

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Gly Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Phe Ile
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

145

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 125

<211> 251

<212> PRT

<213> Homo sapiens

<400> 125

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Pro Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Cys Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 146

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 126
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 126
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala His Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Asp Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 127
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 127
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 148

149

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Gly Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 129

<211> 251

<212> PRT

<213> Homo sapiens

<400> 129

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val His Glu Phe Phe
 100 105 110

Ser Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 151

152

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 131
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 131
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Lys Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 153

145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Gly Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 132
<211> 251
<212> PRT
<213> Homo sapiens

<400> 132
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly Arg Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 133
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 133
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 155

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Arg Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Ala Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 134
<211> 251
<212> PRT
<213> Homo sapiens

<400> 134
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Thr
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Gly Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Lys Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 135

<211> 251

<212> PRT

<213> Homo sapiens

<400> 135

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Pro Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 158

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 136
<211> 251
<212> PRT
<213> Homo sapiens

<400> 136
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asp His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 137

<211> 251

<212> PRT

<213> Homo sapiens

<400> 137

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 160

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Ala Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 138
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 138
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Ala Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asn Arg Phe Ser Asp Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Tyr Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 139

<211> 251

<212> PRT

<213> Homo sapiens

<400> 139

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

163

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Ala Leu Asp
 100 105 110

Leu Trp Gly Gln Gly Thr Met Val Asn Val Ser Ser Gly Gly Gly Gly
 115 120 125

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr Thr
 130 135 140

Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg Ala
 145 150 155 160

Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val Ala
 165 170 175

Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr Gly
 180 185 190

Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser Glu
 195 200 205

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu Asp
 210 215 220

Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr Phe
 225 230 235 240

Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 141

<211> 251

<212> PRT

<213> Homo sapiens

<400> 141

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gly Tyr Tyr
 100 105 110

Ser Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Ile Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 165

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Gly Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 143

<211> 251

<212> PRT

<213> Homo sapiens

<400> 143

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Lys Tyr Tyr
100 105 110

Thr Asp Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 144
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 144
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Ala Arg Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 145

<211> 251

<212> PRT

<213> Homo sapiens

<400> 145

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Met His Ala Tyr
 100 105 110
 Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125
 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140
 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Ser Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Gln Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 146
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 146
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe His Tyr Leu
 100 105 110

Pro Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 147
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 147

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Pro Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 148
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 148
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Glh Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Cys Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Glu Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Thr Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Asp Gln Ala Pro Arg Leu Leu Ile Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Asp Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 149

<211> 251

<212> PRT

<213> Homo sapiens

<400> 149

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Ala Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

175

Ser Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 151
<211> 251
<212> PRT
<213> Homo sapiens

<400> 151
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Cys Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
176

65	70	75	80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys	85	90	95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe	100	105	110
Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly	115	120	125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr	130	135	140
Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg	145	150	155
Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val	165	170	175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr	180	185	190
Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser	195	200	205
Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu	210	215	220
Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr	225	230	235
Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg	245	250	
<210> 152			
<211> 251			
<212> PRT			
<213> Homo sapiens			
<400> 152			
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala	1	5	10
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His	20	25	30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Phe Tyr Tyr
 100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 153

<211> 251

<212> PRT

<213> Homo sapiens

<400> 153

Gln Val Gln Leu Val Gln Pro Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225

230

235

240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 154

<211> 251

<212> PRT

<213> Homo sapiens

<400> 154

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly Arg Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Ala Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asn Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 155

<211> 251

<212> PRT

<213> Homo sapiens

<400> 155

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys His Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 156
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 156
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Val Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Asp Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Arg Arg
 245 250

<210> 157

<211> 251

<212> PRT

<213> Homo sapiens

<400> 157

Gln Ile Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 183

65	70	75	80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys			
	85	90	95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe			
	100	105	110
Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly			
	115	120	125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr			
	130	135	140
Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg			
	145	150	155
Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val			
	165	170	175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr			
	180	185	190
Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Asp Ser			
	195	200	205
Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu			
	210	215	220
Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr			
	225	230	235
Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg			
	245	250	
<210> 158			
<211> 251			
<212> PRT			
<213> Homo sapiens			
<400> 158			
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala			
1	5	10	15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His			
	20	25	30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 159
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 159

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Phe Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
186

225 230 235 240

 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 160
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 160
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Ala Tyr Tyr
 100 105 110

 Pro Asp Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 161

<211> 251

<212> PRT

<213> Homo sapiens

<400> 161

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Ile Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 162
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 162
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Asp Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 163

<211> 251

<212> PRT

<213> Homo sapiens

<400> 163

Gln Val Gln Leu Val Gln Ser Gly Val Glu Glu Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

191

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Asp Trp Val
 35 40 45

Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr Ala Asp Ser Val
 50 55 60

Glu Gly Arg Phe Ala Val Ser Arg Asp Asn Ala Lys Asn Ala Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Thr Lys Ala Ser Tyr Leu Ser Thr Ser Ser Ser Leu Asp Asn Trp Gly
 100 105 110

Gln Gly Thr Leu Val Thr Val Ser Ser Gly Gly Gly Gly Ser Gly Gly
 115 120 125

Gly Gly Ser Gly Gly Gly Gly Ser Asp Ile Gln Met Thr Gln Ser Pro
 130 135 140

Ser Ser Leu Ser Ala Ser Ile Gly Asp Arg Val Thr Ile Thr Cys Arg
 145 150 155 160

Ala Ser Gln Gly Ile Arg Asn Tyr Leu Ala Trp Tyr Gln Gln Lys Pro
 165 170 175

Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ala Ala Ser Thr Leu Gln Ser
 180 185 190

Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr
 195 200 205

Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Val Ala Thr Tyr Tyr Cys
 210 215 220

Gln Lys Tyr Asn Ser Ala Pro Tyr Ala Phe Gly Gln Gly Thr Lys Val
 225 230 235 240

Glu Ile Glu Arg

<210> 165

<211> 251

<212> PRT

<213> Homo sapiens

<400> 165

Gln Val Gln Leu Val Gln Ser Gly Val Lys Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Pro Val Tyr
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

194

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 167

<211> 251

<212> PRT

<213> Homo sapiens

<400> 167

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 195

145 150 155 160
 Ala Thr Leu Ser Cys Gly Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 168
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 168
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asn Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 169
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 169
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Leu Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 170
<211> 251
<212> PRT
<213> Homo sapiens

<400> 170
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Phe Tyr Tyr
 100 105 110

Pro Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 171

<211> 251

<212> PRT

<213> Homo sapiens

<400> 171

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 200

225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 172
<211> 251
<212> PRT
<213> Homo sapiens

<400> 172
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Glu Val Tyr
 100 105 110

His Pro Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 173

<211> 251

<212> PRT

<213> Homo sapiens

<400> 173

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Ala Pro Leu
 100 105 110

Val Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

203

Ala Phe Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 175
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 175
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Gly Tyr
 204

65	70	75	80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys			
	85	90	95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe			
	100	105	110
Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly			
	115	120	125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr			
	130	135	140
Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg			
	145	150	155
Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val			
	165	170	175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala His Arg Leu Leu Met Tyr			
	180	185	190
Gly Thr Ser Arg Arg Ala Ala Gly Val Pro Asp Arg Phe Ser Gly Ser			
	195	200	205
Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu			
	210	215	220
Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr			
	225	230	235
Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg			
	245	250	
<210> 176			
<211> 251			
<212> PRT			
<213> Homo sapiens			
<400> 176			
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala			
1	5	10	15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His			
	20	25	30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Leu Tyr Tyr
 100 105 110

Leu His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Gln Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 177

<211> 251

<212> PRT

<213> Homo sapiens

<400> 177

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Glu Phe Leu
 100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 178
<211> 251
<212> PRT
<213> Homo sapiens

<400> 178
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Arg Pro Phe Tyr
100 105 110

Ala His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 179

<211> 251

<212> PRT

<213> Homo sapiens

<400> 179

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 209

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Gly Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 180
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 180
 Gln Ala Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Phe Tyr
 100 105 110

Arg Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 181
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 181
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

212 .

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 183

<211> 251

<212> PRT

<213> Homo sapiens

<400> 183

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Gly Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val His Glu Phe Phe
 100 105 110

Ser Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 214

225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 184
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 184
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Arg Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Met Gln Phe Phe
 100 105 110

 Pro Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 185

<211> 251

<212> PRT

<213> Homo sapiens

<400> 185

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Ser Phe Tyr
 100 105 110

Pro Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 216

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 186
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 186
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Tyr Tyr Tyr
 100 105 110

Ala Phe Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Leu Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Ala Gly Val Pro Asp Arg Phe Ser Asp Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Cys Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 187
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 187
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 218

65	70	75	80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys	85	90	95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe	100	105	110
Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly	115	120	125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr	130	135	140
Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg	145	150	155
Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val	165	170	175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ser His Arg Leu Leu Met Tyr	180	185	190
Gly Thr Phe Arg Arg Pro Ser Gly Val Pro Asp Arg Phe Ser Asp Ser	195	200	205
Glu Ser Gly Thr Asp Phe Ser Leu Thr Ile Ser Arg Leu Glu Pro Glu	210	215	220
Asp Ser Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr	225	230	235
Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg	245	250	
<210> 188			
<211> 251			
<212> PRT			
<213> Homo sapiens			
<400> 188			
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala	1	5	10
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His	20	25	30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Asp Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 189

<211> 251

<212> PRT

<213> Homo sapiens

<400> 189

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Lys Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 221

225 230 235 240

 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 190
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 190
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Phe Tyr
 100 105 110

 Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 191

<211> 251

<212> PRT

<213> Homo sapiens

<400> 191

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Gln Tyr Tyr
 100 105 110

Val Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 223

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 192
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 192
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Leu Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Ala
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 193

<211> 251

<212> PRT

<213> Homo sapiens

<400> 193

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 225

226

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 195

<211> 251

<212> PRT

<213> Homo sapiens

<400> 195

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp Tyr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Ser Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 197

<211> 251

<212> PRT

<213> Homo sapiens

<400> 197

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 230

231

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Pro Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 199

<211> 251

<212> PRT

<213> Homo sapiens

<400> 199

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Tyr Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 232

65		70		75		80									
Ile	Glu	Leu	Arg	Ser	Leu	Lys	Ser	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85					90					95	
Ala	Arg	Pro	Phe	Tyr	Asp	Thr	Leu	Thr	Ser	Tyr	Val	Phe	Gln	Tyr	Phe
			100					105					110		
Asp	His	Trp	Gly	Gln	Gly	Thr	Met	Val	Thr	Val	Ser	Ser	Gly	Gly	Gly
		115					120					125			
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Ala	Leu	Glu	Thr
	130					135					140				
Thr	Leu	Thr	Gln	Ser	Pro	Asp	Thr	Leu	Ser	Leu	Ser	Pro	Gly	Glu	Arg
145					150					155					160
Ala	Thr	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Thr	Arg	Gly	Trp	Val
				165					170					175	
Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu	Met	Tyr
			180					185					190		
Gly	Thr	Ser	Arg	Arg	Ala	Thr	Gly	Val	Pro	Asp	Arg	Phe	Ser	Gly	Ser
		195					200					205			
Glu	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Arg	Leu	Glu	Pro	Glu
	210					215					220				
Asp	Phe	Ala	Val	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ala	Thr	Ser	Pro	Arg	Thr
225					230					235					240
Phe	Gly	Gln	Gly	Thr	Arg	Leu	Glu	Ile	Lys	Arg					
				245					250						
<210> 200															
<211> 251															
<212> PRT															
<213> Homo sapiens															
<400> 200															
Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Val	Glu	Val	Lys	Lys	Pro	Gly	Ala
1					5				10					15	
Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Ser	Asn	His
			20					25					30		

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Val Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 201

<211> 251

<212> PRT

<213> Homo sapiens

<400> 201

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Glu Tyr Tyr
 100 105 110

Pro Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Thr Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Ser Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Val Thr Ser Pro Arg Thr
 235

236

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 203

<211> 251

<212> PRT

<213> Homo sapiens

<400> 203

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Glu Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Tyr Leu
 100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Ala Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 204
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 204
 Gln Val Gln Leu Val Gln Ser Gly Val Gly Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 205

<211> 251

<212> PRT

<213> Homo sapiens

<400> 205

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65	70	75	80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys	85	90	95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe	100	105	110
Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly	115	120	125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr	130	135	140
Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Gly	145	150	155
Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val	165	170	175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr	180	185	190
Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser	195	200	205
Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu	210	215	220
Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr	225	230	235
Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg	245	250	
<210> 206			
<211> 251			
<212> PRT			
<213> Homo sapiens			
<400> 206			
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala	1	5	10
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His	20	25	30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Pro Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe His Phe Tyr
 100 105 110

Pro Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 207
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 207

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Ala Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 208
<211> 251
<212> PRT
<213> Homo sapiens

<400> 208

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Glu Ala Phe
 100 105 110

Ser Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Val Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 209

<211> 251

<212> PRT

<213> Homo sapiens

<400> 209

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gly Phe Tyr
 100 105 110

Pro Phe Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Gly Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 210
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 210
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Ile Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Ser Arg Leu Leu Met Tyr
 180 185 190

Gly Ser Ser Arg Arg Ala Ala Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Ser Ala Val Tyr Cys Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 211
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 211
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 246

247

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Trp Tyr Tyr
 100 105 110

Gln Asp Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 213

<211> 251

<212> PRT

<213> Homo sapiens

<400> 213

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Pro Phe Tyr
 100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 249

225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 214
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 214
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Ala Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 215

<211> 251

<212> PRT

<213> Homo sapiens

<400> 215

Gln Val Gln Leu Val Gln Ser Glu Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 251

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250
 <210> 216
 <211> 251
 <212> PRT
 <213> Homo sapiens
 <400> 216
 Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Ser Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 217

<211> 251

<212> PRT

<213> Homo sapiens

<400> 217

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 253

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Glu Tyr Phe
100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 218
<211> 251
<212> PRT
<213> Homo sapiens

<400> 218
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Glu Phe Phe
 100 105 110

Pro Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 219

<211> 251

<212> PRT

<213> Homo sapiens

<400> 219

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Glu Tyr Leu
 100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Gly Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225

230

235

240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 220

<211> 251

<212> PRT

<213> Homo sapiens

<400> 220

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Tyr Tyr
 100 105 110

Ser Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 221

<211> 251

<212> PRT

<213> Homo sapiens

<400> 221

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Arg Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Phe Tyr Tyr
100 105 110

Thr Ala Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
258

259

Pro Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 223

<211> 251

<212> PRT

<213> Homo sapiens

<400> 223

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 260

261

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 225

<211> 251

<212> PRT

<213> Homo sapiens

<400> 225

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Met His Tyr Tyr
 100 105 110

Pro Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 226
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 226
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Leu Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 227

<211> 251

<212> PRT

<213> Homo sapiens

<400> 227

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Gln Tyr Phe
 100 105 110

Arg Tyr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 265

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 228
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 228
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Gln Val Phe
 100 105 110

Asp Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 229

<211> 251

<212> PRT

<213> Homo sapiens

<400> 229

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65		70		75		80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys						
	85			90		95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe						
	100		105			110
Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly						
	115		120			125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr						
	130		135			140
Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg						
	145		150		155	160
Ala Thr Leu Ser Cys Arg Val Ser Gln Ser Val Thr Arg Gly Trp Val						
		165		170		175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr						
	180		185			190
Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser						
	195		200			205
Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu						
	210		215		220	
Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr						
	225		230		235	240
Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg						
		245		250		
<210> 230						
<211> 251						
<212> PRT						
<213> Homo sapiens						
<400> 230						
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala						
1		5		10		15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His						
	20		25			30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Ala Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 231

<211> 251

<212> PRT

<213> Homo sapiens

<400> 231

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Asp Tyr Tyr
 100 105 110

Ser Ser Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 270

225 230 235 240

 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 232
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 232
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Ala Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 233

<211> 251

<212> PRT

<213> Homo sapiens

<400> 233

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Arg Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 234
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 234
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Pro Phe Tyr
 100 105 110

Pro His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 235

<211> 251

<212> PRT

<213> Homo sapiens

<400> 235

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 237

<211> 251

<212> PRT

<213> Homo sapiens

<400> 237

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Met Asp Phe Tyr
 100 105 110

Ser Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

278

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 239

<211> 251

<212> PRT

<213> Homo sapiens

<400> 239

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 240
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 240
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Pro Phe Tyr
 100 105 110

Ala Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Pro Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 241

<211> 251

<212> PRT

<213> Homo sapiens

<400> 241

Gln Val Gln Leu Val Gln Ala Ala Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 281

65		70		75		80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys						
	85			90		95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe						
	100			105		110
Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly						
	115			120		125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr						
	130			135		140
Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg						
	145			150		155
Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val						
	165			170		175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr						
	180			185		190
Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser						
	195			200		205
Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu						
	210			215		220
Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr						
	225			230		235
Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg						
	245			250		
<210> 242						
<211> 251						
<212> PRT						
<213> Homo sapiens						
<400> 242						
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala						
	1			5		10
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His						
	20			25		30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Ala Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 243

<211> 251

<212> PRT

<213> Homo sapiens

<400> 243

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Gly Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Ser Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 244
<211> 251
<212> PRT
<213> Homo sapiens

<400> 244

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Pro Tyr Leu
 100 105 110

Thr His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 245

<211> 251

<212> PRT

<213> Homo sapiens

<400> 245

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Asn Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

287

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Asn Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Val Lys Arg
 245 250

<210> 247
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 247
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Glu Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 288

289

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 249

<211> 251

<212> PRT

<213> Homo sapiens

<400> 249

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Asn Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 291

225 230 235 240

 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 250
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 250
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Ala Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 251

<211> 251

<212> PRT

<213> Homo sapiens

<400> 251

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Gly Phe Tyr
 100 105 110

Pro Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 293

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250
 <210> 252
 <211> 251
 <212> PRT
 <213> Homo sapiens
 <400> 252
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Tyr His
 100 105 110

Thr His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 253

<211> 251

<212> PRT

<213> Homo sapiens

<400> 253

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 295

65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Asp Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Ala Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 254
<211> 251
<212> PRT
<213> Homo sapiens

<400> 254
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Asn Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Gly Ser Cys Lys Ala Tyr Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Asn Asp His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Tyr Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile His Phe Leu
 100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 255

<211> 251

<212> PRT

<213> Homo sapiens

<400> 255

Gln Val Gln Leu Val Gln Ser Ala Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Gly Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Pro Phe Leu
 100 105 110

Pro Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 298

299

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 257

<211> 251

<212> PRT

<213> Homo sapiens

<400> 257

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 300

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Asn Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 258
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 258
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Glu Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Arg Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 259

<211> 251

<212> PRT

<213> Homo sapiens

<400> 259

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65	70	75	80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys	85	90	95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Met His Tyr Leu	100	105	110
Pro Val Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly	115	120	125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr	130	135	140
Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg	145	150	155
Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val	165	170	175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr	180	185	190
Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser	195	200	205
Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu	210	215	220
Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr	225	230	235
Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg	245	250	
<210> 260			
<211> 251			
<212> PRT			
<213> Homo sapiens			
<400> 260			
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala	1	5	10
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His	20	25	30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Glu Phe Phe
 100 105 110

Ser His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 261

<211> 244

<212> PRT

<213> Homo sapiens

<400> 261

Gln Val Gln Leu Ala Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Gly Ser Gly Phe Thr Phe Asp Asp Tyr
 20 25 30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Asp Trp Val
 35 40 45

Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr Ala Asp Ser Val
 50 55 60

Glu Gly Arg Phe Ala Val Ser Arg Asp Asn Ala Lys Asn Ala Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Thr Lys Ala Ser Tyr Leu Ser Thr Ser Ser Ser Leu Asp Asn Trp Gly
 100 105 110

Gln Gly Thr Leu Val Thr Val Ser Ser Gly Gly Gly Gly Ser Gly Gly
 115 120 125

Gly Gly Ser Gly Gly Gly Gly Ser Asp Ile Gln Met Thr Gln Ser Pro
 130 135 140

Ser Ser Leu Ser Ala Ser Ile Gly Asp Arg Val Thr Ile Thr Cys Arg
 145 150 155 160

Ala Ser Gln Gly Ile Arg Asn Tyr Leu Ala Trp Tyr Gln Gln Lys Pro
 165 170 175

Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ala Ala Ser Thr Leu Gln Ser
 180 185 190

Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr
 195 200 205

Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Val Ala Thr Tyr Tyr Cys
 210 215 220

Gln Lys Tyr Asn Ser Ala Pro Tyr Ala Phe Gly Gln Gly Thr Lys Val
 305

225 230 235 240

 Glu Ile Lys Arg

 <210> 262
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 262
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile His Tyr Leu
 100 105 110

 Val Thr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 263

<211> 251

<212> PRT

<213> Homo sapiens

<400> 263

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Pro Tyr Tyr
 100 105 110

Thr Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250
 <210> 264
 <211> 251
 <212> PRT
 <213> Homo sapiens
 <400> 264
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Tyr Tyr
 100 105 110

Pro Ile Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 265

<211> 251

<212> PRT

<213> Homo sapiens

<400> 265

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

310

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Ala Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Gly Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 267

<211> 251

<212> PRT

<213> Homo sapiens

<400> 267

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Arg Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 268
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 268
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Met Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Ile
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 269

<211> 251

<212> PRT

<213> Homo sapiens

<400> 269

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Tyr Tyr
 100 105 110

Thr His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 270
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 270
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Val Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu His Tyr Tyr
 100 105 110

Ala Tyr Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 271

<211> 251

<212> PRT

<213> Homo sapiens

<400> 271

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Arg Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

317

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile His Phe Tyr
 100 105 110

Ser Leu Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 273

<211> 251

<212> PRT

<213> Homo sapiens

<400> 273

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Gly Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gly Phe Phe
 100 105 110

Pro His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 274
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 274
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Met Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 275

<211> 251

<212> PRT

<213> Homo sapiens

<400> 275

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Ala Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 321

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 276
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 276
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Ala Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 277
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 277
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Ile Ser Thr Ser Thr Ala Tyr

[illegible]

```
<210> 278
<211> 251
<212> PRT
<213> Homo sapiens
```

<400> 278
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Gly Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 279

<211> 251

<212> PRT

<213> Homo sapiens

<400> 279

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Ala His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Arg Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asp Thr Ser Pro Arg Thr

225 230 235 240

 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 280
 <211> 244
 <212> PRT
 <213> Homo sapiens

 <400> 280
 Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
 1 5 10 15

 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
 20 25 30

 Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Asp Trp Val
 35 40 45

 Ser Ala Ile Thr Trp Asn Ser Gly His Ile Asp Tyr Ala Asp Ser Val
 50 55 60

 Glu Gly Arg Phe Ala Val Ser Arg Asp Asn Ala Lys Asn Ala Leu Tyr
 65 70 75 80

 Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Thr Lys Ala Ser Tyr Leu Ser Thr Ser Ser Ser Leu Asp Asn Trp Gly
 100 105 110

 Gln Gly Thr Leu Val Thr Val Ser Ser Gly Gly Gly Gly Ser Gly Gly
 115 120 125

 Gly Gly Ser Gly Gly Gly Gly Ser Asp Ile Gln Met Thr Gln Ser Pro
 130 135 140

 Ser Ser Leu Ser Ala Ser Ile Gly Asp Arg Val Thr Ile Thr Cys Arg
 145 150 155 160

 Ala Ser Gln Gly Ile Arg Asn Tyr Leu Ala Trp Tyr Gln Gln Lys Pro
 165 170 175

 Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ala Ala Ser Thr Leu Gln Ser
 180 185 190

Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr
 195 200 205

Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Val Ala Ala Tyr Tyr Cys
 210 215 220

Gln Lys Tyr Asn Ser Ala Pro Tyr Ala Phe Gly Gln Gly Thr Lys Val
 225 230 235 240

Glu Ile Lys Arg

<210> 281

<211> 251

<212> PRT

<213> Homo sapiens

<400> 281

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Lys
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 282
<211> 251
<212> PRT
<213> Homo sapiens

<400> 282
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Ser Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Lys Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 283

<211> 251

<212> PRT

<213> Homo sapiens

<400> 283

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

331

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Ile Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Gly
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 285

<211> 251

<212> PRT

<213> Homo sapiens

<400> 285

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Tyr Tyr Tyr
 100 105 110

Ala Phe Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Gln Thr
 333

334

Gly Thr Ser Arg Arg Ala Thr Gly Val Ala Asp Arg Phe Ser Asp Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 287

<211> 251

<212> PRT

<213> Homo sapiens

<400> 287

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Phe Phe Tyr
100 105 110

Pro Phe Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
335

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Gly Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 288
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 288
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Asp Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 289

<211> 251

<212> PRT

<213> Homo sapiens

<400> 289

Gln Val Gln Leu Val Gln Ser Gly Val Glu Ala Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110
 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125
 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140
 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 290
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 290
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Phe Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 291

<211> 251

<212> PRT

<213> Homo sapiens

<400> 291

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240
 Phe Gly Leu Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 292
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 292
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Val Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 293

<211> 251

<212> PRT

<213> Homo sapiens

<400> 293

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Val Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Ile Pro Phe Leu
 100 105 110

Thr His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 294
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 294
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Leu Glu Phe Phe
 100 105 110

Pro Asp Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 295
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 295
 Gln Val Gln Leu Ala Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn Tyr
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr

345

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp Arg Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 297

<211> 251

<212> PRT

<213> Homo sapiens

<400> 297

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Glu Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 . 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 298
<211> 251
<212> PRT
<213> Homo sapiens

<400> 298
Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45
Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60
Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80
Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110
Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125
Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140
Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160
Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Ile Thr Arg Gly Trp Val
165 170 175
Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 299

<211> 251

<212> PRT

<213> Homo sapiens

<400> 299

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Gly Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 349

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 300
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 300
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Thr Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Ala Arg Leu Glu Ile Lys Arg
 245 250

<210> 301
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 301
 Gln Ile Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 351

65		70		75		80									
Ile	Glu	Leu	Arg	Ser	Leu	Lys	Ser	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85					90					95	
Ala	Arg	Pro	Phe	Tyr	Asp	Thr	Leu	Thr	Ser	Tyr	Val	Phe	Gln	Tyr	Phe
			100					105					110		
Asp	His	Trp	Gly	Gln	Gly	Thr	Met	Val	Thr	Val	Ser	Ser	Gly	Gly	Gly
		115					120					125			
Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Ala	Leu	Glu	Thr
	130					135					140				
Thr	Leu	Thr	Gln	Ser	Pro	Asp	Thr	Leu	Ser	Leu	Ser	Pro	Gly	Glu	Arg
145					150					155					160
Ala	Thr	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Thr	Arg	Gly	Trp	Val
				165					170					175	
Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu	Met	Tyr
			180					185					190		
Gly	Thr	Ser	Arg	Arg	Ala	Thr	Gly	Val	Pro	Asp	Arg	Phe	Ser	Gly	Ser
		195					200					205			
Glu	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Arg	Leu	Glu	Pro	Glu
	210						215				220				
Asp	Phe	Ala	Val	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ala	Thr	Ser	Pro	Arg	Thr
225					230					235					240
Phe	Gly	Gln	Gly	Thr	Arg	Leu	Glu	Ile	Lys	Arg					
				245					250						
<210> 302															
<211> 251															
<212> PRT															
<213> Homo sapiens															
<400> 302															
Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Val	Glu	Val	Lys	Lys	Pro	Gly	Ala
1					5				10					15	
Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Ser	Asn	His
			20					25					30		

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Ile
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 303

<211> 251

<212> PRT

<213> Homo sapiens

<400> 303

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Lys Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

355

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 305

<211> 251

<212> PRT

<213> Homo sapiens

<400> 305

His Val Gln Leu Val Leu Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly Arg Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 356

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250
 <210> 306
 <211> 251
 <212> PRT
 <213> Homo sapiens
 <400> 306
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Val Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 307

<211> 251

<212> PRT

<213> Homo sapiens

<400> 307

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 358

65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110
 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125
 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140
 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Val Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 308
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 308
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Ser Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 309
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 309

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr

225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 310
<211> 251
<212> PRT
<213> Homo sapiens

<400> 310
Gln Val Gln Leu Val Gln Ala Gly Val Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Glu Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Arg Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 311

<211> 251

<212> PRT

<213> Homo sapiens

<400> 311

Gln Val Gln Leu Val Gln Ala Ala Val Glu Val Lys Lys Pro Glu Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Asp His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Val Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Asp Ala Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Ser Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 312
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 312
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Pro Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 313

<211> 251

<212> PRT

<213> Homo sapiens

<400> 313

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 365

366

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45
 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80
 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110
 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125
 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140
 Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Ala Tyr Arg Phe Ser Ala Ser
 195 200 205
 Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ser Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 315
 <211> 251
 <212> PRT

<213> Homo sapiens

<400> 315

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Thr Arg Leu Val Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 368

225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 316
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 316
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

 Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

 Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

 Thr Leu Thr Gln Ser Thr Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Ser Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Tyr Ala Val Tyr Tyr Cys Gln Gln Tyr Asp Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 317

<211> 251

<212> PRT

<213> Homo sapiens

<400> 317

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg

145 150 155 160
 Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175
 Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190
 Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205
 Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220
 Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Gly Thr Ser Pro Arg Thr
 225 230 235 240
 Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

 <210> 318
 <211> 251
 <212> PRT
 <213> Homo sapiens

 <400> 318
 Gln Val Gln Leu Ile Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

 Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

 Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

 Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
 100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 319
 <211> 251
 <212> PRT
 <213> Homo sapiens

<220>
 <221> Site
 <222> (115)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 319
 Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
 35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Gly Phe Gln Tyr Phe
 100 105 110

Asp His Xaa Cys Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
 130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
 145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
 165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
 180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
 195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
 210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Ser Pro Arg Thr
 225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
 245 250

<210> 320

<211> 251

<212> PRT

<213> Homo sapiens

<400> 320

Gln Val Gln Leu Val Gln Ser Gly Val Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asn His
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Val
35 40 45

Gly Trp Ile Ser Gly His Asp Asp Ser Thr Lys Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Ala Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Ile Glu Leu Arg Ser Leu Lys Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Pro Phe Tyr Asp Thr Leu Thr Ser Tyr Val Phe Gln Tyr Phe
100 105 110

Asp His Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly
115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Leu Glu Thr
130 135 140

Thr Leu Thr Gln Ser Pro Asp Thr Leu Ser Leu Ser Pro Gly Glu Arg
145 150 155 160

Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Thr Arg Gly Trp Val
165 170 175

Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Met Tyr
180 185 190

Gly Thr Ser Arg Arg Ala Thr Gly Val Pro Asp Arg Phe Ser Gly Ser
195 200 205

Glu Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu Pro Glu
210 215 220

Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Ala Thr Leu Pro Arg Thr
225 230 235 240

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg
245 250

<210> 321

<211> 249

<212> PRT

<213> Homo sapiens

<400> 321

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Thr Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro His His Gly Leu Asp Ser
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser His Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 322
 <211> 249
 <212> PRT
 <213> Homo sapiens

<400> 322
 Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro His His Ser Phe Asp Leu
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Tyr Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 323

<211> 249

<212> PRT

<213> Homo sapiens

<400> 323

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asp
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro Leu Ala Pro Leu Tyr Pro
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 324

<211> 249

<212> PRT

<213> Homo sapiens

<400> 324

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro His His Gly Leu Asp Val
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 325

<211> 249

<212> PRT

<213> Homo sapiens

<400> 325

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro His His Ser Leu Asp Leu
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Ala Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 326

<211> 249

<212> PRT

<213> Homo sapiens

<400> 326

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Trp Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro His His Ser Phe Asp Leu
100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
245

<210> 327

<211> 249

<212> PRT

<213> Homo. sapiens

<400> 327

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Gly Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro His His Ala Leu Ser Pro
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Ser Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 328
 <211> 249
 <212> PRT
 <213> Homo sapiens

<400> 328
 Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Tyr Leu Leu Leu Phe Pro His His Ser Phe Asp Leu
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Pro Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 329
 <211> 249
 <212> PRT
 <213> Homo sapiens

<400> 329
 Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro His His Ser Phe Asp Leu
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Thr Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 330

<211> 249

<212> PRT

<213> Homo sapiens

<400> 330

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro His Asp His Leu Leu Phe
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Asn Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 331
 <211> 249
 <212> PRT
 <213> Homo sapiens

<400> 331
 Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro Ser Asp Pro Leu Gly Phe
100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Ser
115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
180 185 190

Arg Pro Pro Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
245

<210> 332

<211> 249

<212> PRT

<213> Homo sapiens

<400> 332

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro Thr His Pro Leu Ser Phe
100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
245

<210> 333
 <211> 249
 <212> PRT
 <213> Homo sapiens

<400> 333
 Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro Leu Ala Pro Leu Phe Phe
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 334

<211> 249

<212> PRT

<213> Homo sapiens

<400> 334

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro Ser Asp Pro Leu Ser Leu
 100 105 110

Trp Ser Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 335

<211> 249

<212> PRT

<213> Homo sapiens

<400> 335

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro Ser Ala Pro Leu Ser Phe
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 336

<211> 249

<212> PRT

<213> Homo sapiens

<400> 336

Gln Val Pro Leu Gln Arg Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
 50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro Ala Ser Pro Leu Ser Phe
 100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
 115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
 130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
 145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
 165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
 180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
 195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
 210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
 225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
 245

<210> 337
 <211> 248
 <212> PRT
 <213> Homo sapiens

<400> 337
 Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
 20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro Asn Asp Ala Leu Ser Trp
100 105 110

Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser Gly
115 120 125

Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu Thr
130 135 140

Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val Thr
145 150 155 160

Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln Gln
165 170 175

Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn Arg
180 185 190

Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn Thr
195 200 205

Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asn Tyr
210 215 220

Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly Gly
225 230 235 240

Gly Thr Glu Leu Thr Val Leu Gly
245

<210> 338

<211> 249

<212> PRT

<213> Homo sapiens

<400> 338

Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
1 5 10 15

Ser Val Arg Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Asn Asn Asn
20 25 30

Ala Ile Asn Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Gly Ile Ile Pro Met Phe Gly Thr Ala Lys Tyr Ser Gln Asn Phe
50 55 60

Gln Gly Arg Val Ala Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Ser
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Arg Asp Leu Leu Leu Phe Pro Ser Ala Pro Leu Arg Phe
100 105 110

Trp Gly Arg Gly Thr Met Val Thr Val Ser Ser Gly Gly Gly Gly Ser
115 120 125

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Ala Phe Ser Ser Glu Leu
130 135 140

Thr Gln Asp Pro Ala Val Ser Val Ala Leu Gly Gln Thr Val Arg Val
145 150 155 160

Thr Cys Gln Gly Asp Ser Leu Arg Ser Tyr Tyr Ala Ser Trp Tyr Gln
165 170 175

Gln Lys Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Gly Lys Asn Asn
180 185 190

Arg Pro Ser Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Asn
195 200 205

Thr Ala Ser Leu Thr Ile Thr Gly Ala Gln Ala Glu Asp Glu Ala Asp
210 215 220

Tyr Tyr Cys Asn Ser Arg Asp Ser Ser Gly Asn His Trp Val Phe Gly
225 230 235 240

Gly Gly Thr Glu Leu Thr Val Leu Gly
245